


JNCC Report No. 294 Checklist of birds listed in the CITES appendices and in EC Regulation No. 338/97

JNCC REPORT



AIN 21800 UNEP WOME Repair 2001





JNCC Report No. 294 Checklist of birds listed in the CITES appendices and in EC Regulation No. 338/97

6th edition 2001

compiled by UNEP-WCMC

©JNCC 2001

The Joint Nature Conservation Committee is the body constituted by the Environmental Protection Act 1990 to be responsible for research and advice on nature conservation at both UK and international levels. It is a committee of the Countryside Council for Wales, English Nature and Scottish Natural Heritage, together with

independent members and representatives from the Countryside Commission and Northern Ireland. It is supported by specialist staff.

Published by: Joint Nature Conservation Committee

Copyright: 2001 Joint Nature Conservation Committee

ISBN: 1st edition published 1986 ISBN 0-86139-356-2

2nd edition published 1990 ISBN 0-86139-601-4 3rd edition published 1993 ISBN 1-873701-45-4 4th edition published 1995 ISSN 0963-8091 5th edition published 1999 ISSN 0963-8091 6th edition published 2001 ISSN 0963-8091

Citation: UNEP-WCMC (2001). Checklist of birds listed in the CITES Appendices and in the Annexes

of the Council of the European Union Regulation (EC) No. 338/97. JNCC Reports, No. 294.

Further copies of this report available from:

CITES Unit

Joint Nature Conservation Committee

Monkstone House

City Road

Peterborough PEI 1JY United Kingdom

Tel: +44 1733 562626 Fax: +44 1733 555948

This document can also be downloaded from:

http://www.ukcites.gov.uk

Prepared under contract from the Joint Nature Conservation Committee by UNEP-WCMC. The UNEP World Conservation Monitoring Centre was established in 2000 as the world biodiversity information and assessment centre of the United Nations Environment Programme. The roots of the organization go back to 1979, when it was founded as the IUCN Conservation Monitoring Centre. In 1988 the World Conservation Monitoring Centre was created jointly by IUCN, WWF International and UNEP. The financial support and guidance of these organizations I in the Centre's formative years is gratefully acknowledged.

The designations of geographical entities in this report, and the presentation of the material, do not imply the expression of any opinion whatsoever on the part of JNCC or UNEP-WCMC concerning the legal status of any country, territory, or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contents

ACKNOWLEDGEMENTS	i	Cracidae Phasianidae	82 84
INTRODUCTION	i	GRUIFORMES Gruidae	90 90
EXPLANATORY NOTES	ii	Rallidae Rhynochetidae Otididae	93 93 94
LIST	V	CHARADRIIFORMES Burhinidae	98 98
STRUTHIONIFORMES Struthionidae	1 1	Scolopacidae Laridae	98 99
RHEIFORMES Rheidae	1 1	COLUMBIFORMES Columbidae	99 99
CASUARIIFORMES Casuariidae	2 2	PSITTACIFORMES Psittacidae	105 105
TINAMIFORMES Tinamidae	2 2	CUCULIFORMES Musophagidae	139 139
SPHENISCIFORMES Spheniscidae	2 2	STRIGIFORMES Tytonidae Strigidae	142 142 144
PODICIPEDIFORMES Podicipedidae	2 2	Strigidae APODIFORMES Trochilidae	168 168
PROCELLARIIFORMES Diomedeidae	3 3	TROGONIFORMES Trogonidae	195 195
PELECANIFORMES Pelecanidae Sulidae	3 3 3	CORACIIFORMES Bucerotidae	195 195
Fregatidae CICONIIFORMES	3 4	PICIFORMES Capitonidae	199 199
Ardeidae Balaenicipitidae	4 7	Ramphastidae Picidae	199 200
Ciconiidae Threskiornithidae Phoenicopteridae	7 9 11	PASSERIFORMES Cotingidae Pittidae	200 200 201
ANSERIFORMES Anatidae	13 13	Atrichornithidae Hirundinidae	202
FALCONIFORMES Cathartidae Pandionidae Accipitridae Sagittariidae Falconidae	23 23 23 24 68 68	Pycnonotidae Bombycillidae Muscicapidae Sittidae Nectariniidae Zosteropidae Meliphagidae	203 203 203 206 206 206 207
GALLIFORMES Megapodiidae	81 81	Emberizidae Icteridae	207 208

Fringillidae Estrildidae Ploceidae Sturnidae Paradisaeidae Corvidae	208 209 215 222 222 227
REFERENCES	229
INDEX	287

Acknowledgements

This checklist was compiled by UNEP-WCMC under contract F90-01-369 from the Joint Nature Conservation Committee.

The volume builds on earlier editions produced by the International Council for Preservation (now Rird Birdl ife International), and the Nature Conservation Bureau. The numerous contributors to those editions are UNEP-WCMC acknowledged. staff involved in the production of this volume include Tim Inskipp, Harriet Gillett, Phillip Fox, Jodie Humphreys and Paul Birrell. The project was supervised by Gerardo Fragoso.

Vin Fleming and Alison Littlewood of the JNCC CITES Unit are thanked for providing advice and guidance throughout.

Introduction

In April 1991, the Nature Conservancy Council for England (English Nature), Countryside Council for Wales Scottish Natural Heritage acting together through the Joint Nature Conservation Committee were appointed by Secretary of State for the Environment as the United Kingdom's Scientific Authority for Animals under Convention on International Trade in Endangered Species of Wild Fauna and (CITES). CITES Flora regulates international trade in wild animals, plants and products derived from them, helping to ensure their conservation on a global

The purpose of this work is to provide a list of bird species appearing in Appendices I, II and III of CITES, the EC Regulation 338/97 Annex, and the IUCN conservation status category.

This document incorporates additions and amendments to the CITES appendices up to and including those made at the 11th Conference of the Parties in Kenya in April 2000 (effective from 19 July 2000).

For background material on the rationale of the IUCN threat categories, readers are referred to IUCN (2000); for the workings of CITES, Favre (1989) and Wijnstekers (1992) are recommended. For information by country on the diversity and status of birds and other taxonomic groups, and for a general review of biodiversity, readers are referred to WCMC (1992) and WCMC (1994).

In a publication of this nature, it is inevitable that users will discover entries that need correcting or updating. The publishers and UNEP-WCMC would be grateful to receive details of those entries so that the necessary changes can be made in the database from which this document is produced.

The database is continually updated and the downloaded version of this document may contain more recent information than the original printed publication.

i

Explanatory Notes

Each species is typically represented by a block of text; including scientific name (with alternatives), Common names in the three official CITES languages (where available), geographic range, CITES Appendix, EC Regulation 338/97 Annex, and Red List category. Where a species has component populations or formal subspecies which are treated differently by CITES, the species entry is subdivided appropriately.

Scientific names

Following CITES practice, nomenclature of genera and species follows Sibley and Monroe (1990 and 1993) with genera and species arranged alphabetically within families. The nomenclature and sequence of families and higher taxa follows Morony, Bock and Farrand (1975). Scientific names of species in Morony et al. which differ from those in Sibley and Monroe (1990 and 1993) have been inserted as synonyms. The comprehensive index to families, genera, species and English, Spanish and French names should enable entries for taxa to be located quickly.

English names

These are primarily taken from Sibley and Monroe (1990 and 1993), but some other commonly used names are given as synonyms. Well-defined subspecies treated by some authors as separate species, are given in parentheses following the species name in this list. Corresponding English names are also given in parentheses to denote that the name refers only to a particular form of the species.

Spanish and French names

Spanish names are taken del Hoyo et al. (1992-2001). French names are primarily taken from Commission internationale des noms français des oiseaux (1993).

Other information

The three columns headed CITES, EC Reg. and RL list the following information for each taxon.

CITES

I, II or III in this column refers to the appendix in which the taxon is listed under the Convention on International Trade in Endangered Species of Wild Fauna and Flora, NC = non-CITES.

The two-letter abbreviations following Appendix III entries denote the countries whose governments have placed the taxon in this appendix, as follows:

CO Colombia

CR Costa Rica

GH Ghana

GT Guatemala

HN Honduras

MU Mauritius

MY Malaysia

NP Nepal

TH Thailand

UY Uruguay

The CITES appendices include many species which are not threatened but which are considered 'look-alikes' for the purposes of international trade. Thus all Falconiformes and Strigiformes and virtually all Psittaciformes are included, together with the Otididae and Trochilidae. The situation is further complicated because Ghana has included in Appendix III several widespread and common species, such as Bubulcus ibis, Streptopelia turtur and Ploceus cucullatus.

EC Reg.

The letters in this column refer to the Annex of EC Regulation 338/97 in which the taxon is listed. NR = non Regulation

RL

Threat categories follow those given in the 2000 IUCN Red List and BirdLife International (2000), and are as follows:

EX Extinct

EW Extinct in the Wild CR Critically Endangered

EN Endangered VU Vulnerable LR Lower Risk

LR/cd Lower Risk/Conservation dependent

LR/nt Lower Risk/Near threatened LR/Ic Lower Risk/Least concern

DD Data Deficient NE Not Evaluated

Geographical range

The geographical range of each taxon is given in terms of political units arranged alphabetically. Small island dependencies are also listed alphabetically.

Place-names and names of countries follow the *Times Atlas* (1990) and United Nations (1993).

It should be noted that, when a species is listed as occurring within a country, it may not occur throughout the country, and may be confined to only one or a few localities. This is particularly true for migratory species.

A question mark '?' in parentheses has been used following a country to indicate that there is some uncertainty in the status of the species in that country.

A country where the species is known to be extinct is denoted by '(ex)', or by '(ex?)' where there is still a small possibility that the species survives, or where recent searches have been unsuccessful.

'[int]' denotes a range state where the species has been introduced. '[re-int]' denotes a range state where the species has been re-introduced.

Each country may be followed by a status category in parentheses:

Br = Breeding

Countries in which a species is known or presumed to breed. Much of the information on tropical species is based on sight evidence only, but such species are presumed to be breeding by virtue of their sedentary nature.

V = Vagrant

Countries in which a species has been recorded, but only as a rare or irregular visitor.

Where no status category is included this indicates a non-breeding species in the country concerned.

Dependent territories

In the text, parent countries of island groups or dependent territories are omitted. These are listed below:

American Samoa, USA Anguilla, United Kingdom Aruba, Netherlands Ascension Islands, United Kingdom Azores, Portugal Bermuda, United Kingdom Bouvet Island, Norway British Antarctic Territory, United Kinadom British Indian Ocean Territory, United Kinadom British Virgin Islands, United Kingdom Canary Islands, Spain Canton and Enderbury Islands, Kiribati Cayman Islands, United Kingdom Channel Islands, United Kingdom Christmas Island, Australia Clipperton Atoll, France Cocos (Keeling) Islands, Australia Cook Islands, New Zealand Falkland Islands, United Kingdom Faeroe Islands, Denmark Federated States of Micronesia, USA French Guiana, France French Polynesia, France French Southern and Antarctic Territories, France Gibraltar, United Kingdom Greenland, Denmark Guadeloupe, France Guam, USA Guernsey, United Kingdom Hawaiian Islands, USA Heard and Macdonald Islands, Australia Isle of Man, United Kingdom Jersey, United Kingdom

Johnston Atoll, USA Macao, Portugal Macquarie Island, Australia Madeira, Portugal Marshall Islands, USA Martinique, France Mayotte, France Montserrat, United Kingdom Netherlands Antilles, Netherlands New Caledonia, France Niue, New Zealand Norfolk Island, Australia Northern Marianas, USA Palau, USA Panama Canal Zone, USA Pitcairn Islands, United Kingdom Puerto Rico, USA Oueen Maud Land, Norway Réunion, France Saint Helena, United Kingdom Saint Pierre and Miguelon, France Saint Vincent, United Kingdom South Orkney Islands, United Kingdom South Sandwich Islands, United Kingdom South Georgia, United Kingdom South Shetland Islands, United Kingdom Svalbard and Jan Mayen Islands, Norway Tokelau, New Zealand Tristan da Cunha Islands, United Kingdom Turks and Caicos Islands, United Kingdom Virgin Islands of the United States, USA Wallis and Futuna, France

Introductory References

- BirdLife International. 2000. Threatened birds of the world. BirdLife International, Cambridge, U.K.
- Commission internationale des noms français des oiseaux. 1993. Noms français des oiseaux du monde. Éditions MultiMondes inc. Quebec,
- Favre, D. S. 1989. *International trade in endangered species: a guide to CITES*. Martinus Nijhoff, Dordrecht.
- del Hoyo, J., Elliot, A. and Sargatal, J. (eds). 1992-2001. *Handbook of the birds of the world*. Volumes 1-6. Lynx Edicions. Barcelona.
- Morony, J. J., Bock, W. J. and Farrand, J. 1975.

 Reference list of the birds of the world. American
 Museum of Natural History (Department of
 Ornithology).
- Sibley, C. G. and Monroe, B. L. Jr. 1990.

 Distribution and taxonomy of birds of the world.

 Yale University Press, New Haven.

- Sibley, C. G. and Monroe, B. L. Jr. 1993. A supplement to distribution and taxonomy of birds of the world. Yale University Press, New Haven.
- The Times Atlas of the World 1990. Comprehensive (eighth) edition. Times Books, London U.K.
- United Nations, 1993. *Terminology* Bulletin No. 345. United Nations, New York.
- Wijnstekers, W. 1992. The evolution of CITES. A reference to the Convention on International Trade in Endangered Species of Wild Fauna and Flora. Third revised edition. CITES Secretariat, Lausanne, Switzerland.
- World Conservation Monitoring Centre (Comp.), Groombridge, B. (Ed). 1994. *Biodiversity Data Sourcebook*. World Conservation Press, Cambridge, U.K. 155 pp.
- World Conservation Monitoring Centre, 1992. Global Biodiversity. Status of the Earth's living Resources. Chapman & Hall, London, U.K.

STRUTHIONIDAE

CITES EC Reg. RL

References

Phylum:

CHORDATA

Class:

AVES

Order:

STRUTHIONIFORMES

Family:

STRUTHIONIDAE

Struthio camelus Linnaeus, 1758

I/NC A/NR

511, 524, 573, 613, 636, 841,

1256, 1292

Synonym: Struthio molybdophanes

E: Ostrich, S: Avestruz, F: Autruche d'Afrique

CITES Identification Manual Reference:

A-201.001.001.001

CITES Appendix I populations

I A

Algeria (ex, br); Burkina Faso; Cameroon (br); Central African Republic (br); Chad (br); Mali (br); Mauritania (br); Morocco (ex, br); Niger (br); Nigeria (br); Senegal (br); Sudan (br)

Non-CITES populations

NC NR

Angola [5267]; Bahrain (ex) [1105]; Botswana [659, 1102]; Djibouti [427]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Israel (ex, br); Jordan (ex, br) [395]; Kenya [5253]; Kuwait (ex) [537]; Libyan Arab Jamahiriya (ex) [536]; Mozambique [659]; Namibia; Oman (ex); Saudi Arabia (ex) [881]; Somalia [5252]; South Africa [659]; Swaziland (int) [1139]; Tanzania, United Republic of [659]; Tunisia (ex); Uganda [659]; Western Sahara; Zambia; Zimbabwe [659]

Order: Family:

RHEIFORMES RHEIDAE

Rhea americana (Linnaeus, 1758)

II

B LR/nt

476, 595, 636,

1045, 1068

E: Common Rhea, Greater Rhea, S: Avestruz, Ñandú, Ñandú común, F: Nandou américain, Nandou commun, Nandou d'Amérique, Nandou gris

Argentina (br) [465, 531, 5291]; Bolivia (br) [1186]; Brazil (br) [559, 6186]; Paraguay

(br) [5295]; Uruguay (br) [5287]

CITES Identification Manual Reference:

A-202.001.002.001

Rhea pennata d'Orbigny, 1834

I/II

A/B

LR/nt 476, 595, 636,

931, 1045, 1068

Synonym: Pterocnemia pennata

E: Darwin's Rhea, Lesser Rhea, Puna Rhea, S: Avestruz de Magallanes, Ñandú cordillerano,

Ñandú de Darwin, Ñandú petizo, F: Nandou de Darwin

CITES Identification Manual Reference:

A-202.001.001.001

В

A/B

В

CITES Appendix I populations

т л

Argentina (br) [465, 551, 5291]; Bolivia (br) [1186]; Chile (br) [747, 5292]; Peru (br) [1136]

CITES Appendix II populations

•

II

I/II

Argentina (br) R. p. pennata

Rhea pennata pennata d'Orbigny, 1834

nea permana permana a avangmy, maa

CITES Appendix I population

Chile (br)

I A

` '

CITES Appendix II population

Argentina (br)

II

CASUARIIDAE CITES EC Reg. RL References

Order: CASUARIIFORMES Family: CASUARIIDAE

Casuarius bennetti Gould, 1857 D LR/nt

E: Dwarf Cassowary, S: Casuario menor, F: Casoar de Bennett Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]

Casuarius casuarius (Linnaeus, 1758) D VU

Synonym: Casuarius bicarunculatus

E: Southern Cassowary, S: Casuario común, F: Casoar à casque

Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br) [6951]

Order: TINAMIFORMES Family: TINAMIDAE

Tinamus solitarius (Vieillot, 1819) I A LR/nt 483, 595, 636, 931, 1045, 1068

E: Solitary Tinamou, S: Macuco, Tinamu grande, Tinamu macuco, Tinamú solitario, F: Tinamou solitaire

Argentina (br) [465, 5291]; Brazil (br) [1272, 6186]; Paraguay (br) [5295]

Order: SPHENISCIFORMES Family: SPHENISCIDAE

Spheniscus demersus (Linnaeus, 1758) II B VU 513, 524, 573,

595, 597, 605, 636, 662, 802, 922, 949, 950, 1091, 1180, 1430, 1431

1045, 1068

E: African Penguin, Black-footed Penguin, Jackass Penguin, S: Pingüino del Cabo, F: Manchot du Cap

Angola [5267]; Argentina (v); Congo (v) [659]; Gabon (v) [659]; Mozambique [659]; Namibia

(br) [659]; South Africa (br) [616, 659]
CITES Identification Manual Reference: A-206.001.006.002

Spheniscus humboldti Meyen, 1834 I A VU 595, 636, 802,

E: Humboldt Penguin, Peruvian Penguin, S: Pingüino de Humboldt, F: Manchot de Humboldt Chile (br) [416, 747, 5292]; ?Colombia (v) [837, 1179]; Ecuador (v) [5294]; Peru (br) [817, 818, 1136]

CITES Identification Manual Reference: A-206.001.006.003

Order: PODICIPEDIFORMES Family: PODICIPEDIDAE

Podilymbus gigas Griscom, 1929 I A EX 595, 636, 802,

856, 931, 951, 952, 1378

E: Atitlan Grebe, Giant Grebe, Giant Pied-billed Grebe, S: Poc de Atitlán, Somormujo de Atitlán, Somormujo del lago Atitlán, Zambullidor de Atitlán, Zampullín del Atitlán, F: Grèbe de l'Atitlan, Grèbe du lac Atitlan, Grèbe géant Guatemala (ex, br) [5241]

DIOMEDEIDAE CITES EC Reg. RL References

Order: **PROCELLARIIFORMES**

Family: DIOMEDEIDAE

Diomedea albatrus Pallas, 1769 I Α 553, 595, 636, 802, 805, 806,

807, 931

E: Short-tailed Albatross, Steller's Albatross, S: Albatros, Albatros colicorto, Albatros rabón,

F: Albatros à queue courte, Albatros de Steller

China (ex) [5293]; Japan (br) [503]; Korea, Republic of (v) [1436]; Russian Federation [710, 938]; Taiwan, Province of China; United States (v) [387]

Order: **PELECANIFORMES** Family: PELECANIDAE

Pelecanus crispus Bruch, 1832 Ι Α LR/cd 381, 523, 595,

> 613, 617, 618, 619, 620, 636, 802, 841, 929, 931, 6193, 6229, 6230

E: Dalmatian Pelican, S: Pelícano ceñudo, Pelícano rizado, F: Pélican dalmate, Pélican frisé Afghanistan [694]; Albania (br); Algeria (v); Armenia (br) [5240]; Austria (ex) [1215]; Azerbaijan [710]; Bangladesh [804]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (ex, br); Cyprus (v) [709]; ?Czech Republic (v) [5258]; Egypt [756]; Georgia [710, 1253, 5257]; Germany (ex) [374, 5269, 5274]; Greece (br) [710, 938, 5281]; Hong Kong [5284]; Hungary (ex, br, v); India [971, 1197]; Iran (Islamic Republic of) (br); Iraq [385, 1436, 5245, 5290]; Israel (v); Italy (v) [537, 1038, 5289]; Kazakhstan (br) [6347]; Korea, Republic of (v); Kuwait (v); Latvia (v) [5278]; Lebanon; Macedonia, former Yugoslav Republic of (ex, br); Moldova, Republic of [710]; Mongolia (br) [1306]; Norway (v) [5275]; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br); Slovakia (v) [5279]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710, 1241]; Western Sahara (v); Yugoslavia (br) [1038] CITES Identification Manual Reference: A-210.002.001.003

Pelecanus philippensis Gmelin, 1789

E: Grey Pelican, Spot-billed Pelican, S: Pelícano oriental, F: Pélican à bec tacheté, Pélican gris Bangladesh [804]; Cambodia [5243]; China (ex, br) [5293]; India (br) [1197]; Indonesia [393]: Jawa, Sumatera; Korea, Republic of (v) [1436]; Lao People's Democratic Republic [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (ex, br) [1290]; Nepal [865]; Philippines (ex, br, v) [5270]; Sri Lanka (br) [5271]; Thailand [487]; Viet Nam [5264]

Family: SULIDAE

Papasula abbotti Ridgway, 1893 I Α CR 494, 595, 636, 802, 931, 1098,

1099, 1315

Synonym: Sula abbotti

E: Abbott's Booby, S: Alcatraz de Abbott, Piquero de Abbott, F: Fou d'Abbott Australia (br) [477]; Christmas Island (br) [1188, 1189]; Cocos (Keeling) Islands (br) [1316]; Costa Rica [1311]; Indonesia [393, 449, 1284]: Irian Jaya, Jawa, Moluccas, Sumatera; Mauritius

(ex) [659]; Seychelles (ex, br) [659]: Aldabra [1313]

Family: FREGATIDAE

Fregata andrewsi Mathews, 1914 I CR 595, 636, 802, 931, 1023, 1046, 1315, 1410

E: Andrews' Frigatebird, Christmas frigatebird, Christmas Island Frigatebird, S: Fragata de las islas Christmas, Rabihorcado de la Christmas, Rabihorcado ventriblanco, F: Frégate d'Andrews, Frégate de l'île Christmas

Australia (br, v) [477]; Brunei Darussalam (v); China [5293]; Christmas Island (br); Cocos (Keeling) Islands (v) [1316]; Hong Kong; India (v) [1197]: Andaman Is; Indonesia [393, 686, 10461: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Japan (v) [503]; Kenya (v) [1017, 5253]; Malaysia [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar [1290]; Singapore (v) [791]; Sri Lanka (v) [5271]; Thailand [487, 854]; Viet Nam (v) [5264]

Order:

CICONIIFORMES

Family:

ARDEIDAE

Ardea goliath Cretzschmar, 1827

III GH C

511, 524, 573, 636, 795, 841, 1045, 1256, 1292

E: Goliath Heron, S: Garza goliat, F: Héron goliath Angola (br) [5267]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br); Burundi (br?); Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br) [427]; Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br); Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?); Guinea (br); Guinea-Bissau (br) [659, 1293]; India (v); Iran (Islamic Republic of) (br) [1253]; Iraq (br); Jordan (v) [6454]; Kenya (br) [5253]; Lesotho (v) [486, 659, 894, 1345]; Liberia (v) [659, 5246]; Malawi (br) [659, 894, 1103]; Mali [659, 782]; Mauritania [385, 659]; Mozambique (br?) [659, 881]; Namibia (br) [659]; Niger (br?) [659, 5297]; Nigeria (br?); Oman (v) [1197]; Pakistan (v) [5245]; Rwanda (br) [659]; Saudi Arabia (br?); Senegal (br) [659, 1293]; Sierra Leone (br?); Somalia (br) [5252]; South Africa (br) [659]; Sri Lanka (v) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of (br) [659]; Togo (br?) [570, 5254]; Uganda (br) [659]; Yemen (br?); Zambia (br) [659]; Zimbabwe (br) [659]

Bubulcus ibis (Linnaeus, 1758)

III GH A

381, 387, 485, 511, 524, 573, 613, 636, **795**, 841, 929, 1171, 1256, 1292

Synonym: Ardeola ibis

E: Buff-backed Heron, Cattle Egret, S: Espulgabueyes, Garcilla bueyera, Garcita resnera, Garza ganadera, F: Héron gardeboeuf, Héron gardeboeufs, Héron garde-boeufs Albania (v); Algeria (br) [971]; Angola (br) [5267]; Anguilla (br?) [5242]; Antigua and Barbuda (br) [5242]; Argentina (br) [5291]; Armenia (br) [5240]; Aruba (br) [1380]; Australia (int, br) [477]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh (br) [804]; Barbados (br) [5242]; Belarus (v); Belgium (v) [5272]; Belize (br) [5241]; Benin [659, 845]; Bermuda [389]; Bhutan (br) [5261]; Bolivia (br) [1186, 6385]; Bosnia and Herzegovina (v) [1038]; Botswana (br) [1102]; Brazil (br) [6186, 6413]; British Indian Ocean Territory (int, br); Brunei Darussalam; Bulgaria (ex, br, v) [5280]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Canada (br) [748]; Cape Verde [820]; Cayman Islands (br); Central African Republic (br) [659]; Chad (br) [659]; Chile (br) [5292]; China (br) [5293]; Christmas Island (v); Cocos (Keeling) Islands [1316]; Colombia (br) [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire [1334]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br) [427]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]: Ecuador, Galapagos; Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Falkland Islands (Malvinas) [1439]; France (br) [7041]; French Guiana (br) [1349]; Gabon [659]; Gambia (br) [760]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Guam (v) [503]; Guatemala (br) [5241]; Guinea; Guinea-Bissau (br) [659]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Hong Kong (br); Hungary (v) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of)

(br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (br) [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (v) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (v) [1038]; Madagascar (br) [633, 961, 5249]; Malawi [1103]; Malaysia [1289]: Peninsular Malaysia, Sabah, Sarawak; ?Maldives (br) [431]; Mali (br) [659, 1281]; Malta (v); Marshall Islands (v) [1171]; Martinique (br) [5242]; Mauritania (br) [659]; Mauritius (br?) [659]; Mayotte (br); Mexico (br) [5241]; Micronesia (Federated States of) [1171]; Montserrat (br) [5242]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Netherlands Antilles (br); New Zealand [821, 1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Norfolk Island (v); Northern Mariana Islands; Norway (v) [5275]; Oman; Pakistan (br); Palau [1171]; Panama (br) [1195]; Papua New Guinea [6951]; Paraguay (v) [1317, 5295]; Peru (br) [1136]; Philippines (br) [5270]; Poland (v) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira; Puerto Rico (br) [1176]; Qatar (v) [1393]; ?Réunion (br) [1303]; Romania (v) [558]; Russian Federation (br) [710, 938]; Rwanda (br?) [659]; Saint Helena [5250]: St Helena, Tristan da Cunha; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines (br) [5242]; Sao Tome and Principe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Seychelles (br) [659]; Sierra Leone (br?) [659]; Singapore [791]; Slovenia (v) [1038]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Sweden (v) [400, 1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (br); Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo [5254]; Trinidad and Tobago (br) [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (br?); Uganda (br) [659]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United States (br) [387]: New Hampshire [1049], New Jersey [759], New Mexico [393]; United States Minor Outlying Islands (v); Uruguay (br) [5287]; Uzbekistan (v) [710]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br); Western Sahara; Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe (br) [659]

Casmerodius albus (Linnaeus, 1758)

III GH A

381, 387, 485, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292

Synonym: Egretta alba

E: Great Egret, Great White Egret, S: Garceta grande, Garcilla grande, Garza blanca real,

Garzetta grande, F: Grande aigrette

Afghanistan; Albania (br?); Algeria; Angola (br); Anguilla; Antigua and Barbuda (br); Argentina (br); Armenia; Aruba; Australia (br); Austria (br); Bahamas (br); Bahrain; Bangladesh (br); Barbados; Belarus (br); Belgium (v); Belize (br); Benin; Bermuda; Bhutan (br?); Bolivia (br); Bosnia and Herzegovina (br?); Botswana (br?); Brazil (br); British Indian Ocean Territory (v); Brunei Darussalam; Bulgaria (br); Burkina Faso (br?); Burundi (br?); Cambodia (br); Cameroon (br?); Canada (br); Cayman Islands; Central African Republic (br?); Chad (br); Chile (br); China (br); Christmas Island; Colombia (br); Comoros (br); Congo (br?); Costa Rica (br); Côte d'Ivoire (br); Croatia (br); Cuba (br); Cyprus; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (v); Dominica; Dominican Republic (br); Ecuador (br): Ecuador, Galapagos; Egypt; El Salvador (br); ?Equatorial Guinea (v); Eritrea (br?); Ethiopia (br?); Falkland Islands (Malvinas) (v) [1439]; Fiji (v) [6197]; Finland (v); France (br); French Guiana (br); Gabon (br?); Gambia (br); Georgia (br); Germany; Ghana (br); Greece (br); Grenada; Guadeloupe (br); Guatemala (br) [6397]; Guinea (br); Guinea-Bissau (br); Guyana (br); Haiti (br); Honduras (br); Hong Kong (br); Hungary (br); India (br); Indonesia (br?): Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of); Iraq; Ireland (v); Israel; Italy (br); Jamaica (br); Japan (br); Jordan [395, 6454]; Kazakhstan (br); Kenya (br); Korea, Democratic People's Republic of (br); Korea, Republic of (br); Kuwait; Lao People's Democratic Republic (br); Latvia (br?); Lebanon; Lesotho; Liberia; Libyan Arab Jamahiriya (v); Liechtenstein (v); Luxembourg (v); Macedonia, former Yugoslav Republic of (br); Madagascar (br); Malawi (br);

Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Maldives; Mali (br); Malta (v); Martinique; Mauritania (br); Mayotte; Mexico (br); Mongolia (br); Montserrat [5242]; Morocco (v); Mozambique (br?); Myanmar (ex?, br); Namibia (br?); Nepal (br); Netherlands (br); Netherlands Antilles; New Zealand (br); Nicaragua (br): Nicaragua [393]; Niger (br?): Niger [759]; Nigeria (br): Nigeria [1049]; Norway (v); Oman; Pakistan (br); Panama (br); Papua New Guinea (br) [6951]; Paraguay (br); Peru (br); Philippines [6639]; Poland (br); Portugal (v): Portugal, Azores (v); Puerto Rico (br); Qatar; Romania (br); Russian Federation (br); Rwanda (br); Saint Helena (v): Tristan da Cunha; Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines; Sao Tome and Principe (v) [659]; Saudi Arabia; Senegal (br); Seychelles (v) [6253]; Sierra Leone; Singapore; Slovakia (br) [5279]; Slovenia; Solomon Islands (br); Somalia (br); South Africa (br); South Georgia and the South Sandwich Islands (v); Spain (v); Sri Lanka (br); Sudan; Suriname (br); Swaziland (br); Sweden (v); Switzerland; Syrian Arab Republic; Taiwan, Province of China; Tajikistan (br); Tanzania, United Republic of (br); Thailand (br); Togo (br?); Trinidad and Tobago (br); Tunisia; Turkey (br); Turkmenistan (br); Turks and Caicos Islands; Uganda (br?); Ukraine (br); United Arab Emirates; United Kingdom (v); United States (br); Uruguay (br); Uzbekistan (br); Venezuela (br) [1070, 6810]; Viet Nam (br); Virgin Islands (British); Virgin Islands (U.S.) (br); Yemen; Yugoslavia (br); Zambia (br); Zimbabwe (br)

Egretta garzetta (Linnaeus, 1766)

III GH A

381, 387, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292

E: Little Egret, S: Garceta común, F: Aigrette garzette Afghanistan [694]; Albania; Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Australia (br) [477]: New South Wales [1049], Northern Territory [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Barbados [485, 5242]; Belgium (v) [5272]; Benin [659, 845]; Bhutan (br?) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Canada (v) [748]; Cape Verde (br) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br) [5293]; Christmas Island; Cocos (Keeling) Islands (v) [1316]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]: Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia (br?) [659]; Finland (v) [1300]; France (br) [7041]; Gabon (br) [659]; Gambia (br) [760]; Georgia (br) [710]; Germany [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Guadeloupe (v) [5242]; Guinea; Guinea-Bissau [659]; Guyana (v) [6828]; Hong Kong (br); Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br?) [1103]; Malaysia [1289]: Peninsular Malaysia, Sabah, Sarawak [393]; Maldives (v) [431]; Mali (br) [659]; Malta; Martinique (v) [5242]; Mauritania (br) [659]; Micronesia (Federated States of) [1171]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; New Zealand; Niger (br?) [659]; Nigeria (br); Northern Mariana Islands; Norway (v) [5275]; Oman; Pakistan (br); Palau [1171]; Papua New Guinea (br?) [6951]; Philippines [5270]; Poland (v) [1348]; Portugal (br) [1332]: Portugal (br), Azores (br), Madeira (br); Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saint Lucia [485, 5251]; ?Sao Tome and Principe (v) [659]; Saudi Arabia [881]; Senegal (br) [659]; Seychelles [659, 699, 6253]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (v) [812, 5296]; Swaziland (br) [1139]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br); Tanzania, United Republic of (br) [659]; Thailand (br) [487]; Togo (br?) [5254]; Trinidad and Tobago (v) [485, 703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188];

ARDEIDAE

CITES EC Reg. RL

References

Uzbekistan (br?) [710]; Viet Nam (br) [5264]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659]

Family: BALAENICIPITIDAE

Balaeniceps rex Gould, 1850

II B LR/nt 420, 511, 524, 573, 595, 597, 636, 796, 982,

1292

E: Shoebill, Whale-headed Stork, S: Picozapato, F: Baléniceps roi, Bec-en-sabot, Bec-en-sabot du Nil

Burundi [659]; Central African Republic [659]; Democratic Republic of the Congo (br) [6294]; Ethiopia (br?) [659, 661]; Kenya (v) [5253]; ?Malawi [798, 1103, 1218, 6910]; Rwanda (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]

CITES Identification Manual Reference: A-211.002.001.001

Family: CICONIIDAE

Ciconia boyciana Swinhoe, 1873

I A EN 595, 608, 609, 636, 796, 931,

1001

Synonym: Ciconia ciconia boyciana

E: Japanese White Stork, Oriental Stork, Oriental White Stork, S: Cigüeña blanca coreana, Cigüeña del Japón, Cigüeña oriental, F: Cigogne à bec noir, Cigogne blanche de Corée, Cigogne blanche du Japon. Cigogne blanche orientale, Cigogne orientale Bangladesh (v) [804]; China (br) [701, 1427, 5293]; Hong Kong (v); India (v) [1197]; Japan (ex, br) [503]; Korea, Democratic People's Republic of [762, 1301]; Korea, Republic of (ex, br) [1436]; Mongolia (v) [1306]; Myanmar [1290]; Russian Federation (br) [710, 938]; Taiwan, Province of China (v)

Ciconia nigra (Linnaeus, 1758)

II A

381, 511, 524, 573, 608, 613, 636, 796, 841,

1011, 1292 E: Black Stork, S: Ciguëña negra, Cigüeña negra, F: Cigogne noire Afghanistan (br?) [694]; Albania (br); Algeria [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272, 6201]; Benin (v) [659, 6371]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso (v) [659, 6371]; Cameroon (v) [659]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334, 6371, 6909]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v); Denmark [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782, 6371]; Gibraltar; Greece (br) [5281]; Guinea; Guinea-Bissau [659]; Hong Kong; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858, 895]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of (br?) [762]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br) [1103]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Mozambique (br) [659]; Myanmar [1290]; Namibia (br) [659, 1347]; Nepal [443, 865]; Netherlands [5273]; Niger (v) [659, 6371]; Nigeria; Norway (v) [5275]; Oman (v); Pakistan; Poland (br) [974, 1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (v) [659]; Saudi Arabia [881]; Senegal [659]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Swaziland (br) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand (v) [487, 854]; Togo [5254, 6371]; Tunisia [1344]; Turkey

(br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (v) [6188, 6201]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Ciconia stormi (Blasius, 1896)

A EN

Synonym: *Ciconia episcopus stormi* E: Storm's Stork, F: Cigogne de Storm

Brunei Darussalam; Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia: Peninsular

Malaysia [1049], Sabah [759], Sarawak [393]; Thailand (br) [487]

Ephippiorhynchus senegalensis (Shaw, 1800)

III GH C

511, 524, 573, 608, 636, 796, 1256, 1292

E: Saddlebill Stork, Saddle-billed Stork, S: Cigüeña ensillada, Jabirú, Jabirú africano, F: Jabiru, Jabiru africain, Jabiru d'Afrique, Jabiru du Sénégal

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [418, 1102]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 1388]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Sambia (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Jabiru mycteria (Lichtenstein, 1819)

/

387, 608, 636, 796, 1068, 1195,

E: Jabiru, S: Garzón soldado, Jabirú, Jabirú americano, F: Jabiru américain, Jabiru d'Amérique Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [448, 968, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 1217]; Uruguay (br) [5287]; Venezuela (br) [1070]

Leptoptilos crumeniferus (Lesson, 1831)

III GH C

511, 524, 573, 608, 636, 679, 796, 1256, 1292

E: Marabou Stork, S: Marabú, Marabú africano, F: Marabout, Marabout africain, Marabout d'Afrique

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Israel (v) [5245]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [516, 659, 916]; ?Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1138, 1139]; Tanzania, United Republic of (br) [659, 1075]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Leptoptilos dubius (Gmelin, 1789)

A EN

E: Greater Adjutant, Greater adjutant stork, F: Marabout argala
Bangladesh (ex, br) [804]; Cambodia (ex?, br) [5243]; India (br) [1197]; Lao People's
Democratic Republic (ex?, br) [6187]; Myanmar (ex?, br) [1290]; Nepal [865]; Pakistan (ex, br); Thailand (ex, br) [487]; Viet Nam (ex?, br) [5264]

CICONIIDAE CITES EC Reg. RL References

Mycteria cinerea (Raffles, 1822)

I A VU 595, 608, 636, 796, 929, 931, 1368

E: Milky Stork, F: Tantale blanc

Cambodia (br) [5243]; Indonesia (br) [393, 1278, 1279, 1280, 1369, 1449]: Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Malaysia (br): Peninsular Malaysia; Thailand (ex) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-211.004.006.003

LR/nt

Mycteria leucocephala (Pennant, 1769)

E: Painted Stork, S: Tántalo Indio, F: Tantale indien, Tantale italien
Bangladesh (ex, br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao
People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar
(br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]; Thailand (br) [487]; Viet
Nam (br) [5264]

Family: THRESKIORNITHIDAE

Bostrychia hagedash (Latham, 1790) III GH C 511, 524, 573, 636, 796, 1256,

Synonym: Hagedashia hagedash

E: Hadada Ibis, S: Ibis hadada, Ibis hagedash, F: Ibis hagedash
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi
(br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo
(br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial
Guinea (br?) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659];
Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau
(br) [659]; Kenya (br) [5253]; Lesotho (br?) [486, 1183]; Liberia (br?) [5246]; Malawi
(br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger
(br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659];
Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139];
Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia

Bostrychia rara

III GH C

(Rothschild, Hartert & Kleinschmidt, 1897)

(br) [659]; Zimbabwe (br) [659, 687]

Synonym: Lampribis rara

E: Spot-breasted Ibis, S: Ibis moteado, Ibis rara, F: Ibis vermiculé
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo
(br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6294]; Equatorial
Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br); Liberia
(br?) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Uganda (br?) [659]

Eudocimus ruber (Linnaeus, 1758)

II B

636, 717, 796, 999, 1002

E: Scarlet Ibis, S: Corocoro colorado, Corocoro rojo, Ibis escarlata, F: Ibis rouge Argentina (v) [5291]; Brazil (br) [1024, 6186]; Colombia (br?) [837]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (v) [5294]; French Guiana [663, 1349]; Grenada (v) [5242]; Guyana [1295]; Jamaica (v) [657]; Suriname (br) [5296]; Trinidad and Tobago [396, 471, 703]; United States (v) [387]; Venezuela (br) [1070]

Geronticus calvus (Boddaert, 1783)

II A VU 516, 524, 573, 595, 597, 636,

796, 1020, 1021

E: Bald Ibis, Southern Bald Ibis, S: Ibis calvo, Ibis calvo de África del Sur, F: Ibis chauve de l'Afrique du Sud, Ibis du Cap, Ibis noir

Lesotho (br) [486]; South Africa (br) [383, 659]; Swaziland (br) [1139] CITES Identification Manual Reference: A-211.005.005.002

THRESKIORNITHIDAE CITES EC Reg. RL References CR 524, 595, 597, Geronticus eremita (Linnaeus, 1758) Ι 613, 636, 796, 947, 1228

E: Bald Ibis, Hermit Ibis, Northern Bald Ibis, Waldrapp, S: Ibis calvo, Ibis eremita, F: Ibis chauve

Algeria (ex, br) [971]; Austria (v) [1215]; Cape Verde (v) [820]; Egypt (ex, v) [756, 948]; Eritrea [659]; Ethiopia [659]; Germany (v) [5274]; Greece (ex, br) [643, 5281]; Iraq (v) [385]; Israel (v) [5245]; ?Jordan (v) [395]; Mali (v) [659]; Mauritania [659]; Morocco (br) [411, 461, 1147]; Portugal (v) [1332]: Azores (v); Saudi Arabia (v) [881]; Senegal (ex, v) [659]; Somalia (v) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic [5283]; Turkey (ex, br) [378, 379, 5282]; Western Sahara (v); Yemen [468, 517, 5297]; Yugoslavia (v) [1038] CITES Identification Manual Reference: A-211.005.005.003

Nipponia nippon (Temminck, 1835) Α ΕN 595, 636, 691, 692, 796, 931, 1000, 1001, 1264, 1457

E: Crested Ibis, Japanese Crested Ibis, S: Ibis blanco japonés, Ibis moñudo japonés, Ibis nipón, F: Ibis à crête du Japon, Ibis blanc, Ibis blanc du Japon, Ibis nippon China (br) [5293]; Japan (ex, br) [503]; Korea, Democratic People's Republic of (ex, br) [762]; Korea, Republic of [1436]; Russian Federation (ex, br) [710, 938]; Taiwan, Province of China (v)

CITES Identification Manual Reference: A-211.005.011.001

Platalea leucorodia Linnaeus, 1758 Η 381, 524, 613, 636, 796, 841

E: Eurasian Spoonbill, Spoonbill, White Spoonbill, S: Espátula, Espátula blanca, Espátula común, F: Spatule blanche Afghanistan [694]; Albania (br); Algeria [971]; Armenia [5240]; Austria (ex?, br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh (br) [804]; Belgium [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso (v) [659]; Cameroon (v) [6295];

Cape Verde [820]; Chad [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6403]; Denmark [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (v) [1300]; France (br) [1026, 7041]; Gambia [760]; Germany [5274]; Greece (br) [5281]; Guinea-Bissau (br?) [659]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [872, 1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland [858]; Israel [5245]; Italy (br) [5289]; Japan [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Latvia (v) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659]; Malta; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [443, 865]; Netherlands (br) [5273]; Niger (v) [659]; Nigeria (v); Norway (v) [5275]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]: Portugal (br), Azores, Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Slovenia [1038]; Somalia (br) [5252]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v) [487]; Trinidad and Tobago (v) [6735]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; United Arab

(br) [5297]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-211.005.019.003

Pseudibis gigantea (Oustalet, 1877)

Synonym: Thaumatibis gigantea E: Giant Ibis, F: Ibis géant

Cambodia (ex?, br) [5243]; ?Lao People's Democratic Republic (br) [6187]; Thailand (ex,

Α

Emirates [1192]; United Kingdom [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen

br) [487]; Viet Nam (ex, br) [5264]

THRESKIORNITHIDAE	CITES	EC Reg.	RL	References
Threskiornis aethiopicus (Latham, 1790)	III GH	С		511, 524, 573, 613, 636, 796, 841, 931, 1256, 1292
E: Sacred Ibis, S: Ibis sagrado, F: Ibis sacré				

Angola (br) [5267]; Azerbaijan (v) [710]; Bahrain (v) [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Comoros (br) [6276]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo; Djibouti (br) [427]; Egypt (ex, br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (int) [6198]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Kazakhstan (v) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Lesotho (br?) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (v); Rwanda (br) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Seychelles (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo [5254]; Uganda (br) [659]; Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

CITES Identification Manual Reference: A-211.005.000.001

Family: PHOENICOPTERIDAE

Phoenicopterus andinus Philippi, 1854 II B 476, 595, 636, 1045, 1068, 1110

Synonym: Phoenicoparrus andinus

E: Andean Flamingo, S: Flamenco andino, Parina grande, F: Flamant des Andes Argentina (br) [465, 5291]; Bolivia (br) [1186, 6415]; Brazil (v) [453, 6186]; Chile (br) [5292];

Peru (br) [1136]

CITES Identification Manual Reference: A-211.006.002.002

Phoenicopterus chilensis Molina, 1782 II B LR/nt 636, 1045, 1068, 1110

E: Chilean Flamingo, S: Flamenco chileno, Flamenco común de Chile, Parihuana, Pariona,

F: Flamant du Chili

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [5292]: Ecuador (v) [5294]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295]; Peru (br) [1136]; Uruquay (br) [5287]

CITES Identification Manual Reference: A-211.006.003.002

Phoenicopterus jamesi Sclater, 1886 II B 476, 595, 604, 636, 1045, 1068, 1110

Synonym: *Phoenicoparrus jamesi*

E: James' Flamingo, James's Flamingo, Puna Flamingo, Puna Flamingo Flamingo, S: Flamenco andino chico, Flamenco de James, Parina chica, F: Flamant de James

Argentina (br) [465, 5291]; Bolivia (br) [1186]; Chile (br) [5292]; Peru (br) [1136]

CITES Identification Manual Reference: A-211.006.002.003

11

PHOENICOPTERIDAE CITES EC Reg. RL References

Phoenicopterus minor Geoffroy Saint-Hilaire, 1798 II

B LR/nt

381, 511, 524, 573, 595, 636, 841

Synonym: Phoeniconaias minor

E: Lesser Flamingo, S: Flamenco enano, F: Flamant nain, Petit flamant
Afghanistan (v) [694]; Angola [5267]; Botswana (br) [1102]; Burundi [659]; Cameroon [659];
Chad (v) [659]; Comoros (v) [659, 1356]; Democratic Republic of the Congo (br) [6294];
?Djibouti (br) [427]; ?Egypt (v) [756, 969]; Eritrea [659]; Ethiopia [659]; Gabon [659];
Gambia [760]; Guinea; Guinea-Bissau [659]; India (br) [1197]; Iran (Islamic Republic of)
(v) [1253]; Kenya (br) [5253]; Lesotho (v?) [486]; Madagascar [5249, 6516]; Malawi [1103];
Mauritania (br) [659]; Mauritius (v) [659]; Morocco (v) [461]; Mozambique [659]; Namibia
(br) [659]; Niger (v) [659]; Nigeria (v); Oman (v); Pakistan; Réunion (v) [1303]; Rwanda
(v) [659]; Sao Tome and Principe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia
(v) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139];
Tanzania, United Republic of (br) [659]; Uganda [659]; Yemen [5297]; Zambia (br) [659];
Zimbabwe [659]

CITES Identification Manual Reference: A-211.006.001.001

Phoenicopterus ruber Linnaeus, 1758

II A

381, 387, 485, 511, 524, 573, 613, 636, 841, 1045, 1068, 1110

Synonym: Phoenicopterus roseus

E: American Flamingo, Caribbean Flamingo, Greater Flamingo, S: Flamenco, Flamenco común, Flamenco de Cuba, Flamenco rojo, Tococo, F: Flamant de Cuba, Flamant rose, Flamant rouge Afghanistan (br) [694]; Algeria [971]; Angola [5267]; Antigua and Barbuda (ex, v) [5242]; Armenia [5240]; Aruba [1380]; Austria (v) [1215]; Bahamas (br) [5242]; Bahrain [1105]; Bangladesh (v) [804]; ?Belgium (v) [5272]; Belize (v) [5241]; Bermuda (v) [389]; Botswana (br) [1102]; Brazil [6186]; Bulgaria (v) [1365, 5280]; Burundi [659]; Cambodia (v) [5243]; Cameroon (v) [6295]; Canada (v) [748]; Cape Verde [820]; Cayman Islands (v); China (v) [6483]; Cocos (Keeling) Islands (v) [1316]; Colombia [837]; Comoros [659, 1356]; Congo (v) [659]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v); Denmark (v) [666]; Djibouti (br?) [427]; Dominican Republic (br) [1312]; Ecuador (br) [5294]: Galapagos; Egypt (br?) [756]; Equatorial Guinea (v) [659]; Eritrea [659]; Ethiopia (br?) [659, 913]; ?Finland (v) [1300]; France (br) [892, 7041]; French Guiana [1349]; Gambia [760]; ?Germany (v) [5274]; Gibraltar; Greece [5281]; Guadeloupe (v) [5242]; Guinea; Guyana [1295]; Haiti (br) [1127, 1128, 1408]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait [537]; ?Latvia (v) [5278]; Lebanon [5284]; Lesotho (v) [486]; Libyan Arab Jamahiriya [536]; Madagascar (br) [5249]; Malawi [1103]; Maldives [431]; Malta (v); Mauritania (br) [659]; Mauritius (v) [659]; Mexico (br) [682, 5241]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (v) [865]; Netherlands Antilles (br); Niger (v) [659]; Norway (v) [5275]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (v) [558]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Sao Tome and Principe [659]; Saudi Arabia [881]; Senegal (br) [659]; Seychelles [659, 699]; Sierra Leone [659]; Slovakia (v) [5279]; Slovenia (v) [1038]; Somalia (br?) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland (v) [1139]; ?Sweden (v) [1199]; ?Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of (br) [659]; Trinidad and Tobago (v) [6735]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Turks and Caicos Islands; Uganda [659]; United Arab Emirates (br) [1192]; United States [387]; Uzbekistan [710]; Venezuela [1070]; Virgin Islands (British) (v); Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]; Yugoslavia (v) [1038]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-211.006.003.004

CITES EC Reg. RL References ANATIDAE

Order: **ANSFRIFORMES** Family: ANATIDAE

Alopochen aegyptiacus (Linnaeus, 1766)

III GH C

509, 511, 524, 573, 613, 636, 841, 1010, 1256,

1292

E: Egyptian Goose, S: Ganso del Nilo, Oca del Nilo, F: Oie d'Egypte, Oie d'Egypte, Ouette d'Egypte, Ouette d'Égypte

Algeria [971]; Angola (br) [5267]; Belgium (int, br) [5272]; Benin (v) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (v) [6425]; Congo (br?) [659]; Côte d'Ivoire (v) [1334]; ?Cyprus [709]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (br?) [659]; Gambia [760]; Ghana (v) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Hungary (v) [5257]; Israel (**ex**, br) [5245]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Tunisia [1344]; Uganda (br) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [1320, 6188]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-212.002.010.001

Anas acuta Linnaeus, 1758

III GH C

381, 387, 485, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1256

rabudo, F: Canard pilet, Pilet Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda (y) [5242]; Armenia [5240]; Austria (br) [1215]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belgium (br) [5272]; Belize [680, 5241]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243];

E: Common Pintail, Northern Pintail, Pintail, S: Anade rabudo, Pato golondrino norteño, Pato

Cameroon [659]; Canada (br) [748]; Cayman Islands (v); Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Cook Islands (v); Costa Rica [1311]; Côte d'Ivoire (v) [433, 1334]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Dominican Republic [1312]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; French Southern Territories (br); Gabon (v) [659]; Gambia [760]; Germany (br) [5274]; Ghana [782]; Greece [5281]; Greenland (br); Guadeloupe (v) [5242]; Guatemala [5241]; Guinea [1389]; Guyana (v) [1295]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393, 1050, 1289]: Jawa; Iran (Islamic Republic of) [1253]; Iraq [385]; ?Ireland (br) [858]; Israel [5245]; Italy [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kiribati [503]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yuqoslav Republic of [1038]; Malawi [1103]; Malaysia (v): Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Marshall Islands [1171]; Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) [1171]; Mongolia (br) [1306]; ?Montserrat (v) [5242]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v); Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Palau [1171]; Panama [1195]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]: Portugal, Azores (v), Madeira (v), Selvagens [1049]; Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi

Arabia [881]; Senegal [659]: Senegal [759]; Seychelles (v) [659, 667, 6253]: Seychelles [393];

Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname (v) [5296]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tonga (v) [1171]; Tunisia (br) [1344]; Turkey (br) [5282]; Turks and Caicos Islands (v); Uganda [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387, 834]; Uzbekistan [710]; Venezuela (v) [1070]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]; Yugoslavia [1038]; Zambia [575, 659]; Zimbabwe [575, 659]

Anas aucklandica (Gray, 1844)

I A VU 595, 815, 931, 1010, 1073, 1429

E: Brown Teal, Flightless Teal, S: Cerceta alicorta de Auckland, F: Sarcelle aptère, Sarcelle brune, Sarcelle de Nouvelle-Zélande, Sarcelle terrestre des îles Auckland New Caledonia (v) [5260]; New Zealand (br) [1351]

Anas bernieri (Hartlaub, 1860)

II B EN 509, 595, 597, 633, 636, 961, 1010, 1446

E: Bernier's Teal, Madagascar Teal, S: Cerceta de Madagascar, Cerceta malgache, Cerceta malgache de Bernier, Pato de Bernier, F: Canard de Bernier, Sarcelle de Bernier, Sarcelle de Madagascar, Sarcelle malgache de Bernier

Israel (v); Madagascar (br) [5249]

CITES Identification Manual Reference: A-212.002.012.006

Anas capensis Gmelin, 1789

III GH C

509, 511, 524, 573, 636, 1010,

E: Cape Teal, Cape Wigeon, S: Cerceta del cabo, F: Canard du Cap, Sarcelle du Cap Angola (br) [5267]; Botswana (br) [1102]; Cameroon (v) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Ghana (v) [782]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Libyan Arab Jamahiriya (br?) [536, 841]; Malawi (v) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br?); South Africa (br) [659]; Sudan (br) [659]; Swaziland (v) [1139]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Anas clypeata Linnaeus, 1758

III GH C

381, 387, 485, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1068, 1152, 1256

Synonym: Spatula clypeata

E: Northern Shoveler, Shoveler, S: Cuchara común, Pato chucara, Pato cucharón

norteño, F: Canard souchet, Souchet

Afghanistan (br) [694]; Albania (br?); Algeria [971]; Antigua and Barbuda [5242]; Armenia [5240]; Aruba (v) [1380]; Australia (v) [477, 498]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241, 6709]; Bermuda (v) [389]; Bhutan [5261]; Bolivia (v) [6986]; Bosnia and Herzegovina (br) [1038]; ?Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon (v) [659]; Canada (br) [748]; Cayman Islands; ?Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guadeloupe [5242]; Guam [503]; Guatemala [5241]; Guinea (v); Guinea-Bissau [659]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]: Sicilia [393]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269];

Kenya [5253]; Kiribati [503]; Korea, Democratic People's Republic of [762]; Korea, Republic

ANATIDAE CITES EC Reg. RL References

of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br?) [1038]; Malawi [575, 1103]; Malaysia (v) [1289]: Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431]; Mali [659]; Malta: Malta [759]; Marshall Islands [1171]; Martinique [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; ?Mozambique (v) [659]; Myanmar [1290]; Namibia (v) [659]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v); New Zealand (v) [1351]; Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Panama [1195]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (v) [659]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; Senegal [659]; Seychelles (v) [659, 6253]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; ?South Africa (v) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Trinidad and Tobago (v) [703]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [932, 6188]; United States (br) [387]; United States Minor Outlying Islands; Uzbekistan (br) [710]; Venezuela (v) [1070]; Viet Nam [5264]; Virgin Islands (U.S.); Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [575, 659]; Zimbabwe (v) [575, 659]

Anas crecca Linnaeus, 1758

III GH C

381, 387, 509, 511, 524, 613, 636, 841, 929, 1010, 1045, 1152, 1256

Synonym: Anas carolinensis

E: Common Teal, Green-winged Teal, Teal, S: Cerceta aliverde, Cerceta común, F: Sarcelle d'hiver

d'hiver Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda [5242]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burundi (v) [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Costa Rica (v) [1311]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cuba [485, 5259]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6294]; Denmark (br) [666]; Dominica (v) [5242]; Dominican Republic [1312]; Egypt [756]: Sinai [759]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Greenland (br); Grenada (v) [5242]; ?Guadeloupe (v) [5242]; Guatemala [5241]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v): Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; ?Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Montserrat (v) [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Palau (v) [1171]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]: Portugal, Azores (br?), Madeira; Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (v) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi Arabia [881]; Senegal [659]; Seychelles (v?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan

Mayen (br); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Trinidad and Tobago (v) [703]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]; Yugoslavia (br?) [1038]

Anas formosa Georgi, 1775

II В 502, 595, 613, VU 636, 1010, 1152

E: Baikal Teal, S: Cerceta del Baikal, F: Sarcelle élégante, Sarcelle formose Afghanistan (v) [694]; Australia (v) [477]; Bangladesh (v) [804]; China [5293]; ?France (v) [7041]; Hong Kong (v); India (v) [1197]; ?Italy (v) [5289]; Japan [503]; Kazakhstan (v) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; ?Malta (v); Mongolia [1306]; Myanmar (v); Nepal (v) [865]; ?Netherlands (v) [5273]; Russian Federation (br) [710]; ?Spain (v) [397, 702]; ?Svalbard and Jan Mayen (v); Taiwan, Province of China; Thailand; Uzbekistan (v) [710]

Anas laysanensis Rothschild, 1892

Ι VU 387, 595, 636, 931, 1010

Synonym: Anas platyrhynchos laysanensis

E: Laysan Duck, Laysan Teal, S: Pato de Laysan, Pato real de Laysan, F: Canard de Laysan, Sarcelle de Laysan

United States (br) [387]: Hawaiian Is CITES Identification Manual Reference:

A-212.002.012.023d

Anas melleri P. L. Sclater, 1865

D EN

E: Meller's Duck, S: Anade malgache, F: Canard de Meller Madagascar (br) [5249]; Mauritius (int) [659]; Réunion (int) [1303]

Anas oustaleti Salvadori, 1894

Ι

Synonym: Anas platyrhychos "oustaleti"

E: Marianas Island Duck, Marianas Mallard, Oustalet's Grey Duck, S: Pato de Oustalet, Pato real marismeno, F: Canard aberrant, Canard des Mariannes, Canard d'Oustalet Guam (ex, br) [503]; ?Northern Mariana Islands (br)

A-212.002.012.023f CITES Identification Manual Reference:

Anas penelope Linnaeus, 1758

381, 387, 509, III GH C

511, 524, 613, 636, 841, 871, 929, 942, 1010,

1152, 1256

E: Eurasian Wigeon, Wigeon, S: Anade silbon, Anade silbón, Pato silbón, Silbón Europeo,

F: Canard siffleur Afghanistan [694]; Albania; Algeria [971]; Antigua and Barbuda (v) [485, 5242]; Armenia [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [485, 5242]; Belgium (br) [5272]; ?Benin [659]; Bermuda (v) [389]; Bhutan [5261];Bosnia and Herzegovina [1038]; Brunei Darussalam; Bulgaria [5280]; Burundi (v) [659]; Cambodia [5243]; Cameroon (v) [659]; Canada [748]; Chad [659]; China (br) [5293]; Croatia [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v); Denmark (br) [666]; Djibouti (v) [427]; Dominican Republic (v) [485, 1312]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands [480]; Finland (br) [1300]; France [7041]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece [5281]; Greenland; Guam [503]; Haiti (v) [485, 1408]; Hong Kong; Hungary [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393]: Irian Jaya, Sulawesi [1410]; Iran (Islamic Republic of) [1253]; Irag [385]; Ireland [858]; Israel [5245]; Italy [5289]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v) [1289]: Peninsular Malaysia, Sabah, Sarawak; Mali [659]; Malta; Marshall Islands [1171]; Mauritania [659]; Mexico (v) [5241]: Campeche [759], Chiapas [393]; Micronesia (Federated States of) (v) [1171];

Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273];

Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan; Palau [1171]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]: Portugal, Azores (v), Madeira (v); Puerto Rico (v) [485, 1176]; Qatar [1393]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia [881]; Senegal [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]: Slovenia [1049]; Somalia (v) [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tanzania, United Republic of [659]; Thailand [487]; Tunisia [1344]; Turkey (br) [5282]; Uganda (v) [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States [387]; Uzbekistan [710]; Viet Nam [5264]; Western Sahara; Yemen [5297]; Yugoslavia [1038]

Anas querquedula Linnaeus, 1758

381, 387, 509, III GH A 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1152, 1256

E: Garganey, Garganey Teal, S: Cerceta carretona, Cerceta cejiblanca, F: Sarcelle d'été Afghanistan [694]; Albania (br); Algeria [971]; Armenia (br) [5240]; Australia (v) [477]: South Australia [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [485, 5242]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [575, 1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (v) [748]; Central African Republic [659]; Chad [659]; China (br) [5293]; Christmas Island (v); Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guam (v) [503]; Guinea; Guinea-Bissau [659]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]: Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br?) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [575, 1103]; Malaysia [1289]: Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]: Rodrigues; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan; Palau (v) [1171]; Papua New Guinea [6951]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Seychelles [659]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara; Yemen [5297]: Socotra [393]; Yugoslavia (br) [1038]; Zambia [575, 659]; Zimbabwe [575, 659]

Aythya innotata (Salvadori, 1894)

CR Α

E: Madagascar Pochard, F: Fuligule de Madagascar Madagascar (br) [5249]

Aythya nyroca (Güldenstädt, 1770)

III GH Α LR/nt 381, 524, 613, 841, 1010, 1256

Synonym: Nyroca nyroca

E: Ferruginous Duck, Ferruginous Pochard, White-eyed Pochard, S: Porrón pardo, F: Fuligule nyroca

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh [804]; Belarus; Belgium [5272]; ?Benin (v) [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso (v) [659]; Cameroon [659]; Cape Verde (v) [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hong Kong (v); Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1159, 1306]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal [1332]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Seychelles (v) [6253]; Sierra Leone (v) [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Thailand [487]; ?Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam [5264]; ?Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]

Branta canadensis leucopareia (Brandt, 1836)

.

387, 636, 931, 1010, 1023

E: Aleutian Canada Goose, Aleutian Goose, S: Barnacla canadiense aleutiana, Barnacla de las Aleutianas, Ganso canadiense aleutiana, F: Bernache des Aléoutiennes, Bernache du Canada aléoute

Canada (v) [748]; Japan [503]; Mexico [5241]; Russian Federation (br) [710]; United States (br) [387]

CITES Identification Manual Reference:

A-212.002.003.003

Branta ruficollis (Pallas, 1769)

TT

Ι

VU

595, 613, 636, 841, 1010, 1377

Synonym: Rufibrenta ruficollis

E: Red-breasted Goose, S: Barmacla cuelliroja, Barnacla cuellirroja, F: Bernache à cou roux Armenia (v) [5240]; Austria (v) [1215]; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [1282, 5280]; China (v) [5293]; Croatia (v) [5290]; Czech Republic [5258]; Denmark (v) [666]; ?Egypt (v) [756]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece [5281]; Hungary [1307, 5257]; India (v) [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Kazakhstan [5269]; Latvia (v) [5278]; Netherlands (v) [5273]; Norway (v) [5275]; Poland (v) [1348]; Romania [558]; Russian Federation (br) [489, 710, 938]; Slovakia (v) [5279]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (v) [1199]; Turkey [446, 912, 5282]; Turkmenistan [710]; Ukraine [710]; United Kingdom (v) [6188]; Uzbekistan (v) [710]; Yugoslavia (v) [1038] CITES Identification Manual Reference:

A-212.002.003.005

Branta sandvicensis (Vigors, 1834)

Α

387, 475, 595, 636, 839, 847, 931, 1010

Synonym: Nesochen sandvicensis

E: Hawaiian Goose, Nene, S: Barnacla hawaiana, Barnacla nené, Ganso né, Né, F: Bernache des Iles Sandwich, Bernache d'Hawaï, Bernache néné, Bernache né-né, Oie néné

United States (br) [387] CITES Identification Manual Reference:

A-212.002.003.006

Cairina moschata (Linnaeus, 1758)

III HN C

636, 1010, 1068

E: Muscovy Duck, S: Pato criollo, Pato real, F: Canard de Barbarie, Canard musqué Argentina (br) [5291]; Belize (br) [610, 5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6712]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras

ANATIDAE CITES EC Reg. RL References

(br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; ?United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

Cairina scutulata (S. Müller, 1842)

I A EN 381, 595, 636, 775, 854, 929, 931, 1010

E: White-winged Duck, White-winged Wood Duck, S: Pato aliblanco, Pato almizclero aliblanco, Pato de jungla, F: Canard à ailes blanches, Canard musqué à ailes blanches
Bangladesh (br) [804, 923]; Cambodia (br?) [5243, 6476]; India (br) [1197, 6377]; Indonesia (br) [393, 842, 843, 1094]: Jawa, Sumatera; Lao People's Democratic Republic (br) [6187];
Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487, 783, 1141, 1220];
Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-212.002.016.003

Coscoroba coscoroba (Molina, 1782)

II B 636, 1010, 1045,

E: Coscoroba Swan, S: Cisne coscoroba, Ganso blanco, F: Coscoroba blanc, Cygne coscoroba Argentina (br) [5291]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (**ex**, br, v) [1439]; Paraguay (br) [5295]; Uruguay (br) [5287]

CITES Identification Manual Reference:

A-212.002.005.001

Cygnus melanocorypha (Molina, 1782)

II B

636, 1010, 1045, 1068

1068

E: Black-necked Swan, S: Cisne cuellinegro, Cisne cuello negro, F: Cygne à cou noir, Cygne chanteur

Antarctica (v); Argentina (br) [5291]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (br) [1439]; Paraguay (br) [5295]; Uruguay (br) [5287]
CITES Identification Manual Reference:

A-212.002.006.005

Dendrocygna arborea (Linnaeus, 1758)

II B VU 485, 595, 598, 636, 678, 1010,

1045, 1068

E: Black-billed Wood-Duck, Cuban Tree-Duck, West Indian Tree-Duck, West Indian Whistling-duck, West Indian Whistling-Duck, S: Giririri de pico negro, Pato silbón de Cuba, Suirirí yaguaza, F: Dendrocygne à bec noir, Dendrocygne des Antilles
Antigua and Barbuda (br) [976, 5242]; Bahamas (br) [533, 5242]; Barbados [5242]; Bermuda (v) [389]; Cayman Islands (br) [978]; Cuba (br) [731, 732, 5259]; Dominica (v) [5242];
Dominican Bopublic (br) [1312]; Grenada [5242]; Haiti (br) [1408]; Jamaica (br) [657];

Dominican Republic (br) [1312]; Grenada [5242]; Haiti (br) [1408]; Jamaica (br) [657]; Martinique [5242]; Netherlands Antilles (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (v) [5242]; Turks and Caicos Islands (br); Virgin Islands (British) (br?); Virgin Islands (U.S.) (br?)

CITES Identification Manual Reference:

A-212.002.007.002

Dendrocygna autumnalis (Linnaeus, 1758)

III HN C

485, 622, 636, 1010, 1068

E: Black-bellied Whistling-Duck, Red-billed Whistling-Duck, S: Guirirí, Pato silbón ventrinegro, Pijiji aliblanco, Suirirí piquirrojo, F: Dendrocygne à bec rouge, Dendrocygne à ventre noir Argentina (br) [5291]; Aruba (v) [1380]; Bahamas (v) [5242]; Barbados (v) [5242]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Cayman Islands (v); Chile (v) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (br) [5294]: Ecuador, Galapagos; El Salvador (br) [5241]; French Guiana (br) [1349]; Gambia (v) [760]; Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Martinique (v) [5242]; Mexico (br) [5241, 6648]; Netherlands Antilles (v); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]; Virgin Islands (U.S.) (v) CITES Identification Manual Reference:

A-212.002.007.004

CITES EC Reg. RL References

Dendrocygna bicolor (Vieillot, 1816)

III HN C

381, 387, 485, 511, 524, 573, 622, 636, 1010, 1068, 1256, 1292

Synonym: Dendrocygna fulva

E: Fulvous Tree-Duck, Fulvous Whistling Duck, Fulvous Whistling-Duck, S: Pato silbón común, Pijiji canelo, Suirirí bicolor, Suirirí leonado, Yaguaso colorado, F: Dendrocygne fauve Angola (br?) [5267]; Antigua and Barbuda (br) [5242]; Argentina (br) [5291]; Aruba (v) [1380]; Bahamas (v) [5242]; Bangladesh (br) [804]; Barbados (v) [5242]; Belize (v) [5241]; Benin [659]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1186, 6346]; Botswana (br) [1102]; Brazil (br) [6186]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Canada (v) [748]; Cayman Islands; Central African Republic (br?) [659]; Chad (br?) [659]; Chile (v) [5292]; Colombia (br) [837]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br?) [1334]; Cuba (br) [5259]; Democratic Republic of the Congo (br); Dominica (v) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador (br) [5241]; Eritrea [659]; Ethiopia [659]; France (v) [7041]; French Guiana (br) [1349]; Gabon [659]; Gambia [760]; Ghana (br) [782]; Grenada (v) [5242]; Guadeloupe [5242]; Guatemala [5241]; Guinea (br); Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; India (br) [1197]; ?Israel (v) [5245]; Jamaica (v) [657]; Kenya (br) [5253]; Lesotho [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Martinique [5242]; Mauritania (br) [659]; Mexico (br) [5241, 6675]; ?Montserrat (v) [5242]; Morocco (v) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (v) [865]; Netherlands Antilles (v); Niger [659]; Nigeria (br); Pakistan (br); Panama (v) [1195, 6741]; Paraguay (br) [5295]; Peru (br) [1136]; Portugal (v?): Portugal (v?), Azores (v?); Puerto Rico (v) [1176]; Rwanda (br?) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia [5252]; South Africa (br) [659]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Trinidad and Tobago (v) [703]; Turks and Caicos Islands (v); Uganda (br?) [659]; United States (br) [387, 1352]; Uruguay (br) [5287]; Venezuela (br) [1070]; ?Virgin Islands (British) (v); Virgin Islands (U.S.) (v); Yemen (v) [6432]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-212.002.007.005

Dendrocygna viduata (Linnaeus, 1766)

III GH C

CR

387, 509, 511, 524, 573, 622, 636, 1010, 1068,

1256, 1292 E: White-faced Tree-Duck, White-faced Whistling Duck, White-faced Whistling-Duck, S: Pato silbón cariblanco, Suirirí cariblanco, Yagouaso cariblanco, F: Dendrocygne veuf Angola [5267]; Argentina (br) [5291]; Aruba (v) [1380]; Barbados (v) [5242]; Benin (br?) [659]; Bolivia (br) [1186]; Botswana (br) [1102]; Brazil (br) [6186]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Colombia (br) [837]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334]; Cuba (v) [5259]; Democratic Republic of the Congo (br); Dominican Republic (v) [1312]; Equatorial Guinea [659]; Eritrea [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; Guyana (br) [1295]; Haiti [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mayotte; Mozambique (br) [659]; Namibia (br?) [659]; Netherlands Antilles (v); Niger (br) [659]; Nigeria (br); Panama (ex?, br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Puerto Rico (ex, br) [1176]; Rwanda (br) [659]; Senegal (br) [659]; Seychelles (v) [659, 6253]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Trinidad and Tobago (v) [703]; Uganda (br) [659]; Uruguay (br) [5287]; Venezuela (br) [1070]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-212.002.007.009

Mergus octosetaceus Vieillot, 1817

E: Brazilian Merganser, F: Harle huppard

Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295]

ANATIDAE CITES EC Reg. RL References

Nettapus auritus (Boddaert, 1783)

III GH C 509, 511, 524, 573, 636, 1010, 1256, 1292

E: African Pygmy-goose, S: Patito africano, F: Anserelle naine, Sarcelle à oreillons Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; ?Lesotho (v) [486]; Liberia (br?) [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Sao Tome and Principe (v) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-212.002.032.002

Oxyura leucocephala (Scopoli, 1769) II A

[A EN 381, 489, 509, 524, 595, 613, 636, 772, 841, 1010, 1029, 1035, 1152

E: White-headed Duck, S: Malvasía Cabeciblanca, F: Erismature à tête blanche, Érismature à tête blanche

Afghanistan (br) [694]; Albania; Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [5280]; China [5293]; Croatia (v) [5290]; Cyprus [709]; Czech Republic [5258]; ?Denmark (v) [666]; Egypt [756]; France (v) [7041]; Germany (v) [5274]; Greece [5281]; Hungary (ex, br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (v) [5245]; Italy [5289]; Jordan (v) [6454]; Kazakhstan (br) [5269]; Libyan Arab Jamahiriya (v) [536]; Macedonia, former Yugoslav Republic of (v) [1038]; Malta (v); Mongolia (v) [1306]; Morocco [461]; Netherlands (v) [5273]; Pakistan; Poland (v) [1348]; Portugal (v) [1332]: Portugal (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Slovakia (v) [5279]; Slovenia (v) [1038]; Spain (br) [653, 702]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tunisia (br) [1344]; Turkey (br) [446, 5282]; Turkmenistan (br) [710]; Ukraine [710]; Uzbekistan (br) [710]; Yugoslavia (ex, br) [1038] CITES Identification Manual Reference:

A-212.002.033.005

Plectropterus gambensis (Linnaeus, 1766)

III GH C

509, 511, 524, 573, 636, 1010, 1256, 1292

E: Spur-winged Goose, S: Ganso de Gambia, Ganso espolonado, F: Canard armé, Oie-armée de Gambie

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Egypt (v) [756]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); ?Oman (v); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]
CITES Identification Manual Reference:

A-212.002.034.001

21

ANATIDAE

CITES EC Reg. RL References

Pteronetta hartlaubii (Cassin, 1859)

III GH C

509, 524, 636, 1010, 1256, 1292

Synonym: Cairina hartlaubii

E: Hartlaub's Duck, S: Pato de Hartlaub, F: Canard de Hartlaub

Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br?); Sierra Leone (br?) [659]; Sudan (br) [659]; Uganda (v) [659]

CITES Identification Manual Reference: A-212.002.036.001

Rhodonessa caryophyllacea (Latham, 1790)

381, 595, 776, 777, 931, 1010

E: Pink-headed Duck, S: Pato cabecirrosa, Pato de cabeza rosa, F: Canard à tête rose, Nette à

India (ex, br) [1197]; Myanmar (ex, br) [1290]; Nepal (ex, br) [865] A-212.002.037.001 CITES Identification Manual Reference:

Sarkidiornis melanotos (Pennant, 1769)

В

381, 509, 511, 524, 573, 636, 929, 1010, 1045, 1068, 1256, 1292

E: Comb Duck, Knob-billed Goose, S: Pato crestado, Pato crestón, Pato crestudo, Pato de moco, Pato de monte, F: Canard à bosse, Canard à bosse bronzé, Canard coronculé, Sarcidiorne à crête

Angola (br) [5267]; Argentina (br) [465, 5291]; Bangladesh (br) [804]; Benin (br) [659]; Bolivia (br) [1186]; Botswana (br) [1102]; Brazil (br) [6186, 6291]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; China (br?) [5293]; Colombia (br) [837]; Congo [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Ecuador (br) [5294]; Eritrea (br) [659]; Ethiopia [659]; French Guiana (br?) [1349]; Gabon [659]; Gambia [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau [659]; Guyana (br) [1295]; India (br) [1197]; ?Japan (v) [503]; Kenya (br) [5253]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mexico (br) [603, 5241]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands Antilles (v); Niger [659]; Nigeria (br); Oman (v); Pakistan (br); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Rwanda (br) [659]; Sao Tome and Principe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sri Lanka (ex?, br) [5271]; Sudan (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Thailand (br) [487, 854]; Togo [5254]; Trinidad and Tobago (br) [703]; Uganda (br) [659]; Uruguay (br) [376, 5287]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-212.002.038.001

Stictonetta naevosa (Gould, 1841)

E: Freckled Duck, S: Pato pecoso, F: Stictonette tachetée Australia (br) [477]

Tadorna cristata (Kuroda, 1917)

CR

E: Crested Shelduck, S: Tarro crestado, F: Tadorne de Corée

?China (br) [5293]; Japan (v) [503]; ?Korea, Democratic People's Republic of (br) [762]; Korea, Republic of [1436]; ?Russian Federation (br) [710]

CATHARTIDAE CITES EC Reg. RL References

Order: FALCO Family: CATH

FALCONIFORMES CATHARTIDAE

Gymnogyps californianus (Shaw, 1898) I A CR 386, 387, 523,

595, 598, 671, 908, 925, 931, 1059

E: California Condor, S: Cóndor californiano, Cóndor de California, F: Condor de Californie Mexico (ex, br) [1413, 5241]; United States (reint, br) [387]: Arizona, California (reint,

br?) [6491]

CITES Identification Manual Reference: A-213.001.003.001

Sarcoramphus papa (Linnaeus, 1758)

III HN C

386, 523, 1068

E: King Vulture, S: Gallinazo rey, Jote real, Rey zamuro, Zopilote rey, F: Carcoramphe roi, Roi des vautours, Sarcoramphe roi, Vautour page, Vautour royal

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana

(br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico

(br) [462, 5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname

(br) [5296]; Trinidad and Tobago [703, 6735]; Uruguay (br) [5287]; Venezuela (br) [1070]

Vultur gryphus Linnaeus, 1758

I A LR/nt 386, 523, 708, 1068, 1329

E: Andean Condor, S: Cóndor, Cóndor andino, Cóndor de los Andes, F: Condor des Andes Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294, 6389]; Mexico [5241]; Paraguay (v) [5295]; Peru (br) [1136]; Venezuela (br) [1070, 1453]

CITES Identification Manual Reference:

A-213.001.005.001

Family: PANDIONIDAE

Pandion haliaetus (Linnaeus, 1758)

II A

381, 386, 387, 485, 511, 523, 524, 573, 841, 929, 1068, 1167, 1256, 1292

E: Osprey, S: Aguila pescadora, Águila pescadora, Aguila sangual, Gavilán pescador, Guincho, F: Aigle pêcheur, Balbugard fluviatile, Balbuzard pêcheur

Afghanistan [694]; Albania; Algeria (br) [971]; Angola [5267]; ?Anguilla [5242]; Antigua and Barbuda [5242]; Argentina [5291]; Armenia (br) [5240]; Aruba [1380]; Australia (br) [477]; Austria [1215]; Azerbaijan (br) [710]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium [5272]; Belize (br) [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina [1038]: Bosnia & Hersegovina [759]; Botswana [1102]; Brazil [6186, 6291]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cape Verde (br) [820]; Cayman Islands; Central African Republic [659]; Chad [659]; Chile (br?) [873, 5292]; China (br) [5293]; Colombia [837]; Congo [659]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia [5290]: Croatia [393]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (ex) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti (br) [427]; Dominica [5242]; Dominican Republic [1312]; Ecuador [5294]: Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guam (v) [503]; Guatemala (br) [448, 5241]; Guinea [1389]; Guyana [1295]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland [858]; Israel [5245]; Italy (ex, br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic

Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Lesotho [486]; Liberia [5246]; Libyan

Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malawi [1103]; Malaysia [1289]: Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Martinique [5242]; Mauritania (br?) [659]; Mexico (br) [5241, 6648]; Moldova, Republic of (br) [710]; ?Monaco; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands [5273]; Netherlands Antilles; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger [659]; Nigeria; Norway (br) [5275]; Oman (br); Pakistan; Palau (v) [1171]; Panama [1195]; Papua New Guinea (br) [6951]; Paraguay [5295]; Peru [1136, 6410]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda [659]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; Sao Tome and Principe [659]; Saudi Arabia (br) [881]; Senegal [659]; Seychelles (v) [6253]; Sierra Leone [659]; Singapore [791]; Slovakia [5279]; Slovenia [1038]; Solomon Islands (br) [5260]; Somalia (br) [5252]; South Africa (br) [574, 630, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland [1139]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan (br?) [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Trinidad and Tobago [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Turks and Caicos Islands (br?); Uganda [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387, 671, 1296]; Uruguay [5287]; Uzbekistan [710]; Venezuela [1070]; Viet Nam [5264]; Virgin Islands (British); Virgin Islands (U.S.) (br); Western Sahara; Yemen (br) [5297]: South Yemen [1049]; Yugoslavia [1038]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.002.001.001

ACCIPITRIDAE Family:

Accipiter alboqularis Gray, 1870

386, 523, 1045, II В

1242

E: Pied Goshawk, Pied Sparrowhawk, S: Gavilán pío, F: Autour pie Papua New Guinea (br); Solomon Islands (br) [1398, 5260]

Accipiter badius (Gmelin, 1788)

В 381, 386, 511, 523, 524, 573,

614, 841, 929, 1092, 1256, 1292

E: Little Banded Sparrowhawk, Shikra, S: Gavilán chikra, F: Épervier shikra Afghanistan (br) [694]; Angola (br) [5267]; ?Armenia (v) [5240]; Azerbaijan (ex?, br) [710]; Bangladesh (br) [804]; Benin [659, 845]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; India (br) [1197]; Indonesia (v) [393]: Sumatera; Iran (Islamic Republic of) (br) [1253]; Israel (v) [953, 5245]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Malawi (br) [1103]; Malaysia (v); Mali [659]; Mauritania [659]; Mongolia (v) [1306]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (v); Pakistan (br); Rwanda (br?) [659]; Saudi Arabia (br) [579, 881]; Senegal (br?) [659]; Sierra Leone (br) [659]; Singapore [791]; Somalia (br) [5252]; South Africa (br) [659]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo (br) [5254]; Turkmenistan (br) [710]; Uganda (br) [659]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Π

ACCIPITRIDAE CITES EC Reg. RL References II В 386, 387, 523, Accipiter bicolor (Vieillot, 1817) 1068 Synonym: Accipiter chilensis E: Bicolored Hawk, Bicolored Sparrowhawk, S: Azor bicolor, Esparvero bicolor, Gavilán bicolor, Gavilán pantalón, F: Épervier bicolore Argentina (br) [5291]; Belize (br) [5241, 6320]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (v) [5287]; Venezuela (br) [1070] 386, 523, 595, Accipiter brachyurus (Ramsay, 1879) 1045, 1242 E: New Britain Sparrowhawk, Red-collared Sparrowhawk, S: Gavilancito de Nueva Bretaña, F: Epervier de Nouvelle-Bretagne Papua New Guinea (br) [6951]: Bismarck Archipelago Α 386, 523, 524, Accipiter brevipes (Severtsov, 1850) H 614, 841 E: Levant Sparrowhawk, S: Gavilán griego, F: Épervier à pieds courts Albania (br); Armenia (br) [5240]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Cameroon (v) [659]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v) [6412]; Djibouti [427]; Egypt [756]; Ethiopia [659]; Georgia (ex, br) [710]; Greece (br) [5281]; Hungary (br) [5257]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Kuwait (v) [537, 1161]; Lebanon (ex, br) [5284]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Niger (v) [659]; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Slovenia (v); Sudan [659]; Syrian Arab Republic [5283]; Tanzania, United Republic of (v) [659]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Yemen [5297]; Yugoslavia (br) [1038] Accipiter butleri (Gurney, 1898) II В LR/nt 381, 386, 523, E: Nicobar Shikra, Nicobar Sparrowhawk, S: Gavilán de Nicobar, F: Épervier des Nicobar India (br) [1197]: Nicobar Is 386, 511, 523, Accipiter castanilius Bonaparte, 1853 Π В 988, 1256, 1292 E: Chestnut-bellied Sparrowhawk, Chestnut-flanked Sparrowhawk, S: Gavilán flanquirrojo, Gavilán pechirrojo, F: Autour à flancs roux Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?); Uganda (br?) [659] Accipiter chionogaster (Kaup, 1852) Synonym: Accipiter striatus chionogaster E: White-breasted Hawk, S: Gavilán pechiblanco, Gavilán ventriblanco, F: Épervier à poitrine El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076, 1195]; Mexico (br) [5241]; Nicaragua (br) [1195] 386, 523, 1045 Accipiter cirrocephalus (Vieillot, 1817) E: Collared Sparrowhawk, S: Gavilán acollarado, F: Épervier à collier roux Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951] 386, 476, 523, Accipiter collaris Sclater, 1860 В LR/nt 595, 1068 E: Semicollared Hawk, Semi-collared Hawk, Semi-collared Sparrowhawk, S: Azer semicollarejo, Gavilán acollarado, Gavilancito torcaz, F: Épervier à collier interrompu

Colombia (br) [837]; Ecuador (br) [5294]; Peru (v) [1136]; ?Venezuela (v) [1070]

Accipiter cooperii (Bonaparte, 1828)

II

386, 387, 523

E: Cooper's Hawk, S: Gavilán de Cooper, F: Épervier de Cooper

Belize [5241]; Bermuda (v) [389]; Canada (br) [748]; Colombia (v) [837]; Costa Rica [1311]; Guatemala [448, 5241]; Honduras (v) [1076]; Mexico (br) [5241]; United States (br) [387]

Accipiter erythrauchen Gray, 1861

I

386, 393, 523,

1410

E: Moluccan Sparrowhawk, Rufous-necked Sparrowhawk, S: Gavilancito moluqueño,

F: Épervier à gorge grise

Indonesia (br) [393]: Moluccas

Accipiter erythronemius (Kaup, 1850)

II B

476

Synonym: Accipiter striatus erythronemius

E: Red-thighed Hawk, Rufous-thighed Hawk, F: Épervier à cuisses rouges, Épervier à cuisses rousses

Argentina (br) [1150, 5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295, 6927]; Uruguay (br) [5287]

Accipiter erythropus (Hartlaub, 1855)

II B

386, 511, 523, 524, 1080, 1256,

1292

E: Red-thighed Sparrowhawk, S: Gavilancito de Hartlaub, Gavilancito muslirrojo, F: Autour minulle, Épervier de Hartlaub

Angola (br?) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [555, 659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea-Bissau (br?) [659]; Liberia (br) [5246]; Nigeria (br?); Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659]

Accipiter fasciatus (Vigors & Horsfield)

T

386, 523, 931, 1045

E: Australasian Goshawk, Brown Goshawk, S: Azor australiano, F: Autour australian Australia (br) [477, 1117]; Christmas Island (br); Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; New Caledonia (br) [1338, 5260]; Norfolk Island (br); Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]; Vanuatu (br) [5260]

Accipiter francesii Smith, 1834

II

386, 523, 931,

1292

E: Frances's Goshawk, Frances's Sparrowhawk, S: Gavilán de Frances, F: Épervier de Frances Comoros (br) [659]; Madagascar (br) [633, 962, 5249]; Mayotte (br)

Accipiter gentilis (Linnaeus, 1758)

II A

381, 386, 387, 523, 524, 614,

841, 929

E: Goshawk, Northern Goshawk, S: Azor, Azor común, Gavilán azor, F: Autour des palombes Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belarus (br); Belqium (br) [5272]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1204, 5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Ireland (v) [858]; Isle of Man (v); Israel [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [1399, 5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mexico (v) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman (v); Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain

CITES EC Reg. RL

References

(br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China (v); Thailand [487]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [1028, 6188]; United States (br) [387]; Uzbekistan [710]; Viet Nam [5264]; Yugoslavia (br) [1038]

Accipiter griseiceps (Schlegel, 1862)

II

386, 393, 523, 1410

E: Celebes crested goshawk, Sulawesi Goshawk, S: Gavilán de Célebes, F: Autour des Célèbes Indonesia (br) [393]: Sulawesi

Accipiter gularis (Temminck & Schlegel, 1844)

В

386, 523, 929,

1045

Synonym: Accipiter virgatus gularis

E: Japanese lesser Sparrowhawk, Japanese Sparrowhawk, S: Gavilancito japonés, F: Épervier du Japon

Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Guam (v) [503, 1171]; Hong Kong; India [1053, 1197]; Indonesia [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Japan (br) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Macau; Malaysia [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (£r) [1306]; Myanmar [1290]; Northern Mariana Islands (v); Philippines [5270]; Russian Federation (br) [710]; Singapore [791]; Taiwan, Province of China (br); Thailand [487, 1220]; Viet Nam [5264]

Accipiter gundlachi Lawrence, 1860

386, 387, 485, 523, 595, 598, 731, 1440, 1441,

1442

E: Gundlach's Hawk, Gundlach's Sparrowhawk, S: Gavilán cubano, F: Epervier de Cuba Cuba (br) [5259, 6714]

Accipiter haplochrous Sclater, 1859

II

LR/nt

386, 523, 1045,

1338

E: New Caledonia Goshawk, White-bellied Goshawk, S: Gavilán de Nueva Caledonia, F: Autour à ventre blanc

New Caledonia (br) [5260]

Accipiter henicogrammus (Gray, 1860)

II

В

В

В

В

386, 393, 523, 1410

E: Gray's Goshawk, Moluccan Barred Sparrowhawk, Moluccan Goshawk, S: Azor moluqueño, F: Autour des Molugues

Indonesia (br) [393]: Moluccas

Accipiter henstii (Schlegel, 1873)

II

LR/nt

386, 523, 595, 633, 962

E: Henst's Goshawk, S: Azor malgache, F: Autour de Henst

Madagascar (br) [5249, 6516]

Accipiter imitator Hartert, 1926

H

VU

386, 523, 595, 1045, 1242

E: Imitator Sparrowhawk, S: Gavilán imitador, F: Autour imitateur Papua New Guinea (br); Solomon Islands (br) [789, 5260]

Accipiter luteoschistaceus

 \mathbf{II}

VU

386, 523, 595

Rothschild and Hartert, 1926

E: Blue-and -grey sparrowhawk, Slaty-backed Goshawk, Slaty-mantled Sparrowhawk,

S: Gavilán de Nueva Bretaña, F: Autour bleu et gris, Autour blue et gris

Papua New Guinea (br): Bismarck Archipelago

Accipiter madagascariensis Smith, 1834

II

В

LR/nt

386, 523, 595, 633, 962

E: Madagascar Sparrowhawk, S: Gavilán malgache, F: Épervier de Madagascar Madagascar (br) [5249, 6516]

ACCIPITRIDAE	CITES	EC Reg.	RL	References	
Accipiter melanochlamys (Salvadori, 1875)	II	В		386, 393, 452, 523, 1045	
E: Black-mantled Goshawk, Black-mantled Hawk, noir Indonesia (br) [393]: Irian Jaya; Papua New Guine			o, F: Au	tour à manteau	
Accipiter melanoleucus Smith, 1830	II	В		386, 511, 523, 524, 573, 1256, 1292	
E: Black Goshawk, Black Sparrowhawk, Great Sparrowhawk, S: Azor blanquinegro, F: Autour noir, Épervier pie Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br?) [782]; ?Guinea-Bissau (v) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659, 1008];					

Accipiter meyerianus (Sharpe, 1878)

E: Meyer's Goshawk, Meyer's hawk, Papuan Goshawk, S: Azor de Meyer, F: Autour de Meyer Indonesia (br) [393, 1410]: Irian Jaya, Moluccas; Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]

Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo

(br?) [568, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

 Accipiter minullus (Daudin, 1800)
 II
 B
 386, 511, 523, 524, 573, 1292

E: African Little Sparrowhawk, Little Sparrowhawk, S: Gavilancito chico, F: Épervier minule Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br?); Eritrea (v) [659]; Ethiopia (br) [659, 894]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; Somalia (br?) [5252]; South Africa (br) [659, 1008]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter nanus (Blasius, 1897) II B LR/nt 386, 393, 523, 595, 1410

E: Celebes sparrowhawk, Small Sparrowhawk, S: Gavilancito de Célebes, F: Épervier des Célèbes

Indonesia (br) [393]: Sulawesi

Accipiter nisus (Linnaeus, 1758) II A 381, 386, 523, 524, 614

E: Eurasian Sparrowhawk, Sparrowhawk, S: Gavilán común, F: Epervier d'Europe Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]: Nagorno-Karabakh [393]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [997, 5261]; Bosnia and Herzegovina (br) [1038]; ?Brunei Darussalam (v); Bulgaria (br) [1204, 5280]; Chad (v) [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1053, 1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (br) [858]; Isle of Man (br); Israel (br) [722, 5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (v) [1289]: Sarawak; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Monaco (br); Mongolia

(br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br) [865]; Netherlands (br) [5273]; ?Niger [659]; Norway (br) [5275]; Oman; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (br); Romania (br) [558]; Russian Federation (br) [710]; San Marino; Saudi Arabia [881]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand [487, 1220]; Tunisia (br) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Uzbekistan [710]; Viet Nam [5264]; Western Sahara (v); Yemen [5297]; Yugoslavia (br) [1038]

Accipiter novaehollandiae (Gmelin, 1788)

В

386, 523, 1045

Synonyms: Accipiter griseogularis, Accipiter hiogaster

E: Grey Goshawk, Grey-throated Goshawk, Variable Goshawk, White Goshawk, S: Azor variable, F: Autour blanc

Australia (br) [477]; Indonesia (br) [393, 1410]: Irian Jaya, Lesser Sunda Is, Moluccas; Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]

Accipiter ovampensis Gurney, 1875

Π В 386, 511, 523, 524, 573, 919, 1256, 1292

E: Ovambo Sparrowhawk, Ovampo Sparrowhawk, S: Gavilán de Ovampo, F: Épervier de l'Ovampo

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi [659]; Cameroon (br?) [659]; Central African Republic (v) [659]; Chad (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?); Ethiopia [659]; Ghana [782]; Guinea; Kenya (br) [5253]; Malawi (br) [1103]; Mali [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria; Rwanda [659]; Senegal (v) [659]; South Africa (br) [659]; Swaziland (v) [1139]; Tanzania, United Republic of (br?) [659]; Togo [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter poliocephalus Gray, 1858

II B

В

В

386, 523, 1045

E: Grey-headed Goshawk, Grey-headed sparrowhawk, New Guinea Grey-headed Goshawk,

S: Gavilán cabecigrís, F: Autour à tête grise Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Accipiter poliogaster (Temminck, 1824)

II

386, 523, 595,

1068

E: Grey-bellied Goshawk, Grey-bellied Hawk, S: Azor pechigris, Azor ventigris, Esparvero

pechigrís, Gavilán vientrigris, F: Autour à ventre gris

Argentina (br) [1150, 5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br?) [837]; Ecuador (br) [5294]; French Guiana (br) [1336, 1349]; Guyana (br) [1295]; Paraguay (br) [5295, 6238, 6321]; Peru (br) [1136]; Suriname (br) [809, 5296]; Venezuela (br) [1070]

Accipiter princeps Mayr, 1934

II

LR/nt

386, 523, 595, 1045, 1242

E: Grey-headed Goshawk, New Britain Goshawk, S: Azor de Nueva Bretaña, F: Autour de Mayr Papua New Guinea (br): Bismarck Archipelago

Accipiter rhodogaster (Schlegel, 1862)

II

386, 393, 523,

1410

E: Vinous-breasted Sparrowhawk, S: Gavilán pechirrojo, F: Épervier à poitrine rousse Indonesia (br) [393]: Sulawesi

Accipiter rufitorques (Peale, 1848)

II В 386, 523, 1045

E: Fiji Goshawk, Fiji Sparrowhawk, S: Gavilán de las Fiji, F: Autour des Fidji

Fiji (br) [1171]

ACCIPITRIDAE CITES EC Reg. RL References H В 386, 511, 523, Accipiter rufiventris Smith, 1830 524, 573, 1292 E: Rufous-chested Sparrowhawk, S: Gavilán papirrufo, F: Épervier menu Angola (br?) [5267]; Democratic Republic of the Congo (br?); Eritrea (br) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659] Accipiter soloensis (Horsfield, 1821) II В 381, 386, 523, 929 E: Chinese Goshawk, Chinese Sparrowhawk, Grey Frog Hawk, S: Gavilán ranero, F: Épervier de Horsfield Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Guam (v) [503]; Hong Kong; India [1197]; Indonesia [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]: Peninsular Malaysia, Sabah [759], Sarawak [393]; Micronesia (Federated States of) (v) [1171]; Myanmar [1290]; Northern Mariana Islands (v); Palau (v) [1171]; Papua New Guinea (br); Philippines [5270, 6639]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan, Province of China; Thailand [487]: Thailand [1049]; Viet Nam (br) [5264] Accipiter striatus Vieillot, 1807 386, 387, 523, 931, 1068 E: Sharp-shinned Hawk, S: Azor chico, Esparvero chico, Gavilán americano, Gavilán arrastrador, Gavilán pajarero, F: Epervier brun Bahamas [5242]; Belize [5241]; Bermuda (v) [389]; Canada (br) [748]; Costa Rica [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador [5241]; Guatemala [448, 5241, 6397]; Haiti (br) [1408]; Honduras [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Nicaragua [1195]; Panama [1195]; Puerto Rico (br) [1176]; Saint Pierre and Miquelon [683]; Turks and Caicos Islands (v); United States (br) [387]; Virgin Islands (British) (v) [6716]; Virgin Islands (U.S.) (v) 386, 387, 523, 1068 E: Tiny Hawk, Tiny Sparrowhawk, S: Azor gris, Esparvero gris, Gavilán enano, Gavilancito americano, F: Épervier nain

Accipiter superciliosus (Linnaeus, 1766)

Argentina (br) [465, 1150, 5291]; Bolivia (br) [1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6321]; Peru

(br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Accipiter tachiro (Daudin, 1800)

В

386, 511, 523, 524, 573, 1256,

E: African Goshawk, S: Azor tachiro, F: Autour tachiro

Angola (br) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br); Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter toussenelii (Verreaux & Verreaux, 1855) II 988

Synonym: Accipiter tachiro toussenelii

E: Collared sparrowhawk, Red-chested Goshawk, Red-chested Hawk, S: Azor de Toussenel, Gavilán pechirroseo, F: Autour de Toussenel

Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [6276, 6426]: Equatorial Guinea, Bioko; ?Eritrea (br) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Liberia (br) [5246]; Mali (v) [659]; Niger (br?) [659]; Nigeria (br); Senegal (v) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]

ACCIPITRIDAE CITES EC Reg. RL References TT В 386, 393, 523,

1410 E: Spot-tailed Goshawk, Spot-tailed Sparrowhawk, S: Gavilán colipinto, F: Épervier à queue tachetée

Indonesia (br) [393]: Sulawesi

Accipiter trinotatus Bonaparte, 1850

Accipiter trivirgatus (Temminck, 1824)

H В 381, 386, 523,

E: Asian Crested Goshawk, Crested Goshawk, S: Azor moñudo, F: Autour huppé Bangladesh (v) [804]; Bhutan (br) [998, 5261]; Brunei Darussalam (br); Cambodia (br?) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [615, 5264]

Accipiter ventralis Sclater, 1866

476 Η В

Synonym: Accipiter striatus ventralis

E: Plain-breasted Hawk, S: Azor pechillano, Gavilán andino, F: Épervier à gorge rayée Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Venezuela (br) [1070]

Accipiter virgatus (Temminck, 1822)

Π В 381, 386, 523, 929

E: Besra, Besra Sparrowhawk, Besra-sperwer, S: Gavilán besra, F: Épervier besra Bangladesh [804]; Bhutan (br) [5261]; Cambodia [5243]; China (br) [5293]; India (br) [1053, 1197]: Andaman Is [1053], Nicobar Is [1053]; Indonesia (br) [393, 1086, 1289]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic [6187]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270, 6639]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487]; Viet Nam (br) [5264]

Aegypius monachus (Linnaeus, 1766)

II Α LR/nt 381, 386, 523, 595, 614, 841,

E: Black Vulture, Cinereous Vulture, S: Buitre negro, F: Vautour moine Afghanistan (br) [694]; Albania (ex, br); Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belarus (v); Bhutan [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (br) [5280]; Cambodia (v) [5243, 6269]; China (br) [5293]; Croatia (ex, br, v) [5290]; Cyprus (ex, br) [709]; Czech Republic (ex, br, v) [5258]; Egypt (v) [756]; France (ex, reint, br, v) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel (ex, br) [5245]; Italy (ex, br) [5289]; Japan (v) [503]; Jordan (v) [395, 1387]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; ?Lao People's Democratic Republic; Latvia (v) [5278]; Lebanon [5284]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malaysia (v): Peninsular Malaysia; Moldova, Republic of (ex, br); Mongolia (br) [1306]; Morocco (v) [461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (ex, br) [1332]: Portugal (ex, br); Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Slovakia (v) [5279]; Slovenia (ex, br) [1038]; Spain (br) [702, 1330]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Thailand [487]; Tunisia (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br); Uzbekistan (br) [710]; Viet Nam (v) [5264]; ?Yemen (v) [5297]; Yugoslavia (ex, br) [1038]

Aquila adalberti Brehm, 1861

Α VU

386, 523, 595, 640, 752, 841, 1062, 1063, 1064

Synonym: Aquila heliaca adalberti

E: Adalbert's Eagle, Spanish Imperial Eagle, White-shouldered Eagle, S: Aguila imperial

Ι

ibérica, F: Aigle à épaules blanches, Aigle ibérique, Aigle impérial espagnol, Aquila imperiale iberica

Algeria (ex, br) [971]; France (v) [7041]; Gibraltar (v); Morocco (ex, br) [461]; Portugal (ex, br) [1332]: Portugal (ex, br); Spain (br) [702, 755, 830]

CITES Identification Manual Reference:

A-213.003.003.001

Aquila audax (Latham, 1801) II B 386, 523, 1045 E: Wedge-tailed Eagle, S: Aguila audaz, F: Aigle d'Australie

Australia (br) [477, 1117]; Indonesia (br) [393, 452]: Irian Jaya; Papua New Guinea (br)

Aquila chrysaetos (Linnaeus, 1758) II A 381, 386, 387, 523, 524, 614, 841

E: Golden Eagle, S: Aguila real, Águila real, F: Aigle doré, Aigle royal Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (ex, br); Denmark [666]; Egypt (br?) [756]; Estonia (br) [5277]; Ethiopia (br?) [659]; Finland (br) [1300]; France (br) [1228, 7041, 2075, 2595, 3060, 3524, 4538, 6050]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (ex, br, v) [858]; Isle of Man (v); Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (ex, br) [5284]; Libyan Arab Jamahiriya (br?) [536]; Liechtenstein (br); Lithuania (ex, br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Mauritania (br) [659]; Mexico (br) [5241]; Moldova, Republic of (br); Mongolia (br) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; Norway (br) [5275]; Oman (br) [727]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia (br) [881]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]; Yugoslavia (br) [1038]

Aquila clanga Pallas, 1811 II A VU 381, 386, 511, 523, 524, 595,

614, 841, 929 E: Greater Spotted Eagle, Spotted Eagle, S: Aguila moteada, Aguila moteada, F: Aigle criard Afghanistan [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Bahrain (v) [838, 1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Bhutan [5261, 6478]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; Cambodia [5243]; Cameroon [659]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (ex, br) [1300]; France [7041]; Georgia; Germany [5274]; Gibraltar (v); Greece [5281]; Hong Kong; Hungary (ex, br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (ex, br) [5245]; Italy [5289]; Japan (v) [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (ex, br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v) [461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman; Pakistan (br); Poland [1348]; Portugal (v) [1332]: Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia [881]; Singapore [791]; Slovakia (ex, br) [5279]; Slovenia (v) [1038]; Spain (v) [702]; Sudan [659]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tanzania, United Republic of (v) [659]; Thailand [487]; Tunisia (v) [1344]; Turkey [5282]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Viet Nam [5264]; Yemen [5297]; Yugoslavia

(br) [1038]; Zambia [6301]

ACCIPITRIDAE CITES EC Reg. RL References

Aquila gurneyi Gray, 1860

II B

LR/nt

386, 523, 595, 1045, 1242

E: Gurney's Eagle, S: Aguila moluqueña, F: Aigle de Gurney

Australia (v) [477, 730]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)

Aquila heliaca Savigny, 1809

I A VU

381, 386, 489, 523, 524, 595, 614, 741, 841,

931

E: Eastern Imperial Eagle, Imperial Eagle, S: Aguila imperial, Águila imperial, Aguila imperial oriental, F: Aigle impérial

Afghanistan [694]; Albania (br?); Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (v); Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1155, 5280]; Cameroon (v) [6295]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [793, 5281]; Hong Kong; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy (v) [5289]; Japan (v) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (v); Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (v) [461]; Myanmar; Nepal [865]; Oman; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 750, 938]; Saud! Arabia [881]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (v) [1038]; Sudan (v) [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tanzania, United Republic of (v) [659]; Thailand; Turkey (br) [447, 5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates [1192]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-213.003.003.006

Aquila nipalensis Hodgson, 1833

II B

6366

Synonym: Aquila orientalis E: Steppe Eagle, S: Aguila esteparia, Aguila estoparia, Águila rapaz, F: Aigle des steppes Afghanistan [694]; Albania; Angola (v) [5267]; Armenia (br) [5240]; Azerbaijan; Bhutan [5261]; Botswana [1102]; Bulgaria (ex, br); Burundi (v) [659]; Cameroon (v) [659]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Czech Republic (v) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (v); Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia; Germany (v) [5274]; Greece [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Israel [5245]; Italy (v) [5289]; Jordan [395]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of (v) [762]; Kuwait [537]; Lebanon [5284]; Malawi [1103]; Malaysia: Peninsular Malaysia [825]; Mali (v) [659]; Moldova, Republic of (ex, br) [710]; Mongolia (br) [1306]; Myanmar; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger (v) [659]; Norway (v) [5275]; Oman; Pakistan; Poland (v) [1348]; Romania (ex, br) [558]; Russian Federation (br) [710, 936, 938]; Rwanda [659]; Saudi Arabia [881]; Singapore (v) [791]; Slovakia (v) [5279]; Somalia (v) [5252]; South Africa [659]; Spain (v); Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Thailand; Tunisia (v); Turkey (br) [5282]; Turkmenistan (v) [710]; Uganda [659]; Ukraine (ex, br) [710]; United Arab Emirates [1192]; Yemen [5297]; Zambia [659]; Zimbabwe [659] CITES Identification Manual Reference: A-213.003.003.008a

Aquila pomarina Brehm, 1831

II A 381, 386, 511, 523, 524, 572, 573, 614, 841,

929, 1069

E: Lesser Spotted Eagle, S: Aguila pomerana, Águila pomerana, F: Aigle pomarin Albania (br); Algeria (br?) [971]; Armenia (br) [5240]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bangladesh (br) [804]; Belarus (br); Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burundi [659]; ?Cameroon [659]; ?Chad [659]; Congo (v) [659]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Perpendic Republic of the Congo; Denmark (v) [666]; Djibouti [427, 1401]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Jordan [395]; Kazakhstan (v) [5269]; Kenya [5253]; Kuwait (v); Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malta (v); Moldova, Republic of (br) [710]; Morocco (v) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br) [865]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v); Poland (br) [1213, 1348]; Portugal (v) [1332]: Portugal (v); Romania (br) [558]; Russian Federation (br) [710, 936]; Rwanda [659]; Slovakia (br) [5279]; Slovenia (br?) [1038]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; ?Yemen (v) [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659]

Aquila rapax (Temminck, 1828)

B 381, 386, 511, 523, 524, 573,

614, 841, 929

Synonym: Aquila vindhiana

E: Steppe Eagle, Tawny Eagle, S: Aguila Esteparia, Aguila rapaz, Aguila Rapáz, F: Aigle des

II

steppes, Aigle ravisseur

Algeria (br) [971]; Angola (br) [5267]; Bahrain [1105]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Gibraltar (v); Guinea (v); India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (v) [5245]; Italy (v) [5289]: Sardegna; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi [1103, 1293]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Phyanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Oman; Pakistan (br); Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Thailand (v) [487]; Togo (br) [5254]; Tunisia (br?) [1344]; Turkmenistan (br) [710]; Uganda (br?) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.003.008

Aquila verreauxii Lesson, 1830

II B

386, 511, 523, 524, 573, 614, 729, 841, 1256, 1292

E: African Black Eagle, Black Eagle, Verreaux's Eagle, S: Aguila cafre, F: Aigle de Verreaux Angola (br) [5267]; Botswana (br) [1102]; Chad (br?) [659]; Democratic Republic of the Congo (v); Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Israel (br?) [5245]; Jordan (br) [395, 6454]; Kenya (br) [5253]; Lebanon (v) [5284]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659, 1101]; Oman (br); Rwanda (v) [659]; Saudi Arabia (br) [672, 881]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Yemen (br) [5297]; Zambia (br) [585, 659]; Zimbabwe (br) [659]

ACCIPITRIDAE

CITES EC Reg. RL

References

Aquila wahlbergi Sundevall, 1851

II B

386, 511, 523, 524, 573, 1256, 1292

E: Wahlberg's Eagle, S: Aguila de Walhberg, F: Aigle de Wahlberg

Angola (br) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659, 1345]; Burund (br.) [659]; Cameroon (br.) [659]; Contral African Penublic (br.) [659]; Chad (br.) [659]; Câto

Angola (br) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 894]; Gabon (v) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Asturina nitida (Latham, 1790)

II B 386, 387, 523, 1068

Synonym: Buteo nitidus

E: Grey-lined Hawk, S: Aguilucho gris, Busardo gris, Gavilán gris, F: Buse cendrée Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186, 6292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.003.007.015

Asturina plagiata Schlegel, 1862

II B

Synonym: Buteo nitidus plagiatus

E: Grey Hawk, S: Aguililla gris, F: Buse grise

Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]

CITES Identification Manual Reference: A-213.003.007.015a

Aviceda cuculoides Swainson, 1837

II B 386, 511, 523, 524, 573, 1256, 1292

E: African Baza, African Cuckoo-Falcon, African Cuckoo-Hawk, S: Baza africano, F: Baza coucou, Faucon-coucou

Angola (br) [5267]; Benin (br?) [659]; Botswana (v) [1102]; Burkina Faso (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br) [782]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali [659]; Mozambique (br) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of [659]; Togo (br?) [5254]; Uganda [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Aviceda jerdoni (Blyth, 1842)

II B

381, 386, 523, 595, 929, 1068

E: Asian Baza, Jerdon's Baza, S: Baza oriental, F: Baza de Jerdon
Bangladesh (br?) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293];
India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sulawesi, Sumatera; Lao People's
Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759],
Sarawak [393]; Myanmar (br) [1290]; Nepal [865]; Philippines (br) [5270]; Sri Lanka
(br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [1305, 5264]

Aviceda leuphotes (Dumont, 1820)

II B

381, 386, 523, 929, 1068

E: Black Baza, S: Baza negro, F: Baza huppard
Bangladesh (br) [804]; Bhutan [5261]; Cambodia (br) [5243]; China (br) [5293]; India
(br) [1197]; Indonesia (v) [393, 435]: Jawa, Sumatera; Lao People's Democratic Republic
(br) [6187]; Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Singapore [791]; Sri
Lanka [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

ACCIPITRIDAE CITES EC Reg. RL References Π Aviceda madagascariensis В 386, 523, 962 (Smith, 1834) E: Madagascar Baza, Madagascar Cuckoo-Falcon, Madagascar Cuckoo-Hawk, S: Baza malgache, F: Baza malgache Madagascar (br) [5249] Aviceda subcristata (Gould, 1838) Η В 386, 523, 1045, 1242 E: Crested Baza, Pacific Baza, S: Baza australiano, F: Baza huppé Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Papua New Guinea (br); Solomon Islands (br) [5260] Busarellus nigricollis (Latham, 1790) В 386, 387, 523, 1068 Synonym: Heterospizias meridionalis E: Black-collared Hawk, Collared Fishing Hawk, S: Aguila colorada, Busardo colorado, Gavilán colorado, F: Buse à tête blanche Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [376, 5287]; Venezuela (br) [1070] Butastur indicus (Gmelin, 1788) II 386, 523, 929 В E: Grey-faced Buzzard, Grey-faced Buzzard-Eagle, S: Busardo carigrís, F: Busautour à joues Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Hong Kong; Indonesia [393]: Irian Jaya, Jawa, Moluccas, Sulawesi, Sumatera; Japan (br) [503]; Korea, Democratic People's

Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (v) [1306]; Myanmar [1290]; Philippines [5270]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

386, 523, 595, Butastur liventer (Temminck, 1827) Π 929 E: Rufous-winged Buzzard, Rufous-winged Buzzard-Eagle, S: Busardo alirrufo, F: Busautour

Cambodia [5243, 6475]; China (br) [5293]; Indonesia (br) [393, 1410]: Jawa, Sulawesi; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Butastur rufipennis (Sundevall, 1851) II 386, 511, 523, 524, 1256, 1292

E: Grasshopper Buzzard, Grasshopper Buzzard-Eagle, S: Aguililla langostera, Busardo langostero, F: Busautour des sauterelles Benin [659]; Burkina Faso [659]; Burundi (v) [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo; Eritrea [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Guinea [1389]; Kenya [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania [659]; Niger [659]; Nigeria (br); Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone [659]; Somalia [5252]; Sudan (br) [659]; Tanzania,

Butastur teesa (Franklin, 1831) H В 381, 386, 523, 841, 929

United Republic of [659]; Togo (br?) [5254]; Uganda [659]

E: White-eyed Buzzard, S: Busardo tisa, F: Busautour aux yeux blancs Afghanistan (v) [694]; ?Australia (v) [477]; Bangladesh (br) [804]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)

ACCIPITRIDAE CITES EC Reg. RL References 386, 387, 523, ΤT В Buteo albicaudatus Vieillot, 1816 1068 E: White-tailed Hawk, S: Aguililla coliblanca, Aguilucho cabecinegro, Busardo coliblanco, Gavilán tejé, F: Buse à queue blanche Argentina (br) [5291]; Aruba (br) [1380]; Belize (br) [610, 5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; ?Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287, 6746]; Venezuela (br) [1070] II Buteo albigula Philippi, 1899 Synonym: Buteo brachyurus albigula E: White-throated Hawk, S: Aguilucho chico, Busardo gorgiblanco, Gavilán gargantiblanco, F: Buse à gorge blanche Argentina (br) [5291]; Bolivia (br) [6986]; Chile (br) [5292]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 386, 387, 523, Buteo albonotatus Kaup, 1847 1068 E: Zone-tailed Hawk, S: Aguililla aura, Busardo aura, Gavilán albonotatus, Gavilán colifajeado, F: Buse à queue barrée Argentina [6734]; Belize [5241]; Bolivia (br) [1186, 6346]; Brazil (br) [6186, 6413]; Colombia (br) [837, 6358]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador [5241]; French Guiana (br) [1349]; Guatemala (br?) [448, 5241, 6397]; Guyana (br) [1295]; Honduras [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br?) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070] Buteo archeri Sclater, 1918 H В Synonym: Buteo augur archeri E: Archer's Buzzard, S: Busardo augur somali, F: Buse d'Archer Somalia (br) [5252] Buteo augur (Rüppell, 1836) II В E: Augur Buzzard, S: Busardo augur oriental, F: Buse augure Angola (br?) [5267]; Burundi (br) [659]; Cameroon (v) [659]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] 386, 387, 511, Π В Buteo auguralis Salvadori, 1865 523, 524, 1256, E: African Red-tailed Buzzard, Red-necked Buzzard, Red-tailed Buzzard, S: Busardo cuellirrojo, Ratonero cuellirrojo, F: Buse à queue rousse, Buse d'Afrique Angola (br) [5267]; Benin (br?) [659, 845]; Burkina Faso (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Ethiopia (br?) [659]; Gabon [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Mali [659]; Mauritania [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659] Buteo brachypterus Hartlaub, 1860 386, 523, 633 E: Madagascar Buzzard, S: Busardo malgache, F: Buse de Madagascar Madagascar (br) [5249] Η В 386, 387, 523, Buteo brachyurus Vieillot, 1816 1068 E: Short-tailed Hawk, S: Aguililla colicorta, Aguilucho cola corta, Busardo colicorto, Gavilán

cola corta, F: Buse à queue courte

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 6892]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (br) [387]; Venezuela (br) [1070, 6290]

Buteo buteo (Linnaeus, 1758)

II

381, 386, 511, 523, 524, 573, 614, 841, 929

Synonym: Buteo bannermani

E: Buzzard, Common Buzzard, Eurasian Buzzard, S: Busardo ratonero, Ratonero común,

F: Buse variable

Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burundi [659]; Cambodia [5243]; Cameroon (v) [6295]; Cape Verde (br) [820]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [6294]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]: Bali, Jawa; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Isle of Man; Israel [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v): Peninsular Malaysia; Maldives (v) [431]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Monaco (br); Mongolia (br) [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands (br) [5273]; Nigeria (v); Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan (br?); Philippines (v) [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (br) [985], Madeira (br); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; San Marino (br); Saudi Arabia [881]; Senegal [659]; Sierra Leone (v) [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tanzania, United Republic of [659]; Thailand [487]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Uzbekistan [710]; Viet Nam [5264]; ?Western Sahara; Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659]

Buteo galapagoensis (Gould, 1837)

II

VU

386, 523, 595, 598, 688, 689, 931, 1381, 1382

381, 386, 523

E: Galapagos Hawk, S: Busardo de Galápagos, Gavilán de Galapagos, F: Buse des Galapagos Ecuador (br) [5294]: Galapagos

Buteo hemilasius Temminck and Schlegel, 1844 'B

В

E: Upland Buzzard, S: Busardo mongol, F: Buse de Chine Bhutan [5261]; China (br) [5293]; Hong Kong (v); India [1197]; Iran (Islamic Republic of)

(v) [1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Mongolia (br) [1306]; Nepal (br?) [865]; Russian Federation (br) [710]; Uzbekistan (v) [710]

ACCIPITRIDAE CITES EC Reg. RL References II В 386, 387, 485, Buteo jamaicensis (Gmelin, 1788) E: Red-tailed Hawk, S: Aguililla colirroja, Busardo colirrojo, Guaraguao, F: Buse à queue Bahamas (br) [5242]; Barbados (ex, br) [5242]; Belize (br) [5241]; Bermuda [389]; Canada (br) [748]; Costa Rica (br) [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241]; Montserrat [5242]; Netherlands Antilles (br); Nicaraqua (br) [1195]; Panama (br) [1195]; Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (v) [5251]; Turks and Caicos Islands; United States (br) [387]; Venezuela (v) [6290]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br) Buteo lagopus (Pontoppidan, 1763) 386, 387, 523, 614, 841 E: Rough-legged Buzzard, Rough-legged Hawk, S: Aguililla artica, Busardo calzado, Ratonero calzado, F: Buse pattue Afghanistan (v) [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Belarus; Belgium [5272]; Bermuda (v) [389]; ?Bhutan [5261]; Bosnia and Herzegovina [1038]; Bulgaria [5280]; Canada (br) [748]; China [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic [5258]; Denmark [666]; Estonia [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; Georgia; Germany [5274]; Greece (v) [5281]; Hungary [5257]; Iceland (v) [507]; Iran (Islamic Republic of) [1253]; Ireland (v) [858]; Isle of Man (v); Israel (v) [5245]; Italy [5289]; Japan [503]; Jordan (v) [395, 1386]; Kazakhstan [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Latvia (ex) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania; Luxembourg [5248]; Macedonia, former Yugoslav Republic of [1038]; Malta (v); Mexico [5241]; Moldova, Republic of; Mongolia [1306]; Netherlands [5273]; Norway (br) [5275]; Poland [1348]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Slovakia [5279]; Slovenia [1038]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Taiwan, Province of China; Tunisia (v) [1344]; Turkey [5282]; Ukraine [710]; United Kingdom [6188]; United States (br) [387]; Uzbekistan [710]; Yugoslavia [1038] Buteo leucorrhous (Quoy & Gaimard, 1824) 386, 523, 1068 II В E: Rufous-thighed Hawk, White-rumped Hawk, S: Busardo culiblanco, Gavilán negro, Gavilán rabadilla blanca, F: Buse cul-blanc Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136]; Venezuela (br) [1070] 386, 387, 523 E: Red-shouldered Hawk, S: Aguililla pechirroja, Busardo hombrorrojo, F: Buse à épaulettes Canada (br) [748]; Mexico (br) [5241, 6648]; United States (br) [387]

Buteo lineatus (Gmelin, 1788)

1068 E: Roadside Hawk, S: Aguililla caminera, Busardo caminero, Gavilán alirrojizo, Gavilán común, Gavilán habado, F: Buse à gros bec Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia

II

В

386, 387, 523,

(br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136];

Suriname (br) [5296]; United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

386, 511, 523, Buteo oreophilus Hartert and Neumann, 1914 II 524, 573, 574, 1030, 1292

Synonym: Buteo tachardus

Buteo magnirostris (Gmelin, 1788)

E: Forest Buzzard, Mountain Buzzard, S: Busardo montañés, F: Buse montagnarde Burundi (br) [659]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Kenya (br) [5253]; Malawi (br?) [1103]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; ?Zambia [6301]

ACCIPITRIDAE	CITES	EC Reg.	RL	References
Buteo platypterus (Vieillot, 1823)	II	В		386, 387, 485,

523, 931, 1068

386, 523, 1068

E: Broad-winged Hawk, S: Aguililla aluda, Busardo aliancho, Gavilán bebehumo, F: Petite buse Antigua and Barbuda (br) [5242]; Barbados (v) [5242]; Belize (v) [5241]; Bolivia [1186, 6346]; Brazil [6186]; Canada (br) [748]; Colombia [837]; Costa Rica [1311]; Cuba (br) [5259]; Dominica (br) [5242]; Ecuador [5294]; El Salvador [5241]; French Guiana [1349]; Grenada (br) [5242]; Guatemala [5241]; Honduras [1076]; Jamaica (v) [657]; Martinique (br) [5242]; Mexico [5241, 6648]; Nicaragua [1195]; Panama [1195]; Peru (v) [1136, 6410]; Puerto Rico (br) [1176]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela [1070]

Buteo poecilochrous Gurney, 1879 В 386, 523, 1068 E: Gurney's Hawk, Puna Hawk, Variable Hawk, S: Aguilucho puna, Busardo puneño, Gavilán punenno, F: Buse du puna Argentina (br) [5291, 6370]; Bolivia (br) [1186, 6370]; Chile (br?) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6370]

Buteo polyosoma (Quoy & Gaimard, 1824) E: Red-backed Hawk, S: Aguilucho común, Aguilucho variado, Busardo dorsirrojo, F: Buse Argentina (br) [5291, 6370]; Bolivia (br) [1186, 6370]; ?Brazil (v) [6186]; Chile (br) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (br) [1439]; Peru (br) [1136, 6370]; Uruguay (v) [5287]

В

Buteo regalis (Gray, 1844) II LR/nt 386, 387, 523 В E: Ferruginous Hawk, S: Aguililla real, Busardo herrumbroso, F: Buse rouilleuse Canada (br) [748]; Mexico [5241]; United States (br) [387]

Buteo ridgwayi (Cory, 1883) В CR 386, 387, 485, 523, 595, 598, 1419, 1420

E: Hispaniolan Hawk, Ridgway's Hawk, S: Busardo de la española, F: Buse de Ridgway Dominican Republic (br) [1312]; Haiti (br) [1408]; Puerto Rico (v) [1176]

381, 386, 511, Buteo rufinus (Cretzschmar, 1827) II Α 523, 524, 614, 841, 1256

E: Long-legged Buzzard, S: Busardo moro, Ratonero moro, F: Buse féroce Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (v); Belgium (v?) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon (v) [659]; Cape Verde (v) [820]; Chad [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (br) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Eritrea [659]; Ethiopia [659]; Finland (v); France (v) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon (br) [5284]; Libyan Arab Jamahiriya (br?) [536, 6303]; Macedonia, former Yugoslav Republic of (br) [1038]; ?Malawi [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar (v) [1290]; Nepal [865]; Netherlands (v) [5273]; Niger [659]; Nigeria; Norway (v); Oman (br); Pakistan (br); Poland (v) [1348]; Portugal (v) [1332]: Portugal (v), Madeira (v); Romania [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Slovakia [5279]; Slovenia (v) [1038]; Somalia (v) [5252]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan (br?) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajíkistan (br) [374]; Tanzania, United Republic of (v) [659]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br); United Arab Emirates [1192]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]; Yugoslavia (v) [1038]

ACCIPITRIDAE	CITES	EC Reg.	RL	References		
Buteo rufofuscus (Forster, 1798)	II	В		386, 511, 523,		
524, 573, 1292 E: Jackal Buzzard, S: Busardo augur meridional, F: Buse rounoir Botswana (br?) [1102]; Lesotho (br) [486]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Zimbabwe (v) [659]						
Buteo solitarius Peale, 1848	II	В	LR/nt	386, 387, 523, 595, 931		
E: Hawaiian Hawk, S: Busardo hawaiano, F: Buse United States (br) [387]	d'Hawaï			393, 931		
Buteo swainsoni Bonaparte, 1838	II	В		386, 387, 523, 1068		
E: Swainson's Hawk, S: Aguililla de Swainson, Aguilucho langostero, Busardo chapulinero, Gavilán langostero, F: Buse de Swainson Argentina [5291]; Belize [1437, 6769]; Bolivia [1186]; Brazil [1268, 6186, 6291]; Canada (br) [748]; Colombia [837]; Costa Rica [1311]; Dominican Republic (v) [6324]; Ecuador [5294]; El Salvador [5241]; Guatemala [5241]; Honduras [1076]; Mexico (br) [5241]; Nicaragua [1195]; Norway (v) [5275]; Panama [1195]; Paraguay (v) [5295, 6321]; Peru [1136]; Trinidad and Tobago (v) [391, 703]; United States (br) [387]; Uruguay [5287]; Venezuela [1070]						
Buteo ventralis Gould, 1837	II	В		386, 523, 578, 595, 1068		
E: Red-tailed Hawk, Rufous-tailed Hawk, S: Aguilu de Patagonie Argentina (br) [465, 5291]; Chile (br) [873, 1459, 52		colorada,	Busardo			
Buteogallus aequinoctialis (Gmelin, 1788) E: Rufous Crab-Hawk, S: Busardo-negro del atlánt Brazil (br) [6186]; French Guiana (br) [1349]; Guya Trinidad and Tobago (br) [703]; Venezuela (br) [10	ana (br) [
Buteogallus anthracinus (Deppe, 1830)	II	В		386, 387, 485, 523, 1068		
E: Common Black-Hawk, Cuban Black Hawk, Lesser Black-Hawk, S: Aguililla negra menor, Busardo-negro norteño, Gavilán cangrejero, F: Buse noire Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (br) [5242]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.003.008.002						
Buteogallus meridionalis (Latham, 1790)	II	В		386, 387, 523, 1068		
E: Savanna Hawk, S: Aguilucho colorada, Aguiluch venado, Gavilán sabanero, F: Buse roussâtre Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (b (br) [5294]; French Guiana (br) [1349]; Guyana (br (br) [5295]; Peru (br) [1136]; Suriname (br) [5296] (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference:	r) [6186];) [1295]; ; Trinidac	Colombia Panama	a (br) [83 (br) [1195 ago (br) [ero, Gavilán pita 7]; Ecuador i]; Paraguay		
Buteogallus subtilis (Thayer & Bangs, 1905) E: Mangrove Black-Hawk, Pacific Black Hawk, S: Broomún, F: Buse des mangroves Colombia (br) [837]; Costa Rica (br) [1311]; Ecuado Guatemala (br) [5241]; Honduras (br) [1076]; Mexi (br) [1136] CITES Identification Manual Reference:	or (br) [5: co (br) [5	294]; El S	alvador (l nama (br)	br) [5241];		

CITES EC Reg. RL References **ACCIPITRIDAE** 386, 387, 523, II ₿ Buteogallus urubitinga (Gmelin, 1788) E: Great Black Hawk, Great Black-Hawk, S: Aguila negra, Aguililla negra mayor, Busardonegro urubitinga, Gavilán negro grande, F: Buse urubu Argentina (br) [5291, 6734]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070] 386, 511, 523, Η В

Chelictinia riocourii (Vieillot, 1822)

524, 1256, 1292

Synonym: Elanus riocourii

E: African Swallow-tailed Kite, Scissor-tailed Kite, S: Elanio golondrina, F: Élanion naucler Benin [659]; Burkina Faso [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Djibouti [427]; Eritrea (br) [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria; Senegal (br?) [659]; Somalia (br?) [5252]; Sudan (br) [659]; Togo (v) [5254]; Uganda [659]; Yemen (v) [841, 5297]

Chondrohierax uncinatus (Temminck, 1822)

I/II A/B 386, 387, 523, 931

E: Hook-billed Kite, S: Gavilán pico ganchudo, Milano picogarfio, F: Milan bec-en-croc

CITES Appendix II populations

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (br) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070, 6290]

Chondrohierax uncinatus wilsonii (Cassin, 1847) I

386, 387, 523, 931

Synonym: Chondrohierax wilsonii

E: Cuban Hook-billed Kite, S: Busardo de Wilson, F: Busard de Wilson, Milan de Cuba, Milan de Wilson

Cuba (br) [5259]

Circaetus cinerascens von Müller, 1851

В II

Α

386, 511, 523, 524, 573, 1256, 1292

E: Banded Snake-Eagle, Smaller Banded Snake-Eagle, S: Aguila culebrera culiblanca,

Culebrera coliblanca, F: Circaète cendré

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau

(br?) [659]; Kenya (br?) [5253]; Malawi (br) [1103]; Mali [659]; Namibia (br) [521, 659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659];

Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

ACCIPITRIDAE CITES EC Reg. RL References

Circaetus cinereus Vieillot, 1818

II B 386, 511, 523, 524, 573, 1256, 1292

E: Brown Harrier-Eagle, Brown Snake-Eagle, S: Aguila culebrera de Brown, Culebrera sombría, F: Circaète brun

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Circaetus fasciolatus Kaup, 1850

II B LR/nt 386, 511, 523, 524, 573, 595, 1292

E: Fasciated Snake-Eagle, Southern Banded Snake-eagle, Southern Banded Snake-Eagle, F: Circaète barré

Kenya (br) [5253]; Mozambique (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Tanzania, United Republic of (br?) [659]; Zimbabwe (br?) [659]

Circaetus gallicus (Gmelin, 1788) II A 381, 386, 511, 523, 524, 573, 614, 841, 1256, 1292, 6677

Synonym: Circaetus beaudouini

E: Beaudouin's Snake-Eagle, Short-toed Eagle, Short-toed Snake-Eagle, S: Aguila culebrera, Águila culebrera, Culebrera barreada, Culebrera europea, F: Circaète Jean-le-Blanc

Afghanistan [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659]; Cambodia (v) [5243]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]; ?Congo (v) [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt (br?) [756]; Eritrea [659]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (br?) [760]; Georgia (br) [710]; Germany (ex, br, v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393, 434]: Bali, Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; ?Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya (ex, br) [536]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (v): Peninsular Malaysia; Mali (br?) [659]; Malta (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br?) [865]; Netherlands (y) [5273]; Niger (br?) [659]; Nigeria (br); Norway (v) [5275]; Oman (br?); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (v) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand [487]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara (br?); Yemen [5297]; Yugoslavia (br) [1038]

CITES Identification Manual Reference:

A-213.003.011.005

Circaetus pectoralis Smith, 1829

H

E: Black-breasted Harrier-Eagle, Black-breasted Snake-Eagle, Black-chested Snake-Eagle,

S: Culebrera pechinegra, F: Circaète à poitrine noire

Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

A-213.003.011.006 CITES Identification Manual Reference:

Circus aeruginosus (Linnaeus, 1758)

II Δ 381, 386, 511, 523, 524, 573, 614, 841, 929,

1045, 1256

E: Eurasian Marsh-harrier, Marsh Harrier, Western Marsh-Harrier, S: Aguilucho lagunero, Aguilucho lagunero occidental, F: Busard des roseaux

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (v); Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Cape Verde [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Cocos (Keeling) Islands (v); Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [1389]; Guinea-Bissau [659]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]: Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (ex, br) [858]; Isle of Man (v); Israel (ex, br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (ex, br?) [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (br?); Lithuania (br) [5247]; Luxembourg (ex, br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v) [6228]: Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br, v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of [659]; ?Thailand (v) [487]; Togo [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659] CITES Identification Manual Reference: A-213.003.012.002

Circus approximans Peale, 1848

II

Synonym: Circus aeruginosus approximans

E: Australasian Harrier, Pacific Marsh-Harrier, Swamp Harrier, S: Aguilucho lagunero del pacifico, Aguilucho Lanunero del Pacifico, F: Busard de Gould Australia (br) [477]; Fiji (br) [1171]; French Polynesia (br) [1171]: Society Is [1171]; Indonesia (br?) [393]: Irian Jaya; New Caledonia (br) [5260]; New Zealand (br) [1351]; ?Papua New Guinea (br); Tonga (br) [1171]; Vanuatu (br) [5260]; Wallis and Futuna Islands (br)

Circus assimilis Jardine and Selby, 1828

CITES Identification Manual Reference:

A-213.003.012.002a

386, 523, 1045

E: Aguilucho moteado, Spotted Harrier, F: Busard tacheté

Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Sulawesi

CITES EC Reg. RL

References

Circus buffoni (Gmelin, 1788)

Η

386, 523, 1068

В E: Long-winged Harrier, S: Aguilucho de azara, Aguilucho de ciénaga, Gavilán grande, F: Busard de Buffon

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Falkland Islands (Malvinas) (v); French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]

Circus cinereus Vieillot, 1816

II В 386, 523, 1068

E: Cinereous Harrier, S: Aguilucho vari, Gavilán ceniciento, F: Busard bariolé Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br?) [5292, 6393]; Colombia (br) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (ex, br, v) [1439]; Paraguay (br?) [5295, 6321]; Peru (br) [1136]; Uruguay (br) [5287]

Circus cyaneus (Linnaeus, 1766)

381, 387, 485, 524, 614, 841,

929, 1045

E: Hen Harrier, Marsh Hawk, Northern Harrier, S: Aguilucho pálido, Gavilán rastrero, F: Busard Saint-Martin

Afghanistan (v) [694]; Albania; Algeria [971]; Andorra (v); ?Anguilla [5242]; Antiqua and Barbuda (v) [5242]; Armenia [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Bulgaria [5280]; Cambodia [5243]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia (v) [837]; Costa Rica [1311]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; ?Grenada [5242]; Guadeloupe (v) [5242]; Guatemala [5241]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Ireland (br) [858]; Isle of Man (br); Israel [5245]; Italy [5289]; Jamaica (v) [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; ?Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v) [1289]: Peninsular Malaysia, Sabah, Sarawak [393]; Malta; Martinique (v) [5242]; Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles; Nicaragua [1195. 6604]; Norway (br) [5275]; Oman; Pakistan; Panama [1195]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br); Puerto Rico [1176]; Qatar (v) [1393]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]: St Vincent [1049]; Saudi Arabia [881]; Senegal (v) [659]; Singapore (v) [791]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702]; ?Sudan (v) [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; Tunisia [1344]; Turkey (br?) [5282]; Turkmenistan [710]; Turks and Caicos Islands (v); Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387]: Wisconsin [759]; Uzbekistan [710]; Venezuela (v) [1070]; ?Viet Nam [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); Yemen (v) [5297]; Yugoslavia [1038]

Circus macrourus (Gmelin, 1770)

II Α 381, 386, 511, 523, 524, 573, 595, 614, 841,

929

LR/nt

E: Pale Harrier, Pallid Harrier, S: Aguilucho papialbo, F: Busard pâle Afghanistan [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]: Jiangsu [1049]; Côte d'Ivoire [1334]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427];

Egypt [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar (v); Greece [5281]; Guinea (v) [1389]; Guinea-Bissau [659]; Hungary (v) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (ex, br) [5278]; Lebanon [5284]; Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (v); Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Malaysia (v) [6420]: Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; ?Mongolia [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Sierra Leone [659]; Slovakia [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (v) [702]; Sri Lanka [5271]; Sudan [659]; ?Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia [1344]; Turkey [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Yugoslavia [1038]; Zambia [659]; Zimbabwe [659]

Circus maillardi Verreaux, 1862

II B EN 595, 1293

Synonym: Circus aeruginosus maillardi

E: Madagascar Harrier, Madagascar Marsh-Harrier, Malagasy Marsh-Harrier, Reunion Harrier, Reunion Marsh-Harrier, S: Aguilucho lagunero malgache, F: Busard de Maillard Comoros (br) [659]; Madagascar (br) [5249]; Mayotte (br); Réunion (br) [1303] CITES Identification Manual Reference: A-213.003.012.002b

Circus maurus (Temminck, 1828)

II B VU 386, 523, 524, 573, 595, 1061,

1292

E: Black Harrier, S: Aguilucho negro, F: Busard maure Botswana [1102]; Lesotho [486]; ?Namibia (br) [659]; South Africa (br) [659]

Circus melanoleucos (Pennant, 1769)

II B 381, 386, 523, 929

E: Pied Harrier, S: Aguilucho pío, F: Busard tchoug

Bangladesh [804]; Bhutan (v) [5261]; Brunei Darussalam (v) [1019]; Cambodia [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia [393, 1289]: Kalimantan; Japan (v) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]: Peninsular Malaysia, Sabah [759], Sarawak [393]; Mongolia (br) [1306]; Myanmar (br) [1290]; Nepal [865]; Pakistan; Philippines [5270]; Russian Federation (br) [710]: West Siberia [1049]; Singapore (v) [791]; Sri Lanka [5271]; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

Circus pygargus (Linnaeus, 1758)

II A 381, 386, 511, 523, 524, 573,

614, 841

E: Montagu's Harrier, S: Aguilucho cenizo, Aguilucho cenzio, F: Busard cendré, Busard de montagne

Afghanistan [694]; Albania; Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; ?Cape Verde (v) [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [1078]; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; ?Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav

ACCIPITRIDAE CITES EC Rea. RL

Republic of [1038]; Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Namibia [659]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; ?Sierra Leone [659]; Slovakia [5279]; Slovenia (ex, br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659]

Circus ranivorus (Daudin, 1800)

В II

386, 511, 523, 524, 573, 1292

References

E: African Marsh-Harrier, S: Aquilucho lagunero etiópico, F: Busard grenouillard Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Central African Republic (br?) [555, 659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Ethiopia (v) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Circus spilonotus Kaup, 1847

Η В 386, 523, 929, 1045

Synonym: Circus aeruginosus spilonotus

E: Eastern Marsh-Harrier, Papuan Harrier, Spotted Marsh-Harrier, Spotted-backed Harrier, S: Aguilucho lagunero oriental, F: Busard d'Orient

Bangladesh [804]; Brunei Darussalam; Cambodia; China (br) [5293]; Indonesia (br) [393]: Irian Jaya, Sumatera; Japan [503]; Korea, Democratic People's Republic of (br?) [762]; Lao People's Democratic Republic; Malaysia [1289]: Peninsular Malaysia [1049], Sabah,

Sarawak [393]; Mongolia (br) [1306]; Myanmar [1290]; Papua New Guinea (br);

Philippines [5270]; Russian Federation (br) [710]: Yakutiya [759]; Singapore; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

CITES Identification Manual Reference:

A-213.003.012.0025

В

Dryotriorchis spectabilis (Schlegel, 1863)

386, 523, 524, 1256, 1292

E: African Serpent-Eagle, Congo Serpent-Eagle, S: Aguila culebrera colilarga, Culebrera congoleña, F: Aigle serpentaire, Serpentaire du Congo Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br?) [659]

Elanoides forficatus (Linnaeus, 1758)

II

386, 387, 523, 1068

E: American Swallow-tailed Kite, Swallow-tailed Kite, S: Elanio tijereta, Gavilán tijereta, Milano tijereta, F: Milan à queue fourchue

Argentina (br) [5291]; Bahamas (v) [5242]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748]; Cayman Islands (v); Colombia (br) [837]; Costa Rica (br) [1311]; Cuba [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; ?Saint Pierre and Miguelon (v) [683]; Spain (v) [702]: Canary Is [1130]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

ACCIPITRIDAE CITES EC Reg. RL References

Elanus axillaris (Latham, 1801) II B 386, 523

Synonym: Elanus notatus

E: Australian Black-shouldered Kite, Black-shouldered Kite, S: Elanio australiano, F: Élanion d'Australie

Australia (br) [477]

Elanus caeruleus (Desfontaines, 1789) II A 381, 386, 511, 523, 524, 573, 614, 841, 929

614, 841, 929, 1256, 1292

386, 387, 523,

E: Black-shouldered Kite, Black-winged Kite, S: Elanio azul, Elanio común, F: Élançon blanc,

Élanion blac, Élanion blanc Algeria (br) [971]; Angola (br?) [5267]; Austria (v) [1215]; Bangladesh (br) [804]; Belgium (v) [5272]; Benin [659, 845]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (v) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (v) [427]; Egypt (br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (br) [7041]; Gabon (br) [659]; Gambia (br) [760]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar (v); Greece (v) [5281]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (v); Israel (v) [5245]; Italy (v) [5289]; Kenya (br) [5253]; Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (v) [6303]; Madagascar (v) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah [759], Sarawak [393]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Oman (v); Pakistan (br); Papua New Guinea (br); Philippines (br) [5270]; Poland (v) [1348]; Portugal (br) [1332]: Portugal (br); Romania (v) [558]; Rwanda (br) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Singapore (br) [791]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]: Sri Lanka [1049]; Sudan (br) [659]; Swaziland (br) [1139]; Switzerland (v) [5288]; Tanzania, United Republic of (br) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (v) [5282]; Uganda (br) [659]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Viet Nam (br) [5264]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Elanus leucurus (Vieillot, 1818)

1068, 1173

Synonym: Elanus caeruleus leucurus

E: White-tailed Kite, S: Elanio blanco, Elanio maromero, Gavilán maromero, Milano coliblanco,

П

В

F: Élanion à queue blanche

Argentina (br) [5291]; Aruba (v) [1380]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748, 1286]; Chile (br) [873, 1459, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; El Salvador (br) [5241]; French Guiana (v) [1349]; Guatemala (br) [5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

Elanus scriptus Gould, 1842 II B 386, 523 E: Letter-winged Kite, S: Elanio escrito, F: Élanion lettré

Australia (br) [477]

Erythrotriorchis buergersi (Reichenow, 1914) II B DD 386, 523, 1045, 1242

Synonym: Accipiter buergersi

E: Bürger's Sparrowhawk, Chestnut-mantled Goshawk, Chestnut-shouldered Goshawk,

Chestnut-shouldered Hawk, S: Azor de Bürgers, F: Autour de Bürger

Indonesia (br) [393, 645]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-213.003.016.002

ACCIPITRIDAE	CITES	EC Reg	. RL	References
Erythrotriorchis radiatus (Latham, 1801) Synonym: Accipiter radiatus E: Red Goshawk, S: Azor rojo, F: Autour rouge Australia (br) [477]	II	В	VU	386, 523, 595
Eutriorchis astur (Sharpe, 1875)	II	Α	CR	386, 403, 523, 595, 597, 633, 669, 1263, 1346
E: Madagascar Serpent-eagle, Madagascar Serpent-Eagle, S: Culebrera azor, F: Aigle serpentaire, Serpentaire de Madagascar				

Madagascar (br) [5249] **Gampsonyx swainsonii** Vigors, 1825

II B 386, 523, 1068

E: Pearl Kite, S: Cernícalo, Elanio chico, Elanio enano, F: Élanion perle Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6297, 6358]; Ecuador (br) [5294]; French Guiana (v) [1349]; Guyana (br) [1295]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Geranoaetus melanoleucus Vieillot, 1819) II B 386, 523, 1068 E: Black-chested Buzzard-Eagle, Black-chested Eagle, Grey Buzzard-Eagle, S: Aguila escudada, Aguila mora, Aguila real, F: Buse aguia Argentina (br) [5291]; Bolivia (br) [1186, 6385]; Brazil (br) [1268, 6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070]

Geranospiza caerulescens (Vieillot, 1817)

II B 386, 387, 523, 1068

E: Crane Hawk, S: Azor zancón, Gavilán patilargo, Gavilán zancón, Gavilán zancudo, F: Buse échasse

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (br) [5287]; Venezuela (br) [1070]

Gypaetus barbatus (Linnaeus, 1758)

II A 381, 386, 511, 523, 524, 573, 614, 841, 1292

E: Bearded Vulture, Lammergeier, S: Quebrahantahuesos, Quebrantahuesos, F: Gypaète barbu, Pygargue à queue blanche

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra [5239]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bhutan (br) [5261]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; ?Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [5281]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Israel (br) [5245]; Italy (ex, br) [5289]; Jordan (ex, br, v) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (v) [762]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Lesotho (br) [486]; Liechtenstein (ex, br); Macedonia, former Yugoslav Republic of (br) [1038]; Mauritania (v) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (v) [659]; ?Namibia (v) [659]; Nepal (br) [865]; Pakistan (br); Portugal (v) [1332]: Portugal (v); Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; South Africa (br) [659]; Spain (br) [702]; Sudan (v) [659]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Tunisia (ex?, br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; Uzbekistan (br) [710]; Yemen (br?) [5297]; Yugoslavia (ex?, br) [1038]; Zimbabwe (v) [659]

ACCIPITRIDAE	CITES	EC Reg.	RL	References
Gypohierax angolensis (Gmelin, 1788)	II	В		386, 511, 523, 524, 573, 1256, 1292

E: Palm-nut Vulture, Vulturine Fish-Eagle, S: Buitre palmero, F: Palmiste africain Angola (br) [5267]; Benin (br?) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br) [659]; Namibia (v) [659]; Niger (v) [659]; Nigeria (br); Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br?) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (v) [659]

Gyps africanus Salvadori, 1865

II B 386, 511, 523, 524, 573, 1256, 1292

E: African White-backed Vulture, White-backed Vulture, S: Buitre dorsiblanco africano, F: Vautour africain

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Equatorial Guinea (br?) [659]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Gyps bengalensis (Gmelin, 1788)

II B CR 381, 386, 523, 595, 929

1292

E: Asian White-backed Vulture, Oriental White-backed Vulture, White-backed Vulture, White-rumped Vulture, S: Buitre dorsiblanco bengalí, Buitre leonado bengalés, F: Gyps africain, Vautour chaugoun

Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Russian Federation (v) [710]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Gyps coprotheres (Forster, 1798) II B VU 386, 516, 523, 524, 573, 595, 597, 1206, 1207,

E: Cape Griffon, Cape Vulture, S: Buitre el cabo, F: Vautour chassefiente
Botswana (br) [1102]; ?Democratic Republic of the Congo (v); Lesotho (br) [486];
Mozambique [659]; Namibia (br) [520, 659]; South Africa (br) [491, 492, 659, 1165, 1205, 1370];
Swaziland [1139]; Zambia [658, 659]; Zimbabwe (ex, br) [659]

Gyps fulvus (Hablizl, 1783) II A 381, 386, 523, 524, 614, 841, 1045

E: Eurasian Griffon, Eurasian Griffon Vulture, Griffon Vulture, S: Buitre común, Buitre leonado, Buitre leonado común, F: Vautour fauve

Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh (v) [804]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Croatia (ex?, br) [5290]; Cyprus (br) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti (v) [427, 1401]; Egypt (br) [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hungary

(v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (v) [6250]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon [5284]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali [659]; Malta (v); Mauritania [659]; Mongolia (br?) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; ?Niger (v) [659]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1299, 1332]: Portugal (br); Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659, 665]; Slovakia (v) [5279]; Slovenia [1038]; Spain (br) [702, 1299]; Sudan [659]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Togo (v) [5254]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (v); Yemen (br) [5297]; Yugoslavia (br) [1038]

Gyps himalayensis Hume, 1869

II B

381, 386, 523

E: Himalayan Griffon, Himalayan Griffon Vulture, S: Buitre del Himalaya, F: Vautour de l'Himalaya

Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Malaysia (v): Peninsular Malaysia [1049]; Mongolia (br) [1306]; Nepal (br) [865]; Pakistan (br); Tajikistan (br) [374]; Thailand; Uzbekistan (br?) [710]

Gyps indicus (Scopoli, 1786)

II B CR

381, 386, 523, 595, 929

E: Long-billed Griffon, Long-billed Vulture, S: Buitre picofino, F: Vautour indien Afghanistan (v) [694]; Bangladesh (br) [804]; Cambodia (br) [5243, 6475]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (ex?, br) [487, 1220]; Viet Nam (br) [5264]

Gyps rueppellii (Brehm, 1852)

II B

386, 511, 523, 524, 841, 1256,

1292

E: Rueppell's Griffon, Rueppell's Griffon Vulture, Rueppell's Vulture, S: Buitre moteado,

F: Vautour de Rüppell
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; ?Cameroon (br) [659]; ?Central African
Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo
(v) [6294]; Djibouti (br) [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia
(br) [760]; Ghana (v) [782]; Guinea (br?) [1078]; Guinea-Bissau [659]; Kenya (br) [5253]; Mali
(br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br); Portugal (v): Portugal (v);
Rwanda (br?) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (v) [659];
Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo [5254];

Uganda (br?) [659]; Zambia (v) [6911]; Zimbabwe [659]

Haliaeetus albicilla (Linnaeus, 1758)

Α

LR/nt 386, 489, 523, 595, 614, 741,

841, 931, 1045

E: Grey Sea Eagle, White-tailed Eagle, S: Pigargo, Pigargo coliblanco, Pigargo coliblanco de Groenlandia, Pigargo europeo, F: Pygargue à queue blanche, Pygargue commun Afghanistan [694]; Albania (ex?, br); Algeria (ex, br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Faroe Islands [480]; Finland (br) [1300]; France [7041]; Georgia [710]; Germany (br) [5274]; Greece (br) [5281]; Greenland (br); Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel (ex, br) [5245]; Italy (v) [5289]; Japan (br) [503]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon (v) [5284]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Myanmar (v); Nepal (br) [865]; Netherlands (v) [5273]; Norway (br) [711, 1422, 5275]; Pakistan; Poland (br) [1348]; Portugal (**ex**, br, v) [1332]: Portugal (**ex**, br, v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Slovakia (**ex**, br) [5279]; Slovenia

(br) [1038]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (br) [823, 824, 1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v); Tunisia (v) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Kingdom (int, reint, br) [990, 6188]; United States [387]; Uzbekistan [710]; Yugoslavia (br) [1038] CITES Identification Manual Reference:

A-213.003.024.002

Haliaeetus leucocephalus (Linnaeus, 1766)

P

386, 387, 523, 931

E: Bald Eagle, White-headed Eagle, S: Aguila cabeciblanca, Aguila cabeza blanca, Pigargo americano, Pigargo cabeciblanco, Pigargo cabeciblanco meridional, F: Aigle à tête blanche, Pygargue à tête blanche

?Belize (v) [610, 6769]; Bermuda (v) [389]; Canada (br) [748]; Ireland (v) [858]; Mexico (br) [5241]; Puerto Rico (v) [1176]; Saint Pierre and Miquelon (br) [683]; United States (br) [387]; Virgin Islands (U.S.) (v)

CITES Identification Manual Reference:

A-213.003.024.003

Haliaeetus leucogaster (Gmelin, 1788)

II A

381, 386, 523, 929, 1045

E: White-bellied Fish-Eagle, White-bellied Sea-Eagle, S: Pigargo de vientre blanco, Pigargo oriental, F: Pygargue à ventre blanc, Pygargue blagre

Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v); Hong Kong (br); India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah, Sarawak [393]; Myanmar (br) [1290]; Papua New Guinea (br); Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (v); Thailand (br) [487]; Viet Nam (br) [5264]: Vietnam [759]

CITES Identification Manual Reference:

A-213.003.024.004

Haliaeetus leucoryphus (Pallas, 1771)

II

VU 381, 386, 489,

523, 595, 841, 929, 1045

E: Band-tailed Fish-Eagle, Pallas's Fish Eagle, Pallas's Fish-Eagle, Pallas's Sea-eagle, Pallas's Sea-Eagle, S: Pigargo de Pallas, F: Pygargue de Pallas

Afghanistan [694]; Bangladesh (br) [804, 1237]; Bhutan (br) [5261, 6478]; Cambodia (v) [5243]; China (br) [5293]; Finland (v) [1300]; India (br) [1197]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385]; ?Israel (v) [5245]; Kazakhstan (br) [5269]; Mongolia (br) [1040, 1160, 1306]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v); Pakistan (br); Russian Federation (br?) [710, 938]; Saudi Arabia (v) [881]; Tajikistan (br) [374]; Thailand (v) [487]; Ukraine (v) [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Viet Nam (v) [5264]

CITES Identification Manual Reference:

A-213.003.024.005

Α

Haliaeetus pelagicus (Pallas, 1811)

II

VU

386, 523, 595, 724, 1045, 1458

E: Steller's Sea-eagle, Steller's Sea-Eagle, S: Pigargo de Steller, Pigargo gigante, F: Pygargue de Steller, Pygargue empereur

China [5293]; Japan [501, 503]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Russian Federation (br) [710, 938, 984]; Taiwan, Province of China (v); United States (v) [387]

CITES Identification Manual Reference:

A-213.003.024.006

Haliaeetus sanfordi Mayr, 1935

II

VU

386, 523, 595, 1045, 1242

E: Sanford's Fish-eagle, Sanford's Sea-Eagle, Solomon Fish-Eagle, Solomon Sea-Eagle,

S: Pigargo de las Salomón, Pigargo de Sanford, F: Pygargue de Sanford

Papua New Guinea (br); Solomon Islands (br) [5260]

CITES Identification Manual Reference:

A-213.003.024.007

ACCIPITRIDAE CITES EC Reg. RL References Haliaeetus vocifer (Daudin, 1800) Η Α 386, 511, 523, 524, 573, 1256, 1292 E: African Fish-Eagle, River Eagle, S: Pigargo vocinglero, F: Aigle pêcheur africain, Pygarque vocifer, Pygarque vocifère Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Egypt (v) [756, 841]; Equatorial Guinea [6426]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-213.003.024.008 386, 523, 595, Haliaeetus vociferoides Des Murs. 1845 H Α CR 597, 963 E: Madagascar Fish-eagle, Madagascar Fish-Eagle, S: Piyargo de Madagascar, Pigargo malgache, F: Pygargue de Madagascar Madagascar (br) [633, 960, 5249]; Mauritius (v) [659] CITES Identification Manual Reference: A-213.003.024.009 Haliastur indus (Boddaert, 1783) II В 381, 386, 523, 1045 E: Brahminy Kite, Red-backed Kite, Red-backed Sea Eagle, Whistling Eagle, White-headed Sea Eagle, S: Milano brahmán, F: Milan sacré Australia (br) [477]: Tasmania [759]; Bangladesh (br) [804]; Bhutan (v) [5261]; Brunei Darussalam (br); Cambodia (br) [5243, 6485]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah, Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Palau (v) [1171]; Papua New Guinea (br); Philippines (br) [5270]; Singapore (br) [791]; Solomon Islands (br) [5260]; Sri Lanka (br) [5271]; Thailand (br) [487];

United Arab Emirates (v) [1192]; Vanuatu (v) [5260]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.003.025.002

Haliastur sphenurus (Vieillot, 1818) 386, 523, 1045 E: Whistling Eagle, Whistling Hawk, Whistling Kite, S: Milano silbador, F: Milan siffleur Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; New Caledonia (br) [5260]; Papua New Guinea (br)

CITES Identification Manual Reference: A-213.003.025.003

Hamirostra melanosternon (Gould, 1841) 386, 523 II B E: Black-breasted Buzzard, Black-breasted Buzzard-Kite, Black-breasted Kite, Black-brested Buzzard, S: Milano pechinegro, F: Milan à plastron Australia (br) [477]

CITES Identification Manual Reference: A-213.003.026.001

386, 387, 523, Harpagus bidentatus (Latham, 1790) H В

E: Black-brested Buzzard-kite, Double-toothed Kite, S: Elanio bidentado, Gavilán bidente, Milano bidentado, F: Milan bidenté

Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (v) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua

(br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.003.027.002

Harpagus diodon (Temminck, 1823) Π 386, 523, 1068 E: Rufous-thighed Kite, S: Elanio muslirrufo, Milano dentado, Milano muslirrufo, F: Milan diodon Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Ecuador (br) [1068, 5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Suriname (v) [5296] CITES Identification Manual Reference: A-213.003.027.003 386, 387, 523, Harpia harpyja (Linnaeus, 1758) Α LR/nt 595, 931, 1068 E: American Harpy Eagle, Harpy Eagle, S: Aguila arpía, Aguila harpía, Arpía, Arpía mayor, Harpía, F: Aigle harpie, Harpie, Harpie féroce Argentina (br) [465, 5291]; ?Belize [5241, 6709]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br?) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] Harpyhaliaetus coronatus (Vieillot, 1817) VU 386, 523, 595, 598, 1068 E: Crowned Eagle, Crowned Solitary Eagle, S: Aguila coronada, Aguila de Azara, F: Buse couronnée Argentina (br) [465, 996, 1113, 5291]; Bolivia (br) [1186]; Brazil (br) [380, 6186]; Paraguay (br) [5295, 6745]; Uruguay (br) [5287] Harpyhaliaetus solitarius Η 386, 387, 476, 523, 595, 1068 (Tschudi, 1844) E: Black Solitary Eagle, Solitary Eagle, S: Aguila solitaria, F: Buse solitaire Argentina (br) [465, 5291, 6734]; Belize (br?) [5241, 6709]; Bolivia (br) [1186, 6372]; Brazil [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6360]; French Guiana (br) [1335, 1349]; Guatemala (br) [448, 5241]; Guyana [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br?) [1195]; Panama (br?) [1195]; Paraguay [5295]; Peru (br) [1136]; Suriname [5296]; Venezuela (br) [1070] Harpyopsis novaeguineae II В VU 386, 451, 523, 595, 1045 Salvadori, 1875 E: New Guinea Eagle, New Guinea Harpy Eagle, S: Arpía papúa, F: Aigle de Nouvelle-Guinée Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) Henicopernis infuscatus Gurney, 1882 II VU 386, 473, 523, В 595, 1045, 1242 E: Black Honey-buzzard, New Britain Honey-buzzard, S: Abejero negro, F: Bondrée noire Papua New Guinea (br)

Henicopernis longicauda (Garnot, 1828)

386, 523, 1045 Π В

E: Long-tailed Honey-buzzard, Papuan Honey-buzzard, S: Abejero colilargo, F: Bondrée à longue gueue

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Hieraaetus ayresii Gurney, 1862

386, 511, 523, II В 524, 573, 1256,

1292

Synonym: Hieraaetus dubius

E: Ayres's Eagle, Ayres's Hawk-Eagle, S: Aguila-azor de Ayres, F: Aigle d'Ayres Angola (br?) [5267]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br) [6295]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659]; Ethiopia (br?) [425, 659]; Gabon [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria; Rwanda [659]; ?Senegal (v) [659]; Sierra Leone (br?) [659]; Somalia (v) [425, 5252]; South Africa [659]; Sudan (v) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-213.003.033.001

ACCIPITRIDAE	CITES	EC Reg. RL	References
Hieraaetus fasciatus (Vieillot, 1822)	II	А	381, 386, 511, 523, 524, 574, 614, 841, 929, 1256, 1292

E: Bonelli's Eagle, S: Aguila de Bonelli, Águila perdicera, Àguila perdicera, Aguila-azor perdicera, F: Aigle de Bonelli

Afghanistan [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Bangladesh (v) [804]; Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong (br); Hungary (v) [5257]; India (br) [1197]; Indonesia (br) [393]: Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (v) [5269]; Kuwait (v) [537]; Lao People's Democratic Republic (br?) [6187]; Lebanon (br?) [5284]; Libyan Arab Jamahiriya (br) [536, 6303]; Luxembourg (v) [5248]; ?Macedonia, former Yugoslav Republic of (v) [1038]; Mauritania [659]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (v) [5273]; Oman (br); Pakistan (br); Portugal (br) [1332]: Portugal (br); Romania (v) [558]; Saudi Arabia (br) [881]; ?Slovakia [5279]; Spain (br) [702]; Sri Lanka (v) [5271]; Sweden (v) [1199]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand (br?) [487, 1220, 6264]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates (br) [1192]; Uzbekistan (br?) [710]; Viet Nam (br?) [5264]; Yemen (br?) [5297]; Yugoslavia (v) [1038] A-213.003.033.003 CITES Identification Manual Reference:

Hieraaetus kienerii (Geoffroy Saint-Hilaire, 1835) II B 381, 386, 523, 929

E: Chestnut-bellied Hawk-Eagle, Rufous-bellied Eagle, S: Aguila-azor ventrirroja, F: Aigle à ventre roux

?Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; ?China (br) [1069, 5293]: Hainan [1069]; India (br) [1197]; Indonesia (br) [393, 529, 1220, 1289]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; ?Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]

Hieraaetus morphnoides (Gould, 1841) II B 386, 523, 1045 E: Little Eagle, S: Aguililla australiana, F: Aigle nain Australia (br) [477]; Indonesia (v) [393, 928]: Irian Jaya, Moluccas; Papua New Guinea (br)

 Hieraaetus pennatus (Gmelin, 1788)
 II
 A
 381, 386, 511, 523, 524, 573, 614, 841, 929, 1256, 1292

E: Booted Eagle, S: Águila calzada, Àguila calzada, Aguililla calzada, F: Aigle botté Albania (br?); Algeria (br) [971]; Angola (v) [5267]; Armenia (br) [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; ?Benin [659]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Democratic Republic of the Congo; Djibouti [427]; Egypt [756]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; ?Guinea-Bissau [659]; Hungary (br) [5257]; India (br) [1197]; Indonesia (v) [393, 426]: Bali, Jawa; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Lebanon [5284]; ?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia: Peninsular Malaysia; Mali [659]; Malta (v); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger [659]; Nigeria; Oman; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659];

ACCIPITRIDAE

Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand; Togo (v) [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [658, 659]; Zimbabwe [659]

Η В Hieraaetus spilogaster (Bonaparte, 1850)

Synonym: Hieraaetus fasciatus spilogaster

E: African Eagle, African Hawk-Eagle, S: Aguila perdicera africana, Aguila-azor africana,

F: Aigle fascié, Aigle-autour fascié

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] A-213.003.033.007 CITES Identification Manual Reference:

Ichthyophaga humilis (Müller & Schlegel, 1841) В LR/nt 381, 386, 523, II 595, 929

Synonym: Ichthyophaga nana

E: Lesser Fish-eagle, Lesser Fishing Eagle, S: Pigarguillo menor, F: Pygargue nain Bangladesh (br?) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); China (br) [1069, 5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

LR/nt 381, 386, 523, Ichthyophaga ichthyaetus (Horsfield, 1821) II 595, 929

E: Grey-headed Fish-eagle, Grey-headed Fishing Eagle, S: Pigarguillo común, F: Pygargue à

tête grise

Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

381, 386, 523, Ictinaetus malayensis (Temminck, 1822) Η

E: Asian Black Eagle, Black Eagle, Indian Black Eagle, S: Aguila milana, F: Aigle noir Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1220, 1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487]; Viet Nam (br) [5264]

386, 387, 523, Ictinia mississippiensis (Wilson, 1811) II 1068

E: Mississippi Kite, S: Elanio del Mississipí, Milano del Misisipi, Milano misisipero, F: Milan du Mississippi

Argentina [5291]; Bolivia [1186, 1262]; Colombia [837]; Costa Rica [1311]; Cuba (v) [6687]; El Salvador (v?) [5241]; Guatemala [5241]; Honduras [1076]; Mexico [5241]; Nicaragua [6604]; Panama [1195]; Paraguay [5295]; Peru [1136]; United States (br) [387]

ACCIPITRIDAE CITES EC Reg. References Ictinia plumbea (Gmelin, 1788) Π В 386, 387, 523, E: Plumbeous Kite, S: Elanio plomizo, Gavilán plomizo, Milano plomizo, F: Milan bleuâtre Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] Kaupifalco monogrammicus (Temminck, 1824) II В 386, 511, 523, 524, 573, 1256, 1292 E: Lizard Buzzard, S: Busardo gavilán, F: Autour unibande Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] Leptodon cayanensis (Latham, 1790) H В 386, 387, 523, 1068 E: Cayenne Kite, Grey-headed Kite, S: Gavilán palomero, Milano blanquigrís, Milano cabecigris, F: Milan de Cayenne Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6849]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br?) [703]; Venezuela (br) [1070] Leptodon forbesi (Swann, 1922) CR E: White-collared Kite, S: Milano acollarado, F: Milan de Forbes Brazil (br) [6186, 6413] Leucopternis albicollis (Latham, 1790) II 386, 387, 523, E: White Hawk, S: Aguilila blanca, Busardo blanco, Gavilán blanco, F: Buse blanche Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] Leucopternis kuhli Bonaparte, 1850 386, 523, 1068 E: White-browed Hawk, S: Busardo cejiblanco, F: Buse à sourcils blancs Bolivia (br) [1135, 1186]; Brazil (br) [6186]; Peru (br) [1136] Leucopternis lacernulata (Temminck, 1827) VU 380, 386, 523, 595, 598, 1031, 1068, 1270 E: White-necked Hawk, S: Busardo cuelliblanco, F: Buse lacernulée Brazil (br) [6186] Leucopternis melanops (Latham, 1790) B II 386, 523, 1068 E: Black-faced Hawk, Masked Hawk, S: Busardo carinegro, Gavilán carinegro, F: Buse à face noire Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

ACCIPITRIDAE	CITES	EC Reg	. RL	References	
Leucopternis occidentalis Salvin, 1876	II	Α	EN	386, 523, 595, 598, 1068	
E: Grey-backed Hawk, S: Busardo dorsi, Busardo gris	dorsigrís	, Gavilán	dorsigris,		
Ecuador (br) [1202, 5294, 6360, 6827]; Peru (br) [1	134, 1136	5, 1412]			
Leucopternis plumbea Salvin, 1872	II	В	LR/nt	386, 387, 476, 523, 595, 1068	
E: Plumbeous Hawk, S: Busardo plomizo, Gavilán Colombia (br) [837]; Ecuador (br) [5294]; Panama					
Leucopternis polionota (Kaup, 1847)	II	В	LR/nt	386, 523, 595, 1068	
E: Mantled Hawk, S: Aguila blanca, Busardo blanq Argentina (br) [465, 5291]; Brazil (br) [6186]; Para			mantelée		
Leucopternis princeps Sclater, 1865	II	В		386, 387, 523, 1068	
E: Barred Hawk, Black-chested Hawk, S: Busardo Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Peru (v) [6854]				: Buse barrée	
Leucopternis schistacea (Sundevall, 1851) E: Slate-colored Hawk, S: Busardo pizarroso, Gavi Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br (br) [1349]; Peru (br) [1136]; Venezuela (br) [1070	r) [837];				
Leucopternis semiplumbea Lawrence, 1861	II	В		386, 387, 523, 595, 1068	
E: Semiplumbeous Hawk, S: Busardo semiplomizo Colombia (br) [837]; Costa Rica (br) [1311]; Ecuad 6308]; Nicaragua (br) [1195]; Panama (br) [1195]				use semiplombée	
Lophaetus occipitalis (Daudin, 1800)	II	В		386, 511, 523, 524, 573, 1256, 1292	
Synonym: Spizaetus occipitalis E: Long-crested Eagle, S: Aguila copetuda africana, Aguila crestilarga, F: Aigle huppard Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]					
Lophoictinia isura (Gould, 1838) E: Square-tailed Kite, S: Milano colicuadrado, F: M Australia (br) [477]	II ilan à qu	B eue carr	ée	386, 523, 595	
Macheiramphus alcinus Westermann, 1851	II	В		386, 511, 523, 524, 573, 929, 1242, 1256, 1292	
Synonym: Machaerhamphus alcinus E: Bat Hawk, Bat Kite, S: Milano murcielaguero, F: Milan des chauves-souris Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Brunei Darussalam (br); Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Comoros; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [6426]; Ethiopia (br?) [659];					

ACCIPITRIDAE CITES EC Reg. RL References

Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Indonesia (br) [393]: Kalimantan [478], Sulawesi [759], Sumatera [393]; Kenya (br?) [5253]; Liberia (br) [5246]; Madagascar (br?) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Mali (br?) [659]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Papua New Guinea (br); Rwanda (br) [659]; Senegal [659]; Sierra Leone (br) [659]; Singapore (v) [791]; Somalia [5252]; South Africa (br) [659]; Sudan (br?) [659]; Sudan [1049]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Megatriorchis doriae

В

LR/nt

386, 523, 595, 1045, 1242

Salvadori and D'Albertis, 1875

Synonym: Accipiter doriae

E: Doria's Goshawk, S: Azor de Doria, F: Autour de Doria Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Melierax canorus (Rislachi, 1799)

II

II

В

386, 523, 524, 573, 1292

E: Pale Chanting-Goshawk, S: Azor-lagartijero claro, F: Autour chanteur Angola (br?) [5267]; Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659]; Zimbabwe (br) [659]

Melierax gabar (Daudin, 1800)

Η

В

386, 511, 523, 524, 573, 841, 1256, 1292

Synonym: Micronisus gabar

E: Gabar Goshawk, S: Gavilán gabar, F: Autour gabar

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [6388]; Egypt (v); Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Melierax metabates Heuglin, 1861

II

В

386, 511, 523, 524, 573, 841, 1256, 1292

E: Dark Chanting Goshawk, Dark Chanting-Goshawk, S: Azor lagartijero oscuro, F: Autour sombre

Angola (br) [5267]; Benin [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (v) [659]; Gambia (br) [760]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Israel (v) [5245]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (v) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; United Arab Emirates (v) [1192]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Melierax poliopterus Cabanis, 1869

II

В

386, 511, 523, 524, 1292

Synonym: Melierax canorus poliopterus

E: Eastern Chanting-Goshawk, S: Azor-lagartijero somalí, F: Autour à ailes grises Djibouti (br?) [427]; Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659] Milvus lineatus (Gray, 1831)

Synonym: *Milvus migrans lineatus* E: Black-eared Kite, F: Milan brun

Afghanistan [694]; Bangladesh [804]; Bhutan (br) [5261]; Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Hong Kong (br); India (br) [1197]; ?Indonesia (v) [393]; Japan (br) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia (v) [1289]; Myanmar; Nepal (br) [865]; Pakistan (br); Philippines (v) [5270]; Russian Federation (br) [710]; Taiwan, Province of China (br); Thailand [487]; Viet Nam [5264]

II

В

Milvus migrans (Boddaert, 1783)

II A 381, 386, 511, 523, 524, 573, 614, 841, 929, 1292

References

E: Black Kite, Pariah Kite, Yellow-billed Kite, S: Milano negro, Milanus nigro, F: Milan noir Albania (br); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Australia (br) [477]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [786, 5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon [659]; Cape Verde (br) [820]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Comoros (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (br) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Guinea (br) [1389]; Guinea-Bissau (br) [659]; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1410]: Sulawesi; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia: Peninsular Malaysia, Sabah, Sarawak [393]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mayotte (br); Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br) [659]; Nigeria (br); Norway (v) [5275]; Oman; Pakistan (br); Papua New Guinea (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Sao Tome and Principe (br) [659, 1293]; Saudi Arabia (br) [881]; Senegal (br) [659]; Seychelles (v) [659, 6253]; Sierra Leone (br) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland [1139]: Swaziland [759]; Sweden (br) [1199]; Switzerland (br) [5288]: Switzerland [1049]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br) [659]; Thailand (br) [487]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara (br); Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659]

Milvus milvus (Linnaeus, 1758)

II

386, 489, 523, 524, 595, 614, 684, 741, 841

Synonym: Milvus fasciicauda

E: Red Kite, S: Milano real, F: Milan royal

Albania (v); Algeria (ex, br) [971]; Armenia (v) [5240]; Austria (br) [1215]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria [5280]; Cape Verde (br) [820]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (v) [5277]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [739, 760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; Hungary (br) [5257]; Iceland (v) [507]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (br) [5289]; Jordan

ACCIPITRIDAE CITES EC Reg. RL References

(v) [395, 6454]; Latvia (br?) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Mauritania (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Nepal (v) [865]; Netherlands (br) [5273]; Norway (v) [5275]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sudan (v) [6417]; Sweden (br) [1199]; Switzerland (br) [1085, 5288]; Syrian Arab Republic (v) [5283]; Tunisia (ex, br) [1344]; Turkey [5282]; Ukraine (br) [710]; United Kingdom (br) [6188]; Yugoslavia (br) [1038]

Morphnus guianensis (Daudin, 1800)

II B LR/nt 386, 387, 470, 476, 523, 595, 719, 931, 1068

E: Crested Eagle, Guianan Crested Eagle, S: Aguila crestada, Aguila monera, Arpía menor, F: Harpie huppée

Argentina (br) [465, 1113, 5291]; Belize (br) [5241, 6709]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1333, 1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Phicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 1156, 6304]

Necrosyrtes monachus (Temminck, 1823)

II B

386, 511, 523, 524, 573, 1256, 1292

E: Hooded Vulture, S: Alimoche sombrío, F: Percnoptère brun, Vautour charognard Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461, 841]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Neophron percnopterus (Linnaeus, 1758)

: A

381, 386, 511, 523, 524, 573, 614, 841, 1045, 1256, 1292

E: Egyptian vulture, S: Alimoche, Alimoche común, F: Percnoptère d'Égypte, Vautour percnoptère, Vautour percnoptère

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cameroon [659]; Cape Verde (br) [820]; Chad (br) [659]; Croatia (ex?, br) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; ?Democratic Republic of the Congo (v); Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; ?Guinea (br); Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; ?Lebanon (br) [5284]; ?Lesotho (v) [486]; Libyan Arab Jamahiriya (br) [536]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (v) [659]; Myanmar (v) [1290]; Namibia (br?) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); ?Norway (v) [5275]; Oman (br); Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (v); Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal (br) [659]; Slovakia (v) [5279]; Slovenia [1038]; Somalia (br) [5252]; South Africa (ex?, br) [659, 972]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen (v); Sweden (v) [1199];

Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; ?Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; ?Uganda (br) [659]; United Arab Emirates (br) [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (br); ?Yemen (br) [5297]; Yugoslavia (br) [1038]; Zimbabwe (v) [659]

Oroaetus isidori (Des Murs, 1845)

II B

386, 523, 595, 1068

Synonym: Spizaetus isidori

E: Black-and-chestnut Eagle, Isidor's Eagle, S: Aguila castaña, Aguila de Copete, Aguila poma, F: Aigle d'Isidore

Argentina (br) [465, 5291]; Bolivia (br) [1186]; Colombia (br) [837, 6683, 6730]; Ecuador (br) [5294, 6334]; Peru (br) [1136]; Venezuela (br) [1070]

Parabuteo unicinctus (Temminck, 1824)

II B

386, 387, 523, 1068

E: Bay-winged Hawk, Harris's Hawk, S: Aguililla de Harris, Busardo mixto, Gavilán andapié, Gavilán mixto, F: Buse de Harris

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (v) [6308]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

Pernis apivorus (Linnaeus, 1758)

II A

381, 386, 511, 523, 524, 573, 614, 841, 929,

E: European Honey-buzzard, Honey Buzzard, S: Abejero europeo, Halcón abejero, Halcón aberejo, F: Bondrée apivore

Afghanistan (v) [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br?) [1038]; Bulgaria (br) [5280]; Burkina Faso (v) [659]; Burundi (v) [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; Congo [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Equatorial Guinea (v) [659]: Bioko; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea; Hungary (br) [5257]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco [461]; Mozambique [659]; Namibia [659]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br) [5275]; Oman (v); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Seychelles (v) [6253]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; ?Swaziland (v) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; Uzbekistan (v) [710]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659]

Pernis celebensis Wallace, 1868

II E

386, 523, 6888

E: Barred Honey-buzzard, S: Abejero de Célebes, F: Bondrée des Célèbes Indonesia (br) [393, 1410]: Sulawesi; Philippines (br) [5270]

CITES EC Reg. RL

References

Pernis ptilorhyncus (Temminck, 1821)

II B

_

F. Oriental Hanay huzzard St Abaiara ariental Et B

E: Oriental Honey-buzzard, S: Abejero oriental, F: Bondrée orientale
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br?); Cambodia (br) [5243];
China (br) [5293]; Egypt (v) [756]; Hong Kong (v); India (br) [1197]; Indonesia [393, 1410]:
Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of)
(v) [6434]; Israel (v) [5245]; Japan (br) [503]; Jordan (v) [6454]; Kazakhstan [5269]; Korea,
Democratic People's Republic of (br?) [762]; Korea, Republic of [1436]; Lao People's
Democratic Republic (br) [6187]; Macau (v); Malaysia (br) [1289]: Peninsular Malaysia [1049],
Sabah [759], Sarawak [393]; Maldives [431]; Mongolia (v) [1306]; Myanmar (br) [1290]; Nepal
(br) [865]; Oman (v) [6466]; Pakistan (br); Philippines (br) [5270, 6639]; Russian Federation
(br) [710]; Saudi Arabia (v) [881]; Singapore [791]; Sri Lanka (br) [5271]; Taiwan, Province of
China; Thailand (br) [487]; Turkey (v) [5282]; United Arab Emirates (v) [1192]; Uzbekistan
(v) [710]; Viet Nam (br) [5264]

Pithecophaga jefferyi Ogilvie-Grant, 1897

I

CR

Α

В

386, 523, 595, 884, 931, 943, 977, 1405

E: Great Philippine Eagle, Monkey-eating Eagle, Philippine Eagle, S: Aguila comemonos, Àguila monera, F: Aigle des Philippines, Aigle des singes, Aigle mangeur de singes, Pithécophage des Philippines

Philippines (br) [5270]

Polemaetus bellicosus (Daudin, 1800)

II

386, 511, 523, 573, 1256, 1292

Synonym: Hieraaetus bellicosus

E: Martial Eagle, S: Aguila marcial, F: Aigle martial

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-213.003.053.001

Polyboroides radiatus (Scopoli, 1786)

II

В

386, 523, 633

E: Madagascar Gymnogene, Madagascar Harrier-Hawk, S: Aguilucho-caricalvo malgache, Azor culebrero, F: Gymnogène de Madagascar, Petit serpentaire Madagascar (br) [5249]

Polyboroides typus Smith, 1829

II

386, 511, 523, 524, 1256, 1292

E: African Gymnogene, African Harrier-Hawk, Gymnogene, S: Aguilucho-caricalvo común, F: Gymnogène d'Afrique

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES EC Reg. ACCIPITRIDAE RŁ References Rostrhamus hamatus (Temminck, 1821) II В 386, 523, 1068 Synonym: Helicolestes hamatus E: Slender-billed Kite, S: Caracolero, Caracolero plomizo, Gavilán pico de Hoz, F: Milan à long Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295]; Panama (v) [1195]; Peru (br) [1136, 6308]; Suriname (br) [5296]; Venezuela (br) [1070, 6239] A-213.003.055.002 CITES Identification Manual Reference: 386, 387, 523, Rostrhamus sociabilis (Vieillot, 1817) В 931, 1068 E: Everglade Kite, Snail Kite, S: Carocolero común, Gavilán caracolero, Milano caracolero, Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6675]; Nicaragua (br) [1195]; Panama (br) [1195, 6742]; Paraguay (br) [5295, 6745]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.003.055.003 381, 386, 523, В Sarcogyps calvus (Scopoli, 1786) Η LR/nt 595, 929 Synonyms: Aegypius calvus, Torgos calvus E: Asian Black Vulture, Asian King Vulture, Indian Black Vulture, Indian King Vulture, Pondicherry Vulture, Red-headed Vulture, S: Buitre cabecirrojo, F: Vautour royal Bangladesh (br) [804]; Bhutan [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.003.056.001 381, 386, 523, Spilornis cheela (Latham, 1790) 929, 1045 E: Crested Serpent-Eagle, Mentawai Serpent-Eagle, Natuna Serpent-Eagle, Nias Serpent-Eagle, Nicobar Serpent-Eagle, Ryukyu Serpent-Eagle, Simeulue Serpent-Eagle, Small Serpent-Eagle, S: Culebrera chiíla, F: Serpentaire bacha Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Japan (br) [503]; Korea, Republic of (v) [6883]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.003.057.002 Spilornis elgini (Blyth, 1863) В LR/nt 386, 523, 595 E: Andaman Dark Serpent-Eagle, Andaman Serpent-Eagle, Dark Serpent-Eagle, S: Culebrera de Andamán, F: Serpentaire des Andaman India (br) [1197]: Andaman Is

Spilornis holospilus (Vigors, 1831) II B 523

Synonym: Spilornis cheela holospilus

CITES Identification Manual Reference:

E: Andaman Dark Serpent-Eagle, Dark Serpent-Eagle, Philippine Serpent-Eagle, S: Culebrera filipina, F: Serpentaire des Philippines

A-213.003.057.003

Philippines (br) [5270]

CITES Identification Manual Reference: A-213.003.057.004

ACCIPITRIDAE CITES EC Reg. RL References Spilornis kinabaluensis Sclater, 1919 Η В VU 386, 595 Synonym: Spilornis cheela kinabaluensis E: Kinabalu Serpent-Eagle, Mountain Serpent-eagle, Mountain Serpent-Eagle, S: Culebrera del Kinabalu, F. Serpentaire des Kinabalu Brunei Darussalam (br); Indonesia (br) [393, 3750, 3751]: Kalimantan; Malaysia (br) [1289]: Sabah [759], Sarawak [393] CITES Identification Manual Reference: A-213.003.057.005 Spilornis minimus Hume, 1873 В LR/nt 381, 386, 523, 595 E: Nicobar Serpent-eagle, Nicobar Serpent-Eagle, Small Serpent-Eagle, S: Culebrera de Nicobar, F: Serpentaire des Nicobar India (br) [1197]: Nicobar Is CITES Identification Manual Reference: A-213.003.057.006 523, 1410 Spilornis rufipectus Gould, 1858 II В E: Celebes Serpent-Eagle, Sulawesi Serpent-Eagle, S: Culebrera de Célebes, F: Serpentaire des Célèbes Indonesia (br) [393]: Sulawesi CITES Identification Manual Reference: A-213.003.057.007 Spizaetus africanus (Cassin, 1865) H В 386, 511, 523, 524, 1256, 1292 E: Cassin's Hawk-Eagle, S: Aguila-azor congoleña, F: Aigle de Cassin Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br?); Rwanda (br?) [659]; Sierra Leone (br?) [659]; Togo (br?) [5254]; Uganda (br) [659] CITES Identification Manual Reference: A-213.003.058.002 386, 523, 929 Spizaetus alboniger (Blyth, 1845) E: Black-and-white Hawk-Eagle, Blyth's Hawk-Eagle, Mountain Hawk-Eagle, S: Aguila-azor Indonesia, F: Aigle de Blyth Brunei Darussalam (br); Indonesia (br) [393, 1421]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; ?Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487, 1220] CITES Identification Manual Reference: A-213.003.058.003 Spizaetus bartelsi Stresemann, 1924 H В 386, 392, 523, EN 595, 1066, 3749 E: Black-and-white Hawk-Eagle, Javan Hawk-Eagle, Mountain Hawk-eagle, S: Aguila-azor de Java, F: Aigle de Java Indonesia (br) [393]: Jawa CITES Identification Manual Reference: A-213.003.058.004 Spizaetus cirrhatus (Gmelin, 1788) Η В 381, 386, 523, 929 E: Changeable Hawk-Eagle, Crested Hawk-Eagle, Sunda Hawk-Eagle, S: Aguila-azor variable, F: Aigle huppé Banqladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393, 1086, 1410]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br?) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

A-213.003.058.005

CITES Identification Manual Reference:

ACCIPITRIDAE CITES EC Reg. RL References 386, 523, 595, IIВ Spizaetus lanceolatus 1410 Temminck and Schlegel, 1844 E: Sulawesi Hawk-eagle, Sulawesi Hawk-Eagle, S: Aguila-azor de Célebes, F: Aigle des Célèbes Indonesia (br) [393]: Sulawesi CITES Identification Manual Reference: A-213.003.058.006 VU 386, 523, 595, II В Spizaetus nanus Wallace, 1868 929, 1403 E: Wallace's Hawk-eagle, Wallace's Hawk-Eagle, S: Aguila-azor de Wallace, F: Aigle de Wallace Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487, 1220] CITES Identification Manual Reference: A-213.003.058.007 Spizaetus nipalensis (Hodgson, 1836) II В 381, 386, 523, E: Feather-toed Hawk-Eagle, Hodgson's Hawk-Eagle, Mountain Hawk-Eagle, S: Aguila-azor montañesa, F: Aigle montagnard Bhutan (br) [5261]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Japan (br) [503]; Korea, Republic of (v) [1436]; Lao People's Democratic Republic (br) [6187]; Mongolia (v) [1306]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Russian Federation (br?) [710, 938]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.003.058.008 II В 386, 387, 523, Spizaetus ornatus (Daudin, 1800) E: Ornate Hawk-Eagle, S: Aguila de Penacho, Aguila elegante, Aguila-azor blanca, Aguila-azor galana, F: Aigle orné Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6297]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6290, 63041 CITES Identification Manual Reference: A-213.003.058.009 Spizaetus philippensis Gould, 1863 386, 523, 595 E: Philippine Hawk-Eagle, S: Aguila-azor filipina, F: Aigle des Philippines Philippines (br) [5270] CITES Identification Manual Reference: A-213.003.058.010 Spizaetus tyrannus (Wied, 1820) H В 386, 387, 523, E: Black Hawk-Eagle, Tyrant Hawk-Eagle, S: Aguila tirana, Aguila-azor negra, F: Aigle tyran Argentina (br) [5291]; Belize (br) [680, 5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; Venezuela (br) [1070, 6290, 6304] CITES Identification Manual Reference: A-213.003.058.011 Spizastur melanoleucus (Vieillot, 1816) В 386, 387, 523, П 595, 1068 E: Black-and-white Hawk-Eagle, S: Aguila blanquinegra, Aguila-azor blanquinegra, Aguila-azor chica, F: Aigle noir et blanc Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 6304] CITES Identification Manual Reference: A-213.003.059.001

ACCIPITRIDAE CITES EC Reg. RL References

Stephanoaetus coronatus (Linnaeus, 1766) П В 386, 511, 523, 524, 573, 1256,

Synonym: Spizaetus coronatus

E: African Crowned Eagle, Crowned Eagle, Crowned Hawk-Eagle, S: Aguila coronada, Aguila coronada rabuda, F: Aigle blanchard, Aigle couronné

Angola (br) [5267]; Benin (v) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); ?Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.060.001

386, 511, 523, Terathopius ecaudatus (Daudin, 1800) II В 524, 573, 841, 1045, 1256, 1292

E: Bateleur, Bateleur Eagle, S: Aguila volatinera, F: Bateleur, Bateleur des savanes Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Iraq (v) [385]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Tunisia (v) [6364]; Uganda (br) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-213.003.061.001

Torgos tracheliotus (Forster, 1791) Η VU 386, 511, 523,

524, 573, 614, 841, 1256, 1292

Synonym: Aegypius tracheliotus

E: Lappet-faced Vulture, Nubian Vulture, S: Buitre orejudo, F: Oricou, Vautour oricou Algeria (v) [971]; Angola (br?) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Egypt (br) [756]; Equatorial Guinea [659]; ?Eritrea (br) [659]; Ethiopia (br) [659]; ?France (v) [7041]; Gambia (v) [760]; Israel (br) [5245]; Jordan (v) [395, 1386, 6454]; Kenya (br) [5253]; Libyan Arab Jamahiriya (v) [536, 6303]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br) [726]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Uganda (br?) [659]; United Arab Emirates (br) [1192]; Western Sahara (br?); Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Trigonoceps occipitalis (Burchell, 1824) 386, 511, 523, II В 524, 573, 1256, 1292

Synonym: Aegypius occipitalis

E: White-headed Vulture, S: Buitre cabeciblanco, Buitre piquirrojo, F: Vautour à tête blanche,

Vautour huppé

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; ?Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; ?Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760];

CITES EC Reg. RL References

ACCIPITRIDAE

Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-213.003.063.001

Urotriorchis macrourus (Hartlaub, 1855)

Ī

386, 511, 523, 524, 1256, 1292

E: African Long-tailed Hawk, Long-tailed Hawk, S: Azor rabilargo, F: Autour à longue queue Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659] CITES Identification Manual Reference:

A-213.003.064.001

Family: SAGITTARIIDAE

Sagittarius serpentarius (Miller, 1779)

II B

386, 511, 523, 524, 1256, 1292

E: Secretarybird, Secretary-bird, S: Secretario, Serpentario, F: Messager sagittaire, Secrétaire

des serpents, Serpentaire

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br?); Eritrea [659]; Ethiopia (br) [659]; Gambia [760]; Ghana [782]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (v) [659]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.004.001.001

В

Family: FALCONIDAE

Daptrius americanus (Boddaert, 1783)

II

386, 387, **52**3, 1068

Synonym: Ibycter americanus

E: Red-throated Caracara, S: Caracara comecacao, Caracara gorgirrojo, Carancho ventriblanco, Chupacacao ventriblanco, F: Caracara à gorge rouge, Caracara à ventre rouge Bolivia (br) [1186, 6415]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.001.002

В

Daptrius ater Vieillot, 1816

II B

386, 523, 1068

E: Black Caracara, Yellow-throated Caracara, S: Caracara negro, Carancho negro, Chupacacao

negro, F: Caracara noir

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] CITES Identification Manual Reference:

A-213.005.001.003

Falco alopex (Heuglin, 1861)

II

386, 511, 523, 524, 547, 1256,

1292

E: Fox Kestrel, S: Cernícalo zorruno, F: Crécerelle renard, Faucon-renard
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic
(br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo; Djibouti
(v) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (v) [760]; Ghana [782]; Guinea
(br?); Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger

CITES EC Reg. RL

В

References

(br) [659]; Nigeria (br); Senegal [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [565, 5254]; Uganda (br?) [659] CITES Identification Manual Reference:

A-213.005.002.002

Falco amurensis Radde, 1863

II

386, 511, 523, 524, 547

E: Amur Falcon, Eastern Red-footed Falcon, Manchurian Red-footed Falcon, S: Cernícalo del Amur, F: Faucon de l'Amour

Afghanistan [694]; Angola [5267]; Bangladesh [804]; Bhutan [5261]; Botswana [1102]; Burundi [659]; China (br) [5293]; Democratic Republic of the Congo (v) [6416]; Ethiopia [659]; Hong Kong (v); India [1197]; Italy (v) [5289]; Japan (v) [503]; Kenya [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Lesotho [486]; Malawi [1103]; Maldives [431]; Mongolia (br) [1306]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Northern Mariana Islands (v); Oman; Pakistan; Russian Federation (br) [710]; Rwanda [659]; Saint Helena (v); Seychelles (v) [6253]; Somalia [5252]; South Africa [659]; Sri Lanka (v) [5271]; Swaziland [1139]; Tanzania, United Republic of [659]; Thailand [487]; Uganda (v) [659]; Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

Falco araea (Oberholser, 1917)

I

.

VU

386, 523, 547, 595

E: Seychelles Kestrel, S: Cernícalo de las Seychelles, F: Crécerelle des Seychelles, Crécerelle katitie, Emouchel des Seychelles, Faucon crécerelle des Seychelles Seychelles (br) [659]

CITES Identification Manual Reference:

A-213.005.002.003

Falco ardosiaceus Vieillot, 1823

II B

386, 511, 523, 524, 547, 573, 1256, 1292

E: Grey Kestrel, S: Cernícalo gris, Cernícalo pizarroso, F: Faucon ardoisé Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?) [659, 6388]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br?).[5246]; Malawi (v) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659, €876]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; ?Zambia [659]

CITES Identification Manual Reference:

A-213.005.002.004

Falco berigora Vigors and Horsfield, 1827

I

386, 523, 547, 1045

E: Brown Falcon, S: Halcón berigora, F: Faucon berigora, Faucon bérigora Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-213.005.002.005

Falco biarmicus Temminck, 1825

II A

386, 511, 523, 524, 547, 573,

841, 1256

E: Lanner, Lanner Falcon, S: Halcón borní, F: Faucon lanier
Albania (br?); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Azerbaijan
(br?) [710]; Benin (br) [659]; Botswana (br) [1102]; Bulgaria (v) [5280]; Burkina Faso (br) [659,
1345]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad
(br?) [659]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Cyprus (v) [709]; Czech Republic
(v) [5258]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Egypt (br) [756];
Eritrea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (v) [659]; Gambia [760];
Ghana (br) [782]; Gibraltar (v); Greece (br) [5281]; Guinea-Bissau (br?) [659]; Iraq
(br?) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait
(v) [537]; Lebanon (br?) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya
(br) [536, 6303]; Malawi (br) [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Morocco
(br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Oman
(br?); Portugal (v) [1332]: Portugal (v); Qatar (br?) [1393]; Romania (v) [558]; Rwanda

(br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; ?Slovakia [5279]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br?) [5283]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Uganda (br?) [659]; ?United Arab Emirates (v) [1192]; Western Sahara (br); Yemen (br?) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.006

Falco cenchroides Vigors and Horsfield, 1827

II

386, 523, 547, 1045, 1242

E: Australian Kestrel, Nankeen Kestrel, S: Cernícalo australiano, F: Crécerelle australienne, Crécerelle d'Australie

Australia (br) [477]; Christmas Island (br); Cocos (Keeling) Islands (v); Indonesia (br) [393]: Irian Jaya, Jawa, Lesser Sunda Is, Moluccas; New Zealand [1351]; Norfolk Island (br); Papua New Guinea (br)

CITES Identification Manual Reference:

A-213.005.002.007

Falco cherrug Gray, 1834

II A

381, 386, 511, 523, 524, 547, 614, 841, 1256

Synonym: Falco altaicus

E: Saker, Saker Falcon, S: Halcón sacre, F: Faucon sacre, Faucon sacré Afghanistan (br?) [694]; Albania (v); Armenia (br) [5240]; Austria (br) [1215]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Bulgaria (br) [5280]; ?Burundi (v) [659]; Cameroon (v) [659]; Chad (v) [659]; China (br) [5293]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece (v) [5281]; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq (br) [385]; Israel [5245]; Italy [5289]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of (v) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Libyan Arab Jamahiriya [536]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v) [461]; Nepal [865]; Oman; Pakistan; Poland (v) [1348]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Senegal (v) [659]; Slovakia (v) [5279]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (v) [659]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates [1192]; Uzbekistan (br) [710]; Yemen [5297]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-213.005.002.008

Falco chicquera Daudin, 1800

II

В

386, 511, 523, 524, 547, 573, 595, 841, 1256, 1292

E: Red-headed Falcon, Red-headed Merlin, Red-necked Falcon, S: Alcotán cuellirrojo, Alcotán turumti, Halcón de cabeza roja, F: Faucon à cou roux, Faucon chicquera ?Angola (v) [5267]; Bangladesh (br) [804]; Benin (br) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Myanmar (v); Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Pakistan (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Turkmenistan (br?) [710]; Uganda (br?) [659]; Zambia (br) [586, 659]; Zimbabwe (br?) [659]

Falco columbarius Linnaeus, 1758

CITES Identification Manual Reference:

II .

A-213.005.002.009

386, 387, 485, 523, 524, 547,

614, 841

E: Merlin, Pigeon Hawk, S: Esmerejón, Halcón migratorio, Halcón palomero, F: Faucon émerillon

Afghanistan [694]; Albania; Algeria [971]; Anguilla (v) [5242, 6791]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Aruba [1380]; Austria [1215]; Bahamas [5242]; Bahrain (v) [1105]; Barbados [5242]; Belgium [5272]; Belize [5241]; Bermuda [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria [5280]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Croatia (br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Denmark [666]; Dominica [5242]; Dominican Republic [1312, 6754]; Ecuador [5294, 6712]; Egypt [756]; Estonia (br) [5277]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; Germany [5274]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guatemala [5241]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait (v) [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Martinique [5242]; Mexico [5241]; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Nepal [865]; Netherlands Antilles; Nicaragua [1195]; Norway (br) [5275]; Oman (v); Pakistan; Panama [1195]; Peru [1136]; Philippines (v) [5270]; Poland [1348]; Portugal [1332]: Portugal, Azores (v), Madeira (v); Puerto Rico [1176]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon (br) [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; ?Senegal (v) [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain [702]; Sudan (v) [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Thailand (v); Trinidad and Tobago [703]; Tunisia [1344]; Turkey [5282]; Turkmenistan [710]; Turks and Caicos Islands; United Kingdom (br) [6188]; United States (br) [387]; Venezuela [1070]; Viet Nam [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); ?Yemen (v) [5297]; Yugoslavia [1038]

CITES Identification Manual Reference: A-213.005.002.010

Falco concolor Temminck, 1825

II B

386, 511, 523, 524, 547, 614, 841, 1256, 1292

E: Sooty Falcon, S: Halcón pardo, Halcón pizarroso, F: Faucon concolore
Bahrain (br) [1105]; Chad (br?) [659]; Cyprus (v) [709]; Djibouti [427]; Egypt (br) [756];
Eritrea (br) [659]; Iran (Islamic Republic of) (v) [1253]; Israel (br) [5245]; Kenya [5253];
Libyan Arab Jamahiriya (br) [536]; Madagascar [633, 5249]; Malawi [1103]; Mali (v) [659]; Malta (v); Mauritius [659]; Mozambique [659]; Namibia (v) [659]; Oman (br); Pakistan (v); Qatar (v) [1393]; Réunion [1303]; Rwanda [659]; Saudi Arabia (br) [738, 881]; Seychelles (v) [659, 6253]; Somalia [5252]; South Africa [659]; Sudan (br) [659]; Tanzania, United Republic of [659]; Turkey (v) [5282]; Uganda [659]; United Arab Emirates (br) [1192]; Yemen (br) [5297]; Zambia [659, 1149, 6301]; Zimbabwe (v) [659]
CITES Identification Manual Reference:

A-213.005.002.011

Falco cuvierii Smith, 1830

II B

386, 511, 523, 524, 547, 573, 1256, 1292

E: African Hobby, S: Alcotán africano, Halcón de Cuvier, F: Faucon de Cuvier, Hobereau africain

Angola [5267]; Benin (br) [659]; Botswana (v) [1102]; ?Burkina Faso (br) [659]; Burundi (v) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; ?Liberia (br) [5246]; Malawi (v) [1103]; Mali [659]; Mozambique [659]; Namibia [659]; ?Niger [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]
CITES Identification Manual Reference:

A-213.005.002.012

FALCONIDAE	CITES	EC Reg. RL	References
Falco deiroleucus Temminck, 1825	II	В	386, 387, 523, 547, 595, 882, 883, 1068
E: Orange-breasted Falcon, S: Halcón pechiana	aranjado, Ha	lcón pechirrojo,	Halcón pechirrufo,

Haicon piomizo, F: Faucon orange Argentina (br) [465, 1113, 5291]; Belize (br) [797, 5241]; Bolivia (br) [1185, 1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (ex?, br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaraqua (br) [1195]; Panama (v) [1195]; Paraquay (br) [5295]; Peru (br) [1136, 6724]; Suriname (br) [811, 5296]; Trinidad and Tobago (v) [703]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.005.002.013

Falco dickinsoni Sclater, 1864

II

386, 511, 523, 524, 547, 573, 1292

E: Dickinson's Kestrel, White-rumped Kestrel, S: Cernícalo de Dickinson, Cernícalo dorsinegro, F: Faucon de Dickinson

Angola (br?) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br?) [659, 6388]; Kenya (v) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; South Africa (br) [659]; Tanzania, United Republic of (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.014

Falco eleonorae Géné, 1839

II Α 386, 511, 523, 524, 547, 614,

841, 1392

E: Eleonora's Falcon, S: Halcón de Eleonor, Halcón de Eleonora, F: Faucon d'Eléonore, Faucon d'Éléonore

Algeria (br) [971]; Bahrain (v) [1105]; Bulgaria (v) [5280]; Comoros (v) [659]; Croatia (br) [5290]; Cyprus (br) [709]; Djibouti (v) [427]; Egypt (v) [756]; Eritrea [659]; France (br) [7041]; French Southern Territories (v); Gibraltar; Greece (br) [5281]; Hungary (v) [5257]; Israel [5245]; Italy (br) [5289]; Jordan (v) [395, 6454]; Kenya [5253]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Madagascar [633, 5249]; Malawi (v?) [1103]; Malta; Mauritania (v) [659]; Mauritius (v) [659]; Morocco (br) [461]; ?Mozambique (v) [659]; Poland (v) [1348]; Portugal [1332]: Portugal, Madeira (v); Réunion (v) [1303]; Rwanda (v) [659]; Seychelles (v) [659, 721, 6253]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702, 1043]; ?Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of [659]; Tunisia (br) [1344]; Turkey (br) [5282]; United Kingdom (v) [6188]; Yugoslavia (br?) [1038]

CITES Identification Manual Reference: A-213.005.002.015

Falco fasciinucha Reichenow and Neumann, 1895 IIВ LR/nt 386, 511, 523, 524, 547, 573, 595, 1292

E: Taita Falcon, Teita Falcon, S: Halcón taita, F: Faucon taita Botswana (br) [1102]; Ethiopia (br?) [659]; Kenya (br?) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-213.005.002.016

Falco femoralis Temminck, 1822

H В 386, 387, 523, 547, 1068

E: Aplomado Falcon, S: Halcón aleto, Halcón aplomado, Halcón azulado, Halcón perdiquero, F: Faucon aplomado

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (v); French Guiana (br?) [1349]; Guatemala (v) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.005.002.017

FALCONIDAE	CITES	EC Reg.	RL	References		
Falco hypoleucos Gould, 1841	II	В	LR/nt	386, 523, 547, 595, 831		
E: Grey Falcon, S: Halcón gris, Halcón gris de Aust Australia (br) [477, 1114]; Papua New Guinea (v) CITES Identification Manual Reference:	ralia, F: A-213.(
Falco jugger Gray, 1834	I	А		381, 386, 523, 547		
E: Laggar Falcon, S: Halcón yággar, F: Faucon lagg Afghanistan (br) [694]; Bangladesh (br?) [804]; Ind (br) [1253]; Kazakhstan (v) [5269]; Myanmar (br) [Turkmenistan (v) [710]; Viet Nam (v) [5264]	gar dia (br) [1197]; Iran (Islamic Republic of)					
CITES Identification Manual Reference:	A-213.0	005.002.0)19			
Falco longipennis Swainson, 1837 E: Australian Hobby, Little Falcon, S: Alcotán austr faucon						
Australia (br) [477]; Indonesia (br) [393, 1410]: Iria Sulawesi; Papua New Guinea				loluccas,		
CITES Identification Manual Reference:		005.002.0	121	206 207 522		
Falco mexicanus Schlegel, 1850 E: Prairie Falcon, S: Halcón de las praderas, Halcór	II medical	B B Halcór	n pradeño	386, 387, 523, 547		
prairies Canada (br) [748]; Mexico (br) [5241]; United State CITES Identification Manual Reference:	es (br) [3					
Falco moluccensis (Bonaparte, 1850)	II	В		386, 523, 547, 1045		
E: Moluccan Kestrel, Spotted Kestrel, S: Cernícalo de las Molucas, Cernícalo moluqueño, F: Crécerelle des Moluques Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawe CITES Identification Manual Reference: A-213.005.002.023						
Falco naumanni Fleischer, 1818	II	A	V U	381, 386, 469, 511, 523, 524, 547, 573, 595, 614, 741, 841, 1256		
E: Lesser Kestrel, S: Cernícalo primilla, F: Faucon crécerellette Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 6295]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo [659]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cyprus [709]; Czech Republic (ex, br) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Ethiopia [659]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Gibraltar (br); Greece (br) [826, 5281]; Guinea; Guinea-Bissau [659]; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (v) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269, 6446]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Lebanon (br?) [5284]; Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya (br) [536, 6303]; Liechtenstein (v); Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Niger [659]; Nigeria; Oman; Pakistan; Poland (br?) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal [659]; Seychelles (v) [659, 6253]; ?Sierra Leone [659]; Slovakia (ex, br) [5279]; Slovenia (br) [1038]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania,						

FALCONIDAE CITES

CITES EC Reg. RL

References

United Republic of [659]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; ?Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.005.002.024

Falco newtoni (Gurney, 1863)

I/II A/B

523, 547, 3746

E: Madagascar Kestrel, Newton's Kestrel, S: Cernícalo de Aldabra, Cernícalo de la isla Aldabra, Cernícalo de Madagascar, F: Crécerelle d'Aldabra, Crécerelle malgache, Faucon de Newton d'Aldabra

CITES Identification Manual Reference:

A-213.005.002.025

CITES Appendix I populations

Comoros (v); Seychelles (br) [659]

I A

CITES Appendix II population

II B

Madagascar (br) [5249]

Falco novaeseelandiae Gmelin, 1788

II

В

LR/nt

386, 523, 547, 595, 1045

E: New Zealand Falcon, S: Halcón de Nueva Zelandia, Halcón maori, F: Faucon de Nouvelle-Zélande

New Zealand (br) [1351]

CITES Identification Manual Reference:

A-213.005.002.026

Falco pelegrinoides Temminck, 1829

A

381, 386, 523, 524, 547, 614,

841, 1045, 1292

Synonym: Falco peregrinus pelegrinoides

E: Barbary Falcon, S: Halcón de Berbería, Halcón peregrino de Babilonia, F: Faucon de Barbarie

Afghanistan (br) [694]; Algeria (br) [971]; Cameroon (v) [659]; China (br) [5293]; Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kyrgyzstan (br) [710]; ?Lebanon (v) [5284]; Libyan Arab Jamahiriya (br?) [536]; Mali (v) [659]; Malta (v); Morocco (br) [461]; Nepal (v) [865]; Niger (br) [659]; Oman (br?); Pakistan; Portugal (v) [1332]: Madeira (v); Saudi Arabia (br) [881]; Senegal (v) [659]; Somalia (br?) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (v) [6438]; Turkmenistan (br) [710]; Uzbekistan (br) [710]; Yemen (br) [5297]

Falco peregrinus Tunstall, 1771

381, 386, 387, 485, 511, 523, 524, 547, 573, 614, 677, 841,

929, 931, 1045, 1048, 1068, 1256, 1292

Synonyms: Falco kreyenborgi, Falco madens

E: Duck Hawk, Peregrine, Peregrine Falcon, S: Halcón blancuzco, Halcón común, Halcón peregrino, Halcón real, Halcón viajero, F: Faucon pélerin, Faucon pèlerin
Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; ?Anguilla [5242];
Antigua and Barbuda [5242]; Argentina (br) [5291]; Armenia (br) [5240]; Aruba [1380];
Australia (br) [477]: Lacépède Is [393]; Austria (br) [1215]; Azerbaijan (br) [710];
Bahamas[5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Brazil [6186, 6413]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi (v) [659]; Cambodia [5243]; Cameroon (br?) [659]; Canada (br) [748]; Cape Verde (br) [820]; Cayman Islands; Central African Republic [659]; Chad (br) [659]; Chile (br) [873, 5292]; China (br) [5293]; Christmas Island (v); Colombia [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (br) [5259, 6686]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark [666]; Djibouti (br?) [427];

Dominica (br) [5242]; Dominican Republic [1312, 6754]; Ecuador (br) [5294, 6390]: Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Equatorial Guinea: Bioko; Eritrea [659]; Estonia (br) [5277]; Ethiopia (br?) [659]; Falkland Islands (Malvinas) (br) [1439]; Faroe Islands (v) [480]; Fiji (br) [1171]; Finland (br) [1300]; France (br) [7041]; ?French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar (br); Greece (br) [5281]; Greenland (br); Grenada [5242]; ?Guadeloupe [5242]; Guam [503, 1171]; Guatemala [5241]; Guinea; Guyana [1295]; Haiti [1408]; Honduras [1076]; Hong Kong (br); Hungary (br?) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1086]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br?) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (br?) [5284]; Lesotho (br?) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br?) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg [5248]; Macau; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta (br); ?Martinique [5242]; Mauritania (br) [659]; Mauritius (v) [659]; Mayotte (br); Mexico (br) [5241]; Micronesia (Federated States of) (v) [1171]; Moldova, Republic of (br) [710]; Mongolia (br?) [1306]; Montserrat [5242]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br?) [5273]; Netherlands Antilles; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger (br) [659, 1101]; Nigeria; Norway (br) [5275]; Oman (br); Pakistan (br); Palau [1171]; Panama [1195]; Papua New Guinea (br); ?Paraguay [5295]; Peru (br) [1136, 6410, 6411]; Philippines (br) [5270, 6639, 6929]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), ?Azores (**ex**, br?), Madeira (v); Puerto Rico [1176]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Samoa [1394]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Seychelles (v) [659, 721, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands [5260]; Somalia (br?) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6875]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname [810, 5296]; Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Tanzania, United Republic of (br) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Trinidad and Tobago [703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uruguay [5287]; Uzbekistan (br) [710]; Vanuatu (br) [5260]; Venezuela [1070, 6239]; Viet Nam (br?) [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); Western Sahara (br?); Yemen (br?) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]: Zambia [1049]; Zimbabwe (br) [659]: Zimbabwe [759] CITES Identification Manual Reference: A-213.005.002.027

Falco punctatus Temminck, 1821

I A VU 386, 523, 547, 564, 595, 597,

899

E: Mauritius Kestrel, S: Cernícalo de la Mauricio, Cernícalo de Mauricio, F: Crécerelle de Maurice, Faucon de l'île Maurice Mauritius (br) [659]

CITES Identification Manual Reference: A-213.005.002.028

Falco rufigularis Daudin, 1800

II B 386, 387, 523, 547, 1068

E: Bat Falcon, S: Halcón golondrina, Halcón murcielaguero, Halcón plomizo menor, F: Faucon des chauves-souris

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186, 6346]; Brazil (br) [6186, 6413]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.002.029

 FALCONIDAE
 CITES
 EC Reg.
 RL
 References

 Falco rupicoloides
 Smith, 1829
 II
 B
 386, 511, 523, 524, 547, 573, 1292

E: Greater Kestrel, White-eyed Kestrel, S: Cernícalo ojiblanco, Cernícalo ojiblanco de Africa, F: Crécerelle aux yeux blancs

Angola (br) [5267]; Botswana (br) [1102]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; ?Lesotho (v) [486]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-213.005.002.030

Falco rusticolus Linnaeus, 1758

I A 386, 387, 523, 547, 614

E: Gyr Falcon, Gyrfalcon, S: Halcón gerifalte, F: Faucon gerfaut, Gerfaut
Austria (v) [1215]; Belgium (v) [5272]; Brazil (v) [6186]; Canada (br) [748]; China (v) [5293];
Czech Republic (v) [5258]; Denmark [666]; Estonia (v) [5277]; Finland (br) [1300];
France [7041]; Germany (v) [5274]; Greenland (br); Iceland (br) [507]; Ireland (v) [858];
Japan [503]; Kazakhstan (v) [5269]; ?Latvia (v) [5278]; Netherlands (v) [5273]; Norway
(br) [5275]; Pakistan (v); Poland (v) [1348]; Portugal (v) [1332]: Portugal (v); Russian
Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Spain (v) [702]; Svalbard and
Jan Mayen (v); Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom
(v) [6188]; United States (br) [387]

CITES Identification Manual Reference: A-213.005.002.031

Falco severus Horsfield, 1821

II B 381, 386, 523, 547, 929

E: Oriental Hobby, S: Alcotán filipino, F: Faucon aldrovandin, Hobereau à poitrine rousse Bangladesh (ex, br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br?) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia [1049], Sabah [759]; Myanmar (br) [1290]; Nepal (br) [865]; Papua New Guinea (br); Philippines (br) [5270]; Solomon Islands [5260]; Sri Lanka (v) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]
CITES Identification Manual Reference:

A-213.005.002.032

Falco sparverius Linnaeus, 1758

II B 386, 387, 485, 523, 547, 1068

E: American Kestrel, S: Cernícalo americano, Cernícalo primito, Halcón primito, Halconcito, Halconcito común, F: Crécerelle américaine, Crécerelle d'Amérique Anguilla (br?) [5242]; Antigua and Barbuda [5242]; Argentina (br) [5291]; Aruba (br) [1380]; Bahamas (br) [5242]; Barbados (v) [5242]; Belize [5241]; Bermuda [389]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (br) [748]; Cayman Islands (v); Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Denmark (v) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241]; ?Estonia (v) [5277]; Falkland Islands (Malvinas) (v) [1439]; French Guiana (br) [1349]; Grenada (br) [5242]; Guadeloupe (br?) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Malta (v); Martinique (br) [5242]; Mexico (br) [5241]; Montserrat (br?) [5242]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama [1195, 6832]; Paraguay (br) [5295]; Peru (br) [1136]; Portugal (v) [1332]: Azores (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Trinidad and Tobago [703]; Turks and Caicos Islands (br?); United Kingdom (v) [6188]; United States (br) [387]; Uruquay (br) [5287]; Venezuela (br) [1070]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br) A-213.005.002.033 CITES Identification Manual Reference:

Falco subbuteo Linnaeus, 1758

II A 381, 386, 523, 524, 547, 573, 614, 841, 929

E: Eurasian Hobby, Hobby, Northern Hobby, S: Alcotán, Alcotán europeo, F: Faucon hobereau Afghanistan (br) [694]; Albania (br); Algeria (br?) [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; ?Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; ?Burkina Faso [659]; Burundi [659]; Cameroon

(v) [659]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus (ex, br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; ?Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Guinea (v) [1389]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]: Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia [5246]; Libyan Arab Jamahiriya (ex, br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v): Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; ?Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (br) [865]; Netherlands (br) [5273]; Nigeria; Norway (br) [5275]; Oman; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Seychelles (v) [659, 698, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]: Isle of Man [759]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659] CITES Identification Manual Reference: A-213.005.002.034

Falco subniger Gray, 1843

II

386, 523, 547

E: Black Falcon, S: Halcón negro, Halcón negro de Australia, F: Faucon noir

Australia (br) [477]; New Zealand (v) CITES Identification Manual Reference:

A-213.005.002.035

Falco tinnunculus Linnaeus, 1758

II A

381, 386, 511, 523, 524, 547, 573, 614, 841, 929, 1256, 1292,

1376

Synonyms: Falco alexanderi, Falco neglectus

E: Common Kestrel, Eurasian Kestrel, Kestrel, S: Cernícalo común, Cernícalo vulgar, F: Faucon crécerelle

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; ?Bahrain (br) [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bermuda (v) [389]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659, 1345]; Burundi (br) [659]; Cambodia [5243]; Cameroon (br) [659]; Canada (v) [748]; Cape Verde (br) [820, 6676]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Congo (br) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br) [659, 6388]; Denmark (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v) [1349]; Gabon (br?) [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br?) [782]; Gibraltar (br); Greece (br) [5281]; Greenland (v); Guinea [1389]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1027]: Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br?) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br) [1103]; Malaysia [1289]: Peninsular Malaysia [1049],

Sabah [759], Sarawak [393]; Maldives [431]; Mali [659]; Malta (br?); Martinique (v) [485, 5242]; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; Niger (br?) [659]; Nigeria (br); Northern Mariana Islands (v); Norway (br) [5275]; Oman (br); Pakistan (br); Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores, Madeira (br); Qatar (br?) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen (v); Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand [487]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara (br); Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659] A-213.005.002.036 CITES Identification Manual Reference:

Falco vespertinus Linnaeus, 1766

II A

381, 386, 511, 523, 547, 614, 841, 1256

E: Red-footed Falcon, Western Red-footed Falcon, S: Cernícalo patirrogo, Cernícalo patirrojo, F: Faucon kobez

?Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan [710]; Bahrain (v) [1105]; Belarus (br); Belgium (v) [5272]; Benin (v) [6877]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic (v) [659]; Chad [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Finland [1300]; France (br) [7041]; Gabon (v) [659]; Georgia [710]; Germany [5274]; ?Ghana (v) [782]; Gibraltar (v); Greece [5281]; Hungary (br) [5257]; Iran (Islamic Republic of) [1253]; ?Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kyrgyzstan [710]; Latvia [5278]; Lebanon (v) [5284]; ?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (v) [461]; Namibia [659]; Netherlands (v) [5273]; Niger (v) [659]; Nigeria; Norway (v) [5275]; Oman; ?Poland (br) [1348]; Portugal (v) [1332]: Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Sao Tome and Principe (v) [659]; Saudi Arabia (v) [881]; Senegal [659]; Seychelles (v) [659, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia (v) [5252]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tanzania, United Republic of [659]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Ukraine (br) [710]; United Kingdom [6188]; Uzbekistan [710]; Yemen (v) [5297]; Yugoslavia (br) [1038]; Zambia [659]; Zimbabwe [659] A-213.005.002.037 CITES Identification Manual Reference:

Falco zoniventris Peters, 1854

II B 386, 523, 547, 633

1068

E: Banded Kestrel, Barred Kestrel, S: Cernícalo malgache, F: Faucon à ventre rayé Madagascar (br) [5249]

CITES Identification Manual Reference: A-213.005.002.038

Herpetotheres cachinnans (Linnaeus, 1758) II B 386, 387, 523,

E: Laughing Falcon, S: Acuá, Halcón guaco, Halcón guaicurú, Halcón macagua, Halcón reidor,

F: Macagua rieur Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile

(br) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras

(br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay

(br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.003.001

Micrastur buckleyi Swann, 1919

TT

В

386, 476, 523, 595, 598, 1068

E: Buckley's Forest-Falcon, Lesser Collared Forest-Falcon, Traylor's Forest-Falcon, S: Gavilán de Traylor, Halcón-montés de Buckley, F: Carnifex de Buckley, Carnifex de Traylor Brazil (br) [6186]; Colombia (br?) [837]; Ecuador (br) [5294]; Peru (br) [1136] CITES Identification Manual Reference: A-213.005.004.001

Micrastur gilvicollis (Vieillot, 1817)

B II

386, 523, 1068

Synonym: Micrastur ruficollis gilvicollis

E: Lined Forest-Falcon, S: Gavilán de collar, Halcón palomero del sur, Halcón-montés cabecigris, F: Carnifex à gorge cendrée

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1336, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.004.002

Micrastur mirandollei (Schlegel, 1862)

II В

386, 387, 523, 1068

E: Slaty-backed Forest-Falcon, S: Halcón de lomo pizarreño, Halcón-montés dorsigrís, F: Carnifex ardoisé

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru

(br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6810]

CITES Identification Manual Reference: A-213.005.004.003

Micrastur plumbeus Sclater, 1918

II

VU

386, 476, 523, 595, 598, 1068

E: Plumbeous Forest-falcon, Plumbeous Forest-Falcon, S: Halcón-montés plomizo, F: Carnifex plombé

Colombia (br) [837]; Ecuador (br) [5294]

CITES Identification Manual Reference:

A-213.005.004.004

В

Micrastur ruficollis (Vieillot, 1817)

II

386, 387, 523, 1068

E: Barred Forest-Falcon, S: Caburé, Gavilán cueillirojo, Halcón cuellirrufo, Halcón palomero, Halcón-montés agavilanado, F: Carnifex à cou roux, Carnifex barré Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 6892]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1336, 1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076];

Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6810]

CITES Identification Manual Reference:

A-213.005.004.005

В

Micrastur semitorquatus (Vieillot, 1817)

II

386, 387, 523,

E: Collared Forest-Falcon, S: Gavilán-reloj, Halcón semiacollarado, Halcón-montés collarejo, Halcón-selvático collarejo, F: Carnifex à collier

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia

(br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico

(br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (v) [387]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.004.006

Microhierax caerulescens (Linnaeus, 1758)

386, 523

В E: Collared Falconet, Red-legged Falconet, Red-thighed Falconet, S: Falconete acollarado, Halcón enano de la India, F: Fauconnet à collier

Bangladesh (br?) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-213.005.005.002

CITES EC Reg. FALCONIDAE RL References Microhierax erythrogenys (Vigors, 1831) В 386, 523, 1166 E: Philippine Falconet, S: Falconete filipino, Halconcito de las Filipinas, F: Fauconnet des **Philippines** Philippines (br) [5270] CITES Identification Manual Reference: A-213.005.005.003 386, 523, 929 Microhierax fringillarius (Drapiez, 1824) E: Black-legged Falconet, Black-sided Falconet, Black-thighed Falconet, S: Falconete indonesio, Halconcito malayo, F: Fauconnet moineau Brunei Darussalam (br); Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487, 1220] A-213.005.005.004 CITES Identification Manual Reference: II LR/nt 386, 523, 595, Microhierax latifrons Sharpe, 1879 1045, 1289 E: Bornean Falconet, White-fronted Falconet, S: Falconete de Borneo, Halconcito de Borneo, F: Fauconnet de Bornéo Malaysia (br): Sabah [759] A-213.005.005.005 CITES Identification Manual Reference: 381, 386, 523, Microhierax melanoleucos (Blyth, 1843) 595, 929 Synonym: Microhierax melanoleucus E: Pied Falconet, S: Falconete pío, F: Fauconnet noir-et-blanc Bangladesh (ex, br) [804]; Bhutan [5261]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.005.005.006 В Milvago chimachima (Vieillot, 1816) H 386, 387, 523, E: Yellow-headed Caracara, S: Caracara chimachima, Caricare sabanero, Chimachima, F: Caracara à tête jaune, Caracara chimachima Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Netherlands Antilles (v); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; Uruguay (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.005.006.002 386, 523, 1068 Milvago chimango (Vieillot, 1816) E: Chimango Caracara, S: Caracara chimango, Chimango, F: Caracara chimango Brazil (br) [6186]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (br) [1439]; Paraguay (br) [5295]; Uruguay (br) [5287] CITES Identification Manual Reference: A-213.005.006.003 Phalcoboenus albogularis Gould, 1837 В 386, 523, 1068 Synonym: Phalcoboenus megalopterus alboqularis E: White-throated Caracara, S: Caracara araucano, Chinalinda, Guarahuau cordillerano, Matamico blanco, F: Caracara à gorge blanche Argentina (br) [5291]; Chile (br) [873, 5292] CITES Identification Manual Reference: A-213.005.007.002 H В LR/nt 386, 523, 595, Phalcoboenus australis (Gmelin, 1788) E: Forster's Caracara, Striated Caracara, S: Caracara austral, Matamico estriado, Matamico grande, Tiuque cordillerano austral, F: Caracara austral, Caracara funèbre Argentina (br) [5291]; Chile (br) [5292]: Tierra del Fuego (Chile) [873]; Falkland Islands (Malvinas) (br) [1439] CITES Identification Manual Reference: A-213.005.007.003

E: Carunculated Caracara, S: Caracara carunculado, F: Caracara caronculé

386, 523, 1068

Phalcoboenus carunculatus Des Murs, 1853

FALCONIDAE CITES EC Reg. RL References Colombia (br) [837]; Ecuador (br) [5294] CITES Identification Manual Reference: A-213.005.007.004 Phalcoboenus megalopterus (Meyen, 1834) 386, 523, 1068 E: Mountain Caracara, S: Caracara andino, Carancho andino, Matamico cordillerano, F: Caracara montagnard Argentina (br) [5291]; Bolivia (br) [1186]; Chile (br) [873, 5292]; Ecuador; Peru (br) [1136] CITES Identification Manual Reference: A-213.005.007.005 Polihierax insignis Walden, 1872 H LR/nt 381, 386, 523, 595, 929 E: Fielden's Falconet, White-rumped Falcon, White-rumped Falconet, S: Halconcito asiático, Halconcito colilargo de Asia, F: Fauconnet à pattes jaunes Cambodia (br) [5243, 6475]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-213.005.008.002 П 386, 511, 523, Polihierax semitorquatus (Smith, 1836) В 524, 573, 1292 E: African Pygmy Falcon, Pygmy Falcon, S: Halconcito africano, F: Fauconnet d'Afrique Botswana (br?) [1102]; Ethiopia (br) [659]; Kenya (br) [5253]; Namibia (br) [659]; Rwanda (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659] CITES Identification Manual Reference: A-213.005.008.003 Polyborus lutosus Ridgway, 1876 H В 1045 Synonym: Caracara lutosus E: Guadalupe Caracara, S: Carancho de Guadalupe, F: Caracara de Guadalupe Mexico (ex, br) [5241] A-213.005.009.002 CITES Identification Manual Reference: Polyborus plancus (Miller, 1777) II 386, 387, 485, В 523, 1068, 6706 Synonyms: Caracara cheriway, Caracara plancus E: Common Caracara, Crested Caracara, Southern Caracara, S: Caracara carancho, Caracara común, Carancho, Caricare encrestado, Traro, F: Caracara commun, Caracara huppé Argentina (br) [5291]; Aruba (br) [1380]; Belize (v) [1437, 5241, 6769]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas) (br) [1439]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference: A-213.005.009.003 Spiziapteryx circumcinctus (Kaup, 1852) 386, 523, 1068 E: Spot-winged Falcon, Spot-winged Falconet, S: Halconcito argentino, Halconcito gris, Halconcito gris americano, F: Carnifex à ailes tachetées, Fauconnet d'Amérique Argentina (br) [5291]; Bolivia (br) [1186]; Paraguay (v) [5295]

CITES Identification Manual Reference: A-213.005.010.001

Order: **GALLIFORMES** Family: **MEGAPODIIDAE**

Macrocephalon maleo Müller, 1846 VU 419, 595, 634, I 635, 931, 1395, 1410, 6515

E: Celebes Maleo, Gray's Brush-turkey, Malee Fowl, Maleo, Maleo Fowl, Maleo Megapode, S: Megapodio maleo, Megápodo cabecigrande, Talégalo maleo, F: Maléo, Mégapode maléo MEGAPODIIDAE CITES EC Reg. RL References

Indonesia (br) [393, 6328]: Sulawesi

CITES Identification Manual Reference: A-214.001.005.001

Megapodius wallacei Gray, 1860

Synonym: Eulipoa wallacei

E: Moluccan Scrubfowl, S: Talégalo de Wallace, F: Mégapode de Wallace

Indonesia (br) [393]: Irian Jaya, Moluccas

CRACIDAE Family:

Crax alberti Fraser, 1852

595, 598, 638, III CO A CR 931, 1068

E: Albert's Curassow, Blue-billed Curassow, Blue-knobbed Curassow, Prince Albert's Curassow, S: Hocco piguiazul, Paují de pico azul, Pavón piquiazul, F: Hocco à bec bleu, Hocco d'Albert

Colombia (br) [837]

CITES Identification Manual Reference: A-214.002.003.002

Crax alector Linnaeus, 1766

E: Black Curassow, F: Hocco alector

Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Suriname (br) [5296];

Venezuela (br) [1070]

Crax blumenbachii Spix, 1825

Ι ΕN 595, 598, 638, 931, 1068, 1276,

VU

В

1328

E: Blumenbach's Curassow, Mutum, Red-billed Curassow, S: Haco piguirojo, Muitú mamaco, Mutum-do-sudeste, Paují piquirrojo, Pavón piquirrojo, F: Hocco à bec rouge, Hocco de Blumenbach

Brazil (br) [6186]

CITES Identification Manual Reference: A-214.002.003.004

Crax daubentoni Gray, 1867

III CO B LR/nt 638, 1068

E: Daubenton's Curassow, Yellow-knobbed Curassow, S: Hoco de Daubenton, Paují de Copete, Pavón poría, F: Hocco de Daubenton

Colombia (br) [837]; Guyana (br) [1295]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-214.002.003.005

Crax globulosa Spix, 1825

III CO B 476, 595, 598, 638 E: Wattled Curassow, Yarrell's Curassow, S: Hoco barbado, Pavón carunculado, F: Hocco

globuleux, Hoco caroncule

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru

(br) [1136, 6307]

CITES Identification Manual Reference: A-214.002.003.007

Crax rubra Linnaeus, 1758

III CO B LR/nt 387, 638, 931,

1068

E: Globos Curassow, Great Curassow, Mexican Curassow, S: Hoco grande, Hocofaisan, Pavón

grande, Pavón norteña, F: Grand hocco

Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El

Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6708];

Nicaragua (br) [1195]; Panama (br) [1195, 6641]

CITES Identification Manual Reference: A-214.002.003.010

I **EW** 595, 598, 638, Mitu mitu (Linnaeus, 1766) 931, 1068

Synonym: Crax mitu mitu

E: Alagoas Curassow, Razor-billed Curassow, S: Hoco de pico navaja, Hoco mitu, Mitu, Mutum-

do-nordeste, Paují de Alagoas, Paují menor, F: Grand hocco à bec rasoir, Hocco mitou

Brazil (br) [6186]

CITES Identification Manual Reference: A-214.002.003.008

CITES EC Reg. RL References CRACIDAE

387, 595, 598, Ι EN Oreophasis derbianus Gray, 1844 638, 931, 1385

E: Derby's Guan, Horned Guan, Lord Derby's Mountian Pheasant, S: Chachalaca cornuda, Faisan de cuerno rojo, Guan cornudo, Paují cornudo, Pava pajuil, Pavón, Pavón cornudo, F: Hocco huppé, Oréophase cornu, Pénélope cornue, Pénélope de Derby

Guatemala (br) [850, 5241]; Mexico (br) [753, 754, 5241]

CITES Identification Manual Reference: A-214.002.005.001

Ortalis vetula (Wagler, 1830) III HN B

E: Chachalaca, Common Chachalaca, Mexican Chachalaca, Plain Chachalaca, S: Chachalaca de los Llenos, Chachalaca norteña, F: Ortalide chacamel, Ortalide commune, Ortalide du Mexique Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]

CITES Identification Manual Reference: A-214.002.006.010

Pauxi pauxi (Linnaeus, 1766)

Synonym: Crax pauxi

III CO B

VU

CR

E: Helmeted Curassow, Northern Helmeted Curassow, S: Hoco de casco, Paují copete de Piedra, Paují de yelmo, F: Hocco à pierre, Pauxi pierre

Colombia (br) [837]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-214.002.003.009

В VU Pauxi unicornis

Bond and Meyer de Schauensee, 1939

Penelope albipennis Taczanowski, 1878

Synonym: Crax unicornis

E: Horned Curassow, Southern Helmeted Curassow, F: Hocco unicorne

Bolivia (br) [1186, 6784]; Peru (br) [1136]

638, 646, 675,

Ι

Α

931, 1068, 1109, 1119,6680

387, 638, 931

476, 595, 598,

387, 595, 598,

E: White-winged Guan, S: Chachalaca de remiges blancas, Guan aliblanco, Pava aliblanca,

F: Pénélope à ailes blanches

Peru (br) [1136]

A-214.002.007.001 CITES Identification Manual Reference:

Penelope pileata Wagler, 1830 LR/nt E: White-crested Guan, S: Pava crestiblanca, F: Pénélope à poitrine rousse

Brazil (br) [6186]

III HN C 476, 638, 1068 Penelope purpurascens Wagler, 1830

E: Crested Guan, Purple Guan, Purplish Guan, S: Grenedera, Pava cojolita, Pava culirroja, F: Penelope a Crete, Pénélope à ventre blanc, Pénélope huppée, Pénélope panachée Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6708]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]; Venezuela (br) [1070]

A-214.002.007.014 CITES Identification Manual Reference:

III GT B LR/nt 387, 476, 595, Penelopina nigra (Fraser, 1852)

E: Black Chachalaca, Black Pajuil, Black Penelopina, Highland Guan, Little Guan, S: Chachalaca negra, Guan negro, Pajuil, F: Pénélope noire, Pénélope pajuil

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241];

Nicaragua (br) [1195]

CITES Identification Manual Reference: A-214,002,008,001

CITES EC Reg. RL References CRACIDAE T VU 595, 598, 638, Pipile jacutinga (Spix, 1825) 931, 1068 Svnonvm: Aburria jacutinga E: Black-fronted Curassow, Black-fronted Piping-Guan, S: Chachalaca manchada, Guan de frente negre, Jacotinga, Pava yacutinga, Yacutingá frentinegra, F: Pénélope à front noir, Pénélope à plastron, Pénélope siffleuse Argentina (br) [465, 5291]; Brazil (br) [6186]; Paraguay (br) [5295] CITES Identification Manual Reference: A-214.002.002.002 595, 598, 638, CR Pipile pipile (Jacquin, 1784) 931, 1068 Synonym: Aburria pipile pipile E: Trinidad Piping-Guan, Trinidad White-headed Curassow, Trinidad White-headed Piping Guan, S: Chachalaca de la Trinidad, Guan comun de Trinidad, Pava de Trinidad, Pava rajadora, Yacutinga cariazul, F: Pénélope siffleuse, Pénélope siffleuse a gorge bleue, Siffleuse de la Trinité Trinidad and Tobago (br) [703] CITES Identification Manual Reference: A-214.002.002.004 **PHASIANIDAE** Family: VU 595, 597, 1256, III GH B Agelastes meleagrides Bonaparte, 1850 1292, 1360 E: White-breasted Guineafowl, S: Pintada de pechuga blanca, Pintado de pecho blanco, Pintado pechiblanca, F: Pintade à poitrine blanche Côte d'Ivoire (br) [404, 1334]; Ghana (ex?, br) [782]; Guinea; Liberia (br) [5246]; Sierra Leone (br) [627, 659] CITES Identification Manual Reference: A-214.003.059.001 Agriocharis ocellata (Cuvier, 1820) III GT C 387, 595, 1304 Synonym: Meleagris ocellata E: Ocellated Turkey, S: Guajolote ocelado, Pavo ocelado, F: Dindon ocellé Belize (br) [5241]; Guatemala (br) [5241]; Mexico (br) [5241] CITES Identification Manual Reference: A-214.003.001.001 LR/nt 595, 629, 890, Arborophila charltonii (Eyton, 1845) III MY B 929 Synonym: Tropicoperdix charltonii E: Chestnut-breasted Tree-Partridge, Chestnut-necklaced Partridge, S: Arborófila pechicastaña, Perdiz de bosque de Charlton, F: Torquéole à poitrine châtaine, Torquéole de Merlin, Torquéole des bois Indonesia (br) [393]: Sumatera; Malaysia (br): Peninsular Malaysia [1049], Sabah [759]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264] A-214.003.057.002 CITES Identification Manual Reference: Arborophila gingica (Gmelin, 1789) E: Rickett's Hill-Partridge, White-necklaced Partridge, S: Aborófila de Fujián, F: Torquéole de Gingi China (br) [5293] VU 629, 890, 929 Arborophila orientalis (Horsfield, 1821) III MY B E: Bar-backed Partridge, Grey-breasted Partridge, S: Arborófila de Sumatra, F: Torquéole à poitrine brune, Torquéole de Sumatra Indonesia (br) [393]: Jawa, Sumatera; Malaysia (br) Argusianus argus (Linnaeus, 1766) LR/nt 637, 889 E: Arqus Pheasant, Great Arqus, S: Argos gigante, Argos real, Faisán argos, F: Argus géant Brunei Darussalam (br); Indonesia (br) [393, 844]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220] CITES Identification Manual Reference: A-214.003.024.001

PHASIANIDAE CITES EC Reg. RL References Caloperdix oculea (Temminck, 1815) 890, 929 III MY C LR/nt E: Ferruginous Partridge, Ferruginous Wood-Partridge, S: Perdicilla herrumbrosa, Perdiz de bosque ferruginosa, F: Rouloul ocellé Indonesia (br) [393, 3750, 3751]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487] CITES Identification Manual Reference: A-214.003.026.001 381, 595, 637, Catreus wallichii (Hardwicke, 1827) Α 889, 931, 1447, 1448 E: Cheer Pheasant, Chir Pheasant, Wallich's Pheasant, S: Faisán chir, Faisán de Wallich, F: Faisan de l'Himalaya, Faisan de Wallich India (br) [734, 735, 736, 1197]; Nepal (br) [865, 973]; Pakistan (br) CITES Identification Manual Reference: A-214.003.027.001 Chrysolophus amherstiae (Leadbeater, 1829) D E: Lady Amherst's Pheasant, S: Faisán de Lady Amherst, F: Faisan de Lady Amherst China [5293]; Myanmar [1290] Chrysolophus pictus (Linnaeus, 1758) D E: Golden Pheasant, S: Faisán dorado, F: Faisan doré China (br) [5293]; United Kingdom (int, br) [6188] 387.931 Colinus virginianus ridgwayi Brewster, 1885 E: Masked Bobwhite, Northern Bobwhite, S: Colín de Virginia, Colín virginiano de Ridgway, F: Colin de Ridgwayi, Colin de Virginie masqué Mexico (br) [5241]; United States (ex, br) [387] CITES Identification Manual Reference: A-214.003.005.001 381, 595, 637, LR/nt Crossoptilon crossoptilon (Hodgson, 1838) I 889, 931 E: White Eared-pheasant, White Eared-Pheasant, S: Faisán orejudo blanco, Faisán orejudo tibetano, Hoki blanco, F: Faisan oreillard blanc, Hokki blanc China (br) [1069, 5293] CITES Identification Manual Reference: A-214.003.030.003 LR/nt 595, 637, 889, Crossoptilon harmani Elwes, 1881 Δ 931 Synonym: Crossoptilon crossoptilon harmani E: Tibetan Eared-pheasant, Tibetan Eared-Pheasant, F: Hokki de Harman, Hokki du Tibet China (br) [5293] Crossoptilon mantchuricum Swinhoe, 1863 Ι VU 595, 637, 889, 931, 1069 E: Brown Eared-pheasant, Brown Eared-Pheasant, Manchurian Eared-Pheasant, S: Faisán orejudo de Manchuria, Faisán orejudo pardo, Hoki pardo, F: Faisan oreillard brun, Hokki brun China (br) [5293] CITES Identification Manual Reference: A-214.003.030.004 Gallus sonneratii Temminck, 1813 381, 595, 637, 889 E: Grey Junglefowl, Sonnerat's Junglefowl, S: Gallo de Sonnerat, Gallo gris, F: Coq de Sonnerat India (br) [1197] CITES Identification Manual Reference: A-214.003.034.004 381, 637, 889 Ithaginis cruentus (Hardwicke, 1821) TT E: Blood Pheasant, S: Faisán ensangrentado, Faisán sangrante, Faisán sanguineo, F: Faisan sanguin, Ithagine ensanglantée, Ithagines Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal

__

A-214.003.036.001

85

(br) [865]

CITES Identification Manual Reference:

PHASIANIDAE CITES EC Reg. RL References

Lophophorus impejanus (Latham, 1790) I A 381, 637, 889 E: Himalayan Monal, Impeyan Pheasant, Monal Pheasant, S: Faisán monal del Himalaya,

Lofóforo del Himalaya, Monal, Monal colirrojo, F: Lophophore resplendissant, Monal de l'Himalaya

Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)

CITES Identification Manual Reference: A-214.003.038.002

Lophophorus Ihuysii Geoffroy Saint-Hilaire, 1866 I A VU 595, 637, 889, 931, 995, 1069

E: Chinese Impeyan, Chinese Monal, S: Faisán monal chino, Lofóforo chino, Monal, Monal coliverde, F: Lophophore de Lhuys, Monal chinois

China (br) [5293]

CITES Identification Manual Reference: A-214.003.038.003

Lophophorus sclateri Jerdon, 1870 I A VU

I A VU 381, 595, 637, 889, 931

E: Crestless Monal, Sclater's Monal, S: Faisán monal de Sclater, Lofóforo de Sclater, Monal, Monal coliblanco, F: Lophophore de Sclater, Monal birman China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]

CITES Identification Manual Reference: A-214.003.038.004

Lophura bulweri (Sharpe, 1874) B VU

E: Bulwer's Pheasant, White-tailed Wattled Pheasant, S: Faisán de Bulwer, F: Faisan de Bulwer Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan; Malaysia (br): Sabah [759], Sarawak [393]

Lophura diardi (Bonaparte, 1856) B LR/nt

E: Diard's Fireback, Siamese Fireback, F: Faisan prélat Cambodia (br) [5243]; Lao People's Democratic Republic (br) [6187]; Thailand (br) [487]; Viet Nam (br) [5264]

Lophura edwardsi (Oustalet, 1896) I A EN 595, 637, 889, 929, 931

E: Edwards's Pheasant, S: Faisán de Edwards, F: Faisan d'Edwards Viet Nam (br) [5264]

CITES Identification Manual Reference: A-214.003.039.004

Lophura erythrophthalma (Raffles, 1822) III MY B VU 595, 637, 889, 929

E: Crestless Fireback, Rufous-tailed Pheasant, S: Faisán colicanelo, Faisán de carúncula azul, F: Faisan à queue rousse

Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sarawak [393]; Singapore (ex)

CITES Identification Manual Reference: A-214.003.039.005

Lophura hatinhensis B EN

Vo Quy and Do Ngoc Quang, 1965 E: Vietnamese Fireback, Vietnamese Pheasant, Vo Quy's Pheasant, F: Faisan du Vietnam Viet Nam (br) [5264]

Lophura hoogerwerfi (Chasen, 1939) B VU

E: Hoogerwerf's Pheasant, Sumatran Pheasant, F: Faisan de Sumatra

Indonesia (br) [393]: Sumatera

Lophura ignita (Shaw, 1797) III MY B LR/nt 595, 637, 889, 929

E: Crested Fireback, Vieillot's Fireback, S: Faisán de carúncula azul crestado, Faisán noble,F: Faisan noble

Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-214.003.039.006

PHASIANIDAE	CITES	EC Reg	. RL	References	
Lophura imperialis (Delacour & Jabouille, 1924)	I	Α	DD	595, 637, 889,	
E: Imperial Pheasant, S: Faisán imperial, F: Faisa Viet Nam (br) [5264]	929, 931 : Imperial Pheasant, S: Faisán imperial, F: Faisan impérial iet Nam (br) [5264]				
CITES Identification Manual Reference:	A-214.	003.039.	007		
Lophura inornata (Salvadori, 1879) E: Salvadori's Pheasant, F: Faisan de Salvadori Indonesia (br) [393]: Sumatera		В	VU		
Lophura leucomelanos (Latham, 1790) E: Kalij Pheasant, F: Faisan leucomèle Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [1290]; Nepal (br) [865]; Pakistan (br); Thaila					
Lophura swinhoii (Gould, 1863)	I	А	LR/nt	595, 637, 889, 929, 931, 1259,	
1260, 1261 E: Swinhoe's Pheasant, S: Faisán de Formosa, Faisán de Swinhoe, F: Faisan de Formose, Faisan de Swinhoe Taiwan, Province of China (br)					
CITES Identification Manual Reference:	A-214.0	003.039.	011		
Melanoperdix nigra (Vigors, 1829) E: Black Partridge, Black Wood-Partridge, S: Perdinoire, Rouloul noir	III MY iz de boso		VU a, Perdiz r	595, 890, 929 negra, F: Perdrix	
Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia [1049], Sarawak [393]; Singapore (ex)		Malaysia (br) [1289]: Peninsular A-214.003.041.001			
CITES Identification Manual Reference:	A-214.0	003.041.			
Odontophorus strophium (Gould, 1844) E: Gorgeted Wood-quail, Gorgeted Wood-Quail, F: Colombia (br) [837]	Tocro à	A miroir	CR		
Ophrysia superciliosa (Gray, 1846) E: Himalayan Quail, F: Ophrysie de l'Himalaya India (ex , br) [1197]		A	CR		
Pavo muticus Linnaeus, 1766	II	В	VU	381, 595, 637, 835, 889, 929,	
931 E: Green Peafowl, Green-necked Peafowl, S: Pavo mudo, Pavo-real cuelliverde, Pavo-real verde, F: Paon spicifère, Paon vert Bangladesh (ex?, br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa; Lao People's Democratic Republic (br) [6187]; Malaysia (br):					
					Peninsular Malaysia; Myanmar (br) [1290]; Thailan CITES Identification Manual Reference:
Polyplectron bicalcaratum (Linnaeus, 1758)	II	В		381, 637, 889, 929	
Synonym: Polyplectron katsumatae E: Common Peacock-Pheasant, Grey Peacock-Pheasant, Iris Peacock-Pheasant, S: Espolonero chinquis, Faisán de cola ocelada gris, Faisán de espolones gris, Faisán real gris, F: Éperonnier chinquis, Éperonnier gris Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]					
					CITES Identification Manual Reference:

Philippines (br) [5270] В 595, 637, 889, II VU Polyplectron germaini Elliot, 1866 929 E: Germain's Peacock-pheasant, Germain's Peacock-Pheasant, S: Espolonero de Germain, Faisán de cola ocelada de Germain, Faisán de espolones de Germain, Faisán real de Germain, F: Éperonnier de Germain Viet Nam (br) [5264] A-214.003.046.005 CITES Identification Manual Reference: Polyplectron inopinatum (Rothschild,1903) III MY C VU 595, 637, 889, E: Mountain Peacock-pheasant, Mountain Peacock-Pheasant, Rothschild's Peacock-Pheasant, S: Espolonero de Rothschild, Faisán de cola ocelada indómito, F: Éperonnier de Rothschild Malaysia (br): Peninsular Malaysia CITES Identification Manual Reference: A-214.003.046.006 VU 595, 637, 889, Polyplectron malacense (Scopoli, 1786) П E: Crested Peacock-Pheasant, Malayan Peacock-pheasant, Malayan Peacock-Pheasant, S: Espolonero malayo, Faisán de cola ocelada malayo, Faisán de espolones malayo, Faisán real malayo, F: Éperonnier de Hardwick, Éperonnier de Malaisie, Éperonnier malais Malaysia (br): Peninsular Malaysia; Myanmar; Singapore (ex); Thailand (br) [487, 1220] CITES Identification Manual Reference: A-214.003.046.007 Polyplectron schleiermacheri Brüggemann, 1877 В 595, 889, 1289 EN Synonym: Polyplectron malacense schleiermacheri E: Bornean Peacock-pheasant, Bornean Peacock-Pheasant, S: Espolonero de Borneo, Faisán de espolones de Borneo, F: Éperonnier de Bornéo Indonesia (br) [393]: Kalimantan [844]; Malaysia (br): Sabah [759], Sarawak [393, 1289] Rheinardia ocellata (Elliot, 1871) Ι Α VU 595, 637, 889, 929, 931 Synonym: Rheinardia nigrescens E: Crested Arqus, Ocellated Pheasant, S: Faisán de Rheinard, F: Argus ocellé, Rheinarte ocellé Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Viet Nam (br) [5264] CITES Identification Manual Reference: A-214.003.049.003 890, 929 Rhizothera longirostris (Temminck, 1807) LR/nt III MY C E: Long-billed Partridge, S: Perdiz de bosque de pico largo, Perdiz piquilarga, F: Perdrix à long bec, Rouloul à long bec Indonesia (br) [393]: Kalimantan [1289], Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487] CITES Identification Manual Reference: A-214.003.050.001 Rollulus rouloul (Scopoli, 1786) III MY C LR/nt E: Crested Partridge, Roulroul, S: Perdiz de bosque crestada, Perdiz rulrul, F: Rouloul à couronne, Rouloul couronné Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan [1289], Sumatera [1289]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487] CITES Identification Manual Reference: A-214.003.051.001

CITES

E: Napoleon's Peacock-Pheasant, Palawan Peacock-pheasant, Palawan Peacock-Pheasant, S: Espolonero de Palawan, Faisán de espolones de Palawan, Faisán real de Palaquán,

EC Reg.

RL

VU

References

552, 595, 637, 889, 931

PHASIANIDAE

Polyplectron emphanum Temminck, 1831

F: Éperonnier de Palawan, Éperonnier Napoléon

	PHASIANIDAE	CITES	EC Reg.	RL	References
S	yrmaticus ellioti (Swinhoe, 1872)	I	Α	VU	595, 637, 889, 931, 935, 1069
	E: Chinese Barred-backed Pheasant, Elliot's Pheasa China (br) [5293] CITES Identification Manual Reference:	nt, S: Fa A-214.0			
Sı	vrmaticus humiae (Hume, 1881)	I	Α	VU	381, 595, 637,
-,	E: Hume's Bar-tailed Pheasant, Hume's Pheasant, F: Faisan à queue barrée, Faisan de Birmanie, Faisa China (br) [5293]; India (br) [1197]; Myanmar (br) CITES Identification Manual Reference:	an de Hu	me 0]; Thail	and (br) [889, 929, 931 aisán de Hume,
Sı	vrmaticus mikado (Ogilvie-Grant, 1906)	I	A	LR/nt	595, 637, 889,
-,	E: Mikado Pheasant, S: Faisán mikado, F: Faisan m Taiwan, Province of China (br) CITES Identification Manual Reference:	ikado A-214.0	03.053.0		931, 1259, 1260
Sy	vrmaticus reevesii (Gray, 1829) E: Reeves's Pheasant, S: Faisán venerado, F: Faisa China (br) [5293]; Czech Republic (int) [5258]	n vénéré	D	VU	
Té	etraogallus caspius (Gmelin, 1784) E: Caspian Snowcock, S: Gallo, Gallo lira del Caspio caspio, Perdiz real del Caspio, F: Perdrix des neiges Tétras des neiges de la Caspienne, Tétrogalle de la Armenia (br) [5240]; Azerbaijan (br) [710]; Georgia (br) [1253]; Iraq (br) [385]; Turkey (br) [5282]; Tur CITES Identification Manual Reference:	de la Ca Caspieni (br) [710	ispienne, ne 0]; Iran (nn (br) [7	, Tétraoga (Islamic R '10]	lle de Perse,
Τε	etraogallus tibetanus Gould, 1854 E: Tibetan Snowcock, S: Gallo, Gallo lira del Tíbet, Perdiz real del Tibet, F: Perdrix des neiges du Tibet Tibet Bhutan (br) [5261]; China (br) [5293]; India (br) [13 CITES Identification Manual Reference:	, Tétraog	alle du T al (br) [ibet, Tétr 865); Tajil	as des neiges du
Tr	agopan blythii (Jerdon, 1870)	1	А	VU	381, 595, 637,
	E: Blyth's Tragopan, Grey-bellied Tragopan, S: Tragopan de Blyth, Tragopan de Molesworth, Tragopan de Molesworth, Tragopan (br) [5261]; China (br) [5293]; India (br) [13 CITES Identification Manual Reference:	igopan oi	riental anmar (b	or) [1290]	889, 931 priental,
Tr	ragopan caboti (Gould, 1857)	I	Α	VU	595, 637, 889, 927, 931, 1069, 1450, 1451, 1452
	E: Cabot's Tragopan, Yellow-billed Tragopan, S: Tra de Cabot, F: Tragopan arlequin, Tragopan de Cabot China (br) [5293]				chino, Tragopán
	CITES Identification Manual Reference:	A-214.0	03.056.0		
Tr	ragopan melanocephalus (Gray, 1829)	I	Α	νυ	381, 595, 637, 664, 737, 889, 931
	E: Black-headed Tragopan, Western Horned-Pheasa cabeza negra, Tragopán dorsigrís, Tragopán occiden Hastings, Tragopan occidental China (br) [5293]; India (br) [736, 1093, 1197]; ?Neg CITES Identification Manual Reference:	ntal, F: T	ragopan 865]; Pal	à tête noi kistan (br)	Tragopán de re, Tragopan de

CITES EC Reg. RL PHASIANIDAE References

Tragopan satyra (Linnaeus, 1758)

III NP

LR/nt

381, 595, 637,

889

E: Crimson Horned-Pheasant, Indian Tragopan, Satyr Tragopan, S: Tragopán sátiro,

F: Tragopan satyre

Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Nepal (br) [865] CITES Identification Manual Reference:

A-214.003.056.005

Tragopan temminckii (Gray, 1831)

E: Temminck's Tragopan, S: Tragopán cariazul, F: Tragopan de Temminck China [5293]; India [1197]; Myanmar [1290]; Viet Nam [5264]

Tympanuchus cupido attwateri

387, 931

Bendire, 1893

E: Attwater's Prairie-chicken, S: Gallito de pradera, F: Poule de prairie d'Attwater, Tétras

cupidon d'Attwater

United States (br) [387]

Order:

GRUIFORMES

Family:

GRUIDAE

Balearica pavonina (Linnaeus, 1758)

II

LR/nt

523, 524, 886, 1256, 1292,

1360, 1384, 6193

E: Black Crowned Crane, Black Crowned-Crane, West African Crowned Crane, S: Grulla coronada, Grulla coronada cuellinegra, Grulla coronada del Africa Occidental, F: Grue couronnée, Grue couronnée de l'Afrique del'Ouest et du Soudan

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo [6294]; Eritrea [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760]; Ghana [782]; Guinea (br); Guinea-Bissau (br) [659]; Kenya (br) [869, 1129, 5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (v) [659, 869]

CITES Identification Manual Reference:

A-215.004.004.002

В

Balearica regulorum (Bennett, 1834)

II В 511, 524, 573, 886, 1292, 1360,

E: Grey Crowned Crane, Grey Crowned-Crane, South African Crowned Crane, S: Grulla coronada cuelligris, Grulla coronada sudafricana, F: Grue couronnée de Cap, Grue couronnée de l'Afrique du Sud et de l'Est, Grue royale

Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br); Kenya (br) [1129, 5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-215.004.004.003

Grus americana (Linnaeus, 1758)

EN

387, 417, 595, 598, 656, 671,

886, 931, 1384

E: Whooping Crane, S: Grulla americana, Grulla gritona, Grulla trompetera, F: Grue blanche, Grue blanche américaine, Grue blanche d'Amérique

Canada (br) [748]; Mexico (ex, v) [5241]; United States (ex, br) [387]

CITES Identification Manual Reference:

A-215.004.003.002

CITES EC Req. RL References GRUIDAE H В VU 381, 595, 886, Grus antigone (Linnaeus, 1758) 929, 1384 E: Sarus Crane, S: Grulla blanco cuello, Grulla sarus, F: Grue antigone, Grue antigone tropicale Australia (br) [477]; Bangladesh (br) [804]; Brunei Darussalam; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; ?Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; ?Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (ex?, br) [5270]; Thailand (ex, br) [487]; Viet Nam (br) [5264] A-215.004.003.003 CITES Identification Manual Reference: I/II 387, 886, 931, Grus canadensis (Linnaeus, 1758) 1384 E: Sandhill Crane, S: Grulla canadiense, Grulla cenicienta, Grulla de Cuba, F: Grue canadienne, Grue du Canada, Grue grise CITES Identification Manual Reference: A-215.004.003.004 CITES Appendix II populations Canada [748]; Faroe Islands (v) [480]; Greenland (v); Ireland (v) [858]; Japan [503]; Korea, Republic of (v) [1436]; Mexico [5241]; Netherlands (v) [5273]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; United Kingdom (v) [6188]; United States (br) [387] 387, 886, 931, Grus canadensis nesiotes T 1384 Bangs and Zappey, 1905 E: Cuban Sandhill Crane, S: Grulla cenicienta de Cuba, F: Grue canadienne de Cuba Cuba (br) [5259] 387, 886, 931, Grus canadensis pulla Aldrich, 1972 Ι Α E: Mississippi Sandhill Crane, S: Grulla cenicienta del Misisipí, F: Grue canadienne du Mississippi United States (br) [387] VU 511, 573, 595, H В Grus carunculatus (Gmelin, 1789) 597, 886, 939, 1034, 1292, 1360, 1384 Synonym: Bugeranus carunculatus E: Wattled Crane, S: Grulla carunculada, Grulla zarzo, F: Grue caronculée Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; ?Guinea-Bissau (v) [659, 6316, 6330]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659, 1426]; South Africa (br) [659, 1324]; Swaziland (ex, br) [1139]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-215.004.002.001 381, 614, 841, Grus grus (Linnaeus, 1758) 886, 1360, 1384, E: Common Crane, Crane, S: Grulla común, F: Grue cendrée Afghanistan [694]; Albania; Algeria [971]; Armenia (br) [5240]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (br); Belgium [5272]; Bhutan (v) [5261]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (br) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [1077]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece [5281]; Hong Kong (v); Hungary (ex, br) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (ex, br) [5289]; Japan [503]; Jordan [395]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of [1436]; ?Kuwait (v) [537]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malta; Mauritania (v) [659]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; ?Niger (v) [659]; Nigeria (v); Norway (br) [5275]; Oman (v); Pakistan; Poland (br) [1348]; Portugal [1332]; Romania

(br) [558]; Russian Federation (br) [710]; Saudi Arabia [881]; Slovakia [5279]; Slovenia [1038]; Spain (ex, br) [702]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States (v) [387]; Viet Nam [5264]; Yemen [5297]; Yugoslavia (ex, br) [1038]

CITES Identification Manual Reference: A-215.004.003.005

Grus japonensis (Müller, 1776)

I A EN 595, 886, 931, 1384

E: Japanese Crane, Manchurian Crane, Red-crowned Crane, S: Grulla de Manchuria, Grulla manchú, F: Grue blanche du Japon, Grue de Mandchourie, Grue du Japon China (br) [1428, 5293]; Japan (br) [503]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)

CITES Identification Manual Reference: A-215.004.003.006

Grus leucogeranus Pallas, 1773

I A CR 381, 595, 886, 931, 1033, 1384

E: Siberian Crane, Siberian White Crane, Snow Crane, S: Grulla blanca asiática, Grulla siberiana, Grulla siberiana blanca, F: Grue blanche asiatique, Grue blanche d'Asie, Grue de Sibérie, Leucogéranne

Afghanistan [694]; China (br) [920, 1069, 1428, 5293]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, Republic of (v) [1436]; Mongolia (br?) [1306]; Pakistan; Russian Federation (br) [710, 938, 1170]; Turkmenistan [710] CITES Identification Manual Reference:

A-215.004.003.007

Grus monacha Temminck, 1835

I A VU 595, 886, 931, 1384

E: Hooded Crane, S: Grulla monje, Grulla monjita, F: Grue moine China (br) [5293]; India (v) [1197]; Japan [503]; Kazakhstan (v) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1301, 1436]; Mongolia (v) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)

CITES Identification Manual Reference: A-215.004.003.008

Grus nigricollis Przevalski, 1876

I A VU 381, 595, 886, 931, 1384

E: Black-necked Crane, Tibetan Crane, S: Grulla cuellinegra, F: Grue à cou noir Bhutan [581, 5261]; China (br) [1208, 1251, 5293]; India (br) [1197]; Myanmar [1290]; Nepal (v) [865]; Viet Nam [5264]

CITES Identification Manual Reference: A-215.004.003.009

Grus paradisea (Lichtenstein, 1793)

II B VU 573, 595, 886, 1360, 1362, 1384

886, 1384

Synonym: Anthropoides paradisea

E: Blue Crane, Stanley Crane, S: Grulla azul, Grulla de paraiso, F: Grue bleue, Grue de paradis Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; ?Zimbabwe (v) [659]

CITES Identification Manual Reference: A-215.004.001.002

Grus rubicunda (Perry, 1810) II B

E: Brolga, S: Grulla australiana, Grulla brolga, F: Grue brolga, Grue d'Australie Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; New Zealand (v) [1351]; Papua New Guinea (br); ?Russian Federation (v)

CITES Identification Manual Reference: A-215.004.003.010

GRUIDAE CITES EC Reg. RL References

Grus vipio Pallas, 1811 I A VU 595, 886, 931,

E: White-naped Crane, White-necked Crane, S: Grulla cuelliblanca, F: Grue à cou blanc China (br) [5293]; Japan (br) [503, 6882]; Kazakhstan (v) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1301, 1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)

CITES Identification Manual Reference: A-215.004.003.011

Grus virgo (Linnaeus, 1758) II B 381, 614, 886, 1256, 1360, 1384

Synonym: Anthropoides virgo

E: Demoiselle Crane, S: Grulla damisela, Grulla moruna, F: Demoiselle de Numidie, Grue demoiselle

Afghanistan [694]; Algeria (**ex**, br) [971]; Armenia [5240]; Azerbaijan [710]; Bangladesh [804]; Bhutan (v) [5261]; Bulgaria (v) [5280]; Chad [659]; China (br) [5293, 6234]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; ?Germany (v) [5274]; Greece (v) [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq (v) [385]; Israel (v) [5245]; ?Italy (v) [5289]; Japan (v) [503]; Jordan (v) [6454]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Korea, Republic of (v) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1306, 6234]; ?Morocco (ex?, br) [461, 6234]; Myanmar [1290]; Nepal [865]; Nigeria; Norway (v) [5275]; Oman (v); Pakistan; Portugal (v) [1332]; Romania (ex?, v) [558, 6234]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Slovakia [5279]; Spain (v) [702]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tajikistan [374]; Tunisia (ex, br) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Ukraine (br) [710, 6234]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Yemen (v) [5297]; Yugoslavia (v) [1038] CITES Identification Manual Reference: A-215.004.001.003

Family: RALLIDAE

Gallirallus sylvestris(Sclater, 1869) I A EN 595, 725, 931, 1196

Synonyms: Tricholimnas sylvestris, Tricholimnas conditicius

E: Lord Howe Island Rail, Lord Howe Island Woodhen, Lord Howe Rail, S: Rascón de Isla Lord Howe, Rascón de la isla de Lord Howe, F: Râle de l'île Lord Howe, Râle sylvestre Australia (br) [477]

CITES Identification Manual Reference: A-215.007.049.004

Family: RHYNOCHETIDAE

Rhynochetos jubatus I A EN 505, 595, 855,

931

Verreaux and Des Murs, 1860

E: Kagu, S: Kagu, Kagú, F: Kagou, Kagou huppé

New Caledonia (br) [5260]

CITES Identification Manual Reference: A-215.009.001.001

CITES EC Reg. RL References OTIDIDAE OTIDIDAE Family: 614, 841, 891, Ardeotis arabs (Linnaeus, 1758) II В 1006, 1355, 1360 Synonym: Choriotis arabs E: Arabian Bustard, S: Avutarda árabe, F: Grande outarde arabe, Outarde arabe Algeria (v) [971]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Djibouti (br) [427, 1402]; Eritrea (br) [429, 659]; Ethiopia (br) [429, 659]; Gambia (v) [760]; Ghana [782]; ?Kenya (v) [1355, 5253]; Mali (br) [659]; Mauritania (br) [659]; Morocco (ex?, br) [461]; Niger [569, 659]; Nigeria (br); Saudi Arabia (br) [881, 1265]; Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Yemen (br) [1181, 5297] CITES Identification Manual Reference: A-215.012.003.002 В 781, 891, 1411 Ardeotis australis (Gray, 1829) II Synonym: Choriotis australis E: Australian Bustard, S: Avutarda australiana, F: Outarde australienne, Outarde d'Australie Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) A-215.012.003.003 CITES Identification Manual Reference: 891, 1006, 1007, Ardeotis kori (Burchell, 1822) II B 1008, 1360 Synonym: Choriotis kori E: Kori Bustard, S: Avutarda kori, F: Outarde kori Angola (br?) [5267]; Botswana (br) [1102]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [516, 659]; Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Tanzania, United Republic of (br) [432, 659, 1084]; Uganda (br?) [659]; Zambia [6301]; Zimbabwe (br) [659, 1209] CITES Identification Manual Reference: A-215.012.003.004 Ι EN 381, 595, 891, Ardeotis nigriceps (Vigors, 1831) 931, 944, 1177, 1178, 1363 Synonym: Choriotis nigriceps E: Great Indian Bustard, Indian Bustard, S: Avutarda de la India, Avutarda india, Avutarda índica, F: Outarde à tête noire, Outarde de l'Inde India (br) [1197]; ?Nepal (v) [865]; Pakistan (br?) CITES Identification Manual Reference: A-215.012.003.006 381, 588, 841, Chlamydotis undulata (Jacquin, 1784) LR/nt 891, 1360 Synonym: Chlamydotis macqueenii E: Houbara, Houbara Bustard, S: Avutarda hubara, Hubara, F: Houbara ondulé, Outarde canepetière, Outarde houbara Afghanistan (br?) [694]; Algeria (br) [971, 1285]; Armenia (ex, br) [5240]; Bahrain [1105]; Belgium (v) [5272]; China (br) [5293]; Cyprus (v) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Egypt (br) [756, 1229]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1022, 1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kuwait (ex, br) [537]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (br) [536]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461, 763]; Netherlands (v) [5273]; Oman (br); Pakistan (br) [1072]; Poland (v) [1348]; Portugal (v) [1332]; Qatar [1393]; Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia

Yemen (br?) [5297]

CITES Identification Manual Reference:

(br) [881]; Slovenia (v) [1038]; Spain (br) [702]: Canary Is [557, 596, 1122]; Sudan (v) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkmenistan (br) [710]; Ukraine (v) [710]; United Arab

Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (br) [763];

A-215.012.002.001

OTIDIDAE CITES EC Reg. RL References П Eupodotis afra (Linnaeus, 1766) В Synonym: Afrotis atra E: Black Bustard, Black Korhaan, S: Sisón negro, Sisón negro alioscuro, F: Outarde korhaan, Outarde noire South Africa (br) [659] CITES Identification Manual Reference: A-215.012.001.001 TT Eupodotis afraoides (Smith, 1831) В 456, 891, 1007, 1008, 1360 Synonym: Eupodotis afra afraoides E: White-quilled Bustard, S: Sisón negro aliclaro, F: Outarde à miroir blanc Angola (br) [5267]; Botswana (br) [1102]; Lesotho [486]; Namibia (br) [659]; South Africa (br) [659] Eupodotis bengalensis (Gmelin, 1789) I 381, 382, 595, 863, 864, 891 Synonym: Houbaropsis bengalensis E: Bengal Bustard, Bengal Florican, S: Avutarda bengalí, Avutarda de Bengala, Sisón bengali, F: Outarde de l'Inde, Outarde du Bengale Bangladesh (ex, br) [804, 909]; ?Cambodia (br) [5243]; India (br) [864, 1197]; Nepal (br) [862, 865]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-215.012.005.001 Eupodotis caerulescens (Vieillot, 1820) II B 595, 891, 1007, LR/nt 1008, 1360 E: Blue Bustard, Blue Korhaan, S: Sisón azul, Sisón azulado, F: Outarde plombée Lesotho (br) [486]; South Africa (br) [659] CITES Identification Manual Reference: A-215.012.004.002 Eupodotis gindiana Oustalet, 1881 Η В 891, 1006, 1292, 1360 Synonym: Eupodotis ruficrista gindiana E: Buff-crested Bustard, S: Sisón moñudo etiope, F: Outarde d'Oustalet Djibouti (br?) [427]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [432, 659]; Uganda (br?) [659] Eupodotis hartlaubii (Heuglin, 1863) 891, 1006, 1360 Synonym: Lissotis hartlaubii E: Hartlaub's Bustard, S: Sisón de Hartlaub, Sisón ventrinegro de Hartlaub, F: Outarde de Hartlaub Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br?) [429, 5252]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [432, 659]; Uganda (br?) [659] CITES Identification Manual Reference: A-215.012.006.002 Eupodotis humilis (Blyth, 1856) TT R LR/nt 595, 891, 1006, 1360 E: Little Brown Bustard, S: Sisón somalí, F: Outarde somalienne Ethiopia (br?) [424, 429, 659]; Somalia (br) [429, 3747, 3748, 5252] CITES Identification Manual Reference: A-215.012.004.003 Eupodotis indica (Miller, 1782) II 381, 382, 595, 764, 891, 1234, 1235, 1236 Synonym: Sypheotides indica E: Lesser Florican, Likh, S: Sisón de penacho, Sisón indio, F: Outarde naine de l'Inde, Outarde Bangladesh [804]; India (br) [1013, 1197, 1238]; Nepal (br?) [865]; Pakistan CITES Identification Manual Reference: A-215.012.010.001 891, 1006, 1007, Eupodotis melanogaster (Rüppell, 1835) В II 1008, 1360 Synonym: Lissotis melanogaster

E: Black-bellied Bustard, Black-bellied Korhaan, S: Sisón ventrinegro, Sisón ventrinegro

común, F: Outarde à ventre noir

Angola (br) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [569, 659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [429, 5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [432, 659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-215.012.006.003

Eupodotis rueppellii (Wahlberg, 1856)

II 891, 1007, 1008, В 1360

E: Damara Korhaan, Rueppell's Bustard, S: Sisón de Damaraland, Sisón de Rüppell,

F: Outarde de Rüppell

Angola (br?) [5267]; Namibia (br) [659, 1375]

CITES Identification Manual Reference: A-215.012.004.004

Eupodotis ruficrista (Smith, 1836)

II В

891, 1007, 1008, 1360

Synonym: Lophotis ruficrista

E: Crested Korhaan, Red-crested Bustard, S: Sisón moñirrojo, Sisón moñudo austral,

F: Outarde houppette, Outarde naine

Angola (br) [5267]; Botswana (br) [1102]; Mozambique (br?) [659]; Namibia (br) [659]; South

Africa (br) [659]; Swaziland (br) [1139]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-215.012.007.002

Eupodotis savilei (Lynes, 1920)

II В 891, 1360

Synonym: Lophotis savilei

E: Savile's Bustard, S: Avutarda de Savile, Sisón moñudo de saheliano, F: Outarde de Savile Burkina Faso (br?) [659]; Cameroon (br) [6295]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Gambia [760]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal

II

TT

(br) [659]; Sudan (br) [659] CITES Identification Manual Reference:

A-215.012.007.003

В

A-215.012.004.005

Eupodotis senegalensis (Vieillot, 1820)

Synonym: Neotis cafra E: Senegal Bustard, White-bellied Bustard, White-bellied Korhaan, S: Sisón senegalés,

F: Outarde du Sénégal

Angola (br?) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [555, 659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [1078]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; ?Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [432, 659]; ?Togo (br) [5254]; ?Uganda (br) [659]; Zambia (br) [659]

Eupodotis vigorsii (Smith, 1831)

CITES Identification Manual Reference:

В 891, 1007, 1008,

1360 E: Karoo Bustard, Karoo Korhaan, Vigors's Bustard, S: Sisón de Vigors, Sisón del karroo,

F: Outarde de Vigors

Lesotho (br) [486]; Namibia (br) [659, 1375]; South Africa (br) [659]

CITES Identification Manual Reference: A-215.012.004.006

Neotis denhami (Children, 1826) H В LR/nt 614, 891, 1006,

1007, 1008, 1360

891, 1006, 1008,

1360

Synonym: Neotis burchellii

OTIDIDAE CITES EC Reg. RL References

E: Denham's Bustard, Stanley Bustard, S: Avutarda cafre, Avutarda de Burchell, Avutarda de Denham, F: Outarde de Burchell, Outarde de Denham
Angola (br?) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345];
Burundi (br?) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659];
Congo [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br?) [429, 659]; Gabon (v) [659]; Gambia [760]; Ghana [782]; Guinea (br?) [1078]; Kenya (br) [1358, 5253]; Lesotho (v) [486]; Malawi (br) [1103, 1433]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [432, 659]; Togo (v) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br?) [659, 851] CITES Identification Manual Reference:

A-215.012.008.002

II

Neotis heuglinii (Hartlaub, 1859)

B 891, 1006, 1360, 3747

E: Heuglin's Bustard, S: Avutarda de Heuglin, Avutarda somalí, F: Outarde de Heuglin Djibouti (br?) [427]; Eritrea (v) [659]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252]

CITES Identification Manual Reference: A-215.012.008.004

Neotis ludwigii (Rüppell, 1837)

II B 891, 1007, 1008,

E: Ludwig's Bustard, S: Avutarda de Ludwig, Avutarda de Namibia, F: Outarde de Ludwig Angola (br?) [5267]; Botswana (v) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br?) [516, 659]

CITES Identification Manual Reference: A-215.012.008.005

Neotis nuba (Cretzschmar, 1826)

II B LR/nt 595, 614, 891, 1006, 1360

E: Nubian Bustard, S: Avutarda núbica, F: Outarde de Nubie, Outarde nubienne Cameroon (br) [6295]; Chad (br?) [659]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 1101]; Nigeria (v); Sudan (br?) [659]

CITES Identification Manual Reference: A-215.012.008.006

Otis tarda Linnaeus, 1758

II A VU 381, 591, 594, 595, 614, 841, 891, 1360

E: Great Bustard, S: Avutarda, Avutarda común, Avutarda euroasiática, F: Grande Outarde, Outarde barbue

Afghanistan [694]; Albania (v); Algeria (**ex**, br) [971]; Austria (br) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (**ex**, br) [5280]; China (br) [937, 5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (ex, br) [666]; Egypt (v) [756]; Finland (v) [1300]; France (**ex**, br) [7041]; Germany (br) [655, 5274]; Gibraltar (v); Greece (**ex**, br) [5281]; Hungary (br) [695, 696, 5257]; Iran (Islamic Republic of) (br) [1253, 6445]; Iraq (**ex**, br) [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Japan (v) [503]; ?Jordan [6454]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of (v) [1436]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [937, 1306]; Morocco (br) [461, 6523]; Myanmar (v) [1290]; Netherlands (v) [5273]; Pakistan (v); Poland (**ex**, br) [460, 1348]; Portugal (br) [534, 1332]; Romania (br) [558]; Russian Federation (br) [710, 937, 938]; Saudi Arabia (v) [881]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [696, 702, 1126]; Sweden (**ex**, br) [1199]; Switzerland (ex, br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tunisia (v) [1344]; Turkey (br) [765, 911, 5282]; Turkmenistan [710]; Ukraine (br) [710]; United Kingdom (ex, br) [6188]; Uzbekistan (br) [710]; Yugoslavia (ex, br) [1038] CITES Identification Manual Reference: A-215.012.009.001

Tetrax tetrax (Linnaeus, 1758)

II A LR/nt 381, 595, 614, 891, 1250, 1360

Synonym: Otis tetrax

E: Little Bustard, S: Gallo lira, Sisón, Sisón común, F: Outarde canepetière Afghanistan (v) [694]; Albania (br); Algeria (br) [455, 971]; Austria (v) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Egypt [756]; Finland (v) [1300]; France (br) [390, 7041]; Georgia [710]; Germany (v) [5274]; Greece (ex, br) [5281]; Hungary (v) [5257]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [1154, 1239, 5289]; Japan (v) [503]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malta (v); Morocco (br) [461]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v); Pakistan; Poland (v) [1348]; Portugal (br) [1332]; Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan [374]; Tunisia (ex, br) [1344]; Turkey (br) [911, 5282]; Turkmenistan [710]; Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br?) [710]; Yugoslavia (ex, br) [1038] CITES Identification Manual Reference:

A-215.012.011.001

Order: CHARADRIIFORMES

Family: BURHINIDAE

Burhinus bistriatus (Wagler, 1829)

III GT C

387, 816, 1068

E: Double-striped Thick-knee, S: Alcaraván, Alcaraván americana, Alcaraván venozolano, Dara, F: Oedicnème américain, Oedicnème bistrié

Barbados (v) [5242]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guatemala (br) [5241]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (v); Nicaragua (br) [1195]; United States (v) [387]; Venezuela (br) [1070]

Ι

Ι

Family: SCOLOPACIDAE

Numenius borealis (Forster, 1772)

A CR 387, 485, 590, 595, 598, 671,

690, 749, 816, 874, 888, 931

E: Eskimo Curlew, S: Chorlito esquimal, Chorlo polar, Zarapito boreal, Zarapito esquimal, Zarapito polar, F: Courlis esquimau

Argentina (v) [465, 5291]; Barbados (v) [5242]; Bermuda (v) [389]; Bolivia (v) [6986]; Brazil [6186]; Canada (br?) [748]; Chile (v) [5292]; Falkland Islands (Malvinas) (v) [1439]; French Guiana [1349]; Greenland (v); Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (v) [5241]; Guyana [1295]; Iceland (v) [507]; Ireland (v) [858]; Mexico (v) [5241]; Paraguay [5295]; Puerto Rico (v) [1176]; Russian Federation (v) [710]; Saint Vincent and the Grenadines (v) [5242]; Suriname [5296]; Trinidad and Tobago (v) [703]; United Kingdom (v) [6188]; United States (br?, v) [387]; Uruguay (v) [5287]; Virgin Islands (U.S.) (v)

Numenius tenuirostris Vieillot, 1817

A CR

414, 595, 612, 779, 816, 841,

888, 1360

E: Slender-billed Curlew, S: Zarapito fino, F: Courlis à bec grêle
Algeria (v) [971]; Austria (v) [1215]; Belgium (v) [5272]; Bosnia and Herzegovina [1038];
Bulgaria (v) [5280]; Canada (v) [748]; Croatia [5290]; Cyprus (v) [709]; Czech Republic
(v) [5258]; Egypt (v) [756]; France (v) [7041]; Georgia (v); Germany (v) [5274];
Greece [5281]; Hungary [5257]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385]; Israel
(v) [5245]; Italy [5289]; ?Japan (v) [503]; Jordan (v) [395]; Kazakhstan [5269]; Kuwait
(v) [537]; Latvia (v) [5278]; Libyan Arab Jamahiriya (v) [536]; Malta (v); Morocco [461, 481];
Netherlands (v) [5273]; Oman (v); Poland (v) [1348]; Portugal (v) [1332]: Portugal (v), Azores
(v); Romania [558]; Russian Federation (br) [710, 938]; Slovakia (v) [5279]; Slovenia [1038];
Spain (v) [702]; Switzerland (v) [5288]; Tunisia [1344]; Turkey [5282]; Turkmenistan; Ukraine
(v) [710]; Uzbekistan; Yemen (v) [5297]; Yugoslavia [1038]

SCOLOPACIDAE

CITES EC Reg. RL

References

Tringa guttifer (Nordmann, 1835)

I A EN 381, 595, 816, 852, 853, 888, 929, 931

E: Nordmann's Greenshank, Spotted Greenshank, S: Archibebe manchado, Archibebe

moteado, F: Chevalier à gouttelette, Chevalier tacheté
Australia (v) [477]; Bangladesh [804]; Cambodia [5243, 6476]; China [5293]; Guam (v) [503];
Hong Kong (v) [921]; India (v) [1197]; Indonesia (v) [393]: Sumatera; Japan [503]; Korea,
Democratic People's Republic of [762]; Korea, Republic of [1436]; Malaysia [1289]: Peninsular
Malaysia, Sabah, Sarawak; Myanmar [1290]; Philippines [5270]; Russian Federation (br) [489,
710, 938]; Singapore (v) [791]; Taiwan, Province of China (v); Thailand [487]; Viet Nam [5264]

Family: LARIDAE

Larus relictus Lönnberg, 1931

I A VU 595, 802, 931, 933, 1454

E: Relict Gull, S: Gaviota de Mongolia, Gaviota relicta, F: Goéland de Mongolie, Goéland relique, Mouette relique

China (br) [5293]; Hong Kong (v); Japan (v) [503]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Mongolia (br) [704, 1306]; Russian Federation (br) [710, 938]; Viet Nam (v) [5264]

Order: COLUMBIFORMES Family: COLUMBIDAE

Caloenas nicobarica (Linnaeus, 1758)

I A LR/nt 381, 595, 758, 929, 931

E: Nicobar Dove, Nicobar Pigeon, S: Paloma calva, Paloma de Nicobar, F: Nicobar à camail, Pigeon à camail, Pigeon à collerette, Pigeon de Nicobar Brunei Darussalam; Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah; Myanmar (br) [1290]; Palau (br) [1171]; Papua New Guinea (br); Philippines (br) [5270]; Solomon Islands (br) [5260]; Thailand (br) [487]; Viet Nam (br) [5264] CITES Identification Manual Reference:

Claravis godefrida (Temminck, 1811)

A EN

E: Purple-barred Ground-Dove, Purple-winged Ground-Dove, F: Colombe de Geoffroy Argentina (br) [5291]; Brazil (br) [6186, 6292]; Paraguay (br) [5295, 6321]

Columba caribaea Jacquin, 1784

B VU

E: Ring-tailed Pigeon, F: Pigeon de la Jamaïque Jamaica (br) [657]

Columba guinea Linnaeus, 1758

III GH C

511, 573, 758, 1222, 1256, 1292, 1360

E: Speckled Pigeon, Speckled Rock Pigeon, Triangular-spotted Pigeon, S: Paloma de Guinea,

F: Pigeon de Guinée, Pigeon roussard

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [565, 5254]; Uganda (br) [659]; Yemen (v) [6456]; Zimbabwe (br) [659]

Columba iriditorques Cassin, 1856

III GH C

758, 1256, 1292, 1360

Synonym: Turturoena iriditorques

E: Western Bronze-naped Pigeon, F: Pigeon à nuque bronzée

Angola (br?) [5267]; Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic

(br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]: Equatorial Guinea; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br?) [1183, 1389]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]; Zambia (br) [659]

Columba livia Gmelin, 1789

III GH A

381, 614, 758, 841, 986, 1256, 1292

E: Common Pigeon, Feral pigeon, Rock Dove, Rock Pigeon, S: Paloma bravia, Paloma bravía, Paloma Doméstica, F: Pigeon biset, Pigeon domestique Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (int, br) [516, 5267]; Anguilla (int) [5242, 6791]; Antiqua and Barbuda (int, br) [5242]; Argentina (int, br); Armenia (br) [5240]; Austria (int, br) [1215]; Azerbaijan (br) [710]; Bahamas (int) [5242]; Bangladesh (br) [804]; Barbados (int, br) [5242]; Belarus (br); Bhutan (br) [5261]; Bolivia (int, br); Bosnia and Herzegovina (br) [1038]; Brunei Darussalam (int, br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cambodia (int, br) [5243]; Cape Verde (br) [820]; Cayman Islands (int); Chad (br) [659]; Chile (int, br); China (br) [5293]; Costa Rica (int, br) [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (int) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Djibouti (int, br) [427]; Dominica (int, br) [5242]; Dominican Republic (int) [1312]: Dominican Republic [515, 574]; Ecuador (int, br) [5294]: Galapagos; Egypt (br) [756]; Eritrea (v) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Fiji (br) [1171]; France (br) [7041]; French Polynesia (int, br) [1171]; Gambia (br) [760]; Georgia (br) [710]; Ghana (br?) [782]; Gibraltar (int, br); Greece (br) [5281]; Grenada (int) [5242]; Guadeloupe (int) [5242]; Guatemala (int, br) [448, 5241]; Guinea (br?); Guinea-Bissau (br?) [659]; Haiti (int) [1408]; Iceland (br) [507]; India (br) [1197]; Indonesia (int, br) [393, 844, 1032]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (int) [657]; Japan [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (int, br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (int, br) [486]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (int, br); Lithuania (br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (int, br): Peninsular Malaysia, Sabah, Sarawak; Maldives (int, br) [431]; Mali (br) [659]; Malta (br); Martinique (int) [5242]; Mauritania (br) [659]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Montserrat (int) [5242]; Morocco (br) [461]; Mozambique (int, br) [516, 659]; Myanmar (br) [1290]; Namibia (int, br) [659]; Nepal (br) [865]; Netherlands Antilles (int); New Zealand (int, br); Niger (br) [659]; Nigeria (br); Norway (br) [5275]; Oman (br); Pakistan (br); Peru (int, br); Portugal (br) [1332]: Portugal (br), Azores (int, br), Madeira (int, br); Puerto Rico (int) [1176]; Romania (br) [558]; Russian Federation (br) [710]; Saint Helena (int, br); Saint Kitts and Nevis (int) [5242]; Saint Lucia (int, br) [5251]; Saint Pierre and Miquelon (int?, br) [683]; Saint Vincent and the Grenadines (int) [5242]; Sao Tome and Principe (br) [659]: Sao Tome [668]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Seychelles (int, br) [659, 721]; Singapore (int, br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (int, br) [5252]; South Africa (int, br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (int, br); Swaziland (int, br) [1139]; Sweden (br) [1199]; Switzerland (int, br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br); Tajikistan (br) [374]; Thailand (int, br); Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (int); Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]; Viet Nam (int, br) [5264]; Virgin Islands (British) (int); Virgin Islands (U.S.) (int, br); Western Sahara (br); Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia (int, br) [516, 659]; Zimbabwe (int, br) [516, 659]

Columba mayeri Prévost, 1843

on roca

III MU C

EN 595, 597, 758

Synonym: Nesoenas mayeri

E: Pink Pigeon, S: Paloma de Mauricio, F: Pigeon rose

Mauritius (br) [659]

CITES Identification Manual Reference:

A-217.003.006.052

VU

Columba oenops Salvin, 1895

E: Peruvian Pigeon, S: Paloma Peruana, F: Pigeon du Pérou

Peru (br) [1136, 6680, 6681]

CITES EC Reg. RL References COLUMBIDAE

Columba unicincta Cassin, 1860

III GH C

511, 758, 1256, 1292, 1360

E: Afep Pigeon, African Wood-Pigeon, Grey Wood-Pigeon, S: Paloma afep, F: Pigeon gris,

Pigeon gris écailleux

Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [1078]; Liberia (br) [5246]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; ?Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]

Didunculus strigirostris (Jardine, 1845)

EN

E: Tooth-billed Pigeon, F: Diduncule strigirostre Samoa (br) [1394]

595, 758 VU Ducula mindorensis (Whitehead, 1896)

E: Mindoro Imperial-pigeon, Mindoro Imperial-Pigeon, Mindoro Zone-tailed Pigeon, S: Paloma de Mindoro, F: Carpophage de Mindoro, Pigeon de Mindoro

Philippines (br) [5270]

A-217.003.011.021 CITES Identification Manual Reference:

VU Ducula pickeringii (Cassin, 1854)

E: Grey Imperial-pigeon, Grey Imperial-Pigeon, S: Dúcula gris, F: Carpophage de Pickering Indonesia (br) [393]: Kalimantan, Sulawesi; Malaysia (br): Sabah, Sarawak; Philippines (br) [5270]

Gallicolumba criniger

D ΕN

(Pucheran, 1853)

E: Mindanao Bleeding-heart, S: Paloma apuñalada de Mindanao, F: Gallicolombe de Barlett, Gallicolombe de Bartlett

Philippines (br) [5270]

A-217.003.012.004 CITES Identification Manual Reference:

LR/nt 595, 758, 1166 Gallicolumba luzonica (Scopoli, 1786)

E: Bleeding Heart Dove, Bleeding Heart Pigeon, Luzon Bleeding-heart, S: Paloma apuñalada, Paloma apuñalada de Luzón, F: Colombe poignardée, Gallicolombe poignardée

Philippines (br) [5270]

CITES Identification Manual Reference: A-217.003.012.010

595, 758, 1242 II VU Goura cristata (Pallas, 1764)

E: Blue Crowned-Pigeon, Common Crowned Pigeon, Great Goura, Western Crowned-pigeon,

Western Crowned-Pigeon, S: Paloma crestada azul, F: Goura couronné

Indonesia (br) [393, 1003]: Irian Jaya

A-217.003.015.002 CITES Identification Manual Reference:

452, 595, 758, Goura scheepmakeri Finsch, 1876 В

E: Maroon-breasted Crowned-Pigeon, Masked Goura, Scheepmaker's Crowned-Pigeon, Southern Crowned-pigeon, Southern Crowned-Pigeon, S: Paloma crestada de Scheepmaker, F: Goura de Scheepmaker, Goura de Sclater

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]

A-217.003.015.003 CITES Identification Manual Reference:

452, 595, 758, VU Η Goura victoria (Fraser, 1844) 1242

E: Victoria Crowned-pigeon, Victoria Crowned-Pigeon, Victoria Goura, S: Paloma crestada victoria, F: Goura de Victoria

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

A-217.003.015.004 CITES Identification Manual Reference:

COLUMBIDAE

CITES EC Reg. RL

Α

CR

References

Leptotila wellsi (Lawrence, 1884)

E: Grenada Dove, F: Colombe de Grenade

Grenada (br) [5242]

Oena capensis (Linnaeus, 1766)

III GH C

511, 573, 614, 758, 1222, 1256, 1292, 1360

E: Long-tailed Dove, Masked Dove, Namaqua Dove, S: Palomita especulada capense, F: Tourtelette masquée, Tourterelle à masque de fer, Tourterelle du Cap, Tourterelle masquée Algeria (br) [971]; Angola (br) [5267]; Bahrain [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire [1334]; Cyprus (v) [6448]; Democratic Republic of the Congo; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau [659]; Iraq (v) [385]; Israel (br) [5245]; Jordan [395]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Lesotho (br) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (br); Qatar (br) [1393, 6470]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; United Arab Emirates (v) [1192]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Ptilinopus marchei (Oustalet, 1880)

D V

E: Flame-breasted Fruit-dove, S: Tilopo de Marche, F: Ptilope de Marche Philippines (br) [5270]

Streptopelia decipiens (Hartlaub & Finsch, 1870)

511, 573, 758, 1222, 1256, 1292, 1360

E: African Mourning Dove, Mourning Collared-Dove, S: Tórtola engañosa, F: Tourterelle pleureuse

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia roseogrisea (Sundevall, 1857)

III GH C

III GH C

758, 841, 1256, 1292, 1360

E: African Collared-Dove, Pink-headed Dove, Rose-grey Dove, S: Tórtola rosigris,

F: Tourterelle rieuse

Bahrain (v) [1105]; Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br?) [760]; Ghana (v) [782]; Israel (v); Jordan (v) [6454]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br?); Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Yemen (br) [5297]

Streptopelia semitorquata (Rüppell, 1837)

III GH C

511, 573, 758, 841, 1222, 1256, 1292, 1360

E: Red-eyed Dove, S: Tórtola rizum, F: Tourterelle à collier

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345];

Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad

(br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo

(br?); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia

(br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389];

Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi

(br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659];

COLUMBIDAE CITES EC Reg. RL References

Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia senegalensis (Linnaeus, 1766)

III GH C

381, 511, 573, 614, 758, 841, 1222, 1256, 1292, 1360

E: Laughing Dove, Palm Dove, Senegal Dove, S: Tórtola del Senegal, Tórtola Reidora, Tórtola senegalesa, F: Tourterelle des palmiers, Tourterelle maillée Afghanistan (br) [694]; Algeria (br) [971]; Angola (br) [5267]; Australia (int, br) [477]; Bahrain (v) [1105]; Bangladesh (br) [804]; Benin (br?) [659]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (br) [5293]; Côte d'Ivoire (br) [1334]; Cyprus (v) [709]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Finland (v) [1300]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Greece (v) [5281]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536, 6303]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (br); Pakistan (br); Portugal (v): Portugal (v); Qatar (br) [1393, 6470]; Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; United Arab Emirates (br) [1192]; Uzbekistan (br) [710]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia turtur (Linnaeus, 1758)

III GH A

511, 614, 758, 841, 1081, 1360

E: European Turtle-Dove, Turtle Dove, Western Turtle-Dove, S: Tórtola común, F: Tourterelle des bois

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (br) [1105]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon [659]; Cape Verde [820]; Chad (br) [659]; China (br) [5293]; Comoros (v) [6276]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6294, 6403]; Denmark (br) [666]; Djibouti (v) [427]; Egypt (br) [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [1079]; Guinea-Bissau [659]; Hungary (br) [5257]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (v) [788, 5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659]; Malta (br); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Namibia (v) [659, 1434]; Netherlands (br) [5273]; Niger (br?) [659]; Nigeria; Norway (v) [5275]; Oman (br); Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (br); Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Seychelles (v) [659, 721]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; ?United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Yugoslavia (br) [1038]

COLUMBIDAE

CITES EC Reg. RL

References

Streptopelia vinacea (Gmelin, 1789)

III GH C

511, 758, 1256, 1292, 1360

E: Vinaceous Dove, S: Tórtola vinosa, F: Pigeon vert à front nu, Tourterelle vineuse Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Liberia [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Treron calva (Temminck, 1808)

III GH C

511, 573, 758, 1222, 1256, 1292, 1360

Synonym: Treron australis calva

E: African Green-Pigeon, S: Vinago obeng, F: Colombar à front nu Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Treron sieboldii (Temminck, 1835)

E: White-bellied Green-pigeon, S: Vinago Japonés, F: Colombar de Siebold China [5293]; Japan [503]; Korea, Republic of (v) [1436]; Lao People's Democratic Republic [6187]; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

Treron waalia (Meyer, 1793)

III GH C

511, 758, 1256, 1292, 1360

E: Bruce's Green-Pigeon, Yellow-bellied Green-Pigeon, S: Vinago waalia, F: Colombar waalia, Pigeon vert à épaulettes violettes, Pigeons à épaulettes violettes
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African
Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the
Congo (br?); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760];
Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br?) [5253]; Mali
(br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br?); Saudi Arabia
(br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254];
Uganda (br?) [659]; Yemen (br) [5297]

Turacoena modesta (Temminck, 1835)

) VU

E: Black Cuckoo-dove, S: Paloma de Timor, F: Phasianelle modeste Indonesia (br) [393]: Lesser Sunda Is

Turtur abyssinicus (Sharpe, 1902)

III GH C

511, 758, 1256, 1292, 1360

E: Black-billed Wood-Dove, S: Palomita especulada abisinica, F: Emerauldine à bec noir, Tourtelette d'Abyssinie

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo [6294]; Djibouti (br) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br?) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Turtur afer (Linnaeus, 1766)

III GH C

511, 573, 758, 1256, 1292, 1360

E: Blue-spotted Wood-Dove, Red-billed Wood-Dove, S: Palomita especulada africana,

F: Emerauldine à bec rouge, Tourtelette améthystine

CITES EC Reg. RL

References

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br?) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Turtur brehmeri (Hartlaub, 1865)

III GH

758, 1256, 1292, 1360

E: Blue-headed Dove, Blue-headed Wood-Dove, S: Palomita especulada cobriza, F: Tourtelette demoiselle, Tourterelle à tête bleue

Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [570, 5254]

Turtur tympanistria (Temminck, 1809)

III GH C

511, 573, 758, 1222, 1256, 1292, 1360

Synonym: Tympanistria tympanistria

E: Tambourine Dove, S: Tórtola tamborilera, F: Tourtelette tambourette, Tourterelle tambourette

Angola (br) [5267]; Benin (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Comoros (int, br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [570, 5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Order: PSITTACIFORMES
Family: PSITTACIDAE

Agapornis canus (Gmelin, 1788)

B 713, 1292

E: Grey-headed Lovebird, Madagascar Lovebird, S: Inseparable malgache, F: Inséparable à tête grise

Comoros (int, br) [659]; Madagascar (br) [633, 5249]; Mayotte (int, br); Seychelles (ex, br) [659]

Agapornis fischeri Reichenow, 1887

B LR/nt 511, 595, 713, 723, 1254, 1292

E: Fischer's Lovebird, S: Inseparable de Fischer, F: Inséparable de Fischer, Perruche de Fischer Burundi (v) [659]; Kenya (int, br) [5253]; Rwanda (v) [659]; Tanzania, United Republic of (br) [659]

Agapornis lilianae Shelley, 1894

II B

II

573, 713, 723, 1254, 1292

E: Lilian's Lovebird, Nyasa Lovebird, S: Inseparable del Nyasa, F: Inséparable de Lilian, Perruche de Lilian

Malawi (br?) [1103]; Mozambique (br?) [659]; Tanzania, United Republic of (br?) [659]; Zambia (br?) [659]; Zimbabwe (br?) [659]

PSITTACIDAE	CITES	EC Reg.	RL	References
Agapornis nigrigenis Sclater, 1906	II	В	VU	573, 595, 597, 713, 1254, 1292
Synonym: Agapornis lilianae nigrigenis E: Black-cheeked Lovebird, S: Inseparable cachetó joue noire	on, F: Ins	éparable	à joues n	oires, Perruche à
Botswana [1102]; Namibia [659]; Zambia (br) [659]]; Zimbal	owe (ex?,	br) [659]	
Agapornis personatus Reichenow, 1887	II	В		511, 713, 723, 1292
E: Black-masked Lovebird, Masked Lovebird, Yellov cabecinegro, F: Inséparable masqué, Perruche mas Burundi (int, br) [659]; Kenya (int, br) [5253]; Tan	squé			
Agapornis pullarius (Linnaeus, 1758)	II	В		511, 713, 723,
E: Red-faced Lovebird, Red-headed Lovebird, S: In rouge, Perruche à tête rouge Angola (br?) [5267]; Benin (br?) [659]; Burundi (br African Republic (br) [659]; Chad (br?) [659]; Cong Democratic Republic of the Congo (br?); Equatorial Bioko; Ethiopia (br?) [659]; Gabon (br?) [659]; Ghad (br?) [5253]; Liberia (int, br?) [5246]; Mali [6906]; In and Principe (br) [659]; Sierra Leone (br) [659]; Surand (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659] **Agapornis roseicollis* (Vieillot, 1818)* E: Peach-faced Lovebird, Rosy-faced Lovebird, S: If face rose, Inséparable rosegorge, Perruche à face rose, Inséparable rosegorge, Perruche à face rose, Inséparable (br) [659]; South Africa) [659]; (o (br?) [l Guinea ana (br?) Nigeria (l idan (br? 9] II nseparab	Cameroor 559]; Côt (br) [659, [782]; Gi or); Rwar) [659]; T B	n (br?) [65 e d'Ivoire . 1183]: E uinea (br: ida (br) [6 anzania,	59]; Central (br?) [1334]; quatorial Guinea, ?) [1078]; Kenya 559]; Sao Tome United Republic 573, 713, 723, 1254, 1256
Agapornis swindernianus (Kuhl, 1820)	II	В		511, 713, 723,
E: Black-collared Lovebird, S: Inseparable acollarac collier noir, Inséparable de Swindern, Perruche de S Cameroon (br?) [659]; Central African Republic (br (br?) [1334]; Democratic Republic of the Congo (br (br) [659]; Ghana (br?) [782]; Liberia (br?) [5246];	Swindern ?) [659];); Equato	Congo (b Orial Guin	r?) [659]; ea [6426]	Côte d'Ivoire
Agapornis taranta (Stanley, 1814) E: Abyssinian Lovebird, Black-winged Lovebird, S: d'Abyssinie Eritrea (br?) [659]; Ethiopia (br) [659]	II Insepara	B ble Abisir	nio, F: Ins	713, 723, 1292 éparable
Alisterus amboinensis (Linnaeus, 1766) E: Ambon King-Parrot, Moluccan King-parrot, Moluc F: Perruche tricolore Indonesia (br) [393]: Irian Jaya [1410], Moluccas, S		B g-Parrot,	S: Papaga	595, 713, 1254 ayo Moluqueño,
Alisterus chloropterus (Ramsay, 1879) E: Green-winged King-Parrot, Papuan King-Parrot, vertes Indonesia (br) [393]: Irian Jaya; Papua New Guinea		B Jayo papú	ı, F: Perru	713, 1254 uche à ailes
Alisterus scapularis (Lichtenstein, 1818) E: Australian King-Parrot, S: Papagayo australiano, Australia (br) [477]	II , F: Perru	B che roya	e	713, 1288
Amazona aestiva (Linnaeus, 1758) E: Blue-fronted Amazon, Blue-fronted Parrot, Turqu Loro hablador, F: Amazone à front bleu Argentina (br) [465, 5291]; Bolivia (br) [1186]; Braz CITES Identification Manual Reference:	il (br) [6]; Paragu	ŕ

CITES EC Reg. RL References **PSITTACIDAE** Π VU 387, 485, 595, Amazona agilis (Linnaeus, 1758) 713, 1254 E: Black-billed Amazon, Black-billed Parrot, S: Amazona Jamaicana piquioscura, Amazonico activo, Amazonico jamaica, Amazonico todo verde, F: Amazone agile, Amazone verte Jamaica (br) [657] A-218.003.005.003 CITES Identification Manual Reference: В 387, 713, 1194 II Amazona albifrons (Sparrman, 1788) E: White-fronted Amazon, White-fronted Parrot, S: Amazona frentialba, Loro frente blanca, Perico manglero, F: Amazone à front blanc Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (ex?, br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195] CITES Identification Manual Reference: A-218.003.005.004 713, 1068, 1194 II В Amazona amazonica (Linnaeus, 1766) E: Orange-winged Amazon, Orange-winged Parrot, S: Amazona alinaranja, Loro guaro, F: Amazone à ailes oranges, Amazone à ailes vertes, Amazone aourou Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Puerto Rico (int, br) [1176]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] A-218.003.005.005 CITES Identification Manual Reference: VU 387, 485, 595, Amazona arausiaca (Müller, 1776) I Α 598, 685, 713, 931, 1254 E: Jacquot, Red-necked Amazon, Red-necked Parrot, S: Amazona cabenazul, Amazona cabeza azul, Amazona gorgirroja, F: Amazone à cou rouge, Amazone de Bouquet Dominica (br) [5242] A-218.003.005.006 CITES Identification Manual Reference: Amazona auropalliata (Lesson, 1842) 387, 713, 1142 E: Yellow-naped Amazon, Yellow-naped Parrot, S: Loro nuquiamarillo, F: Amazone à nuque d'or Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195] П В 387, 713, 1068, Amazona autumnalis (Linnaeus, 1758) E: Red-lored Amazon, Red-lored Parrot, S: Amazona frentirroja, Cotorra cucha, Loro frente roja, Loro frentirrojo, F: Amazone à joues jaunes, Amazone diadème Belize (br) [5241]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070] CITES Identification Manual Reference: A-218.003.005.007 595, 598, 713, VU Amazona barbadensis (Gmelin, 1788) 1068, 1194, 1254 E: Yellow-shouldered Amazon, Yellow-shouldered Parrot, S: Amazona de espalda amarilla, Amazona hombrogualda, Cotorra cabeciamarilla, Loro de Barbados, F: Amazone à épaulettes jaunes, Amazone de la Barbade Aruba (ex?, br) [1380]; Netherlands Antilles (br); Venezuela (br) [1070, 1214, 1277, 1373] A-218.003.005.008 CITES Identification Manual Reference: 595, 598, 713, EN Amazona brasiliensis (Linnaeus, 1758) 931, 1068, 1142, 1194, 1240 E: Red-tailed Amazon, Red-tailed Parrot, S: Amazona colirroja, Loro brasileño, Loro cariazul, Papagayo de cara roja, F: Amazone à joues bleues, Amazone à queue rouge, Amazone du Brésil

A-218.003.005.009

Brazil (br) [6186]

CITES Identification Manual Reference:

PSITTACIDAE CITES EC Reg. RL References Η В VU 387, 485, 595, Amazona collaria (Linnaeus, 1758) 713, 1254 E: Yellow-billed Amazon, Yellow-billed Parrot, S: Amazona Jamaicana piquiclara, Loro de Jamaica, F: Amazone de la Jamaïque, Amazone sasabé Jamaica (br) [657] CITES Identification Manual Reference: A-218.003.005.010 Amazona dufresniana (Shaw, 1812) II В LR/nt 595, 713, 1068, 1194 E: Blue-cheeked Amazon, Blue-cheeked Parrot, S: Amazona cariazul, Loro cariazul, F: Amazone à joues bleues, Amazone de Dufresne ?Brazil [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela A-218.003.005.011a CITES Identification Manual Reference: 387, 713, 1068, Η В Amazona farinosa (Boddaert, 1783) 1194 E: Mealy Amazon, Mealy Parrot, S: Amazona harinosa, Loro burrón, Loro cabeza azul, Loro verde, F: Amazone farineuse, Amazone poudrée Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] CITES Identification Manual Reference: A-218.003.005.012 713, 1068, 1194 Amazona festiva (Linnaeus, 1758) E: Festive Amazon, Festive Parrot, S: Amazona festiva, Loro Iomirrojo, F: Amazone festive, Amazone tavoua Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br?) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Venezuela (br) [1070] CITES Identification Manual Reference: A-218.003.005.013 387, 595, 713 Amazona finschi (Sclater, 1864) II В E: Lilac-crowned Amazon, Lilac-crowned Parrot, S: Amazona guayabera, Cotorra frente roja, Loro corona-violeta, F: Amazone à couronne lilas, Amazone de Finsch Mexico (br) [5241] A-218.003.005.014 CITES Identification Manual Reference: Amazona guildingii (Vigors, 1837) VU 387, 485, 544, 595, 598, 713, 875, 876, 931, 956, 957, 1254 E: Saint Vincent Amazon, Saint Vincent Parrot, St Vincent Amazon, St. Vincent Parrot, S: Amazona de San Vincente, Loro de San Vicente, F: Amazone de Guilding, Amazone de Saint-Vincent Saint Vincent and the Grenadines (br) [5242] CITES Identification Manual Reference: A-218.003.005.015 387, 485, 595, Amazona imperialis Richmond, 1899 EN 598, 685, 713, 931 E: Imperial Amazon, Imperial Parrot, S: Amazona imperial, Loro imperial, F: Amazone impériale Dominica (br) [5242] CITES Identification Manual Reference: A-218.003.005.016 6453 Amazona kawalli Grantsau and Camargo, 1989 II E: Kawall's Amazon, Kawall's Parrot, White-faced Amazon, S: Amazona de Kawall, F: Amazone de Kawall

Brazil (br) [6186]

CITES EC Reg. RL References PSITTACIDAE 387, 485, 595, Ι LR/nt Amazona leucocephala (Linnaeus, 1758) 713, 931 E: Bahamas Parrot, Caribbean Amazon, Cuban Amazon, Cuban Parrot, S: Amazona Cubana, Amazona de Cuba, Loro de cabeza blanca, F: Amazone à tête blanche, Amazone de Cuba Bahamas (br) [1297, 5242]; Cayman Islands (br); Cuba (br) [5259] A-218.003.005.017 CITES Identification Manual Reference: Amazona mercenaria (Tschudi, 1844) 713, 1068, 1194 E: Scaly-naped Amazon, Scaly-naped Parrot, S: Amazona mercenaria, Loro verde, F: Amazone mercenaire Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 6290] A-218.003.005.018 CITES Identification Manual Reference: В 387, 713, 1068, Amazona ochrocephala (Gmelin, 1788) 1142 E: Yellow-crowned Amazon, Yellow-crowned Parrot, Yellow-fronted Amazon, S: Amazona real, Loro cabeza amarilla, Loro mona amarilla, Loro nuca amarilla, Loro real, F: Amazone à front iaune Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br?) [703]; Venezuela (br) [1070] A-218.003.005.019 CITES Identification Manual Reference: 387, 490, 583, В EN Amazona oratrix Ridgway, 1887 II 595, 598, 713, 1142, 1254 E: Yellow-headed Amazon, Yellow-headed Parrot, S: Loro cabeciamarillo, F: Amazone à tête jaune Belize (br) [5241]; Guatemala [5241, 6753]; Honduras (br) [1076, 6326]; Mexico (br) [1367, 5241]; Puerto Rico (int, br) [1176] Ι VU 595, 598, 713, Amazona pretrei (Temminck, 1830) 931, 1068, 1142, 1194, 1254, 1275 E: Red-spectacled Amazon, Red-spectacled Parrot, S: Amazona cabecirroja, Amazona charao, Lora de cara roja, Loro cabecirrojo, Loro de cabeza roja, F: Amazone de Prêtre Argentina (br) [465, 5291]; Brazil (br) [1270, 6186]; Paraguay (br) [5295, 6321]; Uruguay (br) [5287] CITES Identification Manual Reference: A-218.003.005.020 EN 595, 598, 713, Amazona rhodocorytha (Salvadori, 1890) Α 1068, 1194, 1252, 1254 Synonym: Amazona dufresniana rhodocorytha E: Red-browed Amazon, Red-browed Parrot, Red-topped Amazon, Red-topped Parrot, S: Amazona coronirroja, Amazona crestirroja, Loro de mejillas azules, F: Amazone à cronne rouge, Amazone à sourcils rouges Brazil (br) [6186] CITES Identification Manual Reference: A-218.003.005.011 713, 1068, 1142 Amazona tucumana (Cabanis, 1885) E: Alder Parrot, Tucuman Amazon, Tucuman Parrot, S: Amazona tucumana, Loro alisero, F: Amazone de Tucuman Argentina (br) [465, 5291]; Bolivia (br) [1186] CITES Identification Manual Reference: A-218.003.005.021

PSITTACIDAE	CITES	EC Reg	. RL	References					
Amazona ventralis (Müller, 1776)	II	В	VU	387, 485, 595, 713, 1142, 1254					
Hispaniola, F: Amazone de San Domingo, Amazor	[1312]; Haiti (br) [1408]; Puerto Rico (int, br) [1176] nual Reference: A-218.003.005.022								
Amazona versicolor (Müller, 1776)	I	Α	VU	387, 485, 543, 545, 546, 595, 598, 713, 876, 877, 878, 931					
E: Saint Lucia Amazon, Saint Lucia Parrot, St Luci Parrot, S: Amazona de Santa Lucía, Loro multicolo versicolore Saint Lucia (br) [5251]	a Amazor or, F: Ama	ı, St. Luc azone de	ia Amazoi Sainte-Lu	n, St. Lucia					
CITES Identification Manual Reference:	A-218.0	003.005.	023						
Amazona vinacea (Kuhl, 1820)	I	Α	EN	595, 598, 713, 1068, 1142, 1194, 1254					
E: Vinaceous Amazon, Vinaceous Parrot, S: Amazomalva, Loro pechivinoso, Loro pecho vinoso, F: An Argentina (br) [465, 5291]; Brazil (br) [6186]; Para CITES Identification Manual Reference:	nazone bo guay (br)	ourgogne	e, Amazon	inosa, Loro					
Amazona viridigenalis (Cassin, 1853)	I	Α	EN	387, 595, 598, 713, 1142, 1194, 1254					
E: Green-cheeked Amazon, Green-cheeked parrot, Red-crowned Amazon, Red-crowned Parrot, S: Amapola, Amazona Tamaulipeca, Loro cabeza roja, Loro famaulipeco, F: Amazone à joues vertes									
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference:		States (i 003.005.0		37]					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783)**	A-218.0	003.005.0 A	025 CR	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783) E: Puerto Rican Amazon, Puerto Rican Parrot, Red Rico, Amazona Portorriqueña, Loro de banda roja, Porto Rico	A-218.0 I	003.005.0 A Amazon,	O25 CR S: Amazo	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783) E: Puerto Rican Amazon, Puerto Rican Parrot, Red Rico, Amazona Portorriqueña, Loro de banda roja,	A-218.0 I -fronted A F: Amazo	003.005.0 A Amazon,	CR S: Amazo ndeau rou	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783) E: Puerto Rican Amazon, Puerto Rican Parrot, Red Rico, Amazona Portorriqueña, Loro de banda roja, Porto Rico Puerto Rico (br) [1176]	A-218.0 I -fronted A F: Amazo A-218.0 II tan Parrot s, Amazo (br) [524	Amazon, one à bar 003.005.0 B t, S: Ama	CR S: Amazo ndeau roug 026 azona Yuc catan	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto ge, Amazone de					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783)* E: Puerto Rican Amazon, Puerto Rican Parrot, Red-Rico, Amazona Portorriqueña, Loro de banda roja, Porto Rico Puerto Rico (br) [1176] CITES Identification Manual Reference: **Amazona xantholora** (Gray, 1859)* E: Yellow-lored Amazon, Yellow-lored Parrot, Yuca yucateci, Loro yucateco, F: Amazone à lores jaune Belize (br) [5241]; ?Honduras [1076, 6231]; Mexico	A-218.0 I -fronted A F: Amazo A-218.0 II tan Parrot s, Amazo (br) [524	Amazon, one à bar 003.005.0 B t, S: Ama ne du Yu 1]	CR S: Amazo ndeau roug 026 azona Yuc catan	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto ge, Amazone de 387, 713, 1142 ateca, Loro					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783)* E: Puerto Rican Amazon, Puerto Rican Parrot, Red-Rico, Amazona Portorriqueña, Loro de banda roja, Porto Rico Puerto Rico (br) [1176] CITES Identification Manual Reference: **Amazona xantholora** (Gray, 1859)* E: Yellow-lored Amazon, Yellow-lored Parrot, Yuca yucateci, Loro yucateco, F: Amazone à lores jaune Belize (br) [5241]; ?Honduras [1076, 6231]; Mexico CITES Identification Manual Reference:	A-218.0 I -fronted A F: Amazo A-218.0 II tan Parrot s, Amazo (br) [524 A-218.0 II mazona c	Amazon, one à bar 003.005.0 B t, S: Ama ne du Yu 1] 103.005.0 B	CR S: Amazo ndeau roug 026 azona Yuc catan 027 VU marilla, Ai	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto ge, Amazone de 387, 713, 1142 ateca, Loro					
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176 CITES Identification Manual Reference: **Amazona vittata** (Boddaert, 1783)** E: Puerto Rican Amazon, Puerto Rican Parrot, Red-Rico, Amazona Portorriqueña, Loro de banda roja, Porto Rico Puerto Rico (br) [1176] CITES Identification Manual Reference: **Amazona xantholora** (Gray, 1859)** E: Yellow-lored Amazon, Yellow-lored Parrot, Yuca yucateci, Loro yucateco, F: Amazone à lores jaune Belize (br) [5241]; ?Honduras [1076, 6231]; Mexico CITES Identification Manual Reference: **Amazona xanthops** (Spix, 1824)** E: Yellow-faced Amazon, Yellow-faced Parrot, S: Acerrado, F: Amazone à face jaune Bolivia (br) [1186, 1187]; Brazil (br) [1270, 6186]; F.	A-218.0 I -fronted A F: Amazo A-218.0 II tan Parrot s, Amazo (br) [524 A-218.0 II mazona c	Amazon, one à bar 003.005.0 B t, S: Ama ne du Yu 1] 103.005.0 B de cara a (br) [529 03.005.0	CR S: Amazo ndeau roug 026 azona Yuc catan 027 VU marilla, Ai	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298 na de Puerto ge, Amazone de 387, 713, 1142 ateca, Loro					

EC Reg. CITES RL References **PSITTACIDAE** Argentina (ex?, br) [465, 5291]; Brazil (ex?, br) [6186]; Paraguay (ex?, br) [5295]; Uruguay (**ex**, br) [5287] A-218.003.006.002 CITES Identification Manual Reference: 577, 595, 598, EN Ι Anodorhynchus hyacinthinus (Latham, 1790) 713, 1068, 1089, 1142, 1194, 1254, 1274, 6361 E: Hyacinth Macaw, S: Guacamayo azul, Guacamayo jacinto, F: Ara bleu, Ara hyacinthe, Ara jacinthe Bolivia (br) [1186]; Brazil (br) [784, 785, 1088, 1270, 6186]; Paraguay (br) [814, 5295, 6927] A-218.003.006.003 CITES Identification Manual Reference: CR 499, 595, 598, Anodorhynchus leari Bonaparte, 1856 713, 803, 931, 1004, 1068, 1142, 1254, 1267, 1444 E: Indigo Macaw, Lear's Macaw, S: Guacamayo cobalto, Guacamayo de Lear, F: Ara cobalt, Ara de Lear Brazil (br) [6186] A-218.003.006.004 CITES Identification Manual Reference: Aprosmictus erythropterus (Gmelin, 1788) 713, 1288 E: Red-winged Parrot, S: Papagayo alirrojo, F: Perruche érythroptère Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) Aprosmictus jonquillaceus (Vieillot, 1818) LR/nt 595, 713, 1254, 1410 E: Olive-shouldered Parrot, Timor Red-winged Parrot, S: Papagayo de Timor, F: Perruche jonquille Indonesia (br) [393]: Lesser Sunda Is 387, 713, 931, VU I Α Ara ambigua (Bechstein, 1811) 1068, 1142, 1254 E: Buffon's Macaw, Great Green Macaw, S: Guacamayo ambiguo, Guacamayo verde mayor, F: Ara de Buffon Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6418, 6684]; Honduras (br) [1025, 1076]; Nicaragua (br) [1195]; Panama (br) [1195] Ara ararauna (Linnaeus, 1758) 713, 1068, 1142 E: Blue-and-gold Macaw, Blue-and-yellow Macaw, S: Guacamayo azul y amarillo, Guacamayo azulamarillo, F: Ara bleu Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Puerto Rico (int, br?) [1176]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6810] Π В 713, 1068, 1142 Ara auricollis Cassin, 1853 Synonym: Primolius auricollis E: Golden-collared Macaw, Yellow-collared Macaw, S: Guacamayo acollarado, Maracana cuellidorada, F: Ara à collier jaune, Ara à nuque d'or Argentina (br) [465, 5291]; Bolivia (br) [1186, 6415]; Brazil (br) [6186]; Paraguay (br) [5295] 387, 713, 1068, H В Ara chloropterus Gray, 1859 1142 E: Green-winged Macaw, Red-and-green Macaw, S: Guacamayo aliverde, Guacamayo rojo, F: Ara chloroptère Argentina (ex, br) [465, 5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6925]

PSITTACIDAE	CITES	EC Reg	. RL	References
Ara couloni Sclater, 1876 Synonym: Primolius couloni E: Blue-headed Macaw, S: Guacamayo cabeciazul, Bolivia (br) [1135, 1186, 6372]; ?Brazil (br?) [6186]				713, 1068, 1142
Ara glaucogularis Dabbene, 1921	I	А	CR	409, 595, 598, 713, 860, 931, 964, 1068, 1142 1254
E: Blue-throated Macaw, S: Guacamayo amarillo, 6 F: Ara à gorge bleue, Ara canindé ?Argentina (br?) [465, 5291]; Bolivia (br) [901, 1186 CITES Identification Manual Reference:	6, 1187];		ay (br) [5	·
Ara macao (Linnaeus, 1758)	I	А		387, 713, 1068, 1142
E: Scarlet Macaw, S: Guacamayo bandera, Guacam	nayo ma	cao, Lap	a azul, F:	
rouge Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6 (br) [1311]; Ecuador (br) [5294]; El Salvador (ex , la Guatemala (br) [5241]; Guyana (br) [1295]; Hondu Nicaragua (br) [1195]; Panama (br) [1195]; Peru (la and Tobago (br) [703]; Venezuela (br) [1070]	or) [5241] ras (br)]; FrencÌ [1076]; N	n Guiana (⁄lexico (br	br) [1349];) [5241];
Ara manilata (Boddaert, 1783) E: Red-bellied Macaw, S: Guacamayo barriga roja, macavouanne Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; S (br) [703]; Venezuela (br) [1070, 6290]	·) [837]; I	Ecuador	(br) [5294]; French Guiana
Ara maracana (Vieillot, 1816)	I	Α		595, 713, 1068, 1142, 1254
Synonyms: <i>Propyrrhura maracana, Primolius mara</i> E: Blue-winged Macaw, Illiger's Macaw, S: Guacam Maracana dorsirroja, F: Ara d'Illiger, Ara miracana Argentina (ex , br) [465, 5291]; Brazil (br) [6186]; P	ayo de I		·	
Ara militaris (Linnaeus, 1766)	I	Α	VU	595, 713, 1068, 1142, 1254
E: Military Macaw, S: Guacamayo militar, Guacama Argentina (ex , br) [465, 5291]; Bolivia (br) [1186]; Ecuador (br) [5294]; ?Guatemala (ex , br?) [5241]; Nicaragua [1195]; Panama [1195]; Peru (br) [1136,	Colombia Hondura:	a (br) [83 s [1076];	37]; Costa Mexico (I	Rica [1311]; br) [5241];
Ara nobilis (Linnaeus, 1758) E: Noble Macaw, Red-shouldered Macaw, S: Guaca noble, Petit perruche-ara Bolivia (br) [1186]; Brazil (br) [6186, 6690]; ?French				
Peru (br) [1136]; Suriname (br) [5296]; Venezuela				
Ara rubrogenys Lafresnaye, 1847	I	Α	EN	496, 580, 595, 598, 713, 964, 965, 1068, 1087, 1142, 1194, 1254
E: Red-fronted Macaw, S: Guacamayo de Cochabar Fresnaye, Ara de Lafresnaye Bolivia (br) [1186, 6327]	mba, Gua	acamayo	frentirroj	a, F: Ara de
CITES Identification Manual Reference:	A-218.0	03.008.	014	

PSITTACIDAE	CITES	EC Reg.	RL	References					
Ara severa (Linnaeus, 1758) E: Chestnut-fronted Macaw, Severe Macaw, S: Guacamayo severo, F: Ara sévère, Ara vert Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; United States (int, br) [387, 975]; Venezuela (br) [1070]									
Aratinga acuticaudata (Vieillot, 1818)	II	В		713, 1068, 1142, 6841					
E: Blue-crowned Conure, Blue-crowned Parakeet, S: Aratinga cabeciazul, Carapaico, Cotorra de los Palos, F: Conure à tête bleue Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Paraguay (br) [5295]; Uruguay (br) [5287]; Venezuela (br) [1070]									
Aratinga aurea (Gmelin, 1788) II B 713, 1068, 1142 E: Golden-crowned Conure, Peach-fronted Conure, Peach-fronted Parakeet, S: Aratinga frentidorada, Cotorra frentidorada, F: Conure couronné, Conure couronnée, Perruche à front doré Argentina (br) [465, 5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295]; Peru									
(br) [1136]; Suriname (br) [5296]									
Aratinga auricapilla (Kuhl, 1820)	II	В	VU	595, 598, 713, 1068, 1142, 1194, 1254					
E: Golden-capped Conure, Golden-capped Parakee d'or Brazil (br) [6186]	t, S: Ara	tinga tes	tadorada,						
Aratinga cactorum (Kuhi, 1820) E: Caatinga Parakeet, Cactus Conure, Cactus Parak cactus Brazil (br) [6186]	II keet, S: /	B Aratinga	cactácea,	713, 1068, 1142 F: Conure des					
Aratinga canicularis (Linnaeus, 1758) E: Orange-fronted Conure, Orange-fronted Parakee frentinaranja, F: Conure à front rouge Costa Rica (br) [1311]; El Salvador (br) [5241]; Gua Mexico (br) [5241]; Nicaragua (br) [1195]; Puerto R	atemala	(br) [524:	1]; Hondu						
Aratinga chloroptera (Souancé, 1856)	II	В	VU	387, 485, 595, 713, 1142, 1254					
E: Hispaniolan Conure, Hispaniolan Parakeet, S: Ar maîtresse Dominican Republic (br) [1312, 6754]; Haiti (br) [14				co, F: Conure					
		100 1000							
Aratinga erythrogenys (Lesson, 1844)	II	В	LR/nt	595, 713, 1068, 1142					
E: Red-masked Conure, Red-masked Parakeet, S: F: Conure à tête rouge Ecuador (br) [5294, 6360, 6712, 6827]; Peru (br) [11		de Guay	aquil, Peri	co caretirrojo,					
Aratinga euops (Wagler, 1832)	II	В	VU	387, 485, 595, 598, 713, 1142, 1254, 1418					
E: Cuban Conure, Cuban Parakeet, S: Aratinga Cub Cuba (br) [5259]	pana, F:	Conure d	e Cuba						
Aratinga finschi (Salvin, 1871) E: Crimson-fronted Conure, Crimson-fronted Parak F: Conure de Finsch Costa Pica (hr) [1311]: Nicaragua (hr) [1195 6604]				387, 713, 1142 atinga de Finsch,					

Costa Rica (br) [1311]; Nicaragua (br) [1195, 6604]; Panama (br) [1195]

PSITTACIDAE CITES EC Reg. RL References Aratinga guarouba (Gmelin, 1788) I 595, 598, 713, 931, 1068, 1118, 1142, 1271 Synonym: Guaruba guarouba E: Golden Conure, Golden Parakeet, Queen of Bavaria's Conure, S: Aratinga guaruba, Cacatúa dorada, Cotorra amarilla, F: Conure de la Reine de Bavière, Conure doré, Conure dorée, Guarouba, Perruche dorée Brazil (br) [6186] CITES Identification Manual Reference: A-218.003.009.011 Aratinga holochlora (Sclater, 1859) 387, 713, 1142 В E: Green Conure, Green Parakeet, S: Aratinga verde, Perico verde, F: Conure vert, Conure verte El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [595, 598, 879, 1212, 5241]; Nicaragua (br) [1195] Aratinga jandaya (Gmelin, 1788) II В 713, 1068, 1142 E: Jandaya Conure, Jandaya Parakeet, Yellow-headed Parakeet, S: Aratinga jandaya, F: Conure jandaya, Perruche de Jenday Brazil (br) [6186] Aratinga leucophthalmus (Müller, 1776) 713, 1068, 1142 E: White-eyed Conure, White-eyed Parakeet, Witoogaratinga, S: Aratinga ojiblanca, Cotorra verde, Perico ojo blanco, F: Conure pavouane Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136, 6332]; Suriname (br) [5296]; Uruguay (br) [5287]; Venezuela (br) [1070] Aratinga mitrata (Tschudi, 1844) 713, 1068, 1142 E: Mitred Conure, Mitred Parakeet, S: Aratinga mitrada, Cotorra carirroja, F: Conure mitré, Conure mitrée Argentina (br) [5291]; Bolivia (br) [1186]; Peru (br) [1136] Aratinga nana (Vigors, 1830) 387, 713, 1142 E: Aztec Parakeet, Olive-throated Conure, Olive-throated Parakeet, S: Aratinga pechisucia, Perico pechisucio, F: Conure aztèque Belize (br) [5241]; Costa Rica (br) [1311]; Dominican Republic (br) [1312, 6754]; Guatemala (br) [5241]; Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195] Aratinga pertinax (Linnaeus, 1758) II В 387, 713, 1068, 1142 E: Brown-throated Conure, Brown-throated Parakeet, S: Aratinga pertinaz, Perico cara sucia, F: Conure cuivré, Conure cuivrée Aruba (br) [1380]; Barbados (int, br) [5242]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica [6740]; Dominica (int, br) [5242]; French Guiana (br) [1349]; Guyana (br) [1295]; Netherlands Antilles (br); Panama (br) [1195]; Puerto Rico (int, br) [1176]; Suriname (br) [811, 5296]; Venezuela (br) [1070]; Virgin Islands (U.S.) (br) Aratinga solstitialis (Linnaeus, 1758) II 713, 1068, 1142 E: Sun Conure, Sun Parakeet, S: Aratinga sol, Perico dorado, F: Conure soleil, Perruche du soleil Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070] Aratinga strenua (Ridgway, 1915) В 387, 713, 1142 II E: Pacific Parakeet, S: Perico verde centroamericano, F: Conure de Ridgway El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]

CITES EC Reg. RL References **PSITTACIDAE** 713, 1068, 1142 Aratinga wagleri (Gray, 1845) E: Red-fronted Conure, Scarlet-fronted Parakeet, S: Aratinga de Wagler, Chacaraco, F: Conure de Wagler Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 713, 1068, 1142 Aratinga weddellii (Deville, 1851) E: Dusky-headed Conure, Dusky-headed Parakeet, S: Aratinga cabecifusca, Perico cabecioscuro, F: Conure de Weddell Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] В 713, 1254 Bolbopsittacus lunulatus (Scopoli, 1786) E: Guaiabero, S: Lorito guayabero, F: Perruche lunulée Philippines (br) [5270] 713, 1068, 1142 Bolborhynchus aurifrons (Lesson, 1830) II В E: Golden-fronted Parakeet, Mountain Parakeet, S: Catita frentidorada, Catita serrana verde, F: Toui à bandeau jaune Argentina (br) [5291]; Bolivia (br) [1186]; Chile (br) [5292]; Peru (br) [1136] 713, 1068, 1142 Bolborhynchus aymara (d'Orbigny, 1839) В E: Grey-hooded Parakeet, Sierra Parakeet, S: Catita aimará, Catita serrana común, F: Perruche d'Aymara, Toui aymara Argentina (br) [5291]; Bolivia (br) [1186]; ?Chile (br) [5292] 595, 598, 713, Bolborhynchus ferrugineifrons (Lawrence, 1880) II В EN 771, 931, 1068, 1142, 1194, 1254 E: Rufous-fronted Parakeet, S: Catita frentirrufa, F: Toui à front roux Colombia (br) [837, 6683] 387, 713, 1068, Bolborhynchus lineola (Cassin, 1853) E: Barred Parakeet, S: Catita barrada, Perico barreteado, Periquito barrado, F: Toui catherine Bolivia [6688]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6200]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070, 6290] 713, 1068, 1142 Bolborhynchus orbygnesius (Souancé, 1856) В E: Andean Parakeet, S: Catita andina, F: Toui d'Orbigny Bolivia (br) [1186, 6346]; Peru (br) [1136] 713, 1068, 1142 Brotogeris chiriri (Vieillot, 1818) II В Synonym: Brotogeris versicolurus chiriri E: Yellow-chevroned Parakeet, S: Catita chiriri, F: Toui à ailes jaunes Argentina (br) [465, 5291]; Bolivia (br) [1186, 6327]; Brazil (br) [6186] Brotogeris chrysopterus (Linnaeus, 1766) 713, 1068, 1142 E: Golden-winged Parakeet, S: Catita alidorada, Periquito ala dorada, F: Toui para Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070] 713, 1068, 1142 Brotogeris cyanoptera (Salvadori, 1891) E: Cobalt-winged Parakeet, S: Catita aliazul, Periquito azul, F: Toui de Deville Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru

(br) [1136]; Venezuela (br) [1070]

Brotogeris jugularis (Müller, 1776) 713, 1068, 1142 E: Orange-chinned Parakeet, S: Catita churica, Churica, Periquito barbinaranja, F: Perruche tovi, Toui à menton d'or

Colombia (br) [837]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070, 6239]

II В EN 595, 713, 1068, Brotogeris pyrrhopterus (Latham, 1801) 1142, 1194

E: Grey-cheeked Parakeet, S: Catita macareña, Perico cachetigris, F: Perruche orangé, Toui flamboyant

Ecuador (br) [5294, 6360, 6827]; Peru (br) [1136, 6680]

Brotogeris sanctithomae (Müller, 1776) 713, 1068, 1142 B E: Tui Parakeet, S: Catita frentigualda, Perico tui, F: Toui à front d'or

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Brotogeris tirica (Gmelin, 1788) II В 713, 1068, 1142 E: Plain Parakeet, S: Catita tirica, F: Toui tirica Brazil (br) [6186]

Brotogeris versicolurus (Müller, 1776) Η В 713, 1068, 1142 E: Canary-winged Parakeet, S: Catita aliamarilla, Catita versicolor, F: Toui à ailes variées Brazil (br) [6186]; Colombia (br) [837]; ?Ecuador (br?) [5294]; French Guiana (br) [1349]; Peru (br) [1136]; Puerto Rico (int, br) [1176]; ?Suriname (br?) [5296]; United States (int, br) [387]

593, 595, 713, H В VU Cacatua alba (Müller, 1776) 958, 1254, 1410

E: Umbrella Cockatoo, White Cockatoo, S: Cacatúa alba, Cacatúa blanca, F: Cacatoès à huppe blanche, Cacatoès blanc

Indonesia (br) [393]: Moluccas

CITES Identification Manual Reference: A-218.002.001.002

Cacatua ducorpsii Pucheran, 1853 593, 713 R

E: Ducorps's Cockatoo, S: Cacatúa de Ducorps, F: Cacatoès de Ducorps Papua New Guinea (br); Solomon Islands (br) [5260]

CITES Identification Manual Reference: A-218.002.001.003

Cacatua galerita (Latham, 1790) H В 713, 1288

E: Greater Sulphur-crested Cockatoo, Sulphur-crested Cocatoo, Sulphur-crested Cockatoo, S: Cacatúa de cresta amarilla grande, F: Cacatoès à huppe jaune, Grand cacatoès à huppe jaune

Australia (br) [477]; Indonesia (br) [393, 1410]: Irian Jaya, Moluccas; New Zealand (int, br) [975, 1351]; Papua New Guinea (br); Singapore (int, br) [791] CITES Identification Manual Reference: A-218.002.001.004

548, 562, 593, Cacatua goffini (Finsch, 1863) Ι Α LR/nt 595, 713, 1254, 1410

E: Goffin's Cockatoo, Tanimbar Cockatoo, Tanimbar Corella, S: Cacatúa de Goffin, F: Cacatoès de Goffin

Indonesia (br) [393]: Lesser Sunda Is, Moluccas

CITES Identification Manual Reference: A-218.002.001.005

593, 595, 713, Cacatua haematuropygia (Müller, 1776) Α CR 1254

E: Philippine Cockatoo, Red-vented Cockatoo, S: Cacatúa de cola sangrante, Cacatúa de goffin,

F: Cacatoès à ventre rouge, Cacatoès des Philippines Philippines (br) [5270]

CITES Identification Manual Reference: A-218.002.001.006

CITES EC Reg. RL References PSITTACIDAE П В 595, 713, 1254, Cacatua leadbeateri (Vigors, 1831) 1288 E: Leadbeater's Cockatoo, Major Mitchell's Cockatoo, Pink Cockatoo, S: Cacatúa de Leadbeater, Cacatúa Inca, F: Cacatoès de Leadbeater Australia (br) [477] CITES Identification Manual Reference: A-218.002.001.007 593, 595, 713, VU Cacatua moluccensis (Gmelin, 1788) 1254, 1410 E: Moluccan Cockatoo, Salmon-crested Cockatoo, S: Cacatúa de las Molucas, Cacatúa de Molucas, F: Cacatoès à huppe rouge, Cacatoès des Moluques Indonesia (br) [393]: Moluccas; Singapore (int, br) [791] CITES Identification Manual Reference: A-218.002.001.008 593, 713, 1254 Cacatua ophthalmica Sclater, 1864 H E: Blue-eyed Cockatoo, S: Cacatúa oftálmica, F: Cacatoès à oeil bleu, Cacatoès aux yeux bleus Papua New Guinea (br): Bismarck Archipelago A-218.002.001.009 CITES Identification Manual Reference: Cacatua pastinator (Gould, 1841) 11 B 595,713 E: Western Corella, S: Cacatúa de pico afilado, F: Cacatoès à lores rouges, Cacatoès aux yeux nus, Cacatoès laboureur Australia (br) [477] A-218.002.001.010 CITES Identification Manual Reference: 713, 1288 Cacatua sanguinea Gould, 1843 E: Bare-eyed Cockatoo, Little Cockatoo, Little Corella, F: Cacatoès corella Australia (br) [477]; ?Indonesia (br) [393]: Irian Jaya; ?Papua New Guinea (br); Sirigapore (int, br) [791] 593, 595, 713, П CR Cacatua sulphurea (Gmelin, 1788) E: Lesser Sulphur-crested Cockatoo, Yellow-crested Cockatoo, F: Cacatoès soufré, Petit cacatoès à huppe jaune Hong Kong (int, br); Indonesia (br) [393, 549, 550]: Bali, Jawa, Lesser Sunda Is, Sulawesi; Singapore (int, br) [791] CITES Identification Manual Reference: A-218.002.001.011 713. 1288 Cacatua tenuirostris (Kuhl, 1820) E: Long-billed Corella, S: Cacatúa de pico afilado anaranjada, F: Cacatoès à bec gracile, Cacatoès nasique Australia (br) [477] CITES Identification Manual Reference: A-218.002.001.012 713, 1288 Callocephalon fimbriatum (Grant, 1803) E: Gang-gang Cockatoo, S: Cacatúa de cabeza roja, Gan-Gan, F: Cacatoès à tête rouge, Cacatoès casqué Australia (br) [477] A-218.002.002.001 CITES Identification Manual Reference: 713, 1254, 1288 H В Calyptorhynchus banksii (Latham, 1790) Synonym: Calyptorhynchus magnificus E: Red-tailed Black-Cockatoo, S: Cacatúa de cola roja, Cacatúa negra de cola roja, F: Cacatoès banksien, Cacatoès de Banks Australia (br) [477] CITES Identification Manual Reference: A-218.002.003.004 П LR/nt 595, 713, 1254, Calyptorhynchus baudinii Lear, 1832 E: Long-billed Black-Cockatoo, White-tailed Black-cockatoo, White-tailed Black-Cockatoo, F: Cacatoès de Baudin

Australia (br) [477]

PSITTACIDAE	CITES	EC Reg.	RL	References
Calyptorhynchus funereus (Shaw, 1794) E: Yellow-tailed Black-Cockatoo, S: Cacatúa negra blanches, Cacatoès à oreilles jaunes, Cacatoès fune		B imarilla,	F: Cacato	713, 1288 Dès à oreilles
Australia (br) [477] CITES Identification Manual Reference:	A-218.0	02.003.	002	
Calyptorhynchus lathami (Temminck, 1807) E: Glossy Black-cockatoo, Glossy Black-Cockatoo, S tête brune, Cacatoès de Latham Australia (br) [477]	II S: Cacatí	B ia negra	de Latha	595, 713, 1288 m, F: Cacatoès à
CITES Identification Manual Reference:	A-218.0	02.003.	003	
Calyptorhynchus latirostris Carnaby, 1948 E: Short-billed Black-Cockatoo, Slender-billed Black F: Cacatoès à rectrices blanches Australia (br) [477]	II k-cockato	B oo, Slend	EN ler-billed	595, 713 Black-Cockatoo,
Chalcopsitta atra (Scopoli, 1786) E: Black Lory, S: Lori negro, F: Lori noir Indonesia (br) [393]: Irian Jaya	II	В		713, 1242
Chalcopsitta cardinalis (Gray, 1849) E: Cardinal Lory, S: Lori cardenal, F: Lori cardinal Papua New Guinea (br); Solomon Islands (br) [5260	II D]	В		713
Chalcopsitta duivenbodei (Dubois, 1884) E: Brown Lory, Duyvenbode's Lory, S: Lori pardo, F Indonesia (br) [393]: Irian Jaya; Papua New Guinea		B Duyven	bode	713, 1254
Chalcopsitta sintillata Temminck, 1835 E: Greater Streaked Lory, Yellow-streaked Lory, S: Indonesia (br) [393]: Irian Jaya; Papua New Guinea		B peado, F	: Lori flar	713 nméché
Charmosyna amabilis (Ramsay, 1875) E: Red-throated Lorikeet, S: Lori gorgirrojo, F: Lori Fiji (br) [1171]	II à gorge	B rouge	EN	595, 713, 1254
Charmosyna diadema (Verreaux & Des Murs, 1860)	II	В	CR	595, 713, 1254, 6985
E: New Caledonian Lorikeet, S: Lori diadema, F: Lo New Caledonia (ex?, br) [5260]	ri à diadè	me, Lor	i de Nouv	
Charmosyna josefinae (Finsch, 1873) E: Josephine's Lorikeet, Josephine's Lory, S: Lori de Indonesia (br) [393]: Irian Jaya; Papua New Guinea	Josefina	B ı, F: Lori	de Josép	713, 1242 hine
Charmosyna margarethae Tristram, 1879 E: Duchess Lorikeet, S: Lori de Margarita, F: Lori de Papua New Guinea (br); Solomon Islands (br) [5260	e Margare	B et, Lori c	LR/nt le Margue	595, 713 rite
Charmosyna meeki (Rothschild & Hartert, 1901) E: Meek's Lorikeet, S: Lori de Meek, F: Lori de Meek Papua New Guinea (br); Solomon Islands (br) [5260]	k	В	LR/nt	713
Charmosyna multistriata (Rothschild, 1911) E: Streaked Lorikeet, Striated Lorikeet, S: Lori estri Indonesia (br) [393]: Irian Jaya; Papua New Guinea	iado, F: L	B ori strié	LR/nt	595, 713, 1242, 1254
Charmosyna palmarum (Gmelin, 1788) E: Palm Lorikeet, S: Lori palmero, F: Lori des palmi Solomon Islands (br) [5260]; Vanuatu (br) [5260]		В	VU	595, 713

PSITTACIDAE	CITES	EC Reg.	RL	References
Charmosyna papou (Scopoli, 1786) E: Papuan Lorikeet, S: Lori rabilargo, F: Lori de Pa Indonesia (br) [393]: Irian Jaya; Papua New Guine		B Lori pape	ou	713, 1242
Charmosyna placentis (Temminck, 1834) E: Red-flanked Lorikeet, S: Lori flanquirrojo, F: Lo Indonesia (br) [393]: Irian Jaya, Moluccas; Papua	II ri coquet New Guir	B , Lori cro nea (br)	quet, Lori	713 splendide
Charmosyna pulchella Gray, 1859 E: Fairy Lorikeet, Little Red Lorikeet, S: Lori lindo, Indonesia (br) [393]: Irian Jaya; Papua New Guine		B éérique		713
Charmosyna rubrigularis (Sclater, 1881) E: Red-chinned Lorikeet, S: Lori barbirrojo, F: Lor Papua New Guinea (br)	II i à mento	B on rouge		713, 1242, 1254
Charmosyna rubronotata	II	В		713, 1242
(Wallace, 1862) E: Red-fronted Lorikeet, Red-spotted Lorikeet, S: Indonesia (br) [393]: Irian Jaya; Papua New Guine	Lori frent ea (br)	irrojo, F:	Lori à fro	nt rouge
Charmosyna toxopei (Siebers, 1930)	II	В	CR	595, 713, 758, 1254
E: Blue-fronted Lorikeet, S: Lori de Buru, F: Lori d Indonesia (br) [393, 1410]: Moluccas	le Buru, l	₋ori de l'îl	e Buru	
Charmosyna wilhelminae (Meyer, 1874) E: Pygmy Lorikeet, Wilhelmina's Lorikeet, S: Lori Indonesia (br) [393]: Irian Jaya; Papua New Guine	II pigmeo, f ea (br)	B E: Lori de	Wilhelmii	713 na
Coracopsis nigra (Linnaeus, 1758) Synonym: Coracopsis barklyi E: Black Parrot, S: Loro negro, F: Perroquet noir, Comoros (br) [659]; Madagascar (br) [633, 5249];				713, 931
Coracopsis vasa (Shaw, 1812) E: Vasa Parrot, S: Loro vasa, F: Perroquet vaza, V Comoros (br) [659]; Madagascar (br) [633, 5249]	II 'asa géar	B		713
Cyanoliseus patagonus	II	В		713, 1068, 1142
(Vieillot, 1818) E: Burrowing Parakeet, Patagonian Conure, S: Lor Argentina (br) [465, 5291]; Chile (br) [5292]; Falkl (br) [5287]				
Cyanopsitta spixii (Wagler, 1832)	I	А	CR	595, 598, 632, 713, 794, 903, 904, 905, 906, 907, 914, 931, 1068, 1144, 1194, 1254, 1343
E: Little Blue Macaw, Spix's Macaw, S: Guacamay	ito azul, (Guacama	yo de Spi	x, F: Ara à face
grise, Ara de Spix Brazil (br) [6186]				
CITES Identification Manual Reference:	A-218.	003.017.	001	
Cyanoramphus auriceps (Kuhl, 1820)	I/II	A/B	LR/nt	595, 713, 1073, 1326, 1327
Synonym: Cyanoramphus malherbi E: Yellow-crowned Parakeet, Yellow-fronted Kakar			l Parakeet	, S: Perico maori

cabecigualdo, F: Perruche à front jaune, Perruche à tête d'or

PSITTACIDAE CITES EC Reg. RL References II В CITES Appendix II populations New Zealand [1351] Cyanoramphus auriceps forbesi Rothschild, 1893 Α 595, 713, 931, 1073, 1326 Synonym: Cyanoramphus forbesi E: Chatham Island Yellow-fronted Parakeet, Forbes's Kakariki, Forbes's Parakeet, S: Cacatúa de Forbes, Perico de las Chatham, Periquito frentiamarillo de Forbes, F: Perruche à front jaune de Forbes, Perruche à tête d'or de Forbes, Perruche des îles Chatham New Zealand (br) [1351] CITES Identification Manual Reference: A-218.003.018.002b Cyanoramphus cookii (Gray, 1859) EN 595, 713, 931 Synonym: Cyanoramphus novaezelandiae cookii E: Norfolk Island Parakeet, Norfolk Parakeet, F: Perruche de Norfolk Norfolk Island (br) I Cyanoramphus novaezelandiae Α 713, 931, 1326 (Sparrman, 1787) Synonym: Cyanoramphus saisseti E: New Zealand Parakeet, Red Crowned Parakeet, Red-crowned Parakeet, Red-fronted, Redfronted Kakariki, Red-fronted Parakeet, S: Cacatúa de Nueva Zelanda, Perico maori cabecirrojo, Periquito cabecirrojo, F: Perruche à bandeau rouge, Perruche de Nouvelle-Zélande, Perruche de Sparrman Australia (br) [477]; New Caledonia (br) [5260]; New Zealand (br) [1351] CITES Identification Manual Reference: A-218.003.018.004 Cyanoramphus unicolor (Lear, 1831) H VU 595, 713, 1254, 1326, 1425 E: Antipodes Green Parakeet, Antipodes Parakeet, S: Perico de las Antípodas, F: Perruche des Antipodes, Perruche unicolore New Zealand (br) [1351]: Antipodean Is Cyclopsitta diophthalma I/II A/B 713, 1254, 1288 (Hombron & Jacquinot, 1841) Synonym: Opopsitta diophthalma E: Double-eyed Fig-Parrot, Dwarf Fig-Parrot, S: Lorito dobleojo, F: Perroquet masqué, Psittacule double-oeil CITES Appendix II populations II В Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951] Cyclopsitta diophthalma coxeni Gould, 1867 713 Synonym: Opopsitta diophthalma coxeni E: Coxen's Blue-browed Fig Parrot, Coxen's Double-eyed Fig-Parrot, Coxen's Two-eyed Fig Parrot, S: Lorito de Coxen, Lorito emmascarado de Coxen, F: Perroquet masqué de Coxen, Psittacule à double-oeil de Coxen Australia (br) [477] CITES Identification Manual Reference: A-218.003.041.002b Cyclopsitta gulielmitertii (Schlegel, 1866) II 713 R Synonym: Opopsitta gulielmitertii E: Orange-breasted Fig-Parrot, S: Lorito pechinaranja, F: Psittacule à poitrine orange Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) Deroptyus accipitrinus (Linnaeus, 1758) В 713, 1068, 1142 E: Hawk-headed Parrot, Red-fan Parrot, S: Loro cacique, F: Papegeai maillé Brazil (br) [6186, 6402]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] Eclectus roratus (Müller, 1776) 713, 1288 E: Eclectus Parrot, S: Loro ecléctico, F: Grand eclectus, Grand Éclectus

CITES EC Reg. RL References

Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas; Palau (int, br) [1171]; Papua New Guinea (br); Solomon Islands (br) [5260]

713, 1068, 1142 Enicognathus ferrugineus (Müller, 1776) E: Austral Conure, Austral Parakeet, S: Cotorra austral, Cotorra cachaña, F: Conure

magellanique, Perruche émeraude Argentina (br) [5291]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]

595, 713, 1068, Enicognathus leptorhynchus (King, 1831) 1142, 1254

E: Slender-billed Conure, Slender-billed Parakeet, S: Cotorra choroy, F: Conure à long bec, Perruche à bec gracille

Chile (br) [5292]

PSITTACIDAE

713, 1288 В Eolophus roseicapillus (Vieillot, 1817)

Synonym: Cacatua roseicapilla

E: Galah, Roseate Cockatoo, S: Cacatúa rosada, F: Cacatoès rosalbin

Australia (br) [477]

A-218.002.004.001 CITES Identification Manual Reference:

В 713, 1254 Eos bornea (Linnaeus, 1758)

E: Moluccan Lory, Red Lory, S: Lori rojo, F: Lori écarlate

Indonesia (br) [393]: Moluccas

595, 713, 1242, H В VU Eos cyanogenia Bonaparte, 1850 1254

E: Biak Red Lory, Black-winged Lory, S: Lori alinegro, F: Lori à joues bleues Indonesia (br) [393]: Irian Jaya

EN 595, 713, 1254, Eos histrio (Müller, 1776) Α 1410, 6886

E: Red-and-blue Lory, S: Lori de Sangir, F: Lori arlequin Indonesia (br) [393]: Sulawesi

H В LR/nt 548, 595, 713, Eos reticulata (Müller, 1841) 1254, 1410

E: Blue-streaked Lory, S: Lori de las Tanimbar, F: Lori réticulé Indonesia (br) [393]: Lesser Sunda Is, Moluccas

595, 713, 1254, В Eos semilarvata Bonaparte, 1850 II

1410

E: Blue-eared Lory, S: Lori de Seram, F: Lori masqué Indonesia (br) [393]: Moluccas

Eos squamata (Boddaert, 1783) II В

713, 958, 1242

E: Moluccan Red Lory, Violet-necked Lory, S: Lori escamoso, F: Lori écaillé

Indonesia (br) [393]: Irian Jaya, Moluccas

595, 713, 931, EN Eunymphicus cornutus (Gmelin, 1788) Ι 1254

Synonym: Eunymphicus uvaeensis

E: Horned Parakeet, S: Perico cornudo, F: Perruche cornue, Perruche huppée

New Caledonia (br) [5260]

713, 1068, 1142 II B Forpus coelestis (Lesson, 1847)

E: Celestial Parrotlet, Pacific Parrotlet, S: Cotorrita de Piura, Periquito del Pacífico, F: Toui céleste

Ecuador (br) [5294]; Peru (br) [1136]

713, 1068, 1142 II В Forpus conspicillatus (Lafresnaye, 1848)

E: Spectacled Parrotlet, S: Cotorrita de Anteojos, Periquito ojiazul, F: Toui à lunettes

Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]

PSITTACIDAE	CITES	EC Reg.	RL	References
Forpus cyanopygius (Souancé, 1856) E: Blue-rumped Parrotlet, Mexican Parrotlet, S: C F: Toui du Mexique Mexico (br) [5241]	II Cotorrita M	B exicana,	Periquito	387, 713, 1142 mexicano,
Forpus passerinus (Linnaeus, 1758) E: Green-rumped Parrotlet, S: Cotorrita culiverde été				·
Barbados (int, br) [485, 5242]; Brazil (br) [6186]; (br) [1349]; Guyana (br) [1295]; Jamaica (int, br) Suriname (br) [5296]; Trinidad and Tobago (br) [7	[485, 657]]; Nether	lands Ant	
Forpus sclateri (Gray, 1859) E: Dusky-billed Parrotlet, Sclater's Parrotlet, S: Cde Sclater	II otorrita de	B Sclater,	Periquito	713, 1068 obscuro, F: Toui
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [1349]; Guyana (br) [1295]; Peru (br) [1136];]; French Guiana
Forpus xanthops (Salvin, 1895)	II	В	νυ	595, 598, 713, 1068, 1201, 1254, 6862
E: Yellow-faced Parrotlet, S: Cotorrita carigualda, Peru (br) [1136, 6680]	F: Toui à	tête jaur	ne	
Forpus xanthopterygius (Spix, 1824)	II	В		713, 1068, 1142, 6656
Synonym: Forpus crassirostris E: Blue-winged Parrotlet, S: Catita enana, Cotorri Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (l (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136]	br) [6186];	Periquito Colombi	aliazul, l ia (br) [83	F: Toui de Spix
Geoffroyus geoffroyi (Bechstein, 1811) E: Red-cheeked Parrot, S: Lorito carirrojo, F: Perr Australia (br) [477]; Indonesia (br) [393, 1410]: Iri New Guinea (br)	II ruche de G ian Jaya, l	B Geoffroy Lesser Su	ında Is, M	713, 1242, 1288 Ioluccas; Papua
Geoffroyus heteroclitus (Hombron & Jacquinot, 1841) E: Singing Parrot, S: Lorito heteróclito, F: Perruch	ne hétérocl	B lite		713, 1242, 1254
Papua New Guinea (br); Solomon Islands (br) [52	60]			
Geoffroyus simplex (Meyer, 1874) E: Blue-collared Parrot, S: Lorito acollarado, F: Pe Indonesia (br) [393]: Irian Jaya; Papua New Guine		B col bleu		713, 1242
Geopsittacus occidentalis Gould, 1861	I	Α	CR	595, 713, 931,
Synonym: <i>Pezoporus occidentalis</i> E: Night Parrot, S: Cacatúa nocturna, Loro noctur	no, Perico	nocturno	, F: Perrı	1057, 1288 uche nocturne
Australia (ex?, br) [477] CITES Identification Manual Reference:	A-218.0	03.025.0	01	
Glossopsitta concinna (Shaw, 1791) E: Musk Lorikeet, S: Lori almizclero, F: Lori à band Australia (br) [477]	II deau roug	B e, Lori m	usc	713, 1288
Glossopsitta porphyrocephala (Dietrichsen, 1837) E: Purple-crowned Lorikeet, S: Lori coronipúrpura Australia (br) [477]		B couronne	e pourpre	713, 1288
Glossopsitta pusilla (Shaw, 1790) E: Little Lorikeet, S: Lori carirrojo, F: Lori à masqu Australia (br) [477]	II ue rouge, l	B Petit lori	musc	713, 1288

PSITTACIDAE	CITES	EC Reg.	RL	References		
Graydidascalus brachyurus (Kuhl, 1820) E: Short-tailed Parrot, S: Lorito colicorto, Loro colic Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br				713, 1068, 1142 urte		
Gypopsitta vulturina (Kuhl, 1820) E: Vulturine Parrot, S: Lorito vulturino, F: Caïque v Brazil (br) [6186]	II autourin	В		713, 1068, 1142		
Hapalopsittaca amazonina (Des Murs, 1845)	II	В	EN	595, 598, 713, 931, 1068, 1142, 1194, 1254		
E: Rusty-faced Parrot, S: Lorito amazonino, Perico Colombia (br) [837]; Ecuador [5294]; Venezuela (br			ique à face	e rouge		
Hapalopsittaca fuertesi (Chapman, 1912)	II	В	CR	595, 598, 713, 1254		
Synonym: Hapalopsittaca amazonina fuertesi E: Fuerte's Parrot, Fuertes's Parrot, Indigo-winged Fuertes Colombia (br) [837]	Parrot, S	: Lorito	de Fuertes			
Hapalopsittaca melanotis (Lafresnaye, 1847)	II	В		713, 1068, 1142, 1254		
E: Black-eared Parrot, Black-winged Parrot, S: Lorito alinegro, F: Caïque à ailes noires Bolivia (br) [1186, 6346]; Peru (br) [1136]						
Hapalopsittaca pyrrhops (Salvin, 1876)	II	В	VU	595, 598, 713, 1254		
Synonym: <i>Hapalopsittaca amazonina pyrrhops</i> E: Red-faced Parrot, S: Lorito ecuatoriano, F: Caïqu Ecuador (br) [5294, 6200, 6317, 6318, 6389]; Peru (b						
Lathamus discolor (White, 1790)	II	В	EN	595, 713, 1254, 1288		
E: Swift Parrot, S: Periquito migrador, F: Perruche Australia (br) [477]	de Latha	m				
Leptosittaca branickii Berlepsch and Stolzmann, 1894	II	В	VU	595, 598, 713, 1068, 1142, 1194, 1254		
E: Golden-plumed Conure, Golden-plumed Parakee pinceaux d'or, Perruche de Branicki Colombia (br) [837, 1097, 6683]; Ecuador (br) [5294						
Loriculus amabilis Wallace, 1862	II	В		713		
Synonym: <i>Loriculus sclateri</i> E: Moluccan Hanging-Parrot, S: Lorículo amable, F: Indonesia (br) [393]: Moluccas, Sulawesi	Coryllis	des Moli	uques			
Loriculus aurantiifrons Schlegel, 1873 E: Orange-fronted Hanging-Parrot, Papuan Hanging orange Indonesia (br) [393]: Irian Jaya; Papua New Guinea		B S: Loríc	ulo papú, I	713, 1242 F: Coryllis à front		
Loriculus beryllinus (Forster, 1781) E: Ceylon Hanging-Parrot, Sri Lanka Hanging-Parro Ceylan Sri Lanka (br) [5271]	II t, S: Lor	B ículo de	Ceilán, F:	381, 713 Coryllis de		
5 Edina (61) [5271]						

PSITTACIDAE	CITES	EC Reg.	RL	References
Loriculus catamene Schlegel, 1873	II	В	EN	595, 713, 1254, 1410
Synonym: <i>Loriculus amabilis catamene</i> E: Sangihe Hanging-parrot, Sangihe Hanging-P Sangi Indonesia (br) [393]: Sulawesi	arrot, S: Lor	rículo de	la Sangih	
Loriculus exilis Schlegel, 1866 E: Green Hanging-Parrot, Pygmy Hanging-Parro S: Lorículo exiguo, F: Coryllis vert Indonesia (br) [393]: Sulawesi	II ot, Red-billed	B d, Red-bi	LR/nt lled Hangi	
Loriculus flosculus Wallace, 1864	II	В	EN	595, 713, 1254, 1410
E: Flores Hanging-Parrot, Wallace's Hanging-pa Flores, F: Coryllis de Wallace Indonesia (br) [393]: Lesser Sunda Is	errot, Wallace	e's Hangi	ng-Parrot	
Loriculus galgulus (Linnaeus, 1758) E: Blue-crowned Hanging-Parrot, Blue-topped H F: Coryllis à tête bleue, Loriculus malais Brunei Darussalam (br); Indonesia (br) [393]: J (br) [1289]: Peninsular Malaysia [1049], Sabah [Thailand (br) [487, 1220]	lawa, Kalima	ntan, Su	matera; N	1alaysia
Loriculus philippensis (Müller, 1776) E: Colasisi, Philippine Hanging-Parrot, S: Loricu Philippines (br) [5270]	II lo Filipino, F	B : Coryllis	des Philip	713, 1140 opines
Loriculus pusillus Gray, 1859 E: Yellow-throated Hanging-parrot, Yellow-throa F: Coryllis à gorge jaune Indonesia (br) [393]: Bali, Jawa	II ated Hanging	B g-Parrot,	LR/nt S: Lorícu	595, 713, 1254 lo de Java,
Loriculus stigmatus (Müller, 1843) E: Black-billed Hanging-Parrot, Maroon-rumped S: Lorículo de Célebes, F: Coryllis des Célèbes Indonesia (br) [393]: Sulawesi	II Hanging-Pa	B rrot, Sula	awesi Han	713, 1410 iging-Parrot,
Loriculus tener Sclater, 1877	II	В	LR/nt	595, 713
Synonym: Loriculus stigmatus tener E: Green-fronted Hanging-parrot, Green-fronted F: Coryllis des Bismarck, Coryllis des Bismark Papua New Guinea (br): Bismarck Archipelago	d Hanging-Pa	arrot, S:	Lorículo d	le las Bismarck,
Loriculus vernalis (Sparrman, 1787) E: Vernal Hanging-Parrot, S: Lorículo vernal, F: Bangladesh (br) [804]; Cambodia (br) [5243]; C Democratic Republic (br) [6187]; Myanmar (br) 1220]; Viet Nam (br) [5264]	hina (br) [52	93]; Indi		
Lorius albidinuchus (Rothschild & Hartert, 1924) E: White-naped Lory, S: Lori nuquiblanco, F: Lo Papua New Guinea (br)	II ori à nuque b	B lanche	LR/nt	595, 713, 1242, 1254
Lorius chlorocercus Gould, 1856 E: Yellow-bibbed Lory, S: Lori acollarado, F: Lor Solomon Islands (br) [5260]	II ri à collier ja	B une		713, 1254

PSITTACIDAE	CITES	EC Reg.	RL	References
Lorius domicella (Linnaeus, 1758)	II	В	VU	595, 713, 958, 1254, 1410
Synonym: <i>Lorius tibialis</i> E: Purple-capped Lory, Purple-naped Lory, S: Lori Indonesia (br) [393]: Moluccas	damisela	ı, F: Lori	des dame	
Lorius garrulus (Linnaeus, 1758)	II	В	EN	595, 713, 958, 1254
E: Chattering Lory, Yellow-backed Lory, S: Lori gái Indonesia (br) [393]: Moluccas	rrulo, F:	Lori noira	3	
Lorius hypoinochrous Gray, 1859 E: Eastern Black-capped Lory, Purple-bellied Lory, Papua New Guinea (br): Papua New Guinea, Bisma	II S: Lori v arck Arch	B entrivino ipelago	oso, F: Lor	713, 1242 i à ventre violet
Lorius lory (Linnaeus, 1758) E: Black-capped Lory, Western Black-capped Lory, tricolore	II S: Lori t	B ricolor, F	: Lori des	713, 1242 Moluques, Lori
Indonesia (br) [393]: Irian Jaya; Papua New Guine	a (br)			
Micropsitta bruijnii (Salvadori, 1875) E: Red-breasted Pygmy-Parrot, S: Microloro pechir pygmée de Brujin Indonesia (br) [393]: Irian Jaya, Moluccas; Papua I			te de Brui	
(br) [5260]		()		
Micropsitta finschii (Ramsay, 1881) E: Finsch's Pygmy-Parrot, S: Microloro de Finsch, F Papua New Guinea (br); Solomon Islands (br) [526	F: Microp	B sitte de l	Finsch	713, 1242
Micropsitta geelvinkiana (Schlegel, 1871) E: Geelvink Pygmy-parrot, Geelvink Pygmy-Parrot, Geelvink, Perruche pygmée de Schlegel Indonesia (br) [393]: Irian Jaya	II , S: Micro	B oloro de		595, 713, 1242 F: Micropsitte de
Micropsitta keiensis (Salvadori, 1875) E: Yellow-capped Pygmy-Parrot, S: Microloro de la pygmée de Salvadori Indonesia (br) [393]: Irian Jaya, Moluccas; Papua l			tte pygmé	713 ée, Perruche
Micropsitta meeki Rothschild and Hartert, 1924		В		713, 1242, 1254
E: Meek's Pygmy-Parrot, S: Microloro de Meek, F: Meek Papua New Guinea (br): Bismarck Archipelago	Micropsi		eek, Perru	
Micropsitta pusio (Sclater, 1866) E: Buff-faced Pygmy-Parrot, S: Microloro pusio, F: de Sclater Indonesia (br) [393]: Irian Jaya; Papua New Guine		B tte à tête	e fauve, P	713, 1242 erruche pygmée
Myiopsitta monachus (Boddaert, 1783) Synonym: Myiopsitta luchsi E: Grey-breasted Parakeet, Monk Parakeet, Quake Argentina, Cotorra Argentina, F: Conure veuve, Pe Argentina (br) [5291]; Bahamas (ex, int) [5242]; B	rruche-s	ouris		
Cayman Islands (int, br); Guadeloupe (int, br) [52 br) [1176]; Slovakia (int, br) [5279]; Spain (int, br) 975]; Uruguay (br) [5287]; Virgin Islands (U.S.) (in	42]; Para) [702, 97	iguay (br	·) [5295];	Puerto Rico (int,

PSITTACIDAE CITES EC Reg. RL References 713, 1068, 1142 Nandayus nenday (Vieillot, 1823) H В E: Black-headed Conure, Black-headed Parakeet, Nanday Conure, Nanday Parakeet, S: Aratinga ñanday, Cotorra cabecinegra, F: Conure nanday, Perruche Nanday Argentina (br) [5291]; Bolivia [6986]; Brazil (br) [6186]; Paraguay (br) [5295]; United States (int. br) [387] LR/nt 595 Nannopsittaca dachilleae O'Neil, Munn & Franke, 1991 E: Amazonian Parakeet, Amazonian Parrotlet, S: Cotorrita amazónica, F: Toui de Achille, Toui de D'Achille Bolivia (br) [6372]; Peru (br) [1136] II 713, 1068, 1142 Nannopsittaca panychlora (Salvin & Godman, 1883) E: Tepui Parakeet, Tepui Parrotlet, S: Chirica, Cotorrita tepuí, F: Toui des tépuis ?Brazil (br?) [6186]; Guyana (br) [1295]; Venezuela (br) [1070] CR 525, 526, 595, Neophema chrysogaster (Latham, 1790) 713, 931, 994, 1254, 1288 E: Orange-bellied Parakeet, Orange-bellied Parrot, S: Cacatúa de vientre naranja, Loro ventrinaranja, Periquito ventrinaranja, F: Perruche à lunettes vertes, Perruche à ventre orange Australia (br) [477, 885] CITES Identification Manual Reference: A-218.003.039.003 713, 1288 Neophema chrysostoma (Kuhl, 1820) II E: Blue-winged Grass-Parakeet, Blue-winged Parrot, S: Periquito crisóstomo, F: Perruche à bouche d'or Australia (br) [477] Neophema elegans (Gould, 1837) H В 713, 1288 E: Elegant Grass-Parakeet, Elegant Parrot, S: Periquito elegante, F: Perruche élégante Australia (br) [477] 713, 1288 Neophema petrophila (Gould, 1841) E: Rock Parrot, S: Periquito roquero, F: Perruche des écueils, Perruche des rochers Australia (br) [477] 595, 713, 931, H В Neophema pulchella (Shaw, 1792) 1288 E: Turquoise Grass-Parakeet, Turquoise Parrot, S: Periquito turquesa, F: Perruche turquoisine Australia (br) [477] LR/nt 595, 713, 931, Neophema splendida (Gould, 1841) II B 1254, 1288 E: Scarlet-chested Parrot, Splendid Grass-Parakeet, S: Periquito espléndido, F: Perruche à poitrine écarlate, Perruche splendide Australia (br) [477] 713, 1288 Neopsephotus bourkii (Gould, 1841) II Synonym: Neophema bourkii E: Bourke's Parrot, S: Periquito rosado, F: Perruche de Bourke Australia (br) [477] Neopsittacus musschenbroekii (Schlegel, 1871) 713, 1242 H E: Musschenbroek's Lorikeet, Yellow-billed Lorikeet, S: Lori montano grande, F: Lori de Musschenbroek Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) 713 Neopsittacus pullicauda Hartert, 1896 IIE: Emerald Lorikeet, Orange-billed Lorikeet, S: Lori montano chico, F: Lori émeraude

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

PSITTACIDAE	CITES	EC Reg	RL	References
Nestor meridionalis (Gmelin, 1788)	II	В	VU	454, 595, 713, 1254
E: Kaka, New Zealand Kaka, S: Kaka, F: Nestor su New Zealand (br) [1351]	perbe			
Nestor notabilis Gould, 1856 E: Kea, S: Kea, F: Kea, Nestor kéa New Zealand (br) [1351]	II	В	VU	595, 713, 1254
Nestor productus (Gould, 1836) E: Norfolk Island Kaka, Norfolk Kaka, F: Nestor de Norfolk Island (ex, br)	II Norfolk	В	EX	713, 1254
Northiella haematogaster (Gould, 1838) Synonym: Psephotus haematogaster E: Bluebonnet, S: Perico cariazul, F: Perruche à bo Australia (br) [477]	II onnet ble	B u		713, 1288
Ognorhynchus icterotis (Massena & Souancé, 1854)	I	Α	CR	595, 598, 713, 931, 1068, 1142, 1194, 1254
E: Yellow-eared Conure, Yellow-eared Parrot, S: Ar F: Conure à joues d'or, Conure à oreilles jaunes, Po Colombia (br) [837, 6683, 6756]; Ecuador (br) [5294 CITES Identification Manual Reference:	erruche a 4, 6863]	rejiguald aux oreili 003.040.	les jaunes	
Oreopsittacus arfaki (Meyer, 1874) E: Plum-faced Lorikeet, Whiskered Lorikeet, S: Lor Indonesia (br) [393]: Irian Jaya; Papua New Guine		B lo, F: Loi	i bridé, Lo	713, 1242 ori des montagnes
Pezoporus wallicus Kerr, 1792	I	Α		595, 713, 931, 1254, 1288
E: Ground Parakeet, Ground Parrot, Swamp Parake Periquito de tierra, F: Perruche de terre, Perruche Australia (br) [477]			errera, Per	ico terrestre,
CITES Identification Manual Reference:	A-218.0	003.042.	001	
<pre>Phigys solitarius (Suckow, 1800) E: Collared Lory, S: Lori solitario, F: Lori des Fidji, Fiji (br) [1171]</pre>	II Lori solit	B taire des	îles Fidji	713, 1171
Pionites leucogaster (Kuhl, 1820) E: White-bellied Caique, White-bellied Parrot, S: Lo Bolivia (br) [1186]; ?Brazil (br?) [6186]; Peru (br) [II orito rubi [1136]	B io, F: Caï	que à ven	713, 1068, 1142 tre blanc
Pionites melanocephala (Linnaeus, 1758) E: Black-headed Caique, Black-headed Parrot, S: L maïpourri	II ₋orito chi	B rlecrés, l	Perico calz	713, 1068, 1142 oncito, F: Caïque
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (b Guyana (br) [1295]; Peru (br) [1136]; Suriname (b				
Pionopsitta barrabandi (Kuhl, 1820) E: Barraband's Parrot, Orange-cheeked Parrot, S: F: Caïque de Barraband Bolivia (br) [1135, 1186, 6372]; Brazil (br) [6186]; Ceru (br) [1136]; Venezuela (br) [1070]				
Pionopsitta caica (Latham, 1790) E: Caica Parrot, S: Lorito caica, Perico cabecinegro Brazil (br) [6186]; French Guiana (br) [1349]; Guya Venezuela (br) [1070]				713, 1068, 1142 br) [5296];

Pionopsitta haematotis (Sclater & Salvin, 1860) 387, 713, 1142 E: Brown-hooded Parrot, S: Lorito encapuchado, Loro orejirrojo, F: Caïque à capuchon Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195] 595, 713, 1068, Pionopsitta pileata (Scopoli, 1769) 1142, 1254 E: Pileated Parrot, Red-capped Parrot, S: Cúiu cúiu, Lorito carirrojo, Lorito orejudo, Lorito pileado, F: Caïque mitré, Perroquet à oreilles Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295] CITES Identification Manual Reference: A-218.003.044.005 Pionopsitta pulchra Berlepsch, 1897 713, 1068, 1142 B E: Beautiful Parrot, Rose-faced Parrot, S: Lorito carirrosado, Loro cachtirrosa, F: Caïque à joues roses Colombia (br) [837]; Ecuador [5294] H В VU 387, 713, 1068, Pionopsitta pyrilia (Bonaparte, 1853) 1142, 1254 E: Saffron-headed Parrot, S: Lorito cabecigualdo, Perico cabecidorado, F: Caïque de Bonaparte Colombia (br) [837]; ?Panama (br) [1195]; Venezuela (br) [1070, 6304] Pionus chalcopterus (Fraser, 1841) 387, 713, 1142 E: Bronze-winged Parrot, S: Cotorra negra, Loro alibronceado, F: Pione noire Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] Pionus fuscus (Müller, 1776) 713, 1068, 1142 E: Dusky Parrot, S: Cotorra morada, Loro morado, F: Pione violette Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070] Pionus maximiliani (Kuhl, 1820) 713, 1068, 1142 E: Scaly-headed Parrot, S: Loro choclero, F: Pione de Maximilien Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295] II В 387, 713, 1068, Pionus menstruus (Linnaeus, 1766) 1142 E: Blue-headed Parrot, Red-vented Parrot, S: Cotorra cabeciazul, Loro cabeciazul, F: Pione à tête bleue Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6351]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] 387, 713, 1068, Pionus senilis (Spix, 1824) Π 1142 E: White-capped Parrot, White-crowned Parrot, S: Loro caroniblanco, Loro senil, F: Pione à couronne blanche Belize (br) [5241]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195] Pionus sordidus (Linnaeus, 1758) 713, 1068, 1142 E: Red-billed Parrot, S: Loro piquirrojo, Perico pico rojo, F: Pione à bec rouge Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6351]; Peru (br) [1136]; Venezuela (br) [1070] Pionus tumultuosus (Tschudi, 1844) 713, 1068, 1142 II В Synonym: Pionus seniloides E: Plum-crowned Parrot, S: Cotorra cabeciblanca, Loro tumultuoso, F: Pione pailletée Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

PSITTACIDAE	CITES	EC Reg.	RL	References
Platycercus adscitus (Latham, 1790) E: Mealy Rosella, Pale-headed Rosella, S: Perico palliceps Australia (br) [477]; United States (int, br) [387]	II álido, F: 1	B Perruche à	tête pâ	713, 1288 le, Perruche
Platycercus barnardi (Vigors & Horsfield, 1827)	II	В		713, 1288
Synonym: <i>Barnardius barnardi</i> E: Barnard's Parakeet, Mallee Ringneck, S: Perico Australia (br) [477]	de Barna	rd, F: Perr	uche de	Barnard
Platycercus caledonicus (Gmelin, 1788) E: Green Rosella, Tasmanian Rosella, S: Perico de Perruche calédonienne Australia (br) [477]	II Tasmani	B a, F: Perru	che à ve	713, 1288 entre jaune,
Platycercus elegans (Gmelin, 1788) E: Crimson Rosella, Pennant's Parakeet, S: Perico Australia (br) [477]; New Zealand (int, br) [1351];			he de Pe	713, 1288 ennant
Platycercus eximius (Shaw, 1792) E: Eastern Rosella, Golden-mantled Rosella, S: Per Australia (br) [477]; New Zealand (int, br) [1351]	II ico multi	B color, F: P	erruche	713, 1288 omnicolore
Platycercus flaveolus Gould, 1837 E: Yellow Rosella, S: Perico gualda, F: Perruche fla Australia (br) [477]	II véole	В		713, 1288
Platycercus icterotis (Kuhl, 1820) E: Stanley Parakeet, Western Rosella, S: Perico ca Perruche de Stanley Australia (br) [477]	II rigualdo,	B F: Perruch	ne à orei	713, 1288 lles jaunes,
Platycercus venustus (Kuhl, 1820) E: Northern Rosella, S: Perico gracioso, F: Perruch Australia (br) [477]	II e gracieu	B ise		713, 1288
Platycercus zonarius (Shaw, 1805) Synonym: Barnardius zonarius E: Australian Ringneck, Port Lincoln Ringneck, Twe Lincoln, F: Perruche à collier jaune Australia (br) [477]	II nty-eight	B t Parakeet,	, S: Perio	713, 1288 co de Port
Poicephalus crassus (Sharpe, 1884)	II	В		713, 723, 1256, 1292
E: Niam-niam Parrot, S: Lorito niam-niam, F: Perro Central African Republic (br?) [555, 659]; Chad (br? (br?); Sudan (br?) [659]				
Poicephalus cryptoxanthus (Peters, 1854)	II	В		511, 573, 713, 723, 1292
E: Brown-headed Parrot, S: Lorito cabecipardo, F: Kenya (br) [5253]; Malawi (br) [1103]; Mozambique Swaziland (br) [1139]; Tanzania, United Republic o	e (br?) [6	59]; South	Africa (br) [659];
Poicephalus flavifrons (Rüppell, 1845)	II	В		713, 723, 894,
E: Yellow-fronted Parrot, S: Lorito carigualdo, F: Pe Ethiopia (br) [659]	erroquet	à face jaur	ne	1292
Poicephalus gulielmi (Jardine, 1849)	II	В		511, 713, 723, 1256, 1292
E: Jardine's Parrot, Red-crowned Parrot, Red-fronto Gulielm, F: Perroquet à calotte rouge, Perroquet ve				

References

Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; ?Guinea; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]

Poicephalus meyeri (Cretzschmar, 1827)

II

511, 573, 713, 723, 1256, 1292

E: Brown Parrot, Meyer's Parrot, S: Lorito de Meyer, F: Perroquet de Meyer Angola (br) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Poicephalus robustus (Gmelin, 1788)

II B

713, 723, 1254

E: Brown-necked Parrot, Cape Parrot, S: Lorito robusto, Papagayo robusto, F: Perroquet du Cap, Perroquet robuste

Angola (br?) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; ?Cameroon [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (br) [760]; Ghana (br) [782]; Guinea (v?); Guinea-Bissau (br?) [659]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (v) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Poicephalus rueppellii (Gray, 1849)

II B

573, 713, 723, 1292

E: Rueppell's Parrot, S: Lorito de Rüppell, Rüppell's Parrot, F: Perroquet de Rüppell Angola (br) [5267]; Namibia (br) [659]

Poicephalus rufiventris (Rüppell, 1845)

II

В

В

511, 713, 723, 1254, 1292

E: African Orange-bellied Parrot, Red-bellied Parrot, S: Lorito ventrirrojo, F: Perroquet à ventre rouge

Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; ?Tanzania, United Republic of (br) [659]

Poicephalus senegalus (Linnaeus, 1766)

II

713, 723, 1254, 1256, 1292

E: Senegal Parrot, S: Lorito Senegalés, Papagayo senegalés, F: Perroquet à tête grise, Perroquet youyou, Youyou

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Liberia (int, br?) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone [659]; Togo (br) [5254]

Polytelis alexandrae Gould, 1863

II

LR/nt

595, 713, 1254,

E: Alexandra's Parrot, Princess of Wales Parakeet, Princess Parrot, S: Perico princesa, F: Perruche à calotte bleue, Perruche d'Alexandra, Perruche princesse

Australia (br) [477]

Polytelis anthopeplus (Lear, 1831)

II B

В

713, 1288

E: Regent Parrot, Rock Pebbler, S: Perico regente, F: Perruche mélanure Australia (br) [477]

Polytelis swainsonii (Desmarest, 1826)

II

VU

595, 713, <mark>1254</mark>, 1288

E: Barraband Parakeet, Green Leek Parrot, Superb Parrot, S: Perico soberbio, F: Perruche de Barraband
Australia (hr) [477]

Australia (br) [477]

PSITTACIDAE	CITES	EC Reg.	RL	References
Prioniturus discurus (Vieillot, 1818) E: Blue-crowned Racquet-tail, Palawan Racket-taile F: Palette à couronne bleue Philippines (br) [5270]	II ed Parrot	B , S: Lorit	o-momoto	595, 713, 1254 coroniazul,
Prioniturus flavicans Cassin, 1853	II	В	LR/nt	595, 713, 1254, 1410
E: Yellow-breasted Racquet-tail, Yellowish-breaster amarillento, F: Palette de Cassin Indonesia (br) [393]: Sulawesi	d Racque	t-tail, S:	Lorito-mo	
Prioniturus luconensis Steere, 1890 E: Green Racquet-tail, Green-crowned Racket-taile Parrot, S: Lorito-momoto de Luzón, F: Palette vert Philippines (br) [5270]			VU eaded Ra	
<i>Prioniturus mada</i> Hartert, 1900	II	В		595, 713, 1254, 1410
E: Buru Racquet-tail, S: Lorito-momoto de Buru, F Indonesia (br) [393]: Moluccas	: Palette	de Buru		1410
Prioniturus montanus Ogilvie-Grant, 1895 E: Luzon Racquet-tail, Montane Racquet-tail, S: Lo Philippines (br) [5270]	II rito-mom	B loto mon	LR/nt tano, F: P	595, 713 alette momot
Prioniturus platenae Blasius, 1888 Synonym: Prioniturus discurus platenae E: Blue-headed Racquet-tail, S: Lorito-momoto de Philippines (br) [5270]	II Palawan,	B F: Palet	VU te de Pala	595 wan
Prioniturus platurus (Vieillot, 1818) E: Golden-mantled Racquet-tail, S: Lorito-momoto Indonesia (br) [393]: Sulawesi	II dorsidor	B ado, F: P	alette à m	713, 1410 nanteau d'or
Prioniturus verticalis Sharpe, 1893 Synonym: Prioniturus discurus verticalis E: Blue-winged Racquet-tail, S: Lorito-momoto de Philippines (br) [5270]	II las Sulu,	B F: Palett	EN e des Suh	595 د
Prioniturus waterstradti Rothschild, 1904 Synonym: Prioniturus montanus waterstradti E: Mindanao Racquet-tail, S: Lorito-momoto de Mir Philippines (br) [5270]	II ndanao, F		LR/nt de Minda	595 nao
Probosciger aterrimus (Gmelin, 1788) E: Palm Cockatoo, S: Cacatúa enlutada, F: Cacatoè Australia (br) [477]; Indonesia (br) [393]: Irian Jay CITES Identification Manual Reference:	a; Papua		nea (br)	595, 713, 1288
Prosopeia personata (Gray, 1848) E: Masked Shining-parrot, Masked Shining-Parrot, masquée Fiji (br) [1171]	II S: Papag			595, 713, 1254 F: Perruche
Prosopeia splendens (Peale, 1848) Synonym: <i>Prosopeia tabuensis splendens</i> E: Crimson Shining-parrot, Crimson Shining-Parrot écarlate Fiji (br) [1171]	II , S: Papa			595, 713, 1254 Perruche

PSITTACIDAE	CITES	EC Reg	. RL	References
Prosopeia tabuensis (Gmelin, 1788) E: Red Shining-Parrot, S: Papagayo granate, F: Pe Fiji (br) [1171]; Tonga (br) [1171]	II erruche p	B ompadou	ır	713
Psephotus chrysopterygius Gould, 1858	I	Α	EN	595, 713, 931, 1254, 1288, 1397
E: Golden-shouldered Parrot, S: Cacatúa de alas o aligualdo, Periquito de espalda dorada, F: Perruch Perruche aux ailes d'or Australia (br) [477] CITES Identification Manual Reference:	e à ailes		ruche à é	
CITES Identification Manual Reference.	A-210.	003.031.	002a	
Psephotus dissimilis Collett, 1898	I	Α		595, 713, 931, 1254
Synonym: Psephotus chrysopterygius dissimilis E: Hooded Parrot, S: Perico capirotado, Periquito e Perruche à capuchon noir Australia (br) [477]	encapuch	ado, F: P	erruche à	à capuchon,
CITES Identification Manual Reference:	A-218.0	003.051.	002b	
Psephotus haematonotus (Gould, 1838) E: Red-rumped Parrot, S: Perico dorsirrojo, F: Per rouge Australia (br) [477]	II ruche à c	B roupion i	rouge, Pe	713, 1288 erruche à dos
Psephotus pulcherrimus (Gould, 1845)	I	Α	EX	595, 713, 931, 1254, 1288, 6985
E: Beautiful Parakeet, Paradise Parrot, S: Cacatúa Paraíso, F: Perruche de paradis, Perruche magnific Australia (ex?, br) [477] CITES Identification Manual Reference:	que	so, Loro	·	so, Perico del
Psephotus varius Clark, 1910 E: Many-coloured Parakeet, Mulga Parrot, S: Peric Perruche multicolore Australia (br) [477]	II o variado	B , F: Perri	uche à cr	713, 1288 oupion rouge,
Pseudeos fuscata (Blyth, 1858) E: Dusky Lory, S: Lori sombrio, F: Lori orange som Indonesia (br) [393]: Irian Jaya; Papua New Guine		B sombre		713
Psittacella brehmii Schlegel, 1873 E: Brehm's Tiger-Parrot, S: Lorito-tigre de Brehm, Indonesia (br) [393]: Irian Jaya; Papua New Guine		B che de Br	ehm	713, 1242
Psittacella madaraszi Meyer, 1886 E: Madarasz's Tiger-Parrot, S: Lorito-tigre de Mada Indonesia (br) [393]: Irian Jaya; Papua New Guine	II arasz, F: a (br)	B Perruche	de Mada	713, 1242 rasz
Psittacella modesta Schlegel, 1873 E: Modest Tiger-Parrot, S: Lorito-tigre modesto, F: Indonesia (br) [393]: Irian Jaya; Papua New Guine		B e modest	e	713, 1242
Psittacella picta Rothschild, 1896 E: Painted Tiger-Parrot, S: Lorito-tigre pintado, F: Indonesia (br) [393]: Irian Jaya; Papua New Guine		B peinte		713
Psittacula alexandri (Linnaeus, 1758) E: Moustached Parakeet, Red-breasted Parakeet, Smoustaches	II S: Cotorra	B pechirro	oja, F: Pe	381, 713, 929 rruche à

PSITTACIDAE CITES EC Reg. RL References

Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Singapore (int, br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittacula calthropae (Blyth, 1849)

II B 381, 713, 1254

E: Emerald-collared Parakeet, Layard's Parakeet, S: Cotorra de ceilán, F: Perruche de Layard Sri Lanka (br) [5271]

Psittacula caniceps (Blyth, 1846) II B LR/nt 381, 595, 713, 1254

E: Blyth's Parakeet, Nicobar Parakeet, S: Cotorra de Nicobar, F: Perruche des Nicobar India (br) [1197]: Nicobar Is

Psittacula columboides (Vigors, 1830) II B 381, 713, 1254

E: Malabar Parakeet, S: Cotorra de Malabar, F: Perruche de Malabar

India (br) [1197]

Psittacula cyanocephala (Linnaeus, 1766) II B 381, 713

E: Plum-headed Parakeet, S: Cotorra ciruela, F: Perruche à tête prune

Bangladesh (br) [804]; India (br) [1197]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]

Psittacula derbiana (Fraser, 1852) II B 381, 595, 713, 1254

E: Derbyan Parakeet, S: Cotorra de Derby, F: Perruche de Derby

China (br) [5293]; India (br) [1197]

 Psittacula echo (Newton & Newton, 1876)
 I
 A
 401, 595, 597, 713

Synonyms: *Psittacula eques echo, Psittacula krameri echo, Psittacula eques*E: Mauritius Parakeet, Mauritius Ring-necked Parakeet, S: Cacatúa del collar de Mauricio,
Cotorra de Mauricio, F: Grosse cateau verte de Maurice, Perruche à collier de Maurice,
Perruche de l'île Maurice, Perruche de Maurice

Mauritius (br) [659]

CITES Identification Manual Reference: A-218.003.053.008

Psittacula eupatria (Linnaeus, 1766) II B 381, 713, 841, 929

E: Alexandrine Parakeet, S: Cotorra alejandrina, F: Perruche alexandre
Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br?) [5261]; Cambodia (br) [5243];
India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Kuwait (int, br) [537]; Lao People's
Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Saudi
Arabia (int, br) [881]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264];
Yemen (int, br) [5297]

Psittacula finschii (Hume, 1874) II B 713

Synonym: Psittacula himalayana finschii

E: Grey-headed Parakeet, S: Cotorra de Finsch, F: Perruche de Finsch

Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [1069, 5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittacula himalayana (Lesson, 1832)

II B 381, 713, 929

E: Slaty-headed Parakeet, S: Cotorra del Himalaya, F: Perruche à tête ardoisée, Perruche de l'Himalaya

Afghanistan (br) [694]; Bhutan (br) [5261]; India (br) [1197]; Nepal (br) [865]; Pakistan (br)

Psittacula intermedia (Rothschild, 1895) II B 381, 595, 713, 1232

E: Intermediate Parakeet, Rothschild's Parakeet, S: Cotorra intermedia, F: Perruche intermédiaire

Psittacula krameri (Scopoli, 1769)

III GH

381, 511, 611, 713, 723, 841,

929, 1256, 1292 E: Ring-necked Parakeet, Rose-ringed Parakeet, S: Cotorra de Kramer, Loro rabudo collar,

Periquito de collar africano, F: Perruche à collier

Afghanistan (br) [694]; Austria (int, br) [1215]; Bahrain (int, br) [1105]; Bangladesh (br) [804]; Belgium (int, br) [5272]; Benin (br?) [659]; Bhutan (br?) [5261]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; ?Cape Verde (v) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br?) [5293]; Côte d'Ivoire (br) [1334]; Djibouti (br?) [427]; Egypt (int, br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Germany (int, br) [5274]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Hong Kong (int, br); India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Iraq (int, br) [385]; Israel (int, br) [5245]; Italy (int, br) [5289]; Japan (int, br) [503]; Jordan (int, br) [395]; Kenya (int, br) [5253]; Kuwait (int, br) [537]; Lebanon (int, br) [5284]; Liberia (int?, br?) [5246]; Macau (int, br); Mali (br) [659]; Mauritania (br) [659]; Mauritius (int, br) [659]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Oman (int, br); Pakistan (br); Portugal (int, br) [1332]; Qatar (int, br) [1393]; Saudi Arabia (int, br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Singapore (int, br) [791]; Slovenia (int, br) [1038]; Somalia (v) [5252]; South Africa (int, br) [659]; Spain (int, br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Togo (br) [5254]; Turkey (int, br) [5282]; Uganda (br?) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [6188]; United States (int, br) [387]; Venezuela (int, br) [6720]; Viet Nam (br) [5264]; Yemen (int, br) [5297] CITES Identification Manual Reference: A-218.003.053.013

Psittacula longicauda (Boddaert, 1783)

LR/nt 381, 713, 929 II

E: Long-tailed, Long-tailed Parakeet, Pink-cheeked Parakeet, S: Cotorra colilarga, F: Perruche à longs brins

Brunei Darussalam (br); India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (br) [791]; Viet Nam (br) [5264]

Psittacula roseata Biswas, 1951

381, 713, 929

E: Blossom-headed Parakeet, S: Cotorra carirrosa, F: Perruche à tête rose Bangladesh (br) [804]; Cambodia (br) [5243]; ?China (br?) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittaculirostris desmarestii (Desmarest, 1826)

713, 1242

E: Desmarest's Fig-Parrot, Golden-headed Fig-Parrot, Large Fig-Parrot, S: Lorito de Desmarest, F: Psittacule de Desmarest

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]

Psittaculirostris edwardsii (Oustalet, 1885)

В

В

713

E: Edwards's Fig-Parrot, S: Lorito de Edwards, F: Psittacule d'Edwards

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Psittaculirostris salvadorii (Oustalet, 1880)

II

VU

452, 595, 713, 1242, 1254

E: Salvadori's Fig-parrot, Salvadori's Fig-Parrot, S: Lorito de Salvadori, F: Psittacule de Salvadori

Indonesia (br) [393]: Irian Jaya

Psittacus erithacus Linnaeus, 1758

Π

511, 713, 723, 1256, 1292

E: Grey Parrot, S: Loro yaco, Yaco, F: Jacko, Jacquot, Perroquet jaco Angola (br) [5267]; Benin (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br?) [5253]; Liberia (br?) [5246]; Mali (br) [659]; Nigeria (br); Rwanda (br) [659]; Sao Tome and Principe

PSITTACIDAE CITES EC Reg. RL References (br) [659]; Sierra Leone (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659] В 713 Psitteuteles goldiei Sharpe, 1882 Synonym: Trichoglossus goldiei E: Goldie's Lorikeet, S: Lori de Goldie, F: Loriquet de Goldie Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) 595, 713 В LR/nt Psitteuteles iris (Temminck, 1835) Synonym: Trichoglossus iris E: Iris Lorikeet, Iris Lory, S: Lori iris, F: Loriquet iris Indonesia (br) [393]: Lesser Sunda Is II В 713, 1288 Psitteuteles versicolor Lear, 1831 Synonym: Trichoglossus versicolor E: Varied Lorikeet, S: Lori versicolor, F: Loriquet versicolore Australia (br) [477] Psittinus cyanurus (Forster, 1795) LR/nt 595, 713, 929 E: Blue-rumped Parrot, S: Lorito dorsiazul, F: Perruche à croupion bleu Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487]; Viet Nam (br) [1220, 5264] Psittrichas fulgidus (Lesson, 1830) II В VU 595, 713, 1242, E: Pesquet's Parrot, Vulturine Parrot, S: Loro aguileño, F: Psittrichas de Pesquet Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924] 713, 1288 Purpureicephalus spurius (Kuhl, 1820) II E: Pileated Parakeet, Red-capped Parrot, S: Perico capelo, F: Perruche à tête pourpre Australia (br) [477] VU 595, 598, 713, Pyrrhura albipectus Chapman, 1914 Η В 1068, 1142, 1194, 1254 E: White-breasted Parakeet, White-necked Conure, White-necked Parakeet, S: Cotorra cuelliblanca, Perico pechiblanco, F: Conure à col blanc Ecuador (br) [5294, 6200] VU 595, 598, 713, Pyrrhura calliptera (Massena & Souancé, 1854) H В 1068, 1142, 1194, 1254 E: Brown-breasted Parakeet, Flame-winged Conure, Flame-winged Parakeet, S: Cotorra pechiparda, F: Conure à poitrine brune Colombia (br) [837] 595, 598, 713, Pyrrhura cruentata (Wied, 1820) T VU 931, 1068, 1142, 1194, 1254 E: Blue-chested Parakeet, Blue-throated Parakeet, Ochre-marked Parakeet, Red-eared Conure, S: Cotorra tiriba, Perico grande, F: Conure à gorge bleue, Conure tiriba, Perruche tiriba Brazil (br) [6186] CITES Identification Manual Reference: A-218.003.059.004 Pyrrhura devillei (Massena & Souancé, 1854) H В 713, 1068, 1142 E: Blaze-winged Conure, Blaze-winged Parakeet, S: Cotorra de Deville, F: Conure de Deville ?Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295] В 713, 1068, 1142 Pyrrhura egregia (Sclater, 1881) E: Fiery-shouldered Conure, Fiery-shouldered Parakeet, S: Cotorra egregia, Perico colimorado, F: Conure aile-de-feu Brazil (br) [6186]; Guyana (br) [1295]; Venezuela (br) [1070]

PSITTACIDAE	CITES	EC Reg.	RL	References			
Pyrrhura frontalis (Vieillot, 1818) E: Maroon-bellied Parakeet, Red-bellied Conure, R Cotorra chiripepé, F: Conure de Vieillot Argentina (br) [5291]; Brazil (br) [6186]; Paraguay							
Pyrrhura hoematotis Souancé, 1857 E: Blood-eared Parakeet, Red-breasted Conure, Re Perico cola roja, F: Conure à oreillons Venezuela (br) [1070]	II ed-eared	B Parakeet	, S: Cotor	713, 1068, 1142 rra colirroja,			
Pyrrhura hoffmanni (Cabanis, 1861) E: Hoffmann's Conure, Sulphur-winged Parakeet, S Costa Rica (br) [1311]; Panama (br) [1195]	II 5: Cotorr	B a catana,	, F: Conur	387, 713, 1142 re de Hoffmann			
<i>Pyrrhura lepida</i> (Wagler, 1832) E: Pearly Parakeet Brazil [6186]	II	В	LR/nt				
Pyrrhura leucotis (Kuhl, 1820)	II	В		713, 1068, 1142, 1254, 6776			
Synonyms: Pyrrhura pfrimeri, Pyrrhura griseipectu E: Maroon-faced Parakeet, White-eared Conure, W Perico pintado, F: Conure emma Brazil (br) [6186]; Venezuela (br) [1070]	's 'hite-eare	ed Parake	eet, S: Co				
Pyrrhura melanura (Spix, 1824) E: Maroon-tailed Conure, Maroon-tailed Parakeet, F: Conure de Souancé	II S: Cotorr	B a colineg	gra, Perico	713, 1068, 1142 cola negra,			
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (b (br) [1070]	r) [5294];	; Peru (b	r) [1136];	Venezuela			
Pyrrhura molinae (Massena & Souancé, 1854)	II	В		713, 1068, 1142, 6728			
Synonym: <i>Pyrrhura hypoxantha</i> E: Green-cheeked Conure, Green-cheeked Parakee F: Conure de Molina							
Argentina (br) [5291]; Bolivia (br) [1186, 6667]; Br	azil (br) [6186]; Pa	araguay (I	br) [6238]			
Pyrrhura orcesi Ridgely and Robbins, 1988	II	В	EN	595, 598, 713, 1254			
E: El Oro Conure, El Oro Parakeet, S: Cotorra de El Oro, Perico de El Oro, F: Conure d'Orcès Ecuador (br) [6360]							
Pyrrhura perlata (Spix, 1824)	II	В		595, 713, 1068, 1142, 1194, 6842			
Synonym: <i>Pyrrhura lepida</i> E: Pearly Conure, Pearly Parakeet, S: Cotorra perla Brazil (br) [6186]	ada, F: C	onure pe	rlé, Conui	re perlée			
Pyrrhura picta (Müller, 1776)	II	В		387, 713, 1068, 1142			
E: Painted Conure, Painted Parakeet, S: Cotorra piversicolore Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [1349]; Guyana (br) [1295]; Panama (br) [119 Venezuela (br) [1070]	r) [837];	Ecuador	(br) [5294), F: Conure]; French Guiana			
Pyrrhura rhodocephala (Sclater & Salvin, 1871)	II	В		595, 713, 1068, 1142			
E: Rose-crowned Conure, Rose-headed Conure, Ro Perico cabecirrojo, F: Conure tête-de-feu Venezuela (br) [1070]	ose-head	ed Parak	eet, S: Co				

PSITTACIDAE	CITES	EC Reg	. RL	References				
Pyrrhura rhodogaster (Sclater, 1864) E: Crimson-bellied Conure, Crimson-bellied Parake	II eet, S: Co	B otorra ve	ntrirroia.	421, 713, 1068, 1142 F: Conure à				
ventre rouge Bolivia (br) [444, 1186, 6372]; Brazil (br) [6186]			,					
Pyrrhura rupicola (Tschudi, 1844) E: Black-capped Conure, Black-capped Parakeet, F F: Conure à cape noire Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Peru (l			Cotorra c	713, 1068, 1142 apirotada,				
Pyrrhura viridicata Todd, 1913	II	В	EN	595, 713, 1068, 1142				
E: Santa Marta Conure, Santa Marta Parakeet, S: Cotorra de Santa Marta, F: Conure des Santa Marta Colombia (br) [837]								
Rhynchopsitta pachyrhyncha (Swainson, 1827)	I	Α	EN	387, 595, 598, 713, 931, 940, 966, 967, 993, 1142, 1254				
E: Thick-billed Parrot, S: Cotorra-serrana occidental, Loro piquigordo, Periquito de pico grueso, F: Conure à gros bec, Perruche à gros bec, Perruche ara Mexico (br) [5241]; United States (int, br) [387, 897] CITES Identification Manual Reference: A-218.003.060.001								
Rhynchopsitta terrisi Moore, 1947	I	Α	VU	387, 595, 598, 713, 931, 970, 1142, 1254				
Synonym: <i>Rhynchopsitta pachyrhyncha terrisi</i> E: Maroon-fronted Parrot, S: Cotorra-serrana oriental, F: Conure à front brun Mexico (br) [5241]								
Strigops habroptilus Gray, 1845	I	Α	CR	398, 466, 467, 595, 713, 910, 983, 1060, 1073, 1254				
E: Kakapo, Owl Parrot, S: Cacapo, Kakapo, F: Kakapo, Kakaro, Perroquet nocturne, Perroquet- hibou, Strigops kakapo New Zealand (br) [1351, 1425]								
CITES Identification Manual Reference:	A-218.	003.064.	.001					
Tanygnathus gramineus (Gmelin, 1788)	II	В	νυ	595, 713, 1254, 1410				
E: Black-lored Parrot, S: Loro de Buru, F: Perruche de Buru Indonesia (br) [393]: Moluccas								
Tanygnathus lucionensis (Linnaeus, 1766) E: Blue-naped Parrot, S: Loro nuquiazul, F: Perroq Perruche de Luçon Indonesia (br) [393, 1410]: Kalimantan, Sulawesi; (br) [5270]								
Tanygnathus megalorynchos (Boddaert, 1783) E: Great-billed Parrot, S: Loro picogrodo, F: Perrud Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is,				713, 1254 ines (br) [5270]				
Tanygnathus sumatranus (Raffles, 1822) Synonym: Tanygnathus heterurus E: Azure-rumped, Blue-backed Parrot, Müller's Par Indonesia (br) [393]: Sulawesi; Philippines (br) [52		B oro de M	üller, F: P	713 erruche de Müller				

PSITTACIDAE		CITES	EC Reg.	RL	References		
Trichoglossus	haematodus (Linnaeus, 1771)	II	В		713, 1242, 1254, 1288		
bleue	ed Lorikeet, Rainbow Lorikeet, Rainb				Loriquet à tête		
Is, Moluccas,	[477]; Hong Kong (int, br); Indonesi Sulawesi; New Caledonia (br) [5260] 'anuatu (br) [5260]	a (br) [39; ; Papua i	93]: Bali, New Guine	Irian Jaya ea (br); S	a, Lesser Sunda Golomon Islands		
E: Johnstone'	johnstoniae Hartert, 1903 's Lorikeet, Mindanao Lorikeet, S: Loi r) [1166, 5270]	II i de Mino	B Janao, F:	LR/nt Loriquet	595, 713, 1254 de Johnstone		
E: Ornate Lor	ornatus (Linnaeus, 1758) rikeet, Ornate Lory, S: Lori adornado r) [393]: Sulawesi	II , F: Loriq	B uet orné		713, 1410		
E: Pohnpei Lo	rubiginosus (Bonaparte, 1850) orikeet, Pohnpei Lory, S: Lori de Pona ederated States of) (br) [1171]: Micro				713 71]		
	orsfield, 1827 ichoglossus haematodus rubritorquis ed Lorikeet, F: Loriquet à col rouge	11	В		713		
	chitacea (Spix, 1824)	II	В	VU	595, 598, 713, 1068, 1142, 1254, 6785		
Perruche à ve	d Parrot, Purple-bellied Parrot, S: Lo entre bleu) [465, 1224]; Brazil (br) [1252, 1272,		azul, F: Cr	ick à ven			
Vini australis (E: Blue-crown	ned Lorikeet, S: Lori de Samoa, F: Lo	II ori fringilli	A aire		713, 1171, 1254		
	noa (br) [1394]; Fiji (br) [1171]; Niue Vallis and Futuna Islands (br)	(br) [11]	71]; Samo	oa (br) [1:	394]; Tonga		
Vini kuhlii (Vig	ors, 1824)	II	Α	EN	595, 713, 846, 1171, 1254		
E: Kuhl's Lorikeet, Scarlet-breasted Lorikeet, S: Lori de Rimitara, F: Lori de Kuhl French Polynesia (br) [1171]; Kiribati (int, br) [503]							
Vini peruviana	(Müller, 1776)	II	Α	VU	595, 713, 846, 931, 1171, 1254		
	eet, Tahitian Lorikeet, S: Lori monjita s (br); French Polynesia (br) [1171]	, F: Lori	nonnette		331, 11, 1, 1231		
Vini stepheni (E: Henderson Pitcairn (br)	North, 1908) n Lorikeet, Stephen's Lorikeet, S: Lor	II i de Stepl	A hen, F: Lo	VU ri de Ste	595, 713, 1254 phen		
Vini ultramarii	na (Kuhl, 1820)	I	Α	EN	410, 595, 713, 846, 931, 1254		
	ne Lorikeet, Ultramarine Lory, S: Lori esia (br) [1171]: Marquesas [1171]	ultramar	, F: Lori u	ltramarir			
Order: Family:	CUCULIFORMES MUSOPHAGIDAE						
Corythaeola cr	ristata (Vieillot, 1816)	III GH	В		511, 723, 1256, 1292		
E: Blue Plantain-eater, Great Blue Turaco, S: Turaco gigante, E: Touraco géant							

E: Blue Plantain-eater, Great Blue Turaco, S: Turaco gigante, F: Touraco géant

Angola (br?) [5267]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?) [1183]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]

Crinifer piscator (Boddaert, 1783)

III GH

723, 1256, 1292

E: Grey Plantain-eater, Western Grey Plaintain-eater, Western Grey Plantain-eater, S: Turaco

de Crin occidentale, F: Touraco gris

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br) [5254]

Musophaga porphyreolopha (Vigors, 1831)

II В

511, 573, 723, 1292

Synonyms: Tauraco porphyreolophus, Gallirex porphyreolophus

E: Purple-crested Turaco, Violet-crested Turaco, S: Turaco crestivioleta, F: Touraco à huppe pourprée, Touraco à huppe splendide, Touraco à huppe violette, Touraco violet Burundi (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; ?Mozambique (br) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of

(br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] Musophaga violacea Isert, 1789

III GH

1256, 1292

E: Violet Plantain-eater, Violet Turaco, S: Turaco azul, F: Touraco violet Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Liberia (v) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (v) [659]; Togo (br?) [5254]

Tauraco bannermani (Bates, 1923)

 Π

EN

595, 597, 723, 1009, 1256, 1292

E: Bannerman's Turaco, S: Turaco de Bannerman, F: Touraco de Bannerman, Touraco doré Cameroon (br) [659]

Tauraco corythaix (Wagler, 1827)

II

573, 723, 931,

723

1292

Synonym: Tauraco persa corythaix

E: Helmeted Turaco, Knysna Turaco, S: Turaco sudafricano, F: Touraco louri, Touraco lourie,

Touraco vert d'Afrique du Sud

Mozambique (br?) [659]; South Africa (br) [659]; Swaziland (br) [1139] CITES Identification Manual Reference: A-219.001.005.003a

Tauraco erythrolophus (Vieillot, 1819)

В

В

E: Red-crested Turaco, F: Touraco pauline

Angola (br) [5267]; ?Cameroon [6295]

В

Tauraco fischeri (Reichenow, 1878)

Π

Η

LR/nt

595, 723, 1292

Synonym: Tauraco corythaix fischeri

E: Fischer's Turaco, S: Turaco de Fischer, F: Touraco de Fischer

Kenya (br) [5253]; Somalia (br?) [5252]; Tanzania, United Republic of (br?) [659]

CITES Identification Manual Reference: A-219.001.005.003b

Tauraco hartlaubi (Fischer & Reichenow, 1884)

H

723

E: Hartlaub's Turaco, F: Touraco de Hartlaub

Kenya (br) [5253]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]

Tauraco ruspolii (Salvadori, 1896)

Angola (br) [5267]; Botswana (br?) [1102]; Democratic Republic of the Congo (br); Kenya (br) [5253]; Malawi (br) [1103]; ?Namibia (br) [659]; Tanzania, United Republic of (br?) [659];

Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-219.001.005.003e

Tauraco schuettii (Cabanis, 1879) R 723, 1292

Synonym: Tauraco corythaix schuettii

E: Black-billed Turaco, S: Turaco de Schuett, F: Touraco à bec noir

Angola (br?) [5267]; Burundi (br) [659]; Central African Republic (br?) [659]; Congo (br) [659];

Democratic Republic of the Congo (br); Kenya (br?) [5253]; Rwanda (br) [659]; Sudan

(br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659] CITES Identification Manual Reference: A-219.001.005.012

CITES EC Reg. RL References **TYTONIDAE**

STRIGIFORMES Order: **TYTONIDAE** Family:

Phodilus badius (Horsfield, 1821)

II В 381, 386, 541,

929

E: Bay Owl, Common Bay Owl, Oriental Bay-Owl, S: Lechuza baya de Madagascar, Lechuza cornuda, F: Chouette baie, Phodile calong

?Bangladesh (br?) [804]; Brunei Darussalam (br); Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Nepal (v) [865]; Philippines (v) [5270]; Singapore (ex, br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-220.001.001.002

Phodilus prigoginei Schouteden, 1952

Π

EN

386, 541, 576, 595, 597

E: African Bay Owl, Congo Bay-owl, Congo Bay-Owl, Itombwe Owl, S: Lechuza del Congo,

F: Phodile de Prigogine

Burundi [659]; Democratic Republic of the Congo (br)

CITES Identification Manual Reference:

A-220.001.001.003

В

Tyto alba (Scopoli, 1769)

Η Α 381, 386, 387, 485, 511, 539,

541, 573, 723, 841, 929, 1068,

1256, 1325

Synonym: Tyto detorta

E: Barn Owl, Common Barn-Owl, S: Lechuza común, Lechuza de campanario, F: Chouette

effraie, Effraie africaine, Effraie des clochers

Albania (br); Algeria (br) [971]; American Samoa (br) [1171, 1394]; Andorra (br) [5239]; Angola (br) [5267]; Argentina (br) [5291]; Australia (br) [477]; Austria (br) [1215]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [5272]; Belize (br) [5241]; Benin (br) [659]; Bermuda (br) [389]; Bolivia (br) [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brazil (br) [6186]; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Canada (br) [748, 1308]; Cape Verde (br) [820]; Cayman Islands (br); Central African Republic (br) [659]; Chad (br?) [659]; Chile (br) [873, 5292]; China (br) [5293]; Colombia (br) [837]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (br) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (br) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]: Ecuador, Galapagos; Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Falkland Islands (Malvinas) (br?) [1439]; Fiji (br) [1171]; Finland (v) [1300]; France (br) [7041]; French Guiana (br) [1349]; Gabon (br) [659]; Gambia (br) [760]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar (br); Greece (br) [5281]; Grenada (br) [5242]; Guatemala (br) [5241]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (br) [657]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait (v) [537]; Lao People's Democratic Republic (br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mali (br) [659]; Malta (br); Mauritania (br) [659]; Mayotte (br); Mexico (br) [5241]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [631, 5273]; Netherlands Antilles (br); New Zealand (v) [1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Niue (br) [1171]; Norway (v) [5275]; Oman (br); Pakistan (br); Panama (br) [1195]; Papua New Guinea (br); Paraguay (br) [5295]; Peru (br) [1136]; Poland (br) [1348]; Portugal (br) [1332]; Puerto Rico (v) [1176]; Romania (br) [558]; Rwanda

(br) [659]; Saint Vincent and the Grenadines (br) [5242]; Samoa (br) [1171, 1394]; Sao Tome

CITES EC Reg. RL References

and Principe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Seychelles (int, br) [659, 975]; Sierra Leone (br) [659]; Singapore (br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands (br) [5260]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6835]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487, 1220]; Togo (br?) [570, 5254]; Tonga (br) [1171]; Trinidad and Tobago (br) [703]; Tunisia (br) [1344]; Turkey (v) [5282]; Turks and Caicos Islands (br); Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387, 1308]; Uruguay (br) [5287]; Vanuatu (br) [5260]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Wallis and Futuna Islands (br) [1171]; Western Sahara (br); Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659] A-220.001.002.002 CITES Identification Manual Reference:

Tyto aurantia (Salvadori, 1881)

386, 541, 595, 1242

E: Bismarck Masked-owl, Bismarck Masked-Owl, Golden Owl, New Britain Masked-Owl,

S: Lechuza dorada, F: Effraie dorée

Papua New Guinea (br)

TYTONIDAE

A-220.001.002.003 CITES Identification Manual Reference:

Tyto capensis (Smith, 1834)

386, 511, 541, 573, 723, 1256

386, 541

381, 386, 541,

1242

E: African Grass-Owl, Grass Owl, S: Lechuza de El Cabo, F: Effraie du Cap Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 1354]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.001.002.004

Tyto castanops (Gould, 1837) II В

Synonym: Tyto novaehollandiae castanops

E: Tasmanian Masked-Owl, F: Effraie de Tasmanie

Australia (br) [477]

В 386, 387 II Tyto glaucops (Kaup, 1852)

Synonym: Tyto alba glaucops

E: Ashy-faced Owl, S: Lechuza de la Española, F: Effraie d'Hispaniola

Dominican Republic (br) [1312, 6754]; Haiti (br) [1408]

Tyto inexspectata (Schlegel, 1879)

386, 541, 595, II В VU 1410

E: Minahassa Barn-Owl, Minahassa Masked-owl, Minahassa Masked-Owl, Minahassa Owl,

S: Lechuza de Minahassa, F: Effraie de Minahassa

Indonesia (br) [393, 6422]: Sulawesi

CITES Identification Manual Reference: A-220.001.002.005

В Tyto longimembris (Jerdon, 1839) II

Synonym: Tyto capensis longimembris

E: Eastern Grass-Owl, S: Lechuza patilarga, F: Effraie de prairie

Australia (br) [477]; Bangladesh (ex, br) [804]; China (br) [5293]; Fiji (br) [1171]; ?Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Sulawesi; Japan (v) [503, 504]; Myanmar (br) [1290]; Nepal (br) [865]; New Caledonia (br) [5260]; Papua New Guinea (br); Philippines (br) [5270]; Taiwan, Province of China (br); Viet Nam (br) [5264]

Tyto manusi Rothschild and Hartert, 1914 II 386, 595

Synonym: Tyto novaehollandiae manusi

E: Manus Masked-owl, Manus Masked-Owl, S: Lechuza de la Manus, F: Effraie de Manus Papua New Guinea (br)

TYTONIDAE CITES EC Reg. RL References Tyto multipunctata Mathews, 1912 В 386, 595 Synonym: Tyto tenebricosa multipunctata E: Lesser Sooty-owl, Lesser Sooty-Owl, S: Lechuza moteada, F: Effraie piquetée Australia (br) [477] Tyto nigrobrunnea Neumann, 1939 II В EN 386, 541, 595, 1410 E: Sula Barn-Owl, Taliabu Masked-owl, Taliabu Masked-Owl, Taliabu Owl, S: Lechuza de la Taliabu, F: Effraie de Taliabu Indonesia (br) [393]: Sulawesi Tyto novaehollandiae (Stephens, 1826) 386, 541, 918 II E: Australian Masked-Owl, Masked Owl, S: Lechuza Australiana, F: Effraie masquée Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-220.001.002.008 Tyto rosenbergii (Schlegel, 1866) 386, 541 E: Sulawesi Owl, S: Lechuza de Célebes, F: Effraie des Célèbes Indonesia (br) [393]: Sulawesi CITES Identification Manual Reference: A-220.001.002.009 Tyto sororcula (Sclater, 1883) II В DD 386, 541, 595, 1410 Synonym: Tyto novaehollandiae sororcula E: Lesser Masked-owl, Lesser Masked-Owl, Tanimbar Owl, S: Lechuza de las Tanimbar, F: Effraie des Tanimbar Indonesia (br) [393]: Lesser Sunda Is, Moluccas Tyto soumagnei (Milne-Edwards, 1878) EN 386, 541, 576, 595, 597 E: Madagascar Grass Owl, Madagascar Owl, Madagascar Red Owl, Soumagne's Owl, S: Lechuza de Madagascar, Lechuza Malgache, F: Effraie de Soumagne, Effraie rousse de Madagascar Madagascar (br) [633, 5249] CITES Identification Manual Reference: A-220.001.002.010 Tyto tenebricosa (Gould, 1845) 386, 541, 918 E: Greater Sooty-Owl, Sooty Owl, S: Lechuza tenebrosa, F: Effraie ombrée Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-220.001.002.011 Family: **STRIGIDAE** Aegolius acadicus (Gmelin, 1788) Η В 386, 387, 541, E: Northern Saw-whet Owl, Saw-whet Owl, S: Mochuelo cabezón, Tecolote-abetero norteño, Bermuda (v) [389]; Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Mexico (br) [5241, 6819]; Panama (v) [1195]; Saint Pierre and Miguelon (v) [683]; United States (br) [387] CITES Identification Manual Reference: A-220.002.001.002 Aegolius funereus (Linnaeus, 1758) H 386, 387, 541, 611 E: Boreal Owl, Tengmalm's Owl, S: Lechuza de Tengmalm, Mochuelo boreal, F: Chouette de Tengmalm, Engoulevent d'Europe, Nyctale de Tengmalm Andorra (br) [5239]; Austria (br) [1215]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Germany (br) [5274]; Greece (br) [5281]; Hungary (v) [5257]; India (br) [1197]; Italy (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Kyrgyzstan

(br) [710]; Latvia (br) [5278]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon [683]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Tajikistan (br?) [374]; Turkey (br?) [841, 5282]; Ukraine (br) [710]; United Kingdom (v) [6188]; United States (br) [387, 819]; Yugoslavia (br) [1038]

CITES Identification Manual Reference:

A-220.002.001.003

Aegolius harrisii (Cassin, 1849)

II B

386, 541, 595, 1068

E: Buff-fronted Owl, S: Carburé acanelado, Curucucú barriga amarilla, Lechucita acanelada, Mochuelo canela, F: Chouette de Harris, Nyctale de Harris
Argentina (br) [5291]; Bolivia (br) [1186, 6327]; Brazil (br) [6186]; Colombia (br) [837];
Ecuador (br) [5294, 6200]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287];
Venezuela (br) [1070, 6925]

CITES Identification Manual Reference:

A-220.002.001.004

Aegolius ridgwayi (Alfaro, 1905)

II

E: Unspotted Saw-whet Owl, S: Mochuelo moreno, F: Nyctale immaculée Costa Rica [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Mexico [5241]; Panama (v) [1195]

CITES Identification Manual Reference:

A-220.002.001.005

Asio abyssinicus (Guérin-Méneville, 1843)

II B

386, 511, 541

Synonym: Asio otus abyssinicus E: Abyssinian long-eared owl, Abyssinian Owl, S: Búho Abisinio, F: Hibou d'Abyssinie Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Kenya (br?) [5253]; Rwanda

Asio capensis (Smith, 1834)

(br?) [659]; Uganda (br?) [659]

II B

386, 511, 541, 573, 723, 841,

E: African Marsh Owl, Marsh Owl, S: Búho moro, Lechuza mora, F: Hibou du Cap Algeria (ex, br) [971]; Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br?); Ethiopia [659]; Gambia [760]; Guinea (v); Kenya (br) [5253]; Lesotho (br) [486]; Madagascar (br) [633, 5249]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Portugal (v) [1332]; Rwanda (br) [659]; Senegal (v) [659]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-220.002.002.003

Asio clamator (Vieillot, 1807)

II

В

386, 541, 576, 1068

Synonym: Rhinoptynx clamator

E: Striped Owl, S: Búho gritón, Búho-cornudo cariblanco, Lechuza listada, Lechuzón, Lechuzón orejas largas, Lechuzón orejudo, F: Hibou criard, Hibou strié

Argentina (br) [5291]; Belize (v) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076, 6308]; Mexico (br) [5241, 6675]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287];

Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.021.001

611, 723, 929,

1068, 1256 E: Short-eared Owl, S: Búho campestre, Búho orejicorto, Lechuza campestre, Lechuza orejicorta, Lechuzón campestre, F: Hibou brachyote, Hibou des marais, Hibou moyenduc Afghanistan [694]; Albania; Algeria [971]; Argentina (br) [5291]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas (v) [5242]; Bahrain [537, 1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Belize (v) [6709]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1058, 1186]; Bosnia and Herzegovina (br) [1038]; Brazil (br) [457, 1164, 6186]; Brunei Darussalam (v); Bulgaria (br) [5280]; Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Chad (v) [659]; Chile (br) [415, 514, 5292]; China (br) [5293]; Colombia (br) [837, 6297]; Costa Rica (v) [1283, 1311]; Croatia (br) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Dominican Republic (br) [1312]; Ecuador (br) [542, 5294]: Ecuador, Galapagos; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Falkland Islands (Malvinas) (br) [1439]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (br) [1349]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Greenland (v); Guadeloupe (v) [5242]: St Martin-St Barthelemy; Guam (v) [503]; Guatemala (v) [5241]; Guinea; Guyana (br) [1295]; Haiti (br) [1408]; Hong Kong (v); Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy [5289]; Japan [503, 1415]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya (v) [511, 5253]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (v): Peninsular Malaysia, Sarawak [1289]; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger (v) [659]; Northern Mariana Islands (v) [1171]; Norway (br) [5275]; Oman; Pakistan; Paraguay (br) [5295]; Peru (br) [1136]; Philippines (v) [1166, 5270]; Poland (br) [1348]; Portugal [1332]; Puerto Rico (br) [1176]; Qatar [537, 1393]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Senegal [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v) [487]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387, 1322]; Uruguay (br) [5287]; Uzbekistan (br) [710]; Venezuela (br) [1070]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Yemen (v) [5297]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-220.002.002.004

Asio madagascariensis (Smith, 1834) II B 386, 541 E: Madagascar Owl, S: Búho Malgache, Lechuza orejita de Madagascar, F: Hibou de Madgascar, Hibou malgache Madagascar (br) [633, 5249]

CITES Identification Manual Reference: A-220.002.002.005

Asio otus (Linnaeus, 1758) II A 381, 386, 387, 541, 611, 723,

E: Long-eared Owl, S: Buho chico, Búho chico, Búho-cornudo caricafe, F: Hibou moyen-duc Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bermuda (v) [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cuba (v) [485, 5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt [756]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong (v); Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Jordan [395]; Kazakhstan

CITES EC Reg. RL References

STRIGIDAE

(br) [5269]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta; Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar (v) [1290]; Nepal (v) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman (v); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia (v) [881]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]; Yugoslavia (br) [1038] CITES Identification Manual Reference:

A-220.002.002.006

Asio stygius (Wagler, 1832)

II B

386, 387, 485, 541, 1068

E: Stygian Owl, S: Búho negruzco, Búho-cornudo oscuro, Lechuza estigia, Lechuzón negruzco, F: Hibou maître-bois

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [445]; Brazil (br) [6186]; Colombia (br) [837]; Cuba (br) [5259]; Dominican Republic (br) [1312]; Ecuador (br) [5294, 6360]; Guatemala (br) [5241]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Paraguay (br) [5295]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.002.007

Athene blewitti (Hume, 1873)

A CR

381, 386, 541, 576, 595, 931, 6477, 5486, 6487

E: Forest Little Owl, Forest Owlet, Forest Spotted Owlet, S: Mochuelo de Blewitt, Mochuelo de los bosques, Mochuelo forestal, F: Chevêche forestière, Chouette des forêts India (br) [1197]

CITES Identification Manual Reference:

A-220.002.003.002

Athene brama (Temminck, 1821)

II B

381, 386, 541, 841, 929

E: Spotted Little Owl, Spotted Owlet, S: Mochuelo brahmán, F: Chevêche brame Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference:

A-220.002.003.003

Athene noctua (Scopoli, 1769)

II

381, 386, 541, 611, 723, 740, 841, 1256

E: Little Owl, Northern Little Owl, Tibet Owlet, S: Mochuelo común, Mochuelo Europeo, F: Chouette Chevêche, Chevêche d'Athéna

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Chad (br?) [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Finland (v) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (br); Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of (br) [1436]; Kuwait (br?) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (ex?, br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali (br?) [659]; Malta (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1351]; Niger (br?) [659]; Norway

(v) [5275]; Oman (br); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Romania

CITES EC Req. RL **STRIGIDAE** References

(br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; Spain (br) [702]; Sudan (br?) [659]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 1318]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (int, br) [6188]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br) [5297]; Yugoslavia (br) [1038] A-220.002.003.004 CITES Identification Manual Reference:

Bubo africanus (Temminck, 1821)

Η В 386, 511, 541, 573, 723, 841,

Synonym: Bubo cinerascens

E: African Eagle-Owl, Spotted Eagle-Owl, S: Búho Africano, Búho Africano chico, F: Grand-duc africain

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.004.002 В

В

Bubo ascalaphus Savigny, 1809

П

386, 611, 723, 1256

Synonym: Bubo bubo ascalaphus

E: Pharaoh Eagle-Owl, S: Búho desértico, F: Grand-duc ascalaphe, Grand-duc du désert Algeria (br) [971]; Chad (br?) [659]; Egypt (br) [756]; Eritrea (br) [659]; Iraq (br) [385]; Israel (br) [5245]; Jordan (br) [395, 6454]; Kuwait (br) [537]; Libyan Arab Jamahiriya (br) [536]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Niger (br) [659]; Oman (br); Saudi Arabia (br) [881]; Senegal (v) [659]; Sudan (br) [659]; Tunisia (br) [1344]; United Arab Emirates

(br) [1192]; Western Sahara (br) Bubo bengalensis (Franklin, 1831)

Synonym: Bubo bubo bengalensis

II

381, 386

E: Rock Eagle-Owl, S: Búho Bengalí, F: Grand-duc indien

Bangladesh (v) [804]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)

Bubo bubo (Linnaeus, 1758)

II

381, 386, 541, 611

E: Eagle owl, Eurasian Eagle-Owl, S: Buho real, Búho real, F: Grand-duc d'Europe, Hibou grand duc, Hibou grand-duc

Afghanistan (br?) [694]; Albania (br); Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark (v) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong (br); Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Romania (br) [558]; Russian Federation (br) [710]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Yugoslavia (br) [1038]

CITES Identification Manual Reference:

A-220.002.004.003

Bubo capensis Smith, 1834

H В 386, 511, 541, 573, 723

E: Cape Eagle-Owl, Mackinder's Eagle-Owl, Mountain Eagle-Owl, S: Búho de El Cabo,

F: Grand-duc du Cap

Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (v) [1103]; Mozambique (br?) [659, 870]; Namibia (br) [659, 1037, 1391]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Zimbabwe

CITES Identification Manual Reference:

A-220.002.004.004

Bubo coromandus (Latham, 1790)

II В 381, 386, 541,

929

E: Dusky Eagle-Owl, S: Búho de Coromandel, F: Grand-duc de Coromandel

Bangladesh (v) [804]; China (v) [5293]; India (br) [1197]; Malaysia (v); Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br?) [487, 1220]

CITES Identification Manual Reference:

A-220,002,004,005 В

Bubo lacteus (Temminck, 1820)

11

386, 511, 541, 573, 723, 1256

E: Giant Eagle-Owl, Milky Eagle-Owl, Verreaux's Eagle-Owl, S: Búho lechoso, Gran búho etiópico, F: Grand-duc de Verreaux

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (ex, br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.004.006

В

Bubo leucostictus Hartlaub, 1855

386, 541, 723,

918, 1256

E: Akun Eagle-Owl, Sooty Eagle-Owl, S: Búho de Akún, F: Grand-duc tacheté Angola (br?) [5267]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659] A-220.002.004.007 CITES Identification Manual Reference:

Bubo nipalensis Hodgson, 1836

381, 386, 541, 595, 929

E: Forest Eagle-Owl, Spot-bellied Eagle-owl, Spot-bellied Eagle-Owl, S: Búho Nepalí, F: Grandduc du Népal

Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal

(br) [865]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Bubo philippensis (Kaup, 1851)

II

VU

386, 541, 595

Synonym: Pseudoptynx philippensis

E: Philippine Eagle-owl, Philippine Eagle-Owl, S: Búho Filipino, F: Grand-duc des Philippines

Philippines (br) [1166, 5270, 6929]

CITES Identification Manual Reference:

A-220.002.004.008

В

STRIGIDAE CITES EC Reg. RL References II В 386, 511, 541, Bubo poensis Fraser, 1853 595, 597, 723, 918, 1256 E: Fraser's Eagle-Owl, S: Búho de Guinea, F: Grand-duc à aigrettes Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659] CITES Identification Manual Reference: A-220.002.004.009

Bubo shelleyi (Sharpe & Ussher, 1872)

II

386, 541, 723, 918, 1256

E: Banded Eagle-Owl, Shelley's Eagle-Owl, S: Búho barrado, F: Grand-duc de Shelley Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6294]; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Sierra Leone (br?) [659]

CITES Identification Manual Reference:

A-220.002.004.010

В

Bubo sumatranus (Raffles, 1822)

[E

386, 541, 929

E: Barred Eagle-Owl, S: Búho Malayo, F: Grand-duc bruyant

Brunei Darussalam (br); Cocos (Keeling) Islands (v) [1316]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (**ex**, br) [791]; Thailand (br) [487, 1220]

CITES Identification Manual Reference:

A-220.002.004.011

Bubo virginianus (Gmelin, 1788)

II B

386, 387, 541,

1068

Synonym: Bubo magellanicus

E: Great Horned Owl, S: Búho, Búho Americano, Búho cornudo, Lechuzón orejudo, Nacurutú,

F: Grand-duc d'Amérique

Argentina (br) [5291]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186]; Brazil (br) [6186, 6413]; Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas) (v) [1439]; French Guiana (br?) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Pierre and Miquelon [683]; Suriname (br) [5296]; United States (br) [387]; Uruquay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.004.008

Bubo vosseleri Reichenow, 1908

Synonym: Bubo poensis vosseleri

·

VU

VU

E: Usambara Eagle-owl, Usambara Eagle-Owl, S: Búho de Usambara, F: Grand-duc des Usambara

Tanzania, United Republic of (br) [659]

Glaucidium albertinum Prigogine, 1983

II B

386, 576, 595, 597, 723, 918

576, 595

E: Albertine Owlet, Prigogine's Owlet, S: Mochuelo del Alberto, F: Chevêchette du Graben Democratic Republic of the Congo (br); Rwanda (br?) [659]

Glaucidium bolivianum König, 1991

II

II

E: Yungas Pygmy-Owl, S: Mochuelo Boliviano, F: Chevêchette des yungas Argentina (br) [5291]; Bolivia (br) [1186]; Peru (br) [1136]

STRIGIDAE EC Reg. CITES References 386, 387, 541, Π В Glaucidium brasilianum (Gmelin, 1788) 1068 E: Ferruginous Pygmy-Owl, S: Caburé, Mochuelo caburé, Pavita ferruginea, Tecolotito común, F: Chevêchette brune Argentina (br) [5291, 6190]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [5292, 6393]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070] Glaucidium brodiei (Burton, 1836) В 381, 386, 541, E: Collared Owlet, Collared Pygmy-Owl, S: Mochuelo acollarado, F: Chevêchette à collier Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264] Glaucidium californicum Sclater, 1857 Π В 387 Synonym: Glaucidium gnoma californicum E: Northern Pygmy-Owl, S: Mochuelo Californiano, Tecolotito del cabo, F: Chevêchette des Rocheuses Canada (br) [748]; Mexico (br) [5241]; United States (br) [387] Glaucidium capense (Smith, 1834) H В 386, 511, 541, 573, 723, 918 E: African Barred Owlet, Barred Owlet, S: Mochuelo de El Cabo, F: Chevêchette du Cap Democratic Republic of the Congo (br); Kenya (br) [5253]; ?Mozambique (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659] CITES Identification Manual Reference: A-220.002.006.004 Glaucidium castaneum Neumann, 1893 Π В 723 Synonym: Glaucidium capense castaneum E: Chestnut Owlet, S: Mochuelo castaño, F: Chevêchette châtaine Cameroon [6295]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Liberia (br) [5246]; Uganda (br?) [659] Glaucidium castanonotum (Blyth, 1846) II LR/nt 381, 595 Synonym: Glaucidium radiatum castanonotus E: Chestnut-backed Owlet, S: Mochuelo de Ceilán, F: Chevêchette à dos marron Sri Lanka (br) [5271] 386 E: Javan Owlet, S: Mochuelo de Java, F: Chevêchette spadicée Indonesia (br) [393]: Bali, Jawa

Glaucidium castanopterum (Horsfield, 1821)

Glaucidium cuculoides (Vigors, 1831) II В 381, 386, 541,

E: Asian Barred Owlet, Cuckoo Owlet, S: Mochuelo cuco, F: Chevêchette cuculoïde Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong (ex, br); India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-220.002.006.005 Glaucidium gnoma Wagler, 1832 В 386, 387, 541

Synonym: Glaucidium hoskinsii E: Mountain Pygmy-Owl, S: Mochuelo gnomo, Tecolotito serano, F: Chevêchette naine Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; United States (br) [387]

CITES Identification Manual Reference: A-220.002.006.006 Glaucidium hardyi Vielliard, 1990

E: Amzonian Pygmy-Owl, Hardy's Pygmy-Owl, S: Mochuelo Amazónico, F: Chevêchette d'Amazonie

Bolivia (br) [6986]; Brazil (br) [6186]; Venezuela [1070]

Glaucidium jardinii (Bonaparte, 1855)

386, 387, 1068

E: Andean Pygmy-Owl, S: Mochuelo andino, Pavita andina, F: Chevêchette des Andes Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136, 6724]; Venezuela (br) [1070]

A-220.002.006.007 CITES Identification Manual Reference:

Glaucidium minutissimum (Wied, 1821)

В

386, 387, 541, 1068, 6866

Synonyms: Glaucidium griseiceps, Glaucidium palmarum, Glaucidium sanchezi E: Brazilian Pygmy-Owl, Least Pygmy-Owl, S: Mochuelo minimo, F: Chevêchette cabouré Belize (br) [5241]; Bolivia (br) [1135, 1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296] CITES Identification Manual Reference: A-220,002,006,008

Glaucidium nanum (King, 1828)

H

E: Austral Pygmy-Owl, S: Caburé patagónico, Mochuelo Patagón, F: Chevêchette australe Argentina (br) [5291]; Chile (br) [5292]

Glaucidium ngamiense (Roberts, 1932)

II В 574, 723

Synonym: Glaucidium capense ngamiense E: Ngami Owlet, F: Chevêchette de Ngami

Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br); Namibia (br) [659]; South Africa (br) [659]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]

Glaucidium parkeri Robbins and Howell, 1995 6866 E: Subtropical Pygmy-Owl, S: Mochuelo de Parker, F: Chevêchette de Parker Ecuador (br) [5294]

Glaucidium passerinum (Linnaeus, 1758) 386, 541, 611 E: Eurasian Pygmy-Owl, Pygmy Owl, S: Mochuelo alpino, Mochuelo chico, F: Chevêchette

d'Europe, Chouette chevêchette

Austria (br) [1215]; Belarus (br); Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (v) [5290]; Czech Republic (br) [5258]; Denmark (v) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Germany (br) [5274]; Italy (br) [5289]; Kazakhstan (br) [5269]; Latvia (br) [5278]; Liechtenstein (br); Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (v) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Ukraine (v) [710]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-220.002.006.009

Π В 386, 511, 541, Glaucidium perlatum (Vieillot, 1818) 573, 723, 1256

E: Pearl-spotted Owlet, S: Mochuelín perlado, Mochuelo perlado, F: Chevêchette perlée Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-220.002.006.010

Glaucidium radiatum (Tickell, 1833) 381, 386, 541 E: Barred Jungle Owlet, Jungle Owlet, S: Mochuelo de jungla, F: Chevêchette de jungle Bangladesh (br) [804]; Bhutan (br) [5261]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]

II

R

CITES Identification Manual Reference: A-220.002.006.011

Glaucidium scheffleri Neumann, 1911

Glaucidium tephronotum Sharpe, 1875

Synonym: Glaucidium capense scheffleri

E: Scheffler's Owlet, F: Chevêchette de Scheffler

?Kenya (br) [5253]; ?Somalia (br) [5252]; Tanzania, United Republic of (br?) [659]

Glaucidium siju (D'Orbigny, 1839) В 386, 541 E: Cuban Pygmy-Owl, S: Mochuelo sijú, Siju, Sijucito, F: Chevêchette de Cuba

Cuba (br) [5259]

iaunes

CITES Identification Manual Reference: A-220.002.006.012

386, 541, 918, Glaucidium sjostedti Reichenow, 1893 В 1256

E: Sjostedt's Owlet, S: Mochelo de Sjöstedt, Mochuelo chico, Mochuelo del Congo,

F: Chevêchette à queue barrée

Cameroon (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?)

II

В

386, 511, 541, 723, 918, 1256,

CITES Identification Manual Reference: A-220.002.006.013

6299 E: Red-chested Owlet, Yellow-legged Owlet, S: Mochuelo pechirrojo, F: Chevêchette à pieds

Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br?) [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br) [648, 5246]; Rwanda (br?) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]

CITES Identification Manual Reference: A-220.002.006.14

386, 541, 576, Jubula lettii (Büttikofer, 1889) II В 723, 918, 1256

Synonym: Lophostrix lettii

E: Maned Owl, S: Búho de Crin, Búho de Guinea, F: Duc à crinière, Hibou à bec jaune Cameroon (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Gabon (br) [518, 659]; Ghana (br?) [782]; Liberia (br) [5246]

CITES Identification Manual Reference: A-220.002.008.001

386, 541, 576, Ketupa blakistoni (Seebohm, 1884) II EN 595

Synonym: Bubo blakistoni

E: Blakiston's Fish-owl, Blakiston's Fish-Owl, S: Búho Manchú, F: Grand-duc de Blakiston, Kétoupa de Blakiston

China (br) [5293]; Japan (br) [500, 503, 504]; Russian Federation (br) [489, 710, 938]

CITES Identification Manual Reference: A-220.002.009.002

381, 386, 541, Ketupa flavipes (Hodgson, 1836) II В 595, 929

Synonym: *Bubo flavipes*

E: Tawny Fish-owl, Tawny Fish-Owl, S: Búho pescador, Búho pescador leonado, F: Hibou pêcheur roux, Kétoupa roux

Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Taiwan, Province of

CITES EC Reg. RL References STRIGIDAE China (br); Viet Nam (br) [5264] CITES Identification Manual Reference: A-220.002.009.003 В 381, 386, 541, Ketupa ketupu (Horsfield, 1821) H 929 Synonym: Bubo ketupu E: Buffy Fish-Owl, Malay Fish-Owl, S: Búho pescador Malayo, F: Kétoupa malais Brunei Darussalam (br); Cambodia (br) [5243]; Cocos (Keeling) Islands (v) [1316]; India (ex?, br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; ?Lao People's Democratic Republic [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Singapore (ex, br?) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-220.002.009.004 381, 386, 541, Ketupa zeylonensis (Gmelin, 1788) H 611, 841, 929 Synonym: Bubo zeylonensis E: Brown Fish-Owl, S: Búho pescador de Ceilán, F: Kétoupa brun Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel (br) [5245]; ?Jordan (br) [395]; Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Seychelles (v?) [659, 6253]; Sri Lanka (br) [5271]; Syrian Arab Republic (br?) [5283]; Thailand (br) [487, 1220]; Turkey (br) [1012, 5282]; Viet Nam (br) [5264] A-220.002.009.005 CITES Identification Manual Reference: 386, 387, 541, II В Lophostrix cristata (Daudin, 1800) 1068 E: Crested Owl, S: Búho corniblanco, Búho cornudo, Lechuza copetona, F: Duc à aigrettes, Hibou à casque Belize (br) [5241, 6769]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304, 6810] CITES Identification Manual Reference: A-220.002.010.001 386, 387, 541 Micrathene whitneyi (Cooper, 1861) E: Elf Owl, S: Mochuelo de los saguaros, Mochuelo duende, Tecolotito enano, F: Chevêchette des saguaros, Chevêchette-elfe Mexico (br) [5241]; United States (br) [387] A-220.002.011.001 CITES Identification Manual Reference: VU 386, 541, 576, Mimizuku gurneyi (Tweeddale, 1879) Synonym: Otus gurneyi E: Giant Scops-Owl, Lesser Eagle-owl, Lesser Eagle-Owl, Mindanao Eagle-Owl, S: Autillo de Guerney, Búho de Mindanao, F: Hibou de Tweeddale, Petit-duc de Gurney, Petit-duc géant, Scops géant de Guerney Philippines (br) [5270] A-220.002.016.001 CITES Identification Manual Reference: VU 386, 541, 576, Nesasio solomonensis (Hartert, 1901) 595, 1242 E: Fearful Owl, S: Búho de las Salomón, F: Chouette des îles Salomons, Hibou redoutable Papua New Guinea (br); Solomon Islands (br) [5260] CITES Identification Manual Reference: A-220.002.013.001 381, 386, 541, В LR/nt Ninox affinis Beavan, 1867 II E: Andaman Boobook, Andaman Hawk Owl, Andaman Hawk-Owl, S: Nínox de Andamán, F: Ninoxe des Andaman India (br) [1197]: Andaman Is, Nicobar Is CITES Identification Manual Reference: A-220.002.014.002

CITES EC Reg. RL

References

Ninox boobook (Latham, 1801)

II B

Synonym: Ninox novaeseelandiae boobook

E: Southern Boobook, S: Nínox Australiano, F: Ninoxe d'Australie

Australia (br) [477]

Ninox connivens (Latham, 1801)

II B 386, 541

E: Barking Owl, Winking Owl, S: Nínox ladrador, F: Ninoxe aboyeuse

Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)

CITES Identification Manual Reference: A-220.002.014.003

Ninox ios Rasmussen, 1999

II B VU

E: Cinnabar Hawk-Owl Indonesia [393]: Sulawesi

Ninox jacquinoti (Bonaparte, 1850)

II B 386, 541, 1242

E: Solomon Hawk-Owl, Solomon Islands Boobook, S: Nínox de las Solomón, F: Ninoxe de

Jacquinot

Papua New Guinea (br); Solomon Islands (br) [5260]

CITES Identification Manual Reference: A-220.002.014.004

Ninox meeki Rothschild and Hartert, 1914 II B 386, 541, 1242

E: Admiralty Hawk-Owl, Admiralty island Hawk-owl, Manus Boobook, Manus Hawk-Owl,

S: Nínox de la Manus, F: Ninoxe de l'Amirauté Papua New Guinea (br): Bismarck Archipelago

CITES Identification Manual Reference: A-220.002.014.005

Ninox novaeseelandiae (Gmelin, 1788)

I/II A/B 386, 541

E: Morepork, S: Ninox Maorí, F: Chouette boobok, Chouette coucou, Ninoxe boubouk

CITES Appendix II populations II B

Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas; New Zealand (br) [1351];

Papua New Guinea (br) [6951]

Ninox novaeseelandiae undulata (Latham, 1801) I A 386, 541, 576, 931, 1116

Synonym: *Ninox novaeseelandiae royana*

E: Norfolk Boobook, Norfolk Island Boobook Owl, S: Lechuza gavilana de Norfolk, Mochuelo

cucú, F: Chouette boobok de l'île Norfolk, Ninoxe boubouk de l'île Norfolk

Norfolk Island (br) [477, 1216]

CITES Identification Manual Reference: A-220.002.014.006

Ninox ochracea (Schlegel, 1865) II B LR/nt 386, 541, 576

Synonym: Ninox perversa

E: Ochre-bellied Boobook, Ochre-bellied Hawk-Owl, S: Nínox ocráceo, F: Ninoxe ocrée

Indonesia (br) [393]: Sulawesi

CITES Identification Manual Reference: A-220.002.014.008

Ninox odiosa Sclater, 1877 II B 386, 541, 1242

E: New Britain Hawk-Owl, Russet Boobook, Russet Hawk-Owl, S: Nínox de Nueva Bretaña,

F: Ninoxe odieuse

Papua New Guinea (br)

CITES Identification Manual Reference: A-220.002.014.007

Ninox philippensis Bonaparte, 1855 II B 386, 541

E: Philippine Boobook, Philippine Hawk-Owl, S: Nínox Filipino, F: Ninoxe des Philippines

Philippines (br) [1166, 5270]

CITES Identification Manual Reference: A-220.002.014.009

STRIGIDAE CITES EC Reg. RL References 386, 541 Ninox punctulata (Quoy & Gaimard, 1830) E: Speckled Boobook, Speckled Hawk-Owl, S: Nínox punteado, F: Ninoxe pointillée Indonesia (br) [393, 1410]: Sulawesi CITES Identification Manual Reference: A-220.002.014.010 LR/nt 386, 595 Ninox rudolfi Meyer, 1882 Π В Synonym: Ninox novaeseelandiae rudolfi E: Sumba Boobook, S: Nínox de Sumba, F: Ninoxe de Sumba Indonesia (br) [393]: Lesser Sunda Is 386, 541 Ħ В Ninox rufa (Gould, 1846) E: Rufous Owl, S: Nínox rojizo, F: Ninoxe rousse Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-220.002.014.011 II 381, 386, 541, Ninox scutulata (Raffles, 1822) E: Brown Boobook, Brown Hawk Owl, Brown Hawk-Owl, S: Nínox pardo, F: Ninoxe hirsute Australia (v) [477]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan (br) [503, 504]; Kazakhstan (v) [5269]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak [1289]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [1166, 5270]; Russian Federation (br) [710, 938]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-220.002.014.012 I/II A/B 386, 541 Ninox squamipila (Bonaparte, 1850) E: Moluccan Boobook, Moluccan Hawk-Owl, S: Lechuza gavilana de las Molucas, Nínox Moluqueño, F: Chouette des Moluques, Chouette épervière, Ninoxe des Moluques В CITES Appendix II populations Indonesia (br) [393]: Lesser Sunda Is, Moluccas 386, 576, 931, Ninox squamipila natalis Lister, 1889 Α 1115 Synonym: Ninox natalis E: Christmas Hawk-Owl, Christmas Island Hawk-Owl, S: Mochuelo de las Molucas, F: Chouette des mollusques, Chouette épervière de l'île Christmas, Ninoxe Christmas Island (br) CITES Identification Manual Reference: A-220.002.014.016 386, 541, 595 Ninox strenua (Gould, 1838) В E: Powerful Owl, S: Nínox robusto, F: Ninoxe puissante Australia (br) [477] CITES Identification Manual Reference: A-220.002.014.017 386, 541 Ninox superciliaris (Vieillot, 1817) E: Madagascar Hawk-Owl, White-browed Boobook, White-browed Owl, S: Nínox Malgache, F: Ninoxe à sourcils blancs Madagascar (br) [633, 5249] CITES Identification Manual Reference: A-220.002.014.018 Ninox theomacha (Bonaparte, 1855) 11 В 386, 541, 1242 Synonym: Ninox goldii

150

A-220.002.014.019

156

E: Chestnut Hawk-Owl, Jungle Boobook, Jungle Hawk-Owl, Sooty-backed Hawk-Owl, S: Nínox

Papú, F: Ninoxe brune

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference:

STRIGIDAE CITES EC Reg. RL References 386, 541 Ninox variegata (Quoy & Gaimard, 1830) II В Synonym: Ninox solomonis E: Bismarck Boobook, Bismarck Hawk-Owl, New Ireland Hawk-Owl, S: Nínox de las Bismarck, F: Ninoxe bariolée Papua New Guinea (br): Bismarck Archipelago CITES Identification Manual Reference: A-220.002.014.013 Nyctea scandiaca (Linnaeus, 1758) II 386, 387, 541, Α 611 E: Snowy Owl, S: Buho nival, Búho nival, F: Chouette harfang, Harfang des neiges Albania (v); Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (v) [5293]; Croatia (v) [5290]; Czech Republic (v) [5258]; Denmark (v) [666]; Faroe Islands [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Greenland (br); Hungary (v) [5257]; Iceland (br) [507]; Iran (Islamic Republic of) (v) [841, 1253]; Ireland (v) [858]; Japan (v) [503, 504]; Kazakhstan [5269]; Korea, Democratic People's Republic of (v) [762]; Korea, Republic of (v) [1436]; Kyrgyzstan (v) [710]; Latvia (v) [5278]; Luxembourg (v) [5248]; Mongolia (v) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Pakistan (v); Poland (v) [1348]; Portugal (v) [1332]; Russian Federation (br) [710]; Saint Pierre and Miquelon [683]; Slovakia (v) [5279]; Svalbard and Jan Mayen (br); Sweden (br) [1199]; Turkmenistan (v) [710]; Ukraine (v) [710]; United Kingdom (br) [6188]; United States (v) [387]; Yugoslavia (v) [1038] CITES Identification Manual Reference: A-220.002.015.001 Otus albogularis (Cassin, 1850) II В 386, 541, 1068 E: White-throated Screech-Owl, S: Autillo gorgiblanco, Curucucú gargantiblanco, F: Petit-duc à gorge blanche Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]; Venezuela (br) [1070] CITES Identification Manual Reference: A-220.002.016.002 Otus alius Rasmussen, 1998 32 E: Nicobar Scops-Owl, S: Autillo de Nicobar, F: Petit-duc de Nicobar India (br) [1197]: Nicobar Is Otus angelinae (Finsch, 1912) II В VU 386, 394, 541, Synonym: Otus spilocephalus angelinae E: Javan Scops-owl, Javan Scops-Owl, S: Autillo de Java, F: Petit-duc de Java Indonesia (br) [393, 450]: Jawa Otus asio (Linnaeus, 1758) II 386, 387, 541 E: Eastern Screech-Owl, S: Autillo yanqui, Tecolote oriental, F: Petit-duc maculé Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387] CITES Identification Manual Reference: A-220.002.016.004 Otus atricapillus (Temminck, 1822) II В 386, 387, 541, 1068 Synonyms: Otus guatemalae, Otus hoyi E: Black-capped Screech-Owl, Variable Screech-Owl, S: Autillo capirotado, Curucucú vermiculado, Lechucita rojiza, F: Petit-duc à mèches noires Argentina (br) [5291]; Belize (br) [610, 5241]; Bolivia (br) [6986]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070] CITES Identification Manual Reference: A-220.002.016.016 Otus bakkamoena Pennant, 1769 II 381, 386, 541 Synonym: Otus lempiji

E: Collared Scops-Owl, Indian Scops-Owl, Sunda Scops-Owl, S: Autillo chino, Autillo de la Sonda, Autillo Indio, F: Petit-duc à collier, Petit-duc de Horsfield, Petit-duc indien Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong (br); India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Iran (Islamic Republic of) (br) [1253]; Japan (br) [503, 504]; Korea, STRIGIDAE CITES EC Reg. RL References

Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; ?Oman (v) [841]; Pakistan (br); Russian Federation (br) [710]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-220.002.016.006

Otus balli (Hume, 1873) II B LR/nt 381, 386, 541, 595

E: Andaman Scops-Owl, S: Autillo de Andamán, F: Petit-duc des Andaman

India (br) [1197]: Andaman Is

Otus brucei (Hume, 1873)

CITES Identification Manual Reference: A-220.002.016.007

Otus barbarus (Sclater & Salvin, 1868) II B LR/nt 386, 387, 541, 595

E: Bearded Screech-Owl, Santa Barbara Screech-owl, Santa Barbara Screech-Owl, S: Autillo barbudo, Tecolote barbudo, F: Petit-duc bridé Guatemala (br) [5241]; Mexico (br) [5241]

CITES Identification Manual Reference: A-220.002.016.008

Otus brookii (Sharpe, 1892) II B 386, 541

E: Rajah Scops-Owl, S: Autillo Rajá, F: Petit-duc radjah

Indonesia (br) [393]: Jawa, Sumatera; Malaysia (br) [1289]: Sabah, Sarawak CITES Identification Manual Reference: A-220.002.016.010

611, 723, 841, 918

E: Pallid Scops-Owl Striated Scops Owl Striated Scops-Owl S: Autillo Persa E: Petit-duc de

E: Pallid Scops-Owl, Striated Scops Owl, Striated Scops-Owl, S: Autillo Persa, F: Petit-duc de Bruce

В

381, 386, 541,

Afghanistan (v) [694]; Bahrain (v) [1105]; Egypt (v) [756]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br?) [5245]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Lebanon (br?) [5284]; Oman (br); Pakistan (br); Saudi Arabia [881]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uzbekistan (br) [710]; Yemen (br?) [5297]

 Otus choliba (Vieillot, 1817)
 II
 B
 386, 387, 541, 1068

E: Tropical Screech-Owl, S: Autillo chóliba, Curucucú común, Lechucita común, F: Petit-duc choliba

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.016.012

Otus clarkii Kelso and Kelso, 1935 II B 386, 387, 541, 1068

E: Bare-shanked Screech-Owl, S: Autillo serrano, Buhito en Pernetas, F: Petit-duc de Clark Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195]

CITES Identification Manual Reference: A-220.002.016.013

Otus collari Lambert and Rasmussen, 1998 II B 6305

E: Sangihe Scops-Owl, S: Autillo de la Sangihe, F: Petit-duc de Sangihe Indonesia (br) [393]: Sulawesi

Otus elegans (Cassin, 1852) II B LR/nt 576

Synonym: Otus scops elegans

E: Elegant Scops-Owl, Ryukyu Scops-Owl, S: Autillo elegante, F: Petit-duc élégant Japan (br) [503]; Philippines (br) [5270]; Taiwan, Province of China (br) [504, 1258]

CITES EC Reg. RL References STRIGIDAE 386, 387, 541 II Otus flammeolus (Kaup, 1853) E: Flammulated Owl, S: Autillo flamulado, Tecolote flameado, F: Petit-duc nain Canada (br) [748]; Guatemala [5241]; Mexico (br) [5241]; United States (br) [387] A-220.002.016.015 CITES Identification Manual Reference: 595 II В LR/nt Otus fuliginosus (Sharpe, 1888) Synonym: Otus bakkamoena fuliginosus E: Palawan Scops-owl, Palawan Scops-Owl, S: Autillo de Palawan, F: Petit-duc de Palawan Philippines (br) [5270] 386, 541, 576, VU Otus hartlaubi (Giebel, 1849) II В 595, 597, 723, 918, 1256 E: Sao Tome Scops-Owl, Sao Tomé Scops-owl, S: Autillo de Santo Tomé, F: Petit-duc de Sao Tomé Sao Tome and Principe (br) [659, 900] A-220.002.016.017 CITES Identification Manual Reference: 386, 541, 723, Otus icterorhynchus (Shelley, 1873) H В 918, 1256 E: Sandy Scops-Owl, S: Autillo piquigualdo, F: Petit-duc à bec jaune Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana (br?) [782]; Liberia (br?) [648, 5246] A-220.002.016.018 CITES Identification Manual Reference: 386, 541, 1068 II В Otus ingens (Salvin, 1897) Synonym: Otus colombianus E: Colombian Screech-Owl, Rufescent Screech-Owl, S: Autillo pálido, Curucucú pálido, F: Petitduc de Salvin Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] CITES Identification Manual Reference: A-220.002.016.019 II EN 386, 511, 541, Otus ireneae Ripley, 1966 576, 595, 597, 693, 723, 918 E: Morden's Scops-Owl, Sokoke Scops-owl, Sokoke Scops-Owl, S: Autillo de Sokoke, F: Petitduc d'Irène Kenya (br) [5253]; Tanzania, United Republic of (br?) [659] A-220.002.016.021 CITES Identification Manual Reference: 387 Otus kennicottii (Elliot, 1867) B Synonyms: Otus asio kennicottii, Otus cooperi, Otus seductus E: Western Screech-Owl, S: Autillo Californiano, Tecolote occidental, F: Petit-duc des montagnes Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387] CITES Identification Manual Reference: A-220.002.016.014 386 Otus koepckeae Hekstra, 1982 E: Koepcke's Screech-Owl, S: Autillo de Koepcke, F: Petit-duc de Koepcke Bolivia (br) [6947]; Peru (br) [1136] 386, 387, 485, В Otus lawrencii (Sclater & Salvin, 1868) Η 541 Synonym: Gymnoglaux lawrencii E: Bare-legged Owl, Bare-legged Owlch-Owl, Cuban Screech-Owl, S: Autillo Cubano, Cotunto, Cuco, Siju cotunto, F: Chouette de Cuba, Petit-duc de Cuba

A-220.002.007.001

Cuba (br) [5259]

CITES Identification Manual Reference:

CITES EC Req. RL References STRIGIDAE 386, 511, 541, II В Otus leucotis (Temminck, 1820) 573, 723, 1256 Synonyms: Ptilopsis leucotis, Ptilopsis granti E: White-faced Scops-Owl, S: Autillo cariblanco, Gran autillo veliblanco, F: Petit-duc à face blanche Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference: A-220.002.016.022 В 595 H LR/nt Otus longicornis (Ogilvie-Grant, 1894) Synonym: Otus scops longicornis E: Luzon Scops-owl, Luzon Scops-Owl, S: Autillo de Luzón, F: Petit-duc longicorne Philippines (br) [5270] II В 386, 541, 576, Otus magicus (Müller, 1841) 595, 597, 1242 Synonyms: Otus beccarii, Otus manadensis magicus E: Moluccan Scops-Owl, Papuan Scops-Owl, S: Autillo Moluqueño, F: Petit-duc mystérieux Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Seychelles (br) [659] CITES Identification Manual Reference: A-220.002.016.003 386, 541 Otus manadensis (Quoy & Gaimard, 1830) E: Celebes Scops-Owl, Sulawesi Scops-Owl, S: Autillo de Célebes, F: Petit-duc de Manado Indonesia (br) [393]: Sulawesi A-220.002.016.023 CITES Identification Manual Reference: Otus mantananensis (Sharpe, 1892) Π В LR/nt Synonym: Otus scops mantananensis E: Mantanani Scops-Owl, S: Autillo de la Mantanani, F: Petit-duc de Mantanani Malaysia (br): Sabah; Philippines (br) [5270] В 386, 576, 705 Otus marshalli Weske and Terborgh, 1981 II LR/nt Synonym: Otus petersoni E: Cloud-forest Screech-Owl, S: Autillo de Marshall, F: Petit-duc de Marshall Ecuador (br) [5294]; Peru (br) [1136, 1407, 6854] В 386 II Otus megalotis (Walden, 1875) Synonym: Otus bakkamoena megalotis E: Philippine Scops-Owl, S: Autillo Filipino, F: Petit-duc de Luçon Philippines (br) [5270, 6639] H В LR/nt Otus mentawi Chasen and Kloss, 1926 Synonym: Otus bakkamoena mentawi E: Mentawai Scops-Owl, S: Autillo de las Mentawai, F: Petit-duc des Mentawei Indonesia (br) [393]: Sumatera В LR/nt 386, 595 II Otus mindorensis (Whitehead, 1899) Synonym: Otus scops mindorensis E: Mindoro Scops-owl, Mindoro Scops-Owl, S: Autillo de Mindoro, F: Petit-duc de Mindoro Philippines (br) [5270]

CITES EC Reg. RL References STRIGIDAE LR/nt 595 Otus mirus Ripley and Rabor, 1968 II В Synonym: Otus scops mirus E: Mindanao Scops-owl, Mindanao Scops-Owl, S: Autillo de Mindanao, F: Petit-duc de Mindanao Philippines (br) [5270] CR 41, 6298 Otus moheliensis Lafontaine and Moulaert, 1998 II E: Moheli Scops-Owl, S: Autillo de Moheli, F: Petit-duc de Mohéli Comoros (br) [659] Otus nudipes (Daudin, 1800) II В 386, 387, 485, 541, 576 E: Puerto Rican Screech-Owl, S: Autillo Portorriqueño, F: Petit-duc de Porto Rico Puerto Rico (br) [1176]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br) CITES Identification Manual Reference: A-220-002.016.025 CR 386, 576, 595, Otus pauliani (Benson, 1960) Π B 597, 833, 989, 6298 Synonym: Otus rutilus pauliani E: Comoro Scops-Owl, Grand Comoro Scops-owl, Grand Comoro Scops-Owl, S: Autillo de las Comores, F: Petit-duc du Karthala Comoros (br) [659] В 386, 541, 576 Otus podarginus (Hartlaub & Finsch, 1872) II Synonym: Pyrroglaux podargina E: Palau Owl, S: Autillo de las Palau, F: Petit-duc des Palau Palau (br) [1171] CITES Identification Manual Reference: A-220.002.020.001 Π 386, 541, 1068 Otus roboratus Bangs and Noble, 1918 В E: Peruvian Screech-Owl, West Peruvian Screech-Owl, S: Autillo peruano, Autillo roborado, F: Petit-duc du Pérou Ecuador (br?) [6360]; Peru (br) [1136] CITES Identification Manual Reference: A-220.002.016.026 386, 541, 929 Otus rufescens (Horsfield, 1821) LR/nt E: Reddish Scops-Owl, S: Autillo rojizo, F: Petit-duc roussâtre Brunei Darussalam (br); Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; ?Philippines [5270]; Thailand (br) [487, 1220] A-220.002.016.027 CITES Identification Manual Reference: 386, 412, 511, Otus rutilus (Pucheran, 1849) Η В 541, 576, 595, 723, 918, 931, 6298 Synonyms: Otus capnodes, Otus mayottensis, Otus madagascariensis E: Madagascar Scops-Owl, Malagasy Scops-Owl, Pemba Scops-Owl, S: Autillo Malgache, F: Petit-duc malgache Comoros (br) [659]; Madagascar (br) [633, 5249]; Mayotte (br); Tanzania, United Republic of (br?) [659] CITES Identification Manual Reference: A-220.002.016.028 386, 541, 595, Η В VU Otus sagittatus (Cassin, 1848) E: White-fronted Scops-owl, White-fronted Scops-Owl, S: Autillo frentiblanco, F: Petit-duc à front blanc ?Indonesia (br?) [393, 1027]: Sumatera; Malaysia (br); Myanmar (br) [1290]; Taiwan, Province of China (v); Thailand (br) [487, 1220] CITES Identification Manual Reference: A-220.002.016.029

STRIGIDAE

Otus sanctaecatarinae (Salvin, 1897)

I E

E: Long-tufted Screech-Owl, S: Autillo de Santa Catarina, F: Petit-duc à aigrettes longues Argentina (br) [5291]; Brazil (br) [6186]

CITES Identification Manual Reference:

A-220.002.016.005

Otus scops (Linnaeus, 1758)

II A

381, 386, 511, 541, 611, 723, 841, 929

Synonyms: Otus sunia, Otus senegalensis

E: African Scops-Owl, Common Scops-Owl, Eurasian Scops-Owl, Oriental Scops-Owl, Scops Owl, S: Autillo, Autillo Africano, Autillo europeo, Autillo Oriental, F: Hibou petit-duc, Petit-duc

africain, Petit-duc scops Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (v) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (v) [5272]; Benin (br?) [659]; Bhutan (br) [5261]; Botswana (br) [1102]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Côte d'Ivoire (br) [1334]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br?) [427]; Egypt (br?) [756]; Equatorial Guinea (br) [659]: Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Faroe Islands (v) [480]; France (br) [7041]; Gambia (br) [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar (br?); Greece (br) [5281]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]: Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (v); Luxembourg (v) [5248]; Malawi (br) [1103]; Malaysia; Malta; Mauritania (br?) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Norway (v) [5275]; Oman (br); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Seychelles (v) [6253]; Sierra Leone (br?) [659]; Singapore (v) [791]; Slovakia (br) [5279]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara; Yemen (br) [5297]; Yugoslavia (br) [1038]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.016.030

Otus silvicola (Wallace, 1864)

11 . .

386, 541, 595

E: Lesser Sunda Scops-Owl, Wallace's Scops-owl, Wallace's Scops-Owl, S: Autillo de Wallace,

F: Petit-duc de Wallace

Indonesia (br) [393]: Lesser Sunda Is

CITES Identification Manual Reference:

A-220.002.016.031

Otus spilocephalus (Blyth, 1846)

II B

381, 386, 541,

929

E: Mountain Scops-Owl, Spotted Scops-Owl, S: Autillo montano, F: Petit-duc tacheté
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India
(br) [1197]; ?Indonesia (br) [393]: Kalimantan, Sumatera; Lao People's Democratic Republic
(br) [6187]; Malaysia (br) [1289]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br);
Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]
CITES Identification Manual Reference:

A-220.002.016.032

EC Reg. RL STRIGIDAE CITES References II В 386, 387, 541 Otus trichopsis (Wagler, 1832) E: Whiskered Screech-Owl, S: Autillo bigotudo, Tecolote bigotudo, F: Petit-duc à moustaches El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387] CITES Identification Manual Reference: A-220.002.016.034 LR/nt 386, 541 Otus umbra (Richmond, 1903) В E: Mentaur Scops-Owl, Simeulue Scops-Owl, S: Autillo de la Simeulue, F: Petit-duc de Simalur Indonesia (br) [393]: Sumatera A-220.002.016.035 CITES Identification Manual Reference: Otus vermiculatus (Ridgway, 1887) II В Synonym: Otus quatemalae vermiculatus E: Vermiculated Screech-Owl, S: Autillo vermiculado, F: Petit-duc vermiculé Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195] Π Otus watsonii (Cassin, 1848) В 386, 541, 1068 Svnonvm: Otus usta E: Tawny-bellied Screech-Owl, S: Autillo del Amazonas, Curucucú orejudo, F: Petit-duc de Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, CITES Identification Manual Reference: A-220.002.016.037 Pseudoscops grammicus (Gosse, 1847) 386, 387, 485, 541 E: Jamaican Owl, S: Búho de Jamaica, Búho Jamaicano, F: Hibou de la Jamaïque Jamaica (br) [657] CITES Identification Manual Reference: A-220.002.018.001 386, 541, 1068 Pulsatrix koeniswaldiana Η В (Bertoni & Bertoni, 1901) E: Tawny-browed Owl, White-chinned Owl, S: Lechuzón acollarado chico, Lechuzón anteojo menor, Lechuzón pardo menor, F: Chouette à sourcils jaunes, Chouette de Koeniswald Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295, 6321] CITES Identification Manual Reference: A-220.002.019.002 386, 541, 1068 Pulsatrix melanota (Tschudi, 1844) E: Band-bellied Owl, Band-tailed Owl, Rusty-barred Owl, S: Cicupa, Lechuzón acollarado grande, F: Chouette à collier Bolivia (br) [1186]; Colombia (v) [837]; Ecuador (br) [5294]; Peru (br) [1136]

CITES Identification Manual Reference: A-220.002.019.003

Pulsatrix perspicillata (Latham, 1790) 386, 541, 1068 II В E: Spectacled Owl, S: Búho de anteojos, Lechuzón anteojo, Lechuzón de Anteojos, F: Chouette à lunettes

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.019.004

386, 541, 576, Sceloglaux albifacies (Gray, 1844) Π В 1073

E: Laughing Owl, White-faced Owl, S: Lechuzón cariblanco, Nínox reidor, F: Chouette à joues blanches, Ninoxe rieuse

New Zealand (ex, br) [1351]

CITES Identification Manual Reference: A-220.002.022.001

CITES EC Reg. RL References STRIGIDAE II В 386, 541, 723, Scotopelia bouvieri Sharpe, 1875 918, 1256 E: Vermiculated Fishing-Owl, S: Cárabo pescador vermiculado, F: Chouette-pêcheuse de Bouvier Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Gabon (br) [659]; Nigeria (br?) CITES Identification Manual Reference: A-220.002.023.002 386, 511, 541, Π В Scotopelia peli (Bonaparte, 1850) 573, 723, 1256 E: Pel's Fishing-Owl, S: Cárabo pescador común, Lechuza pescadora, F: Chouette pêcheuse, Chouette-pêcheuse de Pel Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [522, 1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [522, 659, 894]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea; Kenya (br?) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659] A-220.002.023.003 CITES Identification Manual Reference: II В EN 386, 541, 576, Scotopelia ussheri Sharpe, 1871 595, 597, 723, 918, 1256 E: Rufous Fishing-owl, Rufous Fishing-Owl, S: Búho pescador rojizo, Cárabo pescador rojizo, F: Chouette d'Ussher, Chouette-pêcheuse rousse Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Guinea (br); Liberia (br) [5246]; Sierra Leone (br) [659] A-220.002.023.004 CITES Identification Manual Reference: 386, 387, 485, H В 541, 1068 Synonym: Athene cunicularia E: Burrowing Owl, S: Búho llanero, Cucú, Lechucita común, Lechucita de las viscacheras,

Speotyto cunicularia (Molina, 1782)

Mochuelo de Hoyo, Mochuelo de Madriguera, F: Chevêche des terriers, Chouette de terrier Antigua and Barbuda (ex, br) [5242]; Argentina (br) [5291]; Aruba (br) [1380]; Bahamas (br) [5242]; Belize (v) [6709]; Bolivia (br) [1186, 6385]; Brazil (br) [6186]; Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Cuba (br) [5259, 6679]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241]; Falkland Islands (Malvinas) (v) [1439]; Guadeloupe (br) [5242]; Guatemala [5241]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras [1076]; Mexico (br) [5241]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Kitts and Nevis (ex, br) [5242]; Suriname (br) [5296]; Trinidad and Tobago; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070] A-220.002.024.001 CITES Identification Manual Reference:

Strix albitarsus (Bonaparte, 1850)

II В 386, 541, 1068

Synonym: Ciccaba albitarsus

E: Rufous-banded Owl, S: Cárabo patiblanco, Lechuza colilarga, Lechuza patiblanca,

F: Chouette fasciée

Bolivia (br) [1186, 6346]; Colombia (br) [837, 6358]; Ecuador (br) [5294, 6317]; Peru

(br) [1136]; Venezuela (br) [1070]

A-220.002.005.002 CITES Identification Manual Reference:

EC Reg. RL CITES

References

Strix aluco Linnaeus, 1758

H Α

381, 386, 541, 611, 723, 841

E: Tawny Owl, Tawny Wood-Owl, S: Cárabo, Cárabo común, F: Chouette hulotte, Hulotte chathuant

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark (br) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Romania (br) [558]; Russian Federation (br) [710]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br) [1051]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yugoslavia (br) [1038] CITES Identification Manual Reference: A-220.002.025.002

Strix butleri (Hume, 1878)

II

B

В

386, 541, 576, 723, 841, 918

E: Desert Owl, Hume's Owl, Hume's Tawny Owl, Hume's Wood-Owl, S: Cárabo árabe, Cárabo de Hume, F: Chouette de Butler, Chouette hulotte de Hume

Egypt (br) [6252]; Iran (Islamic Republic of) (br?) [1253]; Israel (br) [422, 5245]; Jordan (br) [395]; Oman (br); Pakistan (br); Saudi Arabia (br) [881]; Yemen (br?) [5297] A-220.002.025.003 CITES Identification Manual Reference:

Strix davidi (Sharpe, 1875)

II

386, 595, 1069

Synonym: Strix uralensis davidi

E: David's Owl, Sichuan Wood-owl, Sichuan Wood-Owl, S: Cárabo de Sichuán, F: Chouette de Sitchouan, Chouette du Sitchouan

China (br) [5293]

Strix fulvescens (Sclater & Salvin, 1875)

В II

Synonym: Strix varia fulvescens

E: Fulvous Owl, S: Búho fulvo, Cárabo Guatemalteco, F: Chouette fauve

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

Strix huhula Daudin, 1800

H

386, 541, 1068

Synonym: Ciccaba huhula

E: Black-banded Owl, S: Cárabo negro, Lechuza negra, F: Chouette huhul Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295, 6321, 6932]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304] CITES Identification Manual Reference: A-220.002.005.003

Strix hylophila Temminck, 1825

386, 541, 1068

E: Rusty-barred Owl, S: Cárabo Brasileño, Lechuza listada, F: Chouette dryade Argentina (br) [465, 5291]; Brazil (br) [6186, 6292, 6892]; Paraguay (br) [5295, 6321] CITES Identification Manual Reference: A-220.002.025.005

CITES EC Reg. RL References STRIGIDAE Strix leptogrammica Temminck, 1831 II 381, 386, 541, E: Brown Wood-Owl, S: Cárabo oriental, F: Chouette leptogramme Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]; Taiwan, Province of China (br) [1051]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] A-220.002.025.006 CITES Identification Manual Reference: 386, 387, 541, H Strix nebulosa Forster, 1772 E: Great Grey Owl, Grey Owl, Lapland Owl, Lapp Owl, S: Cárabo iapón, Cárabo lapón, F: Chouette lapone Belarus (br); Canada (br) [748]; China (br) [5293]; Finland (br) [1300]; Germany (v) [5274]; Kazakhstan (br) [5269]; Latvia (ex, br) [5278]; Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (v) [1348]; Russian Federation (br) [710]; Sweden (br) [1199]; United States (br) [387] A-220.002.025.007 CITES Identification Manual Reference: Strix nigrolineata Sclater, 1859 H 386, 387, 541, В 1068 Synonym: Ciccaba nigrolineata E: Black-and-white Owl, S: Búho blanquinegro, Cárabo blanquinegro, Cárabo de Sudamérica, Lechuza blanquinegra, F: Chouette à lignes noires, Chouette noire et blanche Belize (br) [5241]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070, 6304] CITES Identification Manual Reference: A-220.002.005.004 386, 387, 541, Strix occidentalis (Xantus De Vesey, 1860) II LR/nt 576, 595, 1414 E: Spotted Owl, S: Búho manchado, Cárabo Californiano, F: Chouette tachetée Canada (br) [748]; Mexico (br) [5241]; United States (br) [387, 787] A-220.002.025.008 CITES Identification Manual Reference: 381, 386, 541 Strix ocellata (Lesson, 1839) E: Mottled Wood-Owl, S: Cárabo ocelado, F: Chouette ocellée Bangladesh (br?) [804]; India (br) [1197]; Myanmar (br) [1290]; Pakistan (v) CITES Identification Manual Reference: A-220.002.025.006 386, 541, 1068 II В Strix rufipes King, 1828 Synonym: Strix chacoensis E: Rufous-legged Owl, S: Cárabo bataraz, Lechuza bataraz, F: Chouette masquée Argentina (br) [5291]; Bolivia (br) [6986]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295] CITES Identification Manual Reference: A-220.002.025.010 II Strix seloputo Horsfield, 1871 386, 541, 929 E: Spotted Wood-Owl, S: Cárabo de las pagodas, F: Chouette des pagodes Cambodia (br) [5243]; Indonesia (br) [393, 1027]: Jawa; Lao People's Democratic Republic; Malaysia (br); Myanmar (br) [1290]; Philippines (br) [1166, 5270]; Singapore (br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-220.002.025.011 386, 541, 611 Strix uralensis Pallas, 1771 E: Ural Owl, S: Cárabo uralense, F: Chouette de l'Oural Albania (br?); Austria (br?) [1215]; Belarus (br); Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Estonia (br) [5277]; Finland (br) [1300]; Germany (v) [5274]; Hungary (br) [5257]; Italy (v) [5289]; Japan (br) [503, 504]; Kazakhstan

CITES EC Reg. References

STRIGIDAE

Latvia (br) [5278]; Lithuania (br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Slovakia (br) [5279]; Slovenia (br) [1038]; Sweden (br) [1199]; Yugoslavia (br) [1038]

CITES Identification Manual Reference: A-220.002.025.012

Strix varia Barton, 1799

E: Barred Owl, S: Búho barrado, Cárabo norteamericano, F: Chouette rayée

Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]

A-220.002.025.013 CITES Identification Manual Reference:

Strix virgata (Cassin, 1850)

II В 386, 387, 541,

1068

386, 387, 541

Synonym: Ciccaba virgata

E: Mottled Owl, S: Búho café, Cárabo café, Lechuza colilarga, F: Chouette mouchetée Argentina (br) [465, 5291]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana

(br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico

(br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru

(br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387];

Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.005.005

Strix woodfordii (Smith, 1834)

II В

386, 511, 541, 573, 723, 1256

Synonym: Ciccaba woodfordii

E: African Wood-Owl, Woodford's Owl, S: Cárabo Africano, Lechuzón de Woodford, F: Chouette africaine, Hulotte africaine

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.005.006

Surnia ulula (Linnaeus, 1758)

H

386, 387, 541,

E: Hawk Owl, Northern Hawk Owl, S: Búho gavilán, Cárabo gavilán, Lechuza gavilana,

F: Chouette épervière

Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (br) [5293]; ?Czech Republic [5258]; Denmark (v) [666]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Hungary (v) [5257]; Japan (v) [503]; Kazakhstan [5269]; Korea, Democratic People's Republic of (v) [762]; Latvia (ex, br) [5278]; Luxembourg (v) [5248]; Mongolia (br) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Poland (v) [1348]; Romania (v) [558]; Russian Federation (br) [710]; Slovakia (v) [5279]; ?Spain (v) [702]; Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom (v) [6188]; United States (br) [387]; Yugoslavia (v) [1038] CITES Identification Manual Reference: A-220.002.026.001

Uroglaux dimorpha (Salvadori, 1874)

DD 386, 541, 576

E: Papuan Boobook, Papuan Hawk-owl, Papuan Hawk-Owl, S: Búho aguilucho de Neuva Guinea, Nínox halcón, F: Chouette de Nouvelle-Guinée, Ninoxe papoue

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-220.002.027.001

STRIGIDAE CITES EC Reg. RL References Xenoglaux loweryi O'Neill and Graves, 1977 II В EN 386, 576, 595. 598 E: Long-whiskered Owlet, S: Búho pequeño de bigotes alargados, Mochuelo peludo, F: Chevêchette nimbée Peru (br) [1136, 6724] CITES Identification Manual Reference: A-220.002.028.001 **APODIFORMES** Order: **TROCHILIDAE** Family: 387 Abeillia abeillei (Lesson & DeLattre, 1839) II E: Emerald-chinned Hummingbird, S: Colibrí barbiesmeralda, F: Colibri d'Abeillé Belize (br) [5241]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195] Acestrura astreans Bangs, 1899 Π В 1068 Synonym: Acestrura heliodor astreans E: Santa Marta Woodstar, S: Colibrí astral, F: Colibri des Santa Marta Colombia (br) [837] Acestrura berlepschi (Simon, 1889) H EN 407, 595, 598, В 1068 E: Esmeraldas Woodstar, S: Colibrí de Esmeraldas, Estrellita esmeraldeña, F: Colibri de Berlepsch Ecuador (br) [5294, 6711, 6827] Acestrura bombus (Gould, 1871) П VU 407, 595, 598, 1068 E: Little Woodstar, S: Colibrí abejorro, Estrellita chica, F: Colibri bourdon Colombia [6783]; Ecuador (br) [5294, 6827]; Peru (br) [1136] Acestrura heliodor (Bourcier, 1840) 387, 1068 E: Gorgeted Woodstar, S: Colibrí heliodoro, Estrella cuellirrojo, Estrellita de gorguera, F: Colibri héliodore Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203]; Venezuela (br) [1070, Acestrura mulsant (Bourcier, 1842) В 1068 E: White-bellied Woodstar, S: Colibrí de Mulsant, Estrellita ventriblanca, F: Colibri de Mulsant Bolivia (br) [1058, 1186]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136] 1068 Adelomyia melanogenys (Fraser, 1840) В E: Speckled Hummingbird, S: Colibrí jaspeado, Colibrí serrano gargantiazul, Picaflor gargantiazul, F: Colibri moucheté Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] Aglaeactis aliciae Salvin, 1896 VU 595, 598, 1068 E: Purple-backed Sunbeam, S: Colibrí de Alicia, F: Colibri d'Alice Peru (br) [1136, 6680] Aglaeactis castelnaudii (Borcier & Mulsant, 1848) II 1068 E: White-tufted Sunbeam, S: Colibrí condecorado, F: Colibri de Castelneau Peru (br) [1136] Aglaeactis cupripennis (Bourcier, 1843) E: Shining Sunbeam, S: Colibrí cobrizo, Rayito brillante, F: Colibri étincelant Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

TROCHILIDAE	CITES	EC Reg.	RL	References	
Aglaeactis pamela (D'Orbigny, 1838) E: Black-hooded Sunbeam, S: Colibrí negrito, F: C Bolivia (br) [1058, 1186]	II Colibri par	B méla		1068	
Aglaiocercus coelestis (Gould, 1861) E: Violet-tailed Sylph, S: Silfo celeste, Silfo colivio Colombia (br) [837]; Ecuador (br) [5294]	II leta, F: S	B Sylphe à qu	ueue viol	1068 lette	
Aglaiocercus kingi (Lesson, 1832) Synonyms: Aglaiocercus berlepschi, Aglaiocercus e E: Long-tailed Sylph, S: Colibrí coludo azul, Silfo c d'azur Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecua	olilargo,				la
(br) [1070] Amazilia amabilis (Gould, 1853) E: Blue-chested Hummingbird, S: Amazilia amable Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Panama (br) [1195]					
Amazilia amazilia (Lesson, 1828) Synonym: <i>Amazilia alticola</i> E: Amazilia Hummingbird, S: Amazilia costeña, Am Ecuador (br) [5294]; Peru (br) [1136]	II nazilia ve	B ntrirrufa, I	F: Ariane	1068 e de Lesson	
Amazilia beryllina (Deppe, 1830) E: Berylline Hummingbird, S: Amazilia berilina, Co El Salvador (br) [5241]; Guatemala (br) [448, 5241] United States (v) [387, 887]					;
Amazilia boucardi (Mulsant, 1877) E: Mangrove Hummingbird, S: Amazilia de mangla Costa Rica (br) [1283, 1311]	II r, F: Aria		EN Icard	387, 595, 598	
Amazilia candida (Bourcier & Mulsant, 1846) E: White-bellied Emerald, S: Amazilia cándida, Esn Belize (br) [5241]; Costa Rica (v) [1311]; Guatemal (br) [5241]; Nicaragua (br) [1195]	II neralda v la (br) [53	B iente-blan 241]; Hond	ico, F: Ai duras (bi	387 riane candide r) [1076]; Mexico)
Amazilia castaneiventris Gould, 1856 E: Chestnut-bellied Hummingbird, S: Amazilia vent Colombia (br) [836, 837]	II tricastaña		CR e à vent	595, 598, 1068 re roux	
Amazilia chionogaster (Tschudi, 1844) E: White-bellied Hummingbird, S: Colibrí ventriníve blanc Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Bra					
Peru (br) [1136]	1211 (DI) [1209, 0100	j, :raia	guay (DI) [3293]	,
Amazilia chionopectus (Gould, 1859) E: White-chested Emerald, S: Amazilia pechiblanca blanche Brazil (br) [1269, 6186]; French Guiana (br) [463, 13	349]; ? Gr	enada (br) [5242];	Guyana	
(br) [1295]; Suriname (br) [5296]; Trinidad and Tol **Amazilia cyanifrons** (Bourcier, 1843) E: Indigo-capped Hummingbird, S: Amazilia capiaz **Colombia (br) [837]; 2Costa Rica (br2) [1383 1311]	oago (br) II :ul, F: Ari	[703]; Uri	uguay (b		

Colombia (br) [837]; ?Costa Rica (br?) [1283, 1311]

EC Reg. RL CITES References TROCHILIDAE II В Amazilia cyanocephala (Lesson, 1829) Synonym: Amazilia microrhyncha E: Azure-crowned Hummingbird, Pied-Billed Azurecrown, S: Amazilia coroniazul, Colibrí coroniazul, F: Ariane à couronne azur Belize (br) [1227, 5241]; El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195] Amazilia cyanura Gould, 1859 E: Blue-tailed Hummingbird, S: Amazilia coliazul, Colibrí coliazul, F: Ariane à queue bleue Costa Rica (v) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195] 387 Amazilia decora (Salvin, 1891) Synonym: Amazilia amabilis decora E: Blue-Chested Hummingbird, Charming Hummingbird, F: Ariane charmante Costa Rica (br) [1311]; Panama (br) [1195] 595, 598, 1068, Amazilia distans Wetmore and Phelps, 1956 В E: Tachira Emerald, Táchira Emerald, S: Diamante de Wetmore, F: Ariane du Tachira Venezuela (br) [1070] Amazilia edward (DeLattre & Bourcier, 1846) 387 E: Snowy-breasted Hummingbird, S: Amazilia de Edward, F: Ariane d'Edward Costa Rica (br) [1283, 1311]; Panama (br) [1195] 1068 Amazilia fimbriata (Gmelin, 1788) B E: Glittering-throated Emerald, S: Amazilia gorjibrillante, Amazilia listada, Diamante gargantiverde, F: Ariane de Linné Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] Amazilia franciae (Bourcier & Mulsant, 1846) 1068 E: Andean Emerald, S: Amazilia andina, F: Ariane de Francia Colombia (br) [837, 6783]; Ecuador (br) [5294]; Peru (br) [1136] 1068 B Amazilia lactea (Lesson, 1829) E: Sapphire-spangled Emerald, S: Amazilia zafirina, Diamante pechizafiro, F: Ariane saphirine Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136]; Venezuela (br) [1070] 1068 Amazilia leucogaster (Gmelin, 1788) E: Plain-bellied Emerald, S: Amazilia ventriblanca, Diamante ventriblanco, F: Ariane vert-doré Brazil (br) [1269, 6186]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070] Amazilia luciae (Lawrence, 1867) В CR 387, 595, 598 E: Honduran Emerald, S: Amazilia Hondureña, Esmeralda Hondurena, F: Ariane de Lucy Honduras (br) [403, 1076, 6308] Amazilia rosenbergi (Boucard, 1895) E: Purple-chested Hummingbird, S: Amazilia de Rosenberg, Amazilia pechimorada, F: Ariane de Rosenberg Colombia (br) [837, 6358]; Ecuador (br) [5294]

E: Cinnamon Hummingbird, S: Amazilia canela, Colibrí canelo, F: Ariane cannelle Belize (br) [680, 5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States

Amazilia rutila (DeLattre, 1842)

(v) [387]

CITES EC Reg. RL

References

Amazilia saucerrottei (DeLattre & Bourcier, 1846) В 387, 1068 E: Blue-vented Hummingbird, Steely-vented Hummingbird, S: Amazilia verdiazul, F: Ariane de Sophie Colombia (br) [837]; Costa Rica (br) [1283, 1311]; ?Ecuador (br) [5294]; Nicaragua (br) [1195]; Venezuela (br) [1070] Amazilia tobaci (Gmelin, 1788) II 1068 E: Copper-rumped Hummingbird, S: Amazilia bronceada coliazul, Amazilia de Tobago, F: Ariane de Félicie ?French Guiana (br?) [1055, 1349]; ?Grenada (br?) [5242]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] Amazilia tzacatl (De la Llave, 1833) II В 387, 1068, 6707 Synonym: Amazilia handleyi E: Rufous-tailed Hummingbird, S: Amazilia colirrufa, Amazilia tzacatl, Colibrí colirrufo, F: Ariane à ventre gris Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States (v) [387, 887]; Venezuela (br) [1070] Amazilia versicolor (Vieillot, 1818) 1068 Synonym: Agyrtria versicolor E: Versicolored Emerald, S: Amazilia versicolor, Diamante multicolor, Picaflor pequeño verde, F: Ariane versicolore Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413]; Colombia (br) [837]; Paraguay (br) [5295]; Venezuela (br) [1070] Amazilia violiceps (Gould, 1859) E: Violet-crowned Hummingbird, S: Amazilia coronivioleta, Colibrí corona-violeta, F: Ariane à couronne violette Guatemala (v) [6397]; Mexico (br) [5241]; United States (br) [387, 887] Amazilia viridicauda (Berlepsch, 1883) В 1068 II E: Green-and-white Hummingbird, S: Colibrí blanquiverde, F: Ariane du Pérou Peru (br) [1136] Amazilia viridifrons (Elliot, 1871) Π В 387, 6357 Synonym: Amazilia wagneri E: Green-fronted Hummingbird, S: Amazilia frentiverde, Colibrí corona-verde, F: Ariane à front ?Belize [6768, 6769]; Mexico (br) [5241] Amazilia viridigaster (Bourcier, 1843) В 1068, 6704 TT E: Green-bellied Hummingbird, S: Amazilia colimorada, F: Ariane à ventre vert Brazil (br) [1269, 6186]; Colombia (br) [837]; Guyana (br) [1295]; Venezuela (br) [1070] Amazilia yucatanensis (Cabot, 1845) E: Buff-bellied Hummingbird, Fawn-breasted Hummingbird, S: Amazilia yucateca, Colibrí vientre-canelo, F: Ariane du Yucatan Belize (br) [5241]; Guatemala (br) [5241]; Honduras (v) [1076]; Mexico (br) [5241, 6675]; United States (br) [387, 887] Androdon aequatorialis Gould, 1863 387, 1068 II R E: Tooth-billed Hummingbird, S: Colibrí piquidentado, F: Colibri d'Équateur

. . .

VU

В

595, 1068

Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203]

E: Blossomcrown, S: Colibrí florido, F: Colibri à tête rose

Anthocephala floriceps (Gould, 1854)

Colombia (br) [836, 837, 6683]

Anthracothorax dominicus (Linnaeus, 1766) II B 387, 485 E: Antillean Mango, Dominican Mango, S: Mango Antillano, Zumbador grande, F: Mango doré

E: Antillean Mango, Dominican Mango, S: Mango Antillano, Zumbador grande, F: Mango doré Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]; Puerto Rico (br) [1176]; Virgin Islands (British) (ex, br): British Virgin Is [1176]; Virgin Islands (U.S.) (br)

Anthracothorax mango (Linnaeus, 1758) II B 387, 485

E: Jamaican Mango, S: Mango Jamaicano, F: Mango de la Jamaïque Jamaica (br) [657]

Anthracothorax nigricollis (Vieillot, 1817) II B 387, 1068

E: Black-throated Mango, S: Mango, Mango gorginegro, Mango pechinegro, Picaflor ventrinegro, F: Mango à cravate noire

Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (v) [761, 5287]; Venezuela (br) [1070]

Anthracothorax prevostii (Lesson, 1832) II B 387, 485, 1068

Synonym: Anthracothorax veraguensis

E: Green-breasted Mango, Veraguas Mango, S: Mango pechiverde, F: Mango de Prévost Bahamas (br) [5242]; Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241, 6397]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; United States (v) [387]; Venezuela (br) [1070]

Anthracothorax viridigula (Boddaert, 1783) II B 1068
E: Green-throated Mango, S: Mango gargantiverde, Mango gorgiverde, F: Mango à cravate verte

Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]; ?Grenada (br?) [387, 5242]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Anthracothorax viridis (Audebert & Vieillot, 1801) II B 387, 485

E: Green Mango, S: Mango portorriqueño, F: Mango vert Puerto Rico (br) [1176]

Aphantochroa cirrochloris (Vieillot, 1818) II B 1068

E: Sombre Hummingbird, S: Colibrí apagado, F: Colibri vert et gris Brazil (br) [1252, 1269, 6186]

Archilochus alexandri (Bourcier & Mulsant, 1846) II B 387, 887
 E: Black-chinned Hummingbird, S: Colibrí barbinegro, Colibrí gorgirrubí, F: Colibri à gorge noire

Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]

Archilochus colubris (Linnaeus, 1758) II B 387, 485 E: Ruby-throated Hummingbird, S: Colibrí gorjirrubí, F: Colibri à gorge rubis Bahamas [5242]; Belize [5241]; Bermuda [387, 389]; Canada (br) [748, 887]; Cayman Islands

(v); Costa Rica [1283, 1311]; Cuba [5259]; ?Dominican Republic (v) [387, 1312]; El Salvador [5241]; Guatemala [448, 5241]; Haiti (v) [387, 1408, 1438]; Honduras [1076]; Jamaica (v) [387, 657]; Mexico [5241]; Nicaragua [1195]; Panama [1195]; Puerto Rico (v) [387, 1176]; Saint Pierre and Miquelon [683]; United States (br) [387, 887]

Atthis ellioti Ridgway, 1878 II B 387, 6887

Synonym: Selasphorus ellioti

E: Wine-throated Hummingbird, S: Colibrí de Elliot, Zimbador centroamericano, F: Colibri d'Elliot

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

Atthis heloisa (Lesson & DeLattre, 1839) II B 387, 6887 Synonym: Selasphorus heloisa

E: Bumblebee Hummingbird, S: Colibrí de Eloísa, Zimbador mexicano, F: Colibri héloïse Mexico (br) [5241]; United States (v) [387, 887]

CITES EC Reg. RL TROCHILIDAE References Augastes geoffroyi (Bourcier, 1843) II В 1068 Synonym: Schistes geoffroyi E: Wedge-billed Hummingbird, S: Colibrí pico de cuña, Colibrí picocuña, Colibrí piquicunna, F: Colibri de Geoffroy Bolivia (br) [1058, 1186]; Colombia (br) [836, 837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 595, 769, 1068 Augastes lumachellus (Lesson, 1838) В LR/nt E: Hooded Visorbearer, S: Colibrí lumaquela, F: Colibri lumachelle Brazil (br) [1269, 6186] LR/nt 595, 769, 1068 Augastes scutatus (Temminck, 1822) II E: Hyacinth Visorbearer, S: Colibrí colaceleste, F: Colibri superbe Brazil (br) [1269, 1270, 6186, 6762] 595, 1068 Avocettula recurvirostris (Swainson, 1822) В II E: Fiery-tailed Awlbill, S: Colibrí pico lezna, Mango picolezna, F: Colibri avocette Brazil (br) [1269, 6186]; Colombia [837]; Ecuador (br) [5294]; ?French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [1350, 5296]; Venezuela (br) [1070, 6290] 1068 Boissonneaua flavescens (Loddiges, 1832) E: Buff-tailed Coronet, S: Colibrí cabecidorado, Colibrí colihabano, Coronita colihabana, F: Colibri flavescent Colombia (br) [837]; Ecuador (br) [5294]; Venezuela (br) [1070] Boissonneaua jardini (Bourcier, 1851) В E: Velvet-purple Coronet, S: Colibrí sietecolores, Coronita aterciopelada, F: Colibri de Jardine Colombia (br) [837]; Ecuador (br) [5294] 1068 Boissonneaua matthewsii (Bourcier, 1847) II В E: Chestnut-breasted Coronet, S: Colibrí pechirrojo, Coronita pechicastaña, F: Colibri de Matthews Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] Calliphlox amethystina (Boddaert, 1783) II E: Amethyst Woodstar, S: Colibrí amatista, Estrellita amatista, Picaflor amatista, Tucusito amatista, F: Colibri améthyste Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186, 6327]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [810, 5296]; Venezuela (br) [1070] II В 387, 485 Calliphlox evelynae (Bourcier, 1847) Synonym: Philodice evelynae E: Bahama Woodstar, S: Colibrí de las Bahamas, F: Colibri des Bahamas Bahamas (br) [5242]; United States (v) [387, 887] 387 Calothorax lucifer (Swainson, 1827) II E: Lucifer Hummingbird, S: Colibrí lucifer, Tijereta nortena, F: Colibri lucifer Mexico (br) [5241]; United States (br) [387, 887] Calothorax pulcher Gould, 1859 387 E: Beautiful Hummingbird, S: Colibrí bonito, Tijereta Oaxaquena, F: Colibri charmant Mexico (br) [5241] II В 387 Calypte anna (Lesson, 1829) Synonym: Archilochus anna E: Anna's Hummingbird, S: Colibrí de Anna, F: Colibri d'Anna Canada (v) [748, 887]; Mexico (v) [5241]; United States (br) [387, 887] Calypte costae (Bourcier, 1839) 387, 436 E: Costa's Hummingbird, S: Colibrí de Costa, F: Colibrí de Costa ?Canada (v) [387, 748, 887]; Mexico (br) [5241]; United States (br) [387, 887]

Campylopterus curvipennis (Deppe, 1830) E: Wedge-tailed Sabrewing, S: Colibrí ruiseñor, F Belize (br) [5241]; Guatemala (br) [5241]; Hondu	andanger			
Campylopterus duidae Chapman, 1929 E: Buff-breasted Sabrewing, S: Ala de sable ante montagnard Venezuela (br) [1070]	II ado, Colil	B orí del Du	uida, F: Ca	1068 ampyloptère
Campylopterus ensipennis (Swainson, 1822) E: White-tailed Sabrewing, S: Ala de sable verde, blanche Trinidad and Tobago (br) [703, 1331]; Venezuela (LR/nt , F: Camp	
Campylopterus excellens (Wetmore, 1941) Synonym: Campylopterus curvipennis excellens E: Long-tailed Sabrewing, S: Fandangero colilarge	II o, F: Cam	B ipyloptèr	LR/nt e de Wetn	387, 595 nore
Mexico (br) [5241]				
Campylopterus falcatus (Swainson, 1821) E: Lazuline Sabrewing, S: Ala de sable pechiviole F: Campyloptère lazulite Colombia (br) [837]; Ecuador (br) [5294]; Venezur			o, Colibrí	1068 lazulita,
Campylopterus hemileucurus (Deppe, 1830) E: Violet Sabrewing, S: Colibrí morado, Fandange Belize (br) [5241]; Costa Rica (br) [1283, 1311]; E Honduras (br) [1076]; Mexico (br) [5241]; Nicarag	Salvado	r (br) [52	41]; Guate	emala (br) [5241];
Campylopterus hyperythrus Cabanis, 1848 E: Rufous-breasted Sabrewing, S: Ala de sable ru F: Campyloptère rougeâtre Brazil (br) [1068, 6186]; Venezuela (br) [1070]	II fo, Colibr	B í rojizo V	'enezolanc	1068
Campylopterus largipennis (Boddaert, 1783) E: Grey-breasted Sabrewing, S: Ala de sable gris, F: Campyloptère à ventre gris Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; French Guiana (br) [647, 1349]; Guyana (br) [1295] Venezuela (br) [1070]	Colombia	(br) [83	7]; Ecuado	or (br) [5294];
Campylopterus phainopeplus Salvin and Godman, 1879 E: Santa Marta Sabrewing, S: Colibrí de Santa Ma Colombia (br) [837]	II orta, F: Ca	B ampylopt	EN tère des Sa	595, 1068 anta Marta
Campylopterus rufus Lesoon, 1840 E: Rufous Sabrewing, S: Colibrí rojizo Mexicano, F Guatemala (br) [5241]; Mexico (br) [5241]	II Fandange	B ro rufo, I	: Campyl	387 optère roux
Campylopterus villaviscensio (Bourcier, 1851) E: Napo Sabrewing, S: Colibrí del Napo, F: Campy Colombia [6783]; Ecuador (br) [5294]; Peru (br) [1			LR/nt	595, 1068
Chaetocercus jourdanii (Bourcier, 1839) E: Rufous-shafted Woodstar, S: Colibrí de Jourdan Jourdan	II n, Tucusit	B o gargar	nta rosa, F	1068 : Colibri de

Colombia (br) [837]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES EC Reg. RL

References

Chalcostigma herrani (DeLattre & Bourcier, 1846) II B 1068

E: Rainbow-bearded Thornbill, S: Colibrí de Herrán, Picoespina arcoiris, F: Métallure arc-en-ciel Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Chalcostigma heteropogon (Boissonneau, 1839) II B 1068

E: Bronze-tailed Thornbill, S: Colibrí picoespina, Pico espina bronceado, F: Métallure à queue bronzée

Colombia (br) [837]; Venezuela (br) [1070]

Chalcostigma olivaceum (Lawrence, 1864) II B 1068

E: Olivaceous Thornbill, S: Colibrí oliváceo, F: Métallure olivâtre

Bolivia (br) [1058, 1186]; Peru (br) [1136]

Chalcostigma ruficeps (Gould, 1846) II B 1068

E: Rufous-capped Thornbill, S: Colibrí capirrufo, Picoespina gorrirrufa, F: Métallure à tête rousse

Bolivia (br) [1058, 1186]; ?Colombia (br?) [837, 1246]; Ecuador (br) [5294]; Peru (br) [1136]

Chalcostigma stanleyi (Bourcier, 1851) II B 1068

E: Blue-mantled Thornbill, S: Colibrí de Stanley, Picoespina dorsiazul, F: Métallure de Stanley Bolivia (br) [1058, 1186]; Ecuador (br) [5294]; Peru (br) [1136]

Chalybura buffonii (Lesson, 1832) II B 1068

E: White-vented Plumeleteer, S: Calzonario colibronceado, Colibrí de Buffon, Colibrí grande colinegro, F: Colibri de Buffon

Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070]

Chalybura urochrysia (Gould, 1861) II B 387, 1068

E: Bronze-tailed Plumeleteer, S: Colibrí patirrojo, F: Colibri à queue bronzée Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]

Chlorestes notatus (G. C. Reich, 1793) II B 1068

E: Blue-chinned Sapphire, S: Colibrí verdecito, Esmeralda gorgiazul, Zafiro barbiazul, F: Colibri à menton bleu

Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Chlorostilbon alice (Bourcier & Mulsant, 1848) II B 1068

E: Green-tailed Emerald, S: Esmeralda coliverde, F: Émeraude alice Venezuela (br) [1070]

Chlorostilbon assimilis Lawrence, 1861 II B 387

Synonym: *Chlorostilbon canivetii assimilis* E: Garden Emerald, F: Émeraude du Panama Costa Rica (br) [1311]; Panama (br) [1195]

Chlorostilbon aureoventris II B 1068

(d'Orbigny & Lafresnaye, 1838)

E: Glittering-bellied Emerald, S: Esmeralda ventridorada, Picaflor común, F: Émeraude splendide

Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287]

Chlorostilbon bracei (Lawrence, 1877) II B EX 387, 6985

Synonym: Chlorostilbon maugeus bracei

E: Brace's Emerald, Grace's Emerald, F: Émeraude de New Providence

Bahamas (br) [5242]

Chlorostilbon canivetii (Lesson, 1832) II B 387

Synonyms: Chlorostilbon auriceps, Chlorostilbon forficatus, Chlorostilbon salvini E: Fork-tailed Emerald, S: Esmeralda de Canivet, F: Émeraude de Canivet, Émeraude de Cavinet

Belize (br) [680, 5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]

Chlorostilbon gibsoni (Fraser, 1840) II B 1068

Synonym: Chlorostilbon melanorhynchus

E: Red-billed Emerald, S: Esmeralda pico rojo, F: Émeraude de Gibson

Colombia (br) [837]; Venezuela (br) [1070]

Chlorostilbon maugaeus II B 387, 485

(Audebert & Vieillot, 1801)

E: Puerto Rican Emerald, S: Esmeralda Portorriqueña, F: Émeraude de Porto Rico Puerto Rico (br) [1176]

Chlorostilbon mellisugus (Linnaeus, 1758) II B 387, 1068

E: Blue-tailed Emerald, S: Esmeralda coliazul, F: Émeraude orvert
Aruba (br) [1380]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837];
Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Netherlands Antilles (br); Peru (br) [1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331];
Venezuela (br) [1070]

Chlorostilbon olivaresi Stiles, 1996
 E: Chiribiquete Emerald, S: Esmeralda del Chiribiquete, F: Émeraude d'Olivares
 Colombia (br) [837]

Chlorostilbon poortmani (Bourcier, 1843) II B 1068 Synonyms: Chlorostilbon auratus, Chlorostilbon inexpectatus

E: Short-tailed Emerald, S: Esmeralda colicorta, F: Émeraude à queue courte

Colombia (br) [837]; ?Peru (br) [1136]; Venezuela (br) [1070]

Chlorostilbon ricordii (Gervais, 1835) II B 387, 485

E: Cuban Emerald, S: Esmeralda zunzún, F: Émeraude de Ricord Bahamas (br) [5242]; Cuba (br) [5259]; United States (v) [387, 887]

Chlorostilbon russatus (Salvin & Godman, 1881) II B 1068

E: Coppery Emerald, S: Esmeralda bronceada, F: Émeraude cuivrée Colombia (br) [837]; Venezuela (br) [1070]

Chlorostilbon stenura (Cabanis & Heine, 1860) II B 1068

E: Narrow-tailed Emerald, S: Esmeralda cola de alambre, Esmeralda colifina, F: Émeraude à queue étroite

Colombia (br) [837]; ?Ecuador (br?) [5294]; Venezuela (br) [1070]

Chlorostilbon swainsonii (Lesson, 1829) II B 387, 485 E: Hispaniolan Emerald, S: Esmeralda de la Española, Zumbador, F: Émeraude d'Hispaniola Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]

Chrysolampis mosquitus (Linnaeus, 1758) II B 387, 1068
E: Ruby-topaz Hummingbird, S: Colibrí rubí, Tucusito rubí, F: Colibri rubis-topaze
Aruba (br) [1380]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837];
French Guiana (br) [464, 1349]; Grenada (v) [387, 485, 5242]; Guyana (br) [1295]; Netherlands
Antilles (br); Panama (v) [1195, 6414]; Suriname (br) [5296]; Trinidad and Tobago (br) [703];

Venezuela (br) [1070]

Chrysuronia oenone (Lesson, 1832) II B 1068

E: Golden-tailed Sapphire, S: Colibrí cola de oro, Zafiro colidorado, F: Saphir oenome
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294];

Peru (br) [1136]; ?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]

TROCHILIDAE	CITES	EC Reg	. RL	References
Clytolaema rubricauda (Boddaert, 1783) E: Brazilian Ruby, S: Colibrí colirrojo, F: Colibri rub Brazil (br) [1252, 1269, 6186]	II ois-émera	B aude		1068
Coeligena bonapartei (Boissonneau, 1840) Synonym: Coeligena eos E: Golden-bellied Starfrontlet, S: Colibrí inca dorac Colombia (br) [836, 837]; Venezuela (br) [1070]	II lo, Inca v	B ventridor	rado, F: In	1068 ca de Bonaparte
Coeligena coeligena (Lesson, 1833) E: Bronzy Inca, S: Colibrí inca bronceado, Inca bro Bolivia (br) [1058, 1186]; Colombia (br) [837, 6297] Venezuela (br) [1070]	II nceado, ; Ecuado	B F: Inca (r (br) [5]	céleste 294]; Peru	1068 (br) [1136];
Coeligena helianthea (Lesson, 1838) E: Blue-throated Starfrontlet, S: Colibrí inca ventri Colombia (br) [837]; Venezuela (br) [1070]	II violeta, I	B nca vent	rivioleta, I	1068 F: Inca porphyre
Coeligena iris (Gould, 1854) E: Rainbow Starfrontlet, S: Frentiestrella arcoiris, I Ecuador (br) [5294, 6360, 6389]; Peru (br) [1136]	II nca arco	B iris, F: I	nca iris	1068
Coeligena lutetiae (DeLattre & Bourcier, 1846) E: Buff-winged Starfrontlet, S: Frentiestrella alihab Colombia (br) [837]; Ecuador (br) [5294, 6317]; Per			ano, F: Inc	1068 a à gemme bleue
Coeligena orina Wetmore, 1953 E: Dusky Starfrontlet, F: Inca de Wetmore Colombia (br) [837]	II	В		1068, 6404
Coeligena phalerata (Bangs, 1898) E: White-tailed Starfrontlet, S: Inca coliblanco, F: I Colombia (br) [837]	II nca à qu	B eue blar	nche	1068
Coeligena prunellei (Bourcier, 1843) E: Black Inca, S: Inca negro, F: Inca noir Colombia (br) [836, 837]	II	В	EN	595, 598, 931, 1068
Coeligena torquata (Boissonneau, 1840) Synonym: Coeligena inca E: Collared Inca, S: Colibrí inca acollarado, Inca aco Bolivia (br) [1186]; Brazil (br) [1269, 6186]; Colomb (br) [1136]; Venezuela (br) [1070]				1068 [5294]; Peru
Coeligena violifer (Gould, 1846) E: Violet-throated Starfrontlet, S: Inca gorgimorado Bolivia (br) [1058, 1186]; Peru (br) [1136]	II o, F: Inca	B a violifèr	e	1068, 6775
Coeligena wilsoni (DeLattre & Bourcier, 1846) E: Brown Inca, S: Inca café, Inca pardo, F: Inca bro Colombia (br) [837]; Ecuador (br) [5294]	II	В		1068
Colibri coruscans (Gould, 1846) E: Sparkling Violet-ear, S: Colibrí orejivioleta grand F: Colibri anaïs Argentina (br) [5291]; Bolivia (br) [1058, 1186, 6415 5292, 6393]; Colombia (br) [837]; Ecuador (br) [5296]; Brazil	(br) [126	59, 6186];	Chile (br) [1459,

Discosura longicauda (Gmelin, 1788)

Doricha eliza (Lesson & DeLattre, 1839)

Synonym: Calothorax eliza

E: Mexican Sheartail, S: Colibrí de Elisa, Tijereta yucateca, F: Colibri élise Mexico (br) [670, 5241]

Doricha enicura (Vieillot, 1818)

H

Synonym: Calothorax enicura

E: Slender Sheartail, S: Colibrí colirraro, Tijereta centroamericana, F: Colibri à queue singulière

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

В

387

Eriocnemis cupreoventris (Fraser, 1840)

E: Coppery-bellied Puffleg, S: Calzadito cobrizo, Colibrí pantalón cobrizo, F: Érione à ventre cuivré

Colombia (br) [837]; Venezuela (br) [1070]

Eriocnemis derbyi (DeLattre & Bourcier, 1846) Π LR/nt E: Black-thighed Puffleg, S: Calzadito patinegro, Zamarrito muslinegro, F: Érione de Derby Colombia (br) [837, 6683]; Ecuador (br) [5294]

Eriocnemis glaucopoides Π В 1068 (D'Orbigny & Lafresnaye, 1838)

E: Blue-capped Puffleg, S: Calzadito frentiazul, Picaflor frentivioleta, F: Érione à front bleu Argentina (br) [5291]; Bolivia (br) [1058, 1186, 6667]

Eriocnemis godini (Bourcier, 1851) CR 595, 598, 1068 E: Turquoise-throated Puffleg, S: Calzadito turquesa, Zamarrito gorjiturquesa, F: Érione turquoise

Colombia (br) [837]; Ecuador (br) [5294]

Eriocnemis luciani (Bourcier, 1847) II В 1068

Synonym: Eriocnemis sapphiropygia

E: Sapphire-vented Puffleg, S: Calzadito colilargo norteño, Zamarrito colilargo, F: Érione Catherine

Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Eriocnemis mirabilis Meyer de Schauensee, 1967 II В CR 595, 598, 1068, 1096, 6755

E: Colorful Puffleg, Colourful Puffleg, S: Calzadito admirable, F: Érione multicolore Colombia (br) [836, 837, 6358]

Eriocnemis mosquera (DeLattre & Bourcier, 1846) II B 1068

E: Golden-breasted Puffleg, S: Calzadito de Mosquera, Zamarrito pechidorado, F: Érione à poitrine d'or

Colombia (br) [837]; Ecuador (br) [5294]

Eriocnemis nigrivestis (Bourcier & Mulsant, 1852) II B CR 595, 598, 1068

E: Black-breasted Puffleg, S: Calzadito pechinegro, Zamarrito pechinegro, F: Érione à robe noire

Ecuador (br) [479, 5294]

Eriocnemis vestitus (Lesson, 1838) II B 1068

E: Glowing Puffleg, S: Calzadito reluciente, Colibrí pantalón verde, Zamarrito luciente,

F: Érione pattue

Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Eugenes fulgens (Swainson, 1827) II B 387

E: Magnificent Hummingbird, Rivoli's Hummingbird, S: Colibrí magnífico, F: Colibri de Rivoli Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States

(br) [387, 887]

Eulampis holosericeus (Linnaeus, 1758) II B 387, 485, 1380

Synonym: Sericotes holosericeus

E: Green-throated Carib, S: Colibrí caribeño gorgiverde, F: Colibri falle-vert
Antigua and Barbuda (br) [5242]; Barbados (br) [5242]; Dominica (br) [5242]; Grenada
(br) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242];
Netherlands Antilles (br); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia
(br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Virgin Islands (British) (br): British

Virgin Is [1176]; Virgin Islands (U.S.) (br)

Eulampis jugularis (Linnaeus, 1766) II B 387, 485, 1380 E: Purple-throated Carib, S: Colibrí caribeño gorgimorado, F: Colibri madère Antigua and Barbuda (br) [5242]; Barbados (v) [5242]; Brazil (v) [1269, 6186]; Dominica

(br) [5242]; Grenada (v) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br); Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251];

Saint Vincent and the Grenadines (br) [5242]; Virgin Islands (U.S.) (v)

Eulidia yarrellii (Bourcier, 1847) II B EN 595, 598, 931, 1068

E: Chilean Woodstar, S: Colibrí de Arica, F: Colibri d'Arica

Chile (br) [5292]; Peru (br) [1133, 1136]

Eupetomena macroura (Gmelin, 1788) II B 1068

E: Swallow-tailed Hummingbird, S: Colibrí golondrina, F: Colibri hirondelle Argentina [6853]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]

Eupherusa cyanophrys Rowley and Orr, 1964 II B EN 387, 595, 598

E: Blue-capped Hummingbird, Oaxaca Hummingbird, S: Colibrí Oaxaqueño, F: Colibri d'Oaxaca

Mexico (br) [1223, 5241]

Eupherusa eximia (DeLattre, 1843) II B 387

E: Stripe-tailed Hummingbird, S: Colibrí colirrayado, F: Colibri à épaulettes

Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [5241]; Honduras (br) [1076];

Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Eupherusa nigriventris Lawrence, 1867 II B 387 E: Black-bellied Hummingbird, S: Colibrí ventrinegro, F: Colibri à ventre noir

Costa Rica (br) [1283, 1311]; Panama (br) [1195]

TROCHILIDAE	CITES	EC Reg.	RL	References
Eupherusa poliocerca Elliot, 1871	II	В	VU	387, 595, 598, 1095
E: White-tailed Hummingbird, S: Colibrí de Guerre Guerrero Mexico (br) [5241]	ro, Colib	rí guerrei	rense, F: (
Eutoxeres aquila (Bourcier, 1847) E: White-tipped Sicklebill, S: Pico-de-Hoz puntibla aigle Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Peru (br) [1136, 6332]				
Eutoxeres condamini (Boucier, 1851) E: Buff-tailed Sicklebill, S: Pico-de-Hoz colihabano Condamine Bolivia (br) [554, 1058, 1186]; Colombia (br) [837];				
Florisuga mellivora (Linnaeus, 1758) E: White-necked Jacobin, S: Colibrí nuquiblanco, Jo	II acobino d	B collarejo,	Jacobino	387, 485, 1068 nuquiblanco,
F: Colibri jacobin Aruba (br) [1380]; Belize (br) [5241]; Bolivia (br) [Colombia (br) [837]; Costa Rica (br) [1283, 1311]; (br) [464, 1349]; Grenada (v) [5242]; Guatemala (br) [1076]; Mexico (br) [5241]; Netherlands Antille (br) [1195]; Peru (br) [1136]; Suriname (br) [811, 5 Venezuela (br) [1070]	Ecuador or) [5241] es (v); Ni	(br) [5294 ; Guyana caragua	4]; French a (br) [129 (br) [1195	Guiana 95]; Honduras]; Panama
Glaucis aenea Lawrence, 1867 E: Bronzy Hermit, S: Ermitaño bronceado, F: Ermit Colombia (br) [837]; Costa Rica (br) [1283, 1311]; I Nicaragua (br) [1195]; Panama (br) [1195]			1]; Hondu	387, 1068 ras (br) [6308];
Glaucis hirsuta (Gmelin, 1788) Synonym: Threnetes grzimeki E: Rufous-breasted Hermit, S: Colibrí pecho canela F: Ermite hirsute Bolivia (br) [1058, 1186]; Brazil (br) [1225, 1252, 61 (br) [5294]; French Guiana (br) [464, 1349]; Grenac Netherlands Antilles (v); Panama (br) [1195]; Peru and Tobago (br) [703]; Venezuela (br) [1070]	.86]; Cold da (br) [4	mbia (br 185, 5242)) [837]; E]; Guyana	cuador (br) [1295];
Goethalsia bella Nelson, 1912 E: Rufous-cheeked Hummingbird, S: Colibrí del Pir Colombia (br) [837]; Panama (br) [1195, 1203]	II re, F: Co	B libri du P	LR/nt irré	387, 595, 1068
Goldmania violiceps Nelson, 1911 E: Violet-capped Hummingbird, S: Colibrí de Goldn Colombia (br) [837]; Panama (br) [1195, 6641]	II nan, F: C	B olibri à c	alotte viol	387, 1068 ette
 Haplophaedia aureliae (Bourcier & Mulsant, 1846) Synonym: Haplophaedia assimilis E: Greenish Puffleg, S: Calzadito verdoso norteño, Bolivia (br) [1186, 6346]; Colombia (br) [837]; Ecua (br) [1136] 	Zamarrit			
Haplophaedia lugens (Gould, 1851) E: Hoary Puffleg, S: Calzadito canoso, Zamarrito ca Colombia (br) [837]; Ecuador (br) [5294]	II anoso, F:	B Érione g	LR/nt ivrée	595, 598, 1068

CITES EC Reg. RL References TROCHILIDAE II 1054, 1068 Heliactin cornuta (Wied, 1821) В Synonym: Heliactin bilophum E: Horned Sungem, S: Colibrí cornudito, F: Colibri aux huppes d'or Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Suriname (br) [628, 5296] 1068 Heliangelus amethysticollis II (D'Orbigny & Lafresnaye, 1938) E: Amethyst-throated Sunangel, S: Angel de Sol amatista, Colibrí gorgiamatista, Héliange à gorge améthyste, Solangel gorjiamatista, F: Héliange clarisse Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 1068 Heliangelus exortis (Fraser, 1840) Π Synonym: Heliangelus micraster E: Little Sunangel, Tourmaline Sunangel, S: Colibrí turmalina, Solangel turmalino, F: Héliange Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] Heliangelus mavors Gould, 1848 В E: Orange-throated Sunangel, S: Angel de Sol cuelliocre, Colibrí de Marte, F: Héliange mars Colombia (br) [837]; Venezuela (br) [1070] ΕN Heliangelus regalis II В Fitzpatrick, Willard and Terborgh, 1979 E: Royal Sunangel, S: Colibrí real, F: Héliange royale Peru (br) [707, 1136, 6199, 6680, 6724] Heliangelus spencei (Bourcier, 1847) 1068 E: Merida Sunangel, S: Angel de Sol de Mérida, F: Héliange de Mérida Venezuela (br) [1070] 1068 Heliangelus strophianus (Gould, 1846) E: Gorgeted Sunangel, S: Colibrí pectoral, Solangel de gorguera, F: Héliange à queue bleue Colombia (br) [6783]; Ecuador (br) [5294, 6360] 1068 II В Heliangelus viola (Gould, 1853) E: Purple-throated Sunangel, S: Colibrí violeta, Solangel gorjipurpura, F: Héliange violette Ecuador (br) [5294, 6360]; Peru (br) [1136] 1068 Heliodoxa aurescens (Gould, 1846) II В Synonym: Polyplancta aurescens E: Gould's Jewelfront, S: Brillante pechicastaño, Colibrí cuellicastaño, Frentijoya, F: Brillant à bandeau bleu Bolivia (br) [1058, 1186, 1248, 6415]; Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 1068 Heliodoxa branickii (Taczanowski, 1874) E: Rufous-webbed Brilliant, S: Brillante alicanela, F: Brillant de Branicki Peru (br) [1136, 1249] Heliodoxa gularis (Gould, 1860) 595, 1068 E: Pink-throated Brilliant, S: Brillante gorgirrosado, F: Brillant à gorge rose Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136] Heliodoxa imperatrix (Gould, 1856) 1068 E: Empress Brilliant, S: Brillante emperador, F: Brillant impératrice Colombia (br) [837]; Ecuador (br) [5294] 387, 1068 Heliodoxa jacula Gould, 1850 II E: Green-crowned Brilliant, S: Brillante coroniverde, F: Brillant fer-de-lance Colombia (br) [837, 6730, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]

Panama (br) [1195]

H Heliodoxa leadbeateri (Bourcier, 1843) E: Violet-fronted Brilliant, S: Brillante frentivioleta, Heliodoxa frentiazul, F: Brillant à front Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] 1068 Heliodoxa rubinoides (Bourcier & Mulsant, 1846) II В E: Fawn-breasted Brilliant, S: Brillante pechianteado, Brillante pechigamuza, F: Brillant rubinoïde Colombia (br) [836, 837, 6730]; Ecuador (br) [5294, 6200]; Peru (br) [1136] Heliodoxa schreibersii (Bourcier, 1847) E: Black-throated Brilliant, S: Brillante gorjinegro, Brillante ventinegro, F: Brillant à gorge noire Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136] Heliodoxa xanthogonys Salvin and Godman, 1882 II E: Velvet-browed Brilliant, Velvet-crowned Brilliant, S: Brillante de Tepui, Colibrí frentiverde, F: Brillant à couronne verte Brazil (br) [1269, 6186]; Guyana (br) [1295]; Venezuela (br) [1070, 6925] 387 В Heliomaster constantii (DeLattre, 1843) E: Plain-capped Starthroat, S: Colibrí pochotero, Picolargo coronioscuro, F: Colibri de Constant Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387, 887] Heliomaster furcifer (Shaw, 1812) II E: Blue-tufted Starthroat, S: Colibrí de Barbijo, Picaflor de Barbijo, F: Colibri d'Angèle Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br); Paraguay (br) [5295]; Uruguay (br) [5287] 387, 1068 Heliomaster longirostris Η В (Audebert & Vieillot, 1801) E: Long-billed Starthroat, S: Colibrí estrella picolargo, Colibrí piquilargo, Heliomaster piquilargo, Picolargo coroniazul, F: Colibri corinne Belize [6697]; Bolivia (br) [1058, 1186, 6415]; Brazil (br) [1269, 6186]; Colombia (br) [837, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [463, 1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [628, 5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] 1068 Heliomaster squamosus (Temminck, 1823) E: Stripe-breasted Starthroat, S: Colibrí escamoso, Picaflor escamado, F: Colibri médiastin Argentina (br) [5291]; Brazil (br) [1269, 6186] 1068 II В Heliothryx aurita (Gmelin, 1788) E: Black-eared Fairy, S: Colibrí hada orejazul, Colibrí hada oriental, Hada orejinegro, F: Colibri oreillard Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] 387, 1068 Heliothryx barroti (Bourcier, 1843) H В E: Purple-crowned Fairy, S: Colibrí hada occidental, Hada coronimorada, Hada gorrimorada, F: Colibri féérique Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294];

Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195];

Hylocharis chrysura (Shaw, 1812) II B 1068 E: Gilded Hummingbird, S: Picaflor bronceado, Picaflor dorado, Zafiro bronceado, F: Saphir à

queue d'or Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay (br) [5295];

Hylocharis cyanus (Vieillot, 1818) II B 1068

E: White-chinned Sapphire, S: Picaflor cabeciazul, Zafiro cabecimorado, Zafiro gorgiblanco,

F: Saphir azuré Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Peru

(br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Hylocharis eliciae (Bourcier & Mulsant, 1846) II B 387, 1068

E: Blue-throated Goldentail, S: Zafiro de Elicia, Zafiro gorjiazul, F: Saphir d'Elicia Belize (br) [5241, 6320, 6769]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua

(br) [1195]; Panama (br) [1195]

Venezuela (br) [1070]

Hylocharis grayi (DeLattre & Bourcier, 1846) II B 387, 1068

Synonym: Hylocharis humboldtii

E: Blue-headed Sapphire, S: Zafiro cabeciazul, F: Saphir ulysse Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]

Hylocharis leucotis (Vieillot, 1818) II B 387

Synonym: Basilinna leucotis

E: White-eared Hummingbird, S: Colibrí orejiblanco, F: Saphir à oreilles blanches El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241];

Nicaragua (br) [1195]

Hylocharis pyropygia Salvin & Godman, 1881) II B 1068

E: Flame-rumped Sapphire, F: Saphir embrasé Brazil (br) [1269, 6186]

Hylocharis sapphirina (Gmelin, 1788) II B 1068

E: Rufous-throated Sapphire, S: Picaflor pechiazul, Zafiro gargantirrufo, Zafiro gorgirrojo,

F: Saphir à gorge rousse

Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 464, 1349]; Guyana (br) [1295]; Paraguay (br) [5295, 6321]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Hylocharis xantusii (Lawrence, 1860) II B 387

Synonym: Basilinna xantusii

E: Black-fronted Hummingbird, Xantus's Hummingbird, S: Colibrí de Xantus, F: Saphir de

Canada (v) [748]; Mexico (br) [5241]; United States (v) [387]

Hylonympha macrocerca Gould, 1873 II B VU 595, 598, 1068

E: Scissor-tailed Hummingbird, S: Colibrí tijereta, F: Colibri à queue en ciseaux

Venezuela (br) [1070]

Klais guimeti (Bourcier, 1843)
E: Violet-headed Hummingbird, S: Colibrí cabeciazul, Colibrí cabecivioleta, Tucusito cabeza azul, F: Colibri à tête violette

Bolivia (br) [1058, 1186]; Colombia (br) [837, 6674, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]; Peru

(br) [1136]; Venezuela (br) [1070]

Lafresnaya lafresnayi (Boissonneau, 1840) II B 1068
E: Mountain Velvetbreast, S: Colibrí aterciopelado, Colibrí terciopelo, F: Colibri de Lafresnaye

Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Lepidopyga goudoti (Bourcier, 1843)

Lepidopyga lilliae Stone, 1917

Colombia (br) [837]

Lesbia nuna (Lesson, 1832) 1068 II В E: Green-tailed Trainbearer, S: Colacinta coliverde, Colibrí colilargo menor, Colibrí coludo verde, F: Porte-traîne nouna Bolivia (br) [1058, 1186, 6415]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; ?Venezuela (v) [1070]

Lesbia victoriae (Bourcier & Mulsant, 1846) E: Black-tailed Trainbearer, S: Colacinta colinegra, Colibrí colilargo mayor, F: Porte-traîne Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

1068 Leucippus baeri Simon, 1901 E: Tumbes Hummingbird, S: Colibrí de Tumbes, F: Colibri de Tumbes Peru (br) [1136]

Leucippus chlorocercus (Gould, 1866) 1068 E: Olive-spotted Hummingbird, S: Colibrí blancioliva, Colibrí olivipunteado, F: Colibri à queue Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] 1068 Leucippus fallax (Bourcier, 1843) E: Buffy Hummingbird, S: Colibrí ante, Colibrí anteado, F: Colibri trompeur Colombia (br) [837]; ?French Guiana (br?) [1055, 1349]; Venezuela (br) [1070] Leucippus taczanowskii (Sclater, 1879) II E: Spot-throated Hummingbird, S: Colibrí de Taczanowski, F: Colibri de Taczanowski Peru (br) [1136] Leucochloris albicollis (Vieillot, 1818) E: White-throated Hummingbird, S: Colibrí gargantilla, Picaflor cuelliblanco, F: Colibri à gorge blanche Argentina (br) [5291]; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287] 482, 595, 598, EN В Loddigesia mirabilis (Bourcier, 1847) 1068, 1323 E: Marvellous Spatuletail, Marvelous Spatuletail, S: Colibrí admirable, F: Loddigésie admirable Peru (br) [1136, 6680, 6682] П В 387 Lophornis adorabilis Salvin, 1870 Synonym: Paphosia adorabilis E: Adorable Coquette, White-crested Coquette, S: Coqueta adorable, F: Coquette adorable Costa Rica (br) [1283, 1311]; Panama (br) [1195, 6851] CR 437, 595, 598, II В Lophornis brachylopha Moore, 1949 Synonym: Lophornis delattrei brachylopha E: Short-crested Coquette, S: Coqueta cresticorta, Coqueta de Guerrero, F: Coquette du Guerrero Mexico (br) [5241] Lophornis chalybeus (Vieillot, 1823) II 1068 E: Festive Coquette, S: Coqueta abanico puntiblanco, Coqueta festiva, Coqueta verde, Picaflor abanico verde, F: Coquette chalybée Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 387, 1068 Lophornis delattrei (Lesson, 1839) E: Rufous-crested Coquette, S: Coqueta crestirrufa, F: Coquette de Delattre Bolivia (br) [1058, 1186]; Colombia (br) [837]; ?Costa Rica (br?) [1283, 1311]; Panama (br) [1195]; Peru (br) [1136] 1068 Lophornis gouldii (Lesson, 1833) E: Dot-eared Coquette, S: Coqueta moteada, F: Coquette de Gould Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186] 387 II Lophornis helenae (DeLattre, 1843) Synonym: Paphosia helenae E: Black-crested Coquette, S: Coqueta crestinegra, F: Coquette d'Hélène Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195] 1068 Lophornis magnificus (Vieillot, 1817) E: Frilled Coquette, S: Coqueta magnifica, F: Coquette magnifique Brazil (br) [1269, 6186, 6413]

Metallura eupogon (Cabanis, 1874)

Colombia (br) [837]; Venezuela (br) [1070]

595, 598, 770, Π LR/nt Metallura odomae Graves, 1980 1137

E: Neblina Metaltail, S: Metalura del Chinguela, F: Métallure du Chinguela Ecuador (br) [6200, 6317]; Peru (br) [1136]

1068 Metallura phoebe (Lesson & DeLattre, 1839) В E: Black Metaltail, S: Metalura negra, F: Métallure phébé Peru (br) [1136]

II В 1068 Metallura theresiae Simon, 1902 E: Coppery Metaltail, S: Metalura de Teresa, F: Métallure de Thérèse Peru (br) [1136]

TROCHILIDAE	CITES	EC Reg.	RL	References
Metallura tyrianthina (Loddiges, 1832) E: Tyrian Metaltail, S: Colibrí verde colirrojo, Metal Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecua (br) [1070]	II ura tiria, idor (br)	B F: Métallı [5294]; Pe	ure émer eru (br) [1068 aude 1136]; Venezuela
Metallura williami (DeLattre & Bourcier, 1846) E: Viridian Metaltail, S: Metalura verde, F: Métallur Colombia (br) [837]; Ecuador (br) [5294, 6368]	II e verte	В		1068
Microchera albocoronata (Lawrence, 1855) E: Snowcap, S: Colibrí coroniblanco, F: Colibri à co Costa Rica (br) [1283, 1311]; Honduras (br) [1076];	II iffe bland Nicaragi	B the ua (br) [1:	195]; Pan	387 ama (br) [1195]
<i>Microstilbon burmeisteri</i> (Sclater, 1887) E: Slender-tailed Woodstar, S: Colibrí de Burmeiste Argentina (br) [5291]; Bolivia (br) [1058, 1186]	II er, Picaflo	B or enano,	F: Colibr	1068 i de Burmeister
Myrmia micrura (Gould, 1854) E: Short-tailed Woodstar, S: Colibrí colicorto, Estre Ecuador (br) [5294]; Peru (br) [1136]	II Ilita colic	B orta, F: C	olibri à q	1068 ueue courte
Myrtis fanny (Lesson, 1838) E: Purple-collared Woodstar, S: Colibrí myrtis, Estrecuador (br) [5294]; Peru (br) [1136] Ocreatus underwoodii (Lesson, 1832) E: Booted Racket-tail, S: Colaespatula zamarrito, CF: Haut-de-chausses à palettes Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecua (br) [1070]	II Colibrí col	B a de hoja	, Colibrí d	1068 de raquetas,
Opisthoprora euryptera (Loddiges, 1832) E: Mountain Avocetbill, S: Colibrí picolezna, Colibrí Colombia (br) [706, 837]; Ecuador (br) [5294, 6317]			olibri avo	1068 ocettin
Oreonympha nobilis Gould, 1869 E: Bearded Mountaineer, S: Colibrí noble, F: Colibr Peru (br) [1136]	II i noble	В		1068
Oreotrochilus adela (D'Orbigny & Lafresnaye, 1838) E: Wedge-tailed Hillstar, S: Colibrí de Cochabamba Argentina [6812]; Bolivia (br) [1058, 1186]) II , F: Colib		LR/nt	595, 1068
Oreotrochilus chimborazo (DeLattre & Bourcier, 1846) Synonym: Oreotrochilus estella chimborazo E: Ecuadorian Hillstar, S: Colibrí del Chimborazo, E Chimborazo Colombia [6783]; Ecuador (br) [5294]	II strella ed	B cuatoriana	, F: Colit	1068 ori du
Oreotrochilus estella (D'Orbigny & Lafresnaye, 1838) Synonym: Oreotrochilus stolzmanni E: Andean Hillstar, S: Colibrí puneño, Picaflor serra Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Chi (br) [1136]	II ino ventr ile (br) [5	B icanela, F 5292]; Col	: Colibri (ombia [8:	1068 estelle 37]; Peru
Oreotrochilus leucopleurus Gould, 1847 E: White-sided Hillstar, S: Colibrí cordillerano, Pica	II flor serra	B no ventrii	negro, F:	1068 Colibri à flancs

Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Chile (br) [1200, 5292, 6393]

Phaethornis bourcieri (Lesson, 1832)

Phaethornis eurynome (Lesson, 1832)

Ermite eurynôme

Argentina (br) [5291]; Brazil (br) [1268, 1269, 6186]; Paraguay (br) [5295]

Phaethornis gounellei Boucard, 1891 1068 E: Broad-tipped Hermit, S: Ermitaño coliancho, F: Ermite de Gounelle

Brazil (br) [1269, 6186]

Phaethornis griseogularis Gould, 1851 Η В 1068

Synonym: Phaethornis porcullae

E: Grey-chinned Hermit, Porculla Hermit, S: Ermitañito barbigrís, Ermitaño barbigris, F: Ermite

Brazil; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

CITES EC Reg. RL References TROCHILIDAE 387, 1068 Phaethornis guy (Lesson, 1833) E: Green Hermit, S: Ermitaño verde, F: Ermite vert Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] 1068 Phaethornis hispidus (Gould, 1846) E: White-bearded Hermit, S: Ermitaño barbiblanco, F: Ermite d'Osery Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] 1068 Phaethornis idaliae (Bourcier & Mulsant, 1856) II E: Minute Hermit, Obscure Hermit, S: Ermitaño pigmeo, F: Ermite d'Idalie Brazil (br) [1252, 1269, 6186] II В LR/nt 595, 1406, 6399 Phaethornis koepckeae Weske and Terborgh, 1977 E: Koepcke's Hermit, S: Ermitaño de Koepcke, F: Ermite de Koepcke Peru (br) [1136] 387, 1068 IIВ Phaethornis longuemareus (Lesson, 1832) Synonyms: Phaethornis striigularis, Pygmornis longuemareus, Phaethornis atrimentalis E: Little Hermit, S: Ermitañito pequeño, Ermitaño chico, F: Ermite nain Belize (br) [5241]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; French Guiana (br) [1055, 1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070] 1068 Phaethornis malaris (Nordmann, 1835) II Synonym: Phaethornis margarettae E: Great-billed Hermit, Margaretta's Hermit, S: Ermitaño picogrande, F: Ermite à long bec Brazil (br) [1052, 1269, 6186]; French Guiana (br) [647, 1349]; Suriname (br) [628, 5296] 1068 В Phaethornis nattereri Berlepsch, 1887 Η Synonym: Phaethornis maranhaoensis E: Cinnamon-throated Hermit, S: Ermitaño de Natterer, F: Ermite de Natterer Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186] 1068 Phaethornis philippii (Bourcier, 1847) E: Needle-billed Hermit, S: Ermitaño picoaguja, F: Ermite de Filippi Bolivia (br) [1058, 1135, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136] Phaethornis pretrei (Lesson & DeLattre, 1839) E: Planalto Hermit, S: Ermitaño del planalto, Ermitaño frentrinegro, F: Ermite de Prêtre Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay (br) [5295] 1068 Phaethornis ruber (Linnaeus, 1758) E: Reddish Hermit, S: Ermitañito rufo, Ermitaño rojizo, F: Ermite roussâtre Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1056, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] 1068 Phaethornis squalidus (Temminck, 1822) II В Synonym: Phaethornis rupurumii E: Dusky-throated Hermit, S: Ermitañito gargantifusco, Ermitaño escuálido, F: Ermite terne Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Guyana (br) [1295]; Venezuela (br) [1070] 1068 Phaethornis stuarti Hartert, 1897 E: White-browed Hermit, S: Ermitaño Boliviano, F: Ermite de Stuart Bolivia (br) [1058, 1186]; Peru (br) [1136]

References CITES EC Reg. RL **TROCHILIDAE** 1068 Phaethornis subochraceus Todd, 1915 Π В E: Buff-bellied Hermit, S: Ermitaño ocráceo, F: Ermite ocré Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186] В 387, 1068 Phaethornis superciliosus (Linnaeus, 1766) Synonyms: Phaethornis mexicanus, Phaethornis longirostris E: Long-tailed Hermit, S: Ermitaño colilargo, Ermitaño colilargo común, Ermitaño guayanés, F: Ermite à brins blancs Belize (br) [5241]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186, 6413]; Colombia (br) [837, 6674]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070] 1068 Phaethornis syrmatophorus Gould, 1851 H E: Tawny-bellied Hermit, S: Ermitaño ventrihabano, F: Ermite à ventre fauve Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] 1068 II В Phaethornis yaruqui (Bourcier, 1851) E: White-whiskered Hermit, S: Ermitaño bigotiblanco, Ermitaño de Yaruqui, F: Ermite yaruqui Colombia (br) [837]; Ecuador (br) [5294]; Panama [6809] 387, 595 В Philodice bryantae (Lawrence, 1867) Synonym: Calliphlox bryantae E: Magenta-throated Woodstar, S: Colibrí magenta, F: Colibri magenta Costa Rica (br) [1283, 1311]; Panama (br) [1195] 387, 1068 В Philodice mitchellii (Bourcier, 1847) II Synonym: Calliphlox mitchellii E: Purple-throated Woodstar, S: Colibrí de Mitchell, Estrellita gorjipurpura, F: Colibri de Mitchell Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203] 595, 1068 LR/nt Π В Phlogophilus harterti Berlepsch and Stolzmann, 1901 E: Peruvian Piedtail, S: Colibrí colipinto Peruano, F: Colibri de Hartert Peru (br) [1136] 595, 1068 LR/nt Phlogophilus hemileucurus Gould, 1860 В E: Ecuadorian Piedtail, S: Colapinto ecuatoriano, Colibrí colipinto Ecuatoriano, F: Colibri à queue mi-blanche Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136, 6724] 595, 1068 Polyonymus caroli (Bourcier, 1847) E: Bronze-tailed Comet, S: Colibri colibronce, F: Colibri de Bourcier Argentina [5291]; Brazil [6186]; Paraguay [5295]; Peru (br) [1136] Polytmus guainumbi (Pallas, 1764) TT E: White-tailed Goldenthroat, S: Colibrí gargantidorado, Colibrí guainumbí, Picaflor coliverde, F: Colibri quaïnumbi Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [768, 1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070] 1068 Polytmus milleri (Chapman, 1929) E: Tepui Goldenthroat, S: Colibrí de tepui, F: Colibri des tépuis

Venezuela (br) [1070]

TROCHILIDAE CITES EC Reg. RL References Polytmus theresiae (Da Silva Maia, 1843) H E: Green-tailed Goldenthroat, S: Colibrí de Teresa, Garganta de oro coliverde, F: Colibri toutvert Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [811, 5296]; Venezuela (br) [1070] 387, 1068 Popelairia conversii (Bourcier & Mulsant, 1846) Synonym: Discosura conversii E: Green Thorntail, S: Colacerda verde, Rabudito verde, F: Coquette à queue fine Colombia (br) [837, 6674]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195] II В 1068 Popelairia langsdorffi (Temminck, 1821) Synonym: Discosura langsdorffi E: Black-bellied Thorntail, S: Colacerda ventrinegra, Coqueta cola de Lira, Rabudito ventrinegro, F: Coquette de Langsdorff Bolivia (br) [1135, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070] H DD 595, 598, 1068 Popelairia letitiae (Bourcier & Mulsant, 1852) Synonym: Discosura letitiae E: Coppery Thorntail, S: Rabudito cobrizo, F: Coquette de Létitia Bolivia (br) [1186] 1068 Popelairia popelairii (DuBus & Gisignies, 1846) II Synonym: Discosura popelairii E: Wire-crested Thorntail, S: Colacerda crestuda, Rabudito crestado, F: Coquette de Popelaire Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] Pterophanes cyanopterus (Fraser, 1839) E: Great Sapphirewing, S: Alazafiro grande, Colibrí aliazul, F: Colibri à ailes saphir Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136] 592, 595, 598, Ramphodon dohrnii (Bourcier & Mulsant, 1852) 931, 1068 Synonym: Glaucis dohrnii E: Hook-billed Hermit, S: Colibrí de pico recurvado, Colibrí picosierra chico, Ermitaño de Espirito Santo, F: Colibrí à bec incurvé, Colibri de Dohrn, Ermite de Dohrn, Ermite de Dohrnou à bec incurvé Brazil (br) [6186] Ramphodon naevius (Dumont, 1818) В LR/nt 595, 1068 E: Saw-billed Hermit, S: Ermitaño picosierra, F: Colibri tacheté Brazil (br) [6186] 1068 Ramphomicron dorsale Salvin and Godman, 1880 II В E: Black-backed Thornbill, S: Colibri piquicorto dorsinegro, F: Colibri à dos noir Colombia (br) [837] Ramphomicron microrhynchum 1068 H В (Boissonneau, 1839) E: Purple-backed Thornbill, S: Colibrí pico espina, Colibrí piquicorto común, Picoespina dorsipurpura, F: Colibri à petit bec Bolivia (br) [1058, 1186, 6667]; Colombia (br) [837]; Ecuador (br) [5294, 6200]; Venezuela (br) [1070] 1068 Rhodopis vesper (Lesson, 1829) E: Oasis Hummingbird, S: Colibrí del Atacama, F: Colibri vesper Chile (br) [5292]; Peru (br) [1136]

		56 D	D.	D. C
TROCHILIDAE	CITES	EC Reg.	RL	References
Sappho sparganura (Shaw, 1812) E: Red-tailed Comet, S: Colibrí cometa, Picaflor col Argentina (br) [5291]; Bolivia (br) [1058, 1186]; Chi				1068 r) [1136]
Selasphorus ardens Salvin, 1870 E: Glow-throated Hummingbird, S: Colibrí ardiente Panama (br) [1195]	II , F: Colib	_	VU	387, 595, 598
Selasphorus flammula Salvin, 1864 Synonyms: Selasphorus simoni, Selasphorus torrid E: Cerise-throated Hummingbird, Heliotrope-throat S: Colibrí volcanero, F: Colibri flammule Costa Rica (br) [1283, 1311]; Panama (br) [1195]	II <i>us</i> ed Humr	B ningbird,	Volcano	387 Hummingbird,
Selasphorus platycercus (Swainson, 1827) E: Broad-tailed Hummingbird, S: Colibrí coliancho, large				387 Dibri à queue
Guatemala (br) [5241]; Mexico (br) [5241]; United	States (b	r) [387, 8	87]	
Selasphorus rufus (Gmelin, 1788) E: Rufous Hummingbird, S: Colibrí rufo, Zumbador Bahamas (v) [5242]; Canada (br) [748, 887]; Mexico (v) [683]; United States (br) [387, 887]	II rufo, F: o (br) [52	B Colibri ro 241]; Sair	ux . nt Pierre a	387 and Miquelon
Selasphorus sasin (Lesson, 1829) E: Allen's Hummingbird, S: Colibrí de Allen, Zumba ?Canada (v) [748, 887]; Mexico (br) [5241]; United				387 llen
Selasphorus scintilla (Gould, 1851) E: Scintillant Hummingbird, S: Colibrí centelleante, Costa Rica (br) [1283, 1311]; Panama (br) [1195]	II F: Colib	B ri scintilla	int	387
Sephanoides fernandensis (King, 1831)	II		CR	495, 514, 589, 595, 598, 1310, 6503
E: Juan Fernandez Firecrown, Juan Fernández Firec F: Colibri robinson Chile (br): Juan Fernandez Is	rown, S:	Colibrí d	e Juan Fe	ernández,
Sephanoides sephaniodes (Lesson, 1827) E: Green-backed Firecrown, S: Colibrí austral, Pical Argentina (br) [5291]; Chile (br) [5292]; Falkland Is				
Stellula calliope (Gould, 1847) Synonym: Archilochus calliope E: Calliope Hummingbird, S: Colibrí calíope, Colibrí Canada (br) [748, 887]; Mexico (br) [5241]; United				387 ope
Stephanoxis lalandi (Vieillot, 1818) E: Plovercrest, S: Colibrí copetón, Picaflor copetón, Argentina (br) [5291]; Brazil (br) [1252, 1269, 6186]				1068
Sternoclyta cyanopectus (Gould, 1846) E: Violet-chested Hummingbird, S: Colibrí pechiazu Venezuela (br) [1070]	II ıl, F: Coli	B bri à poit	rine viole	1068 tte
Taphrolesbia griseiventris (Taczanowski, 1883) E: Grey-bellied Comet, S: Colibrí ventigrís, F: Colib Peru (br) [1136]	II ri comète		EN	595, 598, 1068

Taphrospilus hypostictus (Gould, 1862)

E: Many-spotted Hummingbird, S: Colibrí moteado, Colibrí multipunteado, F: Colibri grivelé ?Argentina (br?) [5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Ecuador (br) [5294]; Peru (br) [1136]

Thalurania colombica (Bourcier, 1843) II 387, 1068

Synonym: Thalurania furcata colombica

E: Blue-crowned Woodnymph, S: Ninfa coronada, Zafiro coroniazul, F: Dryade couronnée Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

Thalurania fannyi (DeLattre & Bourcier, 1846) II

Synonym: Thalurania colombica fannyi

E: Green-crowned Woodnymph, S: Ninfa coronada, Zafiro coroniverde, F: Dryade de Fanny Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]

Thalurania furcata (Gmelin, 1788) 1068

E: Fork-tailed Woodnymph, S: Picaflor gargantiverde, Tucusito moradito, Zafiro golondrina, F: Dryade à queue fourchue

Argentina (br) [465, 5291]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; ?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]

Thalurania glaucopis (Gmelin, 1788) 1068 II

E: Violet-capped Woodnymph, S: Picaflor corona azul, Zafiro capirotado, F: Dryade glaucope Argentina (br) [5291]; Brazil (br) [1252, 1269, 6186, 6291]; Paraguay (br) [5295]; Uruguay (br) [5287]

VU Thalurania ridgwayi Nelson, 1900 II 595, 598, 681

Synonym: Thalurania colombica ridgwayi

E: Mexican Woodnymph, S: Nifa mexicana, Zafiro Mexicano, F: Dryade du Mexique Mexico (br) [5241]

Thalurania watertonii (Bourcier, 1847) 1068

E: Long-tailed Woodnymph, S: Zafiro colilargo, F: Dryade de Waterton Brazil (br) [1269, 6186]; ?Guyana (br?) [1295]

Thaumastura cora (Lesson, 1827) II В 1068

E: Peruvian Sheartail, S: Colibri Cora, F: Colibri cora Chile [1459, 5292]; Peru [1136]

Threnetes leucurus (Linnaeus, 1766) В 1068, 1226

Synonyms: Threnetes cristinae, Threnetes loehkeni

E: Bronze-tailed Barbthroat, Pale-tailed Barbthroat, S: Barbita colipalida, Garganta Janza coliblanca, F: Ermite à queue blanche

Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Threnetes niger (Linnaeus, 1758) 1068

E: Sooty Barbthroat, S: Ermitaño barbudo común, F: Ermite d'Antonie Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]

Threnetes ruckeri (Bourcier, 1847) 387, 1068

E: Band-tailed Barbthroat, S: Barbita colibandeada, Ermitaño barbudo, Ermitaño barbudo colibandeado, Tucuso de Barba, F: Ermite de Rucker

Belize (br) [5241]; Colombia (br) [837, 6674]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

TROCHILIDAE CITES EC Reg. RL References

Tilmatura dupontii (Lesson, 1832)

Synonym: Philodice dupontii

E: Sparkling-tailed Barbthroat, Sparkling-tailed Hummingbird, S: Colibrí colpinto, Colibrí de Dupont, F: Colibri zémès

II

В

?Costa Rica (br?) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]

Topaza pella (Linnaeus, 1758)

II B 1068

387

E: Crimson Topaz, S: Colibrí topacio, Topacio candela colicanelo, Topacio carmesi, F: Colibri topaze

Brazil (br) [1269, 6186]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Topaza pyra (Gould, 1846)

II B 1068, 6703

E: Fiery Topaz, S: Topacio candela colimorado, Topacio fuego, F: Colibri flamboyant Brazil [6186, 6373]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Trochilus polytmus Linnaeus, 1758

II B 387, 485, 1245

Synonym: *Trochilus scitulus*

E: Streamertail, S: Colibrí portacintas, F: Colibri à tête noire Jamaica (br) [657]

Urochroa bougueri (Bourcier, 1851)

II B 1068

E: White-tailed Hillstar, S: Colibrí de Bouguer, Estrella coliblanca, F: Colibri de Bouguer Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6854]

Urosticte benjamini (Bourcier, 1851)

B 1068

E: Purple-bibbed Whitetip, S: Colibrí puntablanca occidental, Punta blanca, F: Colibri de Benjamin

Colombia (br) [706, 837]; Ecuador (br) [5294]

Urosticte ruficrissa Lawrence, 1864

II B 1068

Synonym: Urosticte benjamini ruficrissa

E: Rufous-vented Whitetip, S: Colibrí puntablanca oriental, F: Colibri à sous-caudales rousses Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]

Order: TROGONIFORMES TROGONIDAE

Pharomachrus mocinno de la Llave, 1832

I A LR/nt 387, 595, 931,

E: Magnificent Quetzal, Resplendent Quetzal, S: Quetzal, Quetzal centroamericano, F: Quetzal resplendissant, Trogon couroucou

Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [800, 1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

CITES Identification Manual Reference:

A-224.001.005.005

Order: CORACIIFORMES BUCEROTIDAE

Aceros cassidix (Temminck, 1823) II B 917, 1169

Synonym: Rhyticeros cassidix

E: Buton Hornbill, Celebes Hornbill, Greater Sulawesi Hornbill, Knobbed Hornbill, Red-knobbed Hornbill, Sulawesi Wrinkled Hornbill, S: Cálao grande de Célebes, F: Calao à cimier

Indonesia (br) [393]: Sulawesi

CITES Identification Manual Reference: A-225.010.001.002

BUCEROTIDAE CITES EC Reg. RL References LR/nt 917, 1169 Π В Aceros comatus (Raffles, 1822) Synonym: Berenicornis comatus E: Asian White-crested Hornbill, Long-crested Hornbill, White-crested Hornbill, White-crowned Hornbill, S: Cálao crestiblanco, F: Calao coiffé Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264] A-225.010.004.003 CITES Identification Manual Reference: 595, 917, 1168, Aceros corrugatus (Temminck, 1832) LR/nt 1169 Synonym: Rhyticeros corrugatus E: Sunda Wrinkled Hornbill, Wrinkled Hornbill, S: Cálao arrugado, F: Calao à casque rouge Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Singapore (ex); Thailand (br) [487] CITES Identification Manual Reference: A-225.010.001.003 B VU II 595, 902, 917, Aceros everetti Rothschild, 1897 1168, 1169, 1410 Synonym: Rhyticeros everetti E: Sumba Hornbill, Sumba Wreathed Hornbill, S: Cálao de la Sumba, F: Calao de Sumba Indonesia (br) [393]: Lesser Sunda Is CITES Identification Manual Reference: A-225.010.001.004 Aceros leucocephalus (Vieillot, 1816) II В LR/nt 595, 917, 1169 Synonym: Rhyticeros leucocephalus E: Mindanao Wrinkled Hornbill, White-headed Hornbill, Wrinkled Hornbill, Writhe-billed Hornbill, Writhed Hornbill, S: Cálao grande de Mindanao, F: Calao de Vieillot Philippines (br) [5270] CITES Identification Manual Reference: A-225.010.001.005a VU 381, 595, 857, Aceros narcondami Hume, 1873 917, 1168, 1169 Synonym: Rhyticeros narcondami E: Narcondam Hornbill, S: Cálao de la Narcondam, F: Calao de Narcondam India (br) [1197]: Andaman Is CITES Identification Manual Reference: A-225.010.001.006 Ι VU 381, 595, 917, Aceros nipalensis (Hodgson, 1829) 929, 1168, 1169 E: Rufous-cheeked Hornbill, Rufous-necked Hornbill, S: Cálao del Nepal, F: Calao à cou roux, Calao de montagne Bangladesh (br) [804]; Bhutan (br) [5261, 6478]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (ex?, br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-225.010.001.007 В 917, 1169 Aceros plicatus (Forster, 1781) II Synonym: Rhyticeros plicatus E: Blyth's Hornbill, Blyth's Wreathed Hornbill, Kokomo, New Guinea Hornbill, New Guinea Wreathed Hornbill, Papuan Hornbill, Plicated Hornbill, F: Calao papou Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br); Solomon Islands (br) [5260] CITES Identification Manual Reference: A-225.010.001.008a VU 595, 917, 1168, Aceros subruficollis (Blyth, 1843) 1169, 6424 Synonyms: Aceros plicatus subruficollis, Rhyticeros subruficollis E: Blyth's Hornbill, Blyth's Wreathed Hornbill, Burmese Hornbill, Plain-pouched Hornbill, Plainpouched Wreathed Hornbill, S: Cálao gorgiclaro, F: Calao à gorge claire, Calao à poche unie Malaysia [6423]: Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487] A-225.010.001.008b CITES Identification Manual Reference:

Aceros undulatus (Shaw, 1811)

H В 917, 1168, 1169

Synonym: Rhyticeros undulatus

E: Bar-pouched Wreathed Hornbill, Bar-throated Wreathed Hornbill, Northern Waved Hornbill,

Wreathed Hornbill, S: Cálao gorginegro, F: Calao festonné

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak;

Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.001.009

Aceros waldeni (Sharpe, 1877)

H CR 595, 917, 1169

1169

Synonyms: Aceros leucocephalus waldeni, Rhyticeros leucocephalus waldeni

E: Panay Wrinkled Hornbill, Rufous-headed Hornbill, Visayan Wrinkled Hornbill, Writhed-billed Hornbill, S: Cálao grande de Panay, F: Calao de Walden

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.001.005b

Anorrhinus galeritus (Temminck, 1831)

В

E: Bushy-crested Hornbill, S: Cálao crestado, F: Calao largup

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]:

Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-225.010.002.001

Anorrhinus tickelli (Blyth, 1855)

LR/nt 595, 1168, 1169 Synonym: Anorrhinus austeni

H

E: Assam Brown-backed Hornbill, Brown Hornbill, Tickell's Brown Hornbill, S: Cálao pardo de Tickell, F: Calao brun

Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic

(br) [6187]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.010.001

Anthracoceros albirostris (Shaw & Nodder, 1807) II 917, 1169

Synonym: Anthracoceros convexus

E: Indian Pied Hornbill, Malaysian Pied-Hornbill, Northern Pied Hornbill, Northern Pied-Hornbill,

Oriental Pied-Hornbill, Sunda Pied Hornbill, S: Cálao cariblanco, F: Calao pie

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera;

Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Singapore (ex, v) [791]; Thailand

(br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.003.007

Anthracoceros coronatus (Boddaert, 1783) LR/nt 595, 917, 1169

Synonym: Anthracoceros malabaricus

E: Indian Pied Hornbill, Malabar Pied Hornbill, Malabar Pied-Hornbill, Pied Hornbill, F: Calao de

Malabar

India (br) [1197]; Sri Lanka (br) [5271]

CITES Identification Manual Reference: A-225.010.003.002

595, 917, 1169 Anthracoceros malayanus (Raffles, 1822) II В LR/nt

E: Asian Black Hornbill, Black Hornbill, Malaysian Black Hornbill, S: Cálao Malayo, F: Calao charbonnier

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]:

Peninsular Malaysia, Sabah, Sarawak; Thailand (br) [487]; ?Viet Nam (br?) [5264]

CITES Identification Manual Reference: A-225.010.003.004

Anthracoceros marchei Oustalet, 1885 VU 917, 1169

E: Palawan Hornbill, S: Cálao de Palawan, F: Calao de Palawan

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.003.005

BUCEROTIDAE	CITES	EC Reg.	RL	References			
Anthracoceros montani (Oustalet, 1880)	II	В	CR	595, 917, 1168, 1169			
E: Sulu Hornbill, S: Cálao de las Sulu, F: Calao des	Sulu						
Philippines (br) [5270] CITES Identification Manual Reference:	A-225.0	010.003.	006				
Buceros bicornis Linnaeus, 1758	I	Α	LR/nt	381, 917, 929, 1168, 1169, 1233			
E: Concave-casqued Hornbill, Great Hornbill, Great Indian Hornbill, Great Pied Hornbill, Homral Hornbill, Indian Concave-casqued Hornbill, Indian Hornbill, S: Cálao bicorne, Cálao grande, F: Calao bicorne, Calao bicorne de Homrai, Calao bicorne de l'île Homray Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393, 1027]: Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [861, 865]; Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]							
CITES Identification Manual Reference:	A-225.0	010.005.	002				
Buceros hydrocorax Linnaeus, 1766 E: Rufous Hornbill, S: Cálao Filipino grande, Cálao Philippines Philippines (br) [5270] CITES Identification Manual Reference:		B o, F: Cala 010.005.0		595, 917, 1169 e plat, Calao des			
Buceros rhinoceros Linnaeus, 1758	II	В	LR/nt	917, 929, 1168,			
E: Rhinoceros Hornbill, S: Cálao rinoceronte, F: Calao rhinocéros Brunei Darussalam (br); Indonesia (br) [393, 1289]: Jawa, Kalimantan, Sumatera; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Singapore (ex, br) [791]; Thailand (br) [487, 1220] CITES Identification Manual Reference: A-225.010.005.004							
Buceros vigil (Forster, 1781)	I	Α	LR/nt	595, 917, 929, 1168, 1169			
Synonym: Rhinoplax vigil E: Helmeted Hornbill, S: Cálao de casco, Cálao de yelmo, F: Calao à casque, Calao à casque rond Brunei Darussalam (br); Indonesia (br) [393, 844]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220] CITES Identification Manual Reference: A-225.010.011.001							
Penelopides affinis Tweeddale, 1877	II	В		595, 917, 1169			
Synonym: Penelopides panini affinis E: Mindanao Hornbill, Mindanao Taritic Hornbill, Ta F: Calao de Mindanao Philippines (br) [5270] CITES Identification Manual Reference:		rnbill, S:		co de Mindanao,			
			0030				
Penelopides exarhatus (Temminck, 1823) E: Celebes Hornbill, Celebes Tarictic Hornbill, Sulav Sulawesi Tarictic Hornbill, S: Cálao chico de Célebe Indonesia (br) [393]: Sulawesi	II vesi Dwa s, F: Cal	B rf Hornb ao des C	ill, Sulawe élèbes	917, 1169 si Hornbill,			
CITES Identification Manual Reference:	A-225.0	010.009.	002				
Penelopides manillae (Boddaert, 1783) Synonym: Penelopides panini manillae E: Luzon Hornbill, Luzon Tarictic Hornbill, Tarictic Hoe Manille	II Iornbill, :		chico de L	595, 917, 1169 .uzón, F: Calao			
Philippines (br) [5270] CITES Identification Manual Reference:	A-225.0	010.009.	003d				

BUCEROTIDAE CITES EC Reg. RL References

Penelopides mindorensis Steere, 1890 II B EN 595, 917, 1169

E: Mindoro Hornbill, Tarictic Hornbill, S: Cálao chico de Mindoro, F: Calao de Mindoro

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.009.003e

Penelopides panini (Boddaert, 1783) II B EN 595, 917, 1169

E: Panay Tarictic Hornbill, Tarictic Hornbill, Visayan Hornbill, S: Cálao chico de Panay, F: Calao

tarictic

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.009.003a

Penelopides samarensis Steere, 1890 II B 595, 917, 1169

Synonym: Penelopides panini samarensis

E: Samar Hornbill, Samar Tarictic Hornbill, F: Calao de Samar

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.009.003c

Order: PICIFORMES Family: CAPITONIDAE

Eubucco tucinkae (Seilern, 1913) D

E: Scarlet-hooded Barbet, F: Cabézon de Carabaya Bolivia [6372]; Brazil (br) [6289]; Peru [1136]

Megalaima rafflesii (Lesson, 1839) D \ LR/nt

E: Red-crowned Barbet, F: Barbu bigarré

Brunei Darussalam; Indonesia [393]: Kalimantan, Sumatera; Malaysia: Peninsular Malaysia,

Sabah, Sarawak; Myanmar [1290]; Singapore (br); Thailand [487]

Semnornis ramphastinus (Jardine, 1855) III CO B LR/nt 595, 598, 931, 1068

E: Toucan Barbet, F: Cabézon toucan, Caebézon toucan, Toucan barbet

Colombia (br) [837, 6730]; Ecuador (br) [5294]

Family: RAMPHASTIDAE

Andigena cucullata (Gould, 1846) D

E: Hooded Mountain-toucan, Hooded Mountain-Toucan, F: Toucan à capuchon

Bolivia (br) [1186, 6667]; Peru (br) [1136]

Andigena hypoglauca (Gould, 1833) D LR/nt E: Grey-breasted Mountain-toucan, Grey-breasted Mountain-Toucan, F: Toucan bleu

Colombia (br) [837, 6683]; Ecuador (br) [5294]; Peru (br) [1136, 6724]

Andigena nigrirostris (Waterhouse, 1839)

E: Black-billed Mountain-toucan, Black-billed Mountain-Toucan, F: Toucan à bec noir Colombia (br) [837, 6683]; Ecuador (br) [5294]; Venezuela (br) [1070]

Baillonius bailloni (Vieillot, 1819) III AR B LR/nt 595, 1068

E: Saffron Toucanet, F: Toucan de Baillon

Argentina (br) [465, 5291]; Brazil (br) [1268, 6186]; Paraguay (br) [1068, 5295]

Pteroglossus aracari (Linnaeus, 1758) B 1068

E: Black-necked Aracari, S: Tilingo cuellinegro, F: Araçari à cou noir, Araçari grigri Brazil (br) [1068, 6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Pteroglossus castanotis Gould, 1834 III AR B 1068

E: Chestnut-eared Aracari, S: Arasari orejicastano, Tucán tilingo, Tucán-Tilingo verde,

F: Araçari à oreillons roux

RAMPHASTIDAE CITES EC Reg. RL References

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [1068, 5295]; Peru (br) [1136]

Pteroglossus viridis (Linnaeus, 1766) II B 1068

E: Green Aracari, S: Tilingo limón, F: Araçari vert Brazil (br) [1068, 6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Ramphastos dicolorus Linnaeus, 1766 III AR B

E: Red-breasted Toucan, S: Tucán rojo y amarillo, Tucán verde, F: Toucan à ventre rouge Argentina (br) [5291]; Brazil (br) [1068, 6186, 6892]; Paraguay (br) [5295]

Ramphastos sulfuratus Lesson, 1830 II B 387, 1068 E: Keel-billed Toucan, S: Piapoco pico verde, Tucán pico-multicolor, F: Toucan à carène Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

Ramphastos toco Müller, 1776 II B 1068 E: Toco Toucan, S: Tucán de pico verde, Tucán grande, F: Toucan toco Argentina (br) [465, 5291]; Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Guyana (br) [1295]; Paraguay (br) [1068, 5295]; Peru (br) [1136]; Suriname (br) [5296]

Ramphastos tucanus Linnaeus, 1758 II B 1068 E: Red-billed Toucan, S: Piapoco pico rojo, Tucán grade, F: Toucan à bec rouge Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Ramphastos vitellinus Lichtenstein, 1823 II B 1068
E: Channel-billed Toucan, S: Diostedé pico acanelado, Tucán piquirrojo, F: Toucan à gorge jaune et blanche, Toucan ariel
Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296];
Venezuela (br) [1070]

Selenidera maculirostris (Lichtenstein, 1823) III AR B 1068 E: Spot-billed Toucanet, S: Tucán de pico acanalado, Tucancito picomaculado, F: Toucanet à bec tacheté Argentina (br) [465, 5291]; Bolivia [1186, 6372]; Brazil (br) [1068, 6186]

Family: PICIDAE

Campephilus imperialis (Gould, 1832) I A CR 387, 595, 598, 931, 1266

E: Imperial Woodpecker, S: Carpintero gigante, Pito imperial, Pitorreal ocotero, F: Pic impérial Mexico (br) [5241]

Dryocopus javensis richardsiTristan, 1879 I A 931, 1266 E: Tristram's Woodpecker, S: Pito de vientre blanco de Corea, Pito ventriblanco de Corea, F: Pic à ventre blanc de Corée, Pic de Tristram Japan (ex?, br) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (ex?, br) [1436]

Order: PASSERIFORMES Family: COTINGIDAE

Cephalopterus ornatus III CO C 1068, 1294 Geoffroy Saint-Hilaire, 1809

E: Amazonian umbrella bird, Amazonian Umbrellabird, Ornate Umbrellabird, S: Pájaroparaguas amazónico, Pájaros paraguas, F: Coracine ornée Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French COTINGIDAE CITES EC Reg. RL References

Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136, 1257]; Suriname (br) [5296]; Venezuela (br) [1070]

Cephalopterus penduliger Sclater, 1859

III CO C VU 595, 931, 1068,

E: Long-wattled umbrella bird, Long-wattled Umbrellabird, S: Pájaro paraguas bigotudo, Pájaro-paraguas longuipendulo, F: Coracine casquée Colombia (br) [837, 6730]; Ecuador (br) [5294, 6685]

Cotinga maculata (Müller, 1776)

I A EN 595, 598, 931, 1068, 1294

E: Banded Cotinga, Spotted Cotinga, S: Cotinga de corbata, Cotinga manchado, F: Cotinga à bandeau, Cotinga cordonbleu, Cotinga cordon-bleu, Cotinga maculé Brazil (br) [1252, 6186]

Procnias nudicollis (Vieillot, 1817)

D LR/nt

E: Bare-throated Bellbird, F: Araponga à gorge nue Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295]

Rupicola peruviana (Latham, 1790)

II B 1068, 1294

E: Andean Cock-of-the-rock, Peruvian Cock-of-the-Rock, Red Cock-of-the-rock, Scarlet Cock-of-the-rock, S: Gallito de las Sierras, Gallito de roca peruano, Tunqui, F: Coq-de-roche péruvien

Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Rupicola rupicola (Linnaeus, 1766)

II B 1068, 1294

E: Common Cock-of-the-Rock, Guianan Cock-of-the-rock, Orange Cock-of-the-rock, Smaller Cock-of-the-rock, S: Gallito de las Rocas, Gallito de roca anaranjado, F: Coq-de-roche de Guyane, Coq-de-roche orange

Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Xipholena atropurpurea (Wied, 1820)

I A EN 595, 598, 931, 1068, 1294

E: White-winged Cotinga, S: Cotinga aliblanca, F: Cotinga à ailes blanches, Cotinga porphyrion Brazil (br) [1068, 6186]

Family: PITTIDAE

Pitta angolensis Vieillot, 1816

D

E: African Pitta, F: Brève de l'Angola

Angola (br) [5267]; Burundi [659]; Cameroon (br) [659]; Central African Republic [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (v) [659]; Ethiopia (v) [659]; Gabon (br) [659]; Ghana [782]; Kenya [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique [659]; Nigeria; Rwanda [659]; Sierra Leone (br) [659]; South Africa [659]; Tanzania, United Republic of (br) [659]; ?Togo (br) [5254]; Uganda [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Pitta brachyura (Linnaeus, 1766)

D

E: Indian Pitta, F: Brève du Bengale

Bangladesh (br) [804]; India (br) [1197]; Korea, Republic of (br) [1436]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka [5271]

Pitta guajana (Müller, 1776)

II B 929

E: Banded Pitta, Blue-tailed Pitta, S: Pita coliazul, Pita rayada, F: Brève à queue bleue, Brève azurine

Brunei Darussalam (br) [1019]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Thailand (br) [487, 1220] CITES Identification Manual Reference:

A-227.012.001.012

CITES EC Reg. RL References PITTIDAE 595, 599, 929, CR Pitta gurneyi Hume, 1875 E: Black-breasted Pitta, Gurney's Pitta, S: Pita de Gurney, F: Brève de Gurney Myanmar (ex?, br) [1290]; Thailand (br) [377, 487, 778, 780, 1220, 1221] CITES Identification Manual Reference: A-227.012.001.013 595, 884 VU Pitta kochi Brüggemann, 1876 E: Koch's Pitta, Whiskered Pitta, S: Pita de Koch, F: Brève de Koch Philippines (br) [5270] D Pitta moluccensis (Müller, 1776) E: Blue-winged Pitta, F: Brève à ailes bleues Australia (v) [477]; Brunei Darussalam; Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v); Hong Kong (v); Indonesia (br) [393]: Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Philippines (v) [5270]; Singapore [791]; Thailand (br) [487]; Viet Nam (br) [5264] Pitta nipalensis (Hodgson, 1837) D E: Blue-naped Pitta, F: Brève à nuque bleue Bangladesh (br) [804]; Bhutan (br) [5261]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Viet Nam (br) [5264] VU 595, 929 Pitta nympha Temminck and Schlegel, 1850 II Synonym: Pitta brachyura nympha E: Fairy Pitta, S: Pita nympha, F: Brève du Japon, Brève migratrice Brunei Darussalam (v); China (br) [1051, 5293]; Hong Kong (v); Indonesia [393, 1051]: Kalimantan; Japan (br) [503, 1051]; Korea, Democratic People's Republic of [762]; Korea, Republic of (br) [1051, 1436]; Malaysia [1051, 1289]: Sabah, Sarawak; Taiwan, Province of China (br); Viet Nam [5264] Pitta oatesi (Hume, 1873) E: Rusty-naped Pitta, F: Brève à capuchon, Brève à nuque fauve China (br) [5293]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264] D Pitta sordida (Müller, 1776) E: Hooded Pitta, F: Brève à capuchon, Brève de Steerii Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Irian Jaya, Jawa, Kalimantan, Sulawesi, Sumatera; Japan (br) [503]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Papua New Guinea (br); Philippines (br) [5270]; Singapore [791]; Thailand (br) [487]; Viet Nam (br) [5264]

Pitta steerii (Sharpe, 1876)

E: Azure-breasted Pitta, Steere's Pitta, F: Azurebreasted pitta, Brève de Steere Philippines (br) [5270]

ATRICHORNITHIDAE Family:

595, 626, 931, VU Atrichornis clamosus (Gould, 1844)

E: Noisy Scrub-bird, Western Scrubird, S: Corredor chillón, Pájaro de los matorrales, F: Atrichorne bruyant, Oiseau bruyant des buissons Australia (br) [477]

HIRUNDINIDAE CITES EC Reg. RL References HIRUNDINIDAE Family: Pseudochelidon sirintarae Kitti, 1968 Ι Α 595, 929, 931, 1353 Synonym: Eurochelidon sirintarae E: White-eyed River-martin, White-eyed River-Martin, S: Golondrina de anteojos, F: Hirondelle à lunettes, Pseudolangrayen d'Asie Thailand (ex?, br?) [487, 1111, 1220, 1302] **PYCNONOTIDAE** Family: Pycnonotus jocosus (Linnaeus, 1758) D E: Red-whiskered Bulbul, F: Bulbul orphée Bangladesh [804]; Bhutan [5261]; Cambodia [5243]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Malaysia; Myanmar; Nepal [865]; Réunion (int) [1303]; Seychelles (int, br) [659]; Singapore (int); Thailand [487]; Viet Nam [5264] Pycnonotus zeylanicus (Gmelin, 1789) E: Straw-crowned Bulbul, Straw-headed Bulbul, S: Bulbul bigotudo, F: Bulbul à tête jaune Brunei Darussalam (br); Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (br) [791]; Thailand (br) [487] Family: **BOMBYCILLIDAE** Bombycilla japonica (Siebold, 1824) LR/nt E: Japanese Waxwing, F: Jaseur du Japon China (br) [5293]; Hong Kong (v); Japan [503]; Korea, Democratic People's Republic of [762]; Korea, Republic of [1436]; Russian Federation [710]; Taiwan, Province of China Family: MUSCICAPIDAE 595, 597 Bebrornis rodericanus (Newton, 1865) III MU A Synonym: Acrocephalus rodericanus E: Rodrigues Brush-Warbler, Rodrigues Warbler, Rodriguez Brush-Warbler, S: Papamoscas, F: Rousserolle de Rodriguez Mauritius (br) [659]: Rodrigues Cinclidium frontale Blyth, 1842 D E: Blue-fronted Robin, F: Notodèle à front bleu Bhutan [5261]; China [5293]; India [1197, 6377]; Lao People's Democratic Republic [6187]; Thailand [487]; Viet Nam [5264] Vυ D Cochoa azurea (Temminck, 1824) E: Javan Cochoa, F: Cochoa azuré Indonesia (br) [393]: Jawa Cochoa purpurea Hodgson, 1836 D E: Purple Cochoa, F: Cochoa pourpré Bhutan [5261]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Nepal [865]; Thailand [487]; Viet Nam [5264] Copsychus malabaricus (Scopoli, 1788) E: White-rumped Shama, F: Shama à croupion blanc

Singapore (br); Sri Lanka [5271]; Thailand [487]; Viet Nam [5264]

Bangladesh [804]; Bhutan [5261]; Brunei Darussalam; Cambodia [5243]; China [5293]; India [1197]; Indonesia [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sarawak; Myanmar [1290]; Nepal [865];

Cyanoptila cyanomelana (Temminck, 1829)

D

E: Blue and White Flycatcher, Blue-and-white Flycatcher, F: Gobemouche bleu Australia (v) [477]; Brunei Darussalam; China (br) [5293]; Hong Kong; Indonesia [393]: Jawa, Kalimantan, Sumatera; Japan (br) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Oman (v); Philippines (v) [5270]; Russian Federation (br) [710]; Singapore [791]; Taiwan, Province of China; Thailand [487]; United Arab Emirates (v) [1192]; Viet Nam [5264]

Cyornis ruckii (Oustalet, 1881)

H

CR

595

Synonyms: Muscicapa ruecki, Niltava ruecki

E: Rueck's Blue-flycatcher, Rueck's Blue-Flycatcher, Rueck's Niltava, S: Papamoscas de Rueck, F: Gobemouche de Rueck, Gobemouches bleu de Rueck

Indonesia (br) [393, 1027]: Sumatera; ?Malaysia (br?)

Dasyornis broadbenti litoralis (Milligan, 1902)

В

595, 931, 1132

E: Lesser Rufous Bristlebird, Rufous Bristlebird, Rufous-headed Bristlebird, Western Rufous Bristlebird, S: Curruca bigotuda rojiza, Papamoscas rosa occidental, F: Dasyornerousse de l'Ouest, Fauvette rousse de l'Ouest

Australia (br) [477]

Dasyornis longirostris Gould, 1841

Ι

VU 595, 931, 1047

Synonym: Dasyornis brachypterus longirostris

E: Long-billed Bristlebird, Western Bristlebird, S: Curruca bigotuda piquilarga, Papamoscas piquilargo, F: Dasyorne à long bec, Fauvette à long bec, Fauvette brune à long bec, Malure occidental

Australia (br) [477]

Garrulax canorus (Linnaeus, 1758)

В II

E: Hwamei, Melodious laughing thrush, F: Garrulaxe hoamy

China (br) [5293]; Lao People's Democratic Republic (br) [6187]; Taiwan, Province of China (br); United States (int) [387]: Hawaiian Is [1171]; Viet Nam (br) [5264]

Garrulax formosus (Verreaux, 1869)

D

E: Red-winged Laughingthrush, F: Garrulaxe élégant

China [5293]; Viet Nam [5264]

D

Garrulax galbanus Godwin-Austen, 1874 E: Yellow-throated Laughingthrush, F: Garrulaxe à gorge jaune

Bangladesh [804]; China [5293]; India [1197]; Myanmar [1290]

Garrulax milleti Robinson and Kloss, 1919

D LR/nt

E: Black-hooded Laughingthrush, F: Garrulaxe de Millet

Lao People's Democratic Republic; Viet Nam (br) [5264]

Garrulax milnei (David, 1874)

D

E: Red-tailed Laughingthrush, F: Garrulaxe à queue rouge

China [5293]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Thailand [487]; Viet

Nam [5264]

Leiothrix argentauris (Hodgson, 1837)

E: Silver-eared Mesia, S: Mesía, F: Léiothrix à joues argent, Mésia

Bangladesh (ex, br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Sumatera; Lao People's Democratic Republic

(br) [6187]; Malaysia (br); Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

Leiothrix lutea (Scopoli, 1786)

E: Red-billed Leiothrix, Red-billed Mesia, S: Ruiseñor del bambú, F: Léiothrix jaune Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (v); Réunion (int, br) [6913]; United States (br) [387]; Viet Nam (br) [5264]

References MUSCICAPIDAE CITES EC Reg. RL

Liocichla omeiensis Riley, 1926

E: Emei Shan Liocichla, Mount Omei Liocichla, Omei Shan Liocichla, S: Liocicla del Monte

Omei, F: Garrulaxe de l'Omei China (br) [5293]

Luscinia pectardens (David, 1871)

D LR/nt

Synonym: Erithacus pectardens E: Firethroat, F: Rossignol de David

Bangladesh (v) [804]; China (br) [5293]; India (v) [1197]; Myanmar [1290]

Niltava davidi La Touche, 1907

E: Fujian Niltava, F: Gobernouche de David

China [5293]; Hong Kong; Lao People's Democratic Republic [6187]; Thailand (v) [487]; Viet

Nam [5264]

LR/nt D Paradoxornis heudei David, 1872

E: Reed Parrotbill, F: Paradoxornis du Yangtsé

China (br) [5293]; Mongolia (br) [1306]; Russian Federation (br) [710]

Picathartes gymnocephalus (Temminck, 1825) VU 566, 595, 597, Α 792, 1256, 1341 E: Bare-headed Rockfowl, White-necked Picathartes, White-necked Rockfowl, Yellow-headed

Rockfowl, S: Cuervo calvo de cuello blanco, Picatartes cuelliblanco, F: Picatharte à cou blanc, Picatharte chauve, Picatharte de Guinée, Picathartes

Côte d'Ivoire (br) [404, 1334]; Ghana (br) [782]; Guinea (br); Liberia (br) [600, 5246]; Sierra

Leone (br) [659, 1342]

A-227.031.110.002 CITES Identification Manual Reference:

VU 595, 597, 792, Α Picathartes oreas Reichenow, 1899

E: Grey-necked Picathartes, Grey-necked Rockfowl, Red-headed Rockfowl, S: Cuervo calvo de cuello gris, Picatartes cuelligris, F: Picatharte à cou gris, Picatharte à tête rouge, Picatharte du Cameroun

Cameroon (br) [659]; Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Gabon (br) [518,

519, 659]; Nigeria (br) [428]

A-227.031.110.003 CITES Identification Manual Reference:

Stachyris whiteheadi (Ogilvie-Grant, 1894) D

E: Chestnut-faced Babbler, F: Timalie de Whitehead Philippines (br) [5270]

VU D Swynnertonia swynnertoni (Shelley, 1906)

Synonym: Pogonocichla swynnertoni

E: Swynnerton's Forest Robin, Swynnerton's Robin, F: Rougegorge de Swynnerton Mozambique (br) [659]; Tanzania, United Republic of (br) [659]; Zimbabwe (br) [659]

LR/nt D Terpsiphone atrocaudata (Eyton, 1839)

E: Japanese Paradise-flycatcher, F: Tchitrec du Japon

China [5293]; Indonesia [393]: Sumatera; Japan (br) [503]; Korea, Democratic People's Republic of (br) [762]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sabah; Philippines (br) [5270]; Singapore; Taiwan, Province of

China; Thailand [487]; Viet Nam [5264]

931 III MU Terpsiphone bourbonnensis (Müller, 1776)

Synonym: Tchitrea bourbonnensis

E: Mascarene Paradise-Flycatcher, S: Papamoscas, F: Coq de Bois, Gobemouches, Tchitrec des

Mascareignes

Mauritius (br) [659]; Réunion (br) [1303]

CITES EC Reg. RL

D

В

EN

References

Turdus dissimilis Blyth, 1847

E: Black-breasted Thrush, F: Merle à poitrine noire

Bangladesh [804]; China [5293]; India [1197]; Lao People's Democratic Republic [6187];

Myanmar [1290]; Thailand [487]; Viet Nam [5264]

Turdus mupinensis Laubmann, 1920

E: Chinese Thrush, F: Grive de Verreaux China (br) [5293]; Viet Nam (v) [5264]

Zoothera monticola Vigors, 1832

D

E: Long-billed Thrush, F: Grive montagnarde Bangladesh [804]; Bhutan [5261]; India [1197]; Myanmar [1290]; Nepal [865]; Viet Nam [5264]

Family: SITTIDAE

Sitta magna Ramsay, 1876 D

E: Giant Nuthatch, F: Sitelle géante, Sittelle géante

China (br) [5293]; Myanmar (br) [1290]; Thailand (br) [487]

Family: NECTARINIIDAE

Anthreptes pallidigaster

Sclater and Moreau, 1935

Synonym: Hedydipna pallidigaster

E: Amani Sunbird, F: Souimanga d'Amani

Kenya (br) [5253]; Tanzania, United Republic of (br) [659]

Anthreptes reichenowi Gunning, 1909 LR/nt

E: Plain-backed Sunbird, F: Souimanga de Reichenow

Kenya (br) [5253]; ?Mozambique (br) [659]; ?South Africa (br) [659]; ?Tanzania, United

Republic of (br) [659]; Zimbabwe (br) [659]

Anthreptes rubritorques Reichenow, 1905 VU

Synonym: *Anthreptes rectirostris rubritorques*

E: Banded Sunbird, Grey-chinned Sunbird, F: Souimanga à col rouge

Tanzania, United Republic of (br) [659]

Arachnothera clarae Blasius, 1890

E: Naked-faced Spiderhunter, F: Arachnotère à face nue, Arachnothère à face nue

Philippines (br) [5270]

Family: ZOSTEROPIDAE

Zosterops albogularis Gould, 1837 CR 595, 896, 931,

1216

E: White-breasted Silvereye, White-breasted White-eye, White-chested White-eye, S: Ave de anteojos de pecho blanco, Gafudo gorgiblanco, F: Zostérops à gorge blanche de l'île de Norfolk, Zostérops à poitrine blanche, Zosterops de l'île de Norfolk

Australia (br) [477]; Norfolk Island (br)

Zosterops palpebrosus (Temminck, 1824) D

E: Oriental White-eye, F: Zostérops oriental

Afghanistan [694]; Bangladesh [804]; Bhutan [5261]; Brunei Darussalam; Cambodia [5243]; China [5293]; India [1197]; Indonesia [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sabah. Sarawak; Myanmar [1290]; Nepal [865]; Oman (br); Pakistan; Singapore (ex, int?) [791]; Sri

Lanka [5271]; Thailand [487]; Viet Nam [5264]

MELIPHAGIDAE CITES EC Reg. RL References

Family: MELIPHAGIDAE

Lichenostomus melanops cassidix(Gould, 1867) I A 931

Synonyms: Lichenostomus cassidix, Meliphaga cassidix

E: Helmeted Honeyeater, S: Melero de casco, Melífago de casco, F: Méliphage casqué,

Méliphage cornu Australia (br) [477]

Family: EMBERIZIDAE

Dacnis nigripes Pelzeln, 1856 D VU

E: Black-legged Dacnis, F: Dacnis à pattes noires

Brazil (br) [6186]

 Gubernatrix cristata
 Vieillot, 1817
 II
 B
 EN
 595, 598, 1068, 1211

E: Yellow Cardinal, S: Cardenal amarillo, F: Cardinal vert, Commandeur huppé Argentina (br) [465, 5291]; Brazil (br) [6186]; Paraguay (ex?, br) [5295]; Uruguay (br) [5287]

CITES Identification Manual Reference: A-227.043.025.001

Latoucheornis siemsseni (Martens, 1906) D

E: Slaty Bunting, F: Bruant bleu

China (br) [5293]

Paroaria capitata d'Orbigny and Lafresnaye, 1837 II B 1068

E: Yellow-billed Cardinal, S: Cardenal cabecirrojo, F: Paroare à bec jaune, Paroare cardinal à

bec jaune

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [1068, 5295]; United

States (br) [387]; ?Uruguay (br?) [5287]

Paroaria coronata (Miller, 1776) II B 1068

E: Red-crested Cardinal, S: Cardenal copetón, F: Cardinal gris, Paroare huppé Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [1068, 5295]; United

States (br) [387]; Uruguay (br) [5287]

Sporophila falcirostris (Temminck, 1820) D VU

E: Temminck's Seedeater, F: Sporophile de Temminck Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295, 6321, 6927]

Sporophila frontalis (Verreaux, 1869) D VU

E: Buffy-fronted Seedeater, Buffy-throated Seedeater, F: Sporophile à front blanc

?Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295]

Sporophila hypochroma Todd, 1915 D LR/nt

E: Grey-and-chestnut Seedeater, Rufous-rumped Seedeater, F: Sporophile à croupion roux

Argentina (br) [5291]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295, 6927]

Sporophila palustris (Barrows, 1883) D EN

E: Marsh Seedeater, F: Sporophile des marais Argentina (br) [5291]; Brazil (br) [6186]; Paraguay (br) [5295, 6927]; Uruguay (br) [5287]

EN

Tangara fastuosaLesson, 1831IIBE: Seven-colored Tanager, S: Tángara fastuosa, F: Calliste superbe

Brazil (br) [6186]

Tangara varia (Müller, 1776) D

E: Dotted Tanager, F: Calliste tacheté

Brazil (br) [6186]; French Guiana (br) [1349]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES EC Reg. RL References **ICTERIDAE**

ICTERIDAE Family:

595, 598, 1068 Agelaius flavus (Gmelin, 1788)

Synonyms: Xanthopsar flavus, Icterus xantholaemus

E: Saffron-cowled Blackbird, S: Dragón, Mirlo americano pechiamarillo, Tordo amarillo, Tordo

de cabeza amarilla, F: Carouge safran, Ictéride à tête jaune

Argentina (br) [465, 716, 5291]; Brazil (br) [6186]; Paraguay (br) [5295, 6932]; Uruguay

(br) [5287]

CITES Identification Manual Reference: A-227.047.022.001

Sturnella militaris (Linnaeus, 1771)

Α

EN

Synonym: Sturnella defilippii

E: Lesser Red-breasted Meadowlark, Pampas Meadowlark, F: Sturnelle des pampas

Argentina (br) [5291]; ?Brazil (br) [6186]; ?Uruguay (br) [5287]

Family: **FRINGILLIDAE**

Carduelis cucullata Swainson, 1820 598, 718, 766, 767, 931, 1068,

I

1174, 3746

792

387, 587, 595,

Synonym: Spinus cucullatus

E: Red Siskin, S: Cardenalito, Jilguero rojo, Lúgano cardenalito, Lúgano encapuchado,

F: Chardonneret rouge, Tarin rouge du Venezuela, Tatin rouge du Venezuela

Colombia (br) [837]; ?Guyana (br?) [1295]; Puerto Rico (int, br) [1175, 1176]; ?Trinidad and

Tobago (ex, br?) [703]; Venezuela (br) [584, 1070]

CITES Identification Manual Reference: A-227.048.004.009

VU 595, 598, 1068 Π В Carduelis yarrellii (Audubon, 1839)

Synonym: Spinus yarrellii

E: Yellow-faced Siskin, S: Jilguero cara amarilla, Jilguero de Yarrell, Lúgano de Yarrell,

F: Chardonneret de Yarrell, Tarin de Yarell, Tatin de Yarrell

Brazil (br) [6186]; Venezuela (br) [1070]

A-227.048.004.025 CITES Identification Manual Reference:

Carpodacus roborowskii (Przewalski, 1887) D

E: Tibetan Rosefinch, F: Roselin de Roborowski

China (br) [5293]

511, 573, 792, Serinus canicapillus (Du Bus De Gisignies, 1855) III GH C

1256

Synonym: Serinus gularis canicapillus

E: West African Seedeater, West African Streaky-headed Seedeater, S: Serin mofletudo,

F: Serin gris à tête blanche, Serin ouest-africain

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic

(br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana

(br?) [782]; Guinea (br?) [1389]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Sierra Leone

(br?) [659]; Sudan (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]

A-227.048.018.016b CITES Identification Manual Reference:

Serinus leucopygius (Sundevall, 1850) III GH C E: Grey Canary, Grey Singing Finch, White-rumped Seedeater, S: Serín culiblanco,

F: Chanteur d'Afrique, Serin à croupion blanc

Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659];

Chad (br) [659]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia

(br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Mali (br) [659]; Mauritania (br) [659]; Niger

(br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (v) [5254]; Uganda

(br?) [659]; United States (br) [387]

A-227.048.018.019 CITES Identification Manual Reference:

FRINGILLIDAE CITES EC Reg. RL References

Serinus mozambicus (Müller, 1776)

III GH C

511, 573, 792, 1256

E: Green Singing Finch, Yellow-fronted Canary, S: Canario de Mozambique, Serin de Mozambique, F: Serin du Mozambique

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]: Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [975, 1176]; Réunion (int, br) [975, 1303]; Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Senegal (br?) [659]; Seychelles (int, br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United States (int, br) [387]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:

A-227.048.018.022

Family: ESTRILDIDAE

Amadina fasciata (Gmelin, 1789)

III GH C

511, 757, 792, 1256

E: Cut throat, Cut-throat, Ribbon Finch, S: Amadina gorgirroja, F: Amadine cou-coupé, Cou-coupé

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia [760]; Ghana (br?) [782]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [573, 659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (v) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Amandava formosa (Latham, 1790)

II B VU

Synonym: Estrilda formosa

E: Green Avadavat, S: Estrilda verde, F: Bengali vert

India (br) [1197]; Pakistan (v)

Amandava subflava (Vieillot, 1819)

III GH C

511, 757, 792, 1256

Synonyms: Estrilda subflava, Sporaeginthus subflavus

E: Golden-breasted Waxbill, Orange-breasted Waxbill, Zebra Waxbill, S: Astrilda pechigualda,

F: Bengali zébré, Ventre orange

Angola (br?) [5267]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br?); Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [573, 659]

Erythrura coloria Ripley and Rabor, 1961

D LR/nt

E: Mindanao Parrotfinch, Red-eared Parrotfinch, F: Diamant de Mindanao Philippines (br) [5270]

Erythrura viridifacies

D VU

Hachisuka and Delacour, 1937

E: Green-faced Parrotfinch, F: Diamant de Luçon

Philippines (br) [5270]

CITES EC Reg. RL

References

Estrilda astrild (Linnaeus, 1758)

III GH C

511, 975, 986, 1256

E: Common Waxbill, Saint Helena Waxbill, S: Astrilda común, F: Astrild ondulé, Senegal ondulé

Angola (br?) [5267]; Botswana (br) [1102]; Brazil (int, br) [6186, 6291, 6413, 6690]; Burundi (br?) [659]; Cameroon (br?) [659]; Cape Verde (int, br) [820]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br) [659]; French Polynesia (br) [1171]: Society Is [1171]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mauritius (int, br) [659]: Mauritius, Rodrigues; Mozambique (br?) [659]; Namibia (br) [659]; New Caledonia (int, br) [5260]; Niger (v) [659]; Nigeria (br?); Portugal (int, br) [1332]; Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; Saint Helena (int, br) [5250]: Ascension, St Helena; Sao Tome and Principe (int, br) [659]; Seychelles (int, br) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Uganda (br?) [659]; United States (br) [387]; Vanuatu (int, br) [5260]; Zambia (br) [659]; Zimbabwe (br) [659]

Estrilda caerulescens (Vieillot, 1817)

III GH C

757, 792, 1256

E: Lavender Firefinch, Lavender Waxbill, S: Astrilda ceniza del Senegal, F: Astrild queue-devinaigre, Queue de vinaigre

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1191]; Guinea-Bissau (br?) [659]; Liberia (v) [5246]; Mali (br?) [659]; Niger (br?) [659, 941]; Nigeria (br); Senegal (br?) [659]; Togo (br?) [5254]; United States (br) [387]

Estrilda melpoda (Vieillot, 1817)

III GH C

757, 792, 975, 1256

E: Orange-cheeked Waxbill, S: Astrilda carirroja, F: Astrild à joues orange, Astrild à joues oranges, Joues-oranges

Angola (br?) [5267]; Benin (br?) [659]; Bermuda (int, br) [389]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659, 941]; Nigeria (br); Puerto Rico (int, br) [1176]; Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; United States (br) [387]; Zambia (br?) [659]

Estrilda troglodytes (Lichtenstein, 1823)

III GH C

757, 774, 792, 975, 1256

E: Black-rumped Waxbill, Pink-cheeked Waxbill, Red-eared Waxbill, S: Astrilda culinegra,

F: Astrild cendré, Bec de corail cendré

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guadeloupe (int, br) [5242]; Guinea (br?); Kenya (br) [5253]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [527, 659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]; United States (br) [387]

Lagonosticta rara (Antinori, 1864)

III GH C

511, 757, 792,

E: Black-bellied Firefinch, Black-bellied Waxbill, F: Amarante à ventre noir, Amarante rare Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br?) [782]; Guinea (br?) [1078]; Kenya (br?) [5253]; Liberia (br?) [5246]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]

ESTRILDIDAE CITES EC Reg. RL References

Lagonosticta rubricata (Lichtenstein, 1823)

III GH C

511, 757, <mark>7</mark>74,

E: African Firefinch, Blue-billed Firefinch, Brown-backed Firefinch, S: Bengalí de Lichtenstein,

F: Amarante flambé, Amarante foncé
Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central
African Republic (br.) [659]: Congo (br.) [659]: Côte d'Ivoire (br.) [1334]: Democratic Republic

African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lagonosticta rufopicta (Fraser, 1843)

III GH C

511, 757, 792, 1256

E: Bar-breasted Firefinch, Bar-breasted Waxbill, S: Bengalí de Fraser, F: Amarante pointé Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]

Lagonosticta senegala (Linnaeus, 1766)

III GH C

511, 757, 792, 841, 1256

E: Red-billed Firefinch, Senegal Firefinch, S: Bengalí senegalés, F: Amarante commun, Amarante du Sénégal

Algeria (int, br) [971]; Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (ex, int, br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lagonosticta vinacea (Hartlaub, 1857)

III GH C

511, 757, 792

Synonym: Lagonosticta larvata vinacea

E: Black-faced Firefinch, Vinaceous Firefinch, Vinaceous Waxbill, S: Bengalí carinegro,

F: Amarante masqué, Amarante vineux

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gambia (br?) [760]; Ghana (br?) [782]; Guinea-Bissau (br?) [659]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Lonchura bicolor (Fraser, 1843)

III GH C

511, 757, 792, 1256

Synonym: Spermestes bicolor

E: Black-and-white mannia, Black-and-white Mannikin, Black-and-white Munia, Blue-billed

Mannikin, F: Capucin bicolore, Spermète à bec bleu

Angola (br?) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br) [659]

ESTRILDIDAE CITES EC Reg. RL References

Lonchura cantans (Gmelin, 1789) III GH C 511, 537, 757,

Synonyms: Lonchura malabarica cantans, Euodice cantans
E: African Silverbill, S: Monjita pico-de-plata, F: Bec-d'argent, Capucin bec-d'argent
Bahrain (br) [1105]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659];
Central African Republic (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [6881];
Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya
(br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman
(br) [1383]; Puerto Rico (int, br) [1176]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia
(br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254];

Uganda (br?) [659]; United States (int, br) [387]; Yemen (br) [5297]

Lonchura cucullata (Swainson, 1837)

III GH C

511, 757, 792, 1256

774, 792, 841,

1256

Synonym: Spermestes cucullatus

E: Bronze mannia, Bronze Mannikin, Bronze Munia, Bronze-winged Mannikin, S: Negrita bronceada, F: Capucin nonnette, Spermète nonnette
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345];
Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Comoros (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Puerto Rico (int, br) [485, 975, 1176]; Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lonchura fringilloides (Lafresnaye, 1835)

III GH C

511, 757, 792, 1256

Synonym: Spermestes fringilloides

E: Magpie mannia, Magpie Mannikin, Magpie Munia, Pied Mannikin, S: Negrita picanza,

F: Capucin pie, Spermète pie

Angola (br?) [5267]; Benin (br?) [659]; Botswana [1102]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [423, 659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br?); Kenya (v) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (v) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lonchura nevermanni Stresemann, 1924

E: Grey-crowned Munia, F: Capucin de Nevermann Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Lonchura stygia Stresemann, 1924

E: Black Munia, F: Capucin noir

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

D LR/nt

D

ESTRILDIDAE CITES EC Reg. RL References

Mandingoa nitidula (Hartlaub, 1865)

Synonym: Hypargos nitidula
E: Green Twinspot, Green-backed Twinspot, F: Astrild vert pointillé, Sénégali vert
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic
(br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo
(br); Equatorial Guinea (br) [659]: Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Ghana
(br?) [782]; Guinea (br?) [1078]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103];
Mozambique (br?) [659]; Nigeria (br?); Rwanda (br?) [659]; Sierra Leone (br) [659]; South
Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of
(br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659]

Nesocharis capistrata (Hartlaub, 1861)

III GH C

III GH C

511, 757, 792, 1256

511, 757, 792,

1256

E: Grey-headed Oliveback, Grey-headed Olive-back, White-cheeked Olive Weaver, S: Olivino cariblanco, F: Dos-vert à joues blanches, Sénégali vert à joues blanches
Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (v) [760]; Ghana (br?) [782]; Guinea-Bissau (br?) [659]; Mali (br?) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Nigrita bicolor (Hartlaub, 1844)

III GH C

511, 757, 792, 1256

E: Chestnut-breasted Negrofinch, S: Negrita pechirroja, F: Nigrette à ventre roux, Sénégali brun à ventre roux

Angola (br) [5267]; Benin [6907]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Sao Tome and Principe (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Nigrita canicapilla (Strickland, 1841)

III GH C

511, 757, 792, 1256

E: Grey-crowned Negrofinch, Grey-headed Negrofinch, S: Negrita cana, F: Nigrette à calotte grise, Sénégali nègre

Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?) [1389]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]

Nigrita fusconota Fraser, 1843

III GH C

511, 757, 792, 1256

E: White-breasted Negrofinch, S: Negrita pechiblanca, F: Nigrette à ventre blanc, Sénégali brun à ventre blanc

Angola (br) [5267]; Benin (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [6276, 6426]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]

Nigrita luteifrons Verreaux and Verreaux, 1851

III GH C

511, 757, 792, 1256

E: Pale-fronted Negrofinch, S: Negrita frentigualda, F: Nigrette à front jaune, Sénégali nègre à front jaune

Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Liberia (v) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Uganda (br?) [659]

ESTRILDIDAE CITES EC Reg. RL References

Ortygospiza atricollis (Vieillot, 1817)

III GH C

511, 757, 774, 792, 1256

E: African Quailfinch, S: Astrilda aperdizada, F: Astrild caille, Astrild-caille à lunettes Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1191, 1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [527, 659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Padda fuscata (Vieillot, 1817)

D VU

Synonym: Lonchura fuscata

E: Timor Sparrow, F: Padda de Timor Indonesia (br) [393]: Lesser Sunda Is

Padda oryzivora (Linnaeus, 1758)

II B VU

Synonym: Lonchura oryzivora

E: Java Sparrow, S: Gorrión de Java, F: Padda de Java

Brunei Darussalam (int); Christmas Island (int); Cocos (Keeling) Islands (ex, int); Fiji (int) [1171]; India (ex, int); Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan (int, br) [503]; Malaysia (int): Peninsular Malaysia, Sabah, Sarawak; Mauritius (int, br); Myanmar (int); Philippines (int, br); Saint Helena (int); Singapore (int); Sri Lanka (int); Thailand (int); United States (int) [387]; Venezuela (int) [6845]; Viet Nam (int)

Parmoptila rubrifrons (Sharpe & Ussher, 1872)

III GH C

757, 792, 1256

Synonym: Parmoptila woodhousei rubrifrons

E: Jameson's Antpecker, Red-fronted Antpecker, F: Astrild fourmilier, Parmoptile à front rouge Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana (br?) [782]; Liberia (br) [648, 5246]; Mali (br?) [659]; Sierra Leone (br?) [659]

Pholidornis rushiae (Cassin, 1855)

III GH C

511, **7**57, 792, 1256

E: Tit-hylia, F: Astrild mésange, Mésangette rayée

Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [6276, 6426]: Equatorial Guinea, Bioko; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Uganda (br?) [659]

Poephila cincta cincta (Gould, 1837)

E

757, 1132

E: Southern Black-throated Finch, S: Diamante de pecho negro, F: Diamant à bavette Australia (br) [477]

CITES Identification Manual Reference:

A-227.049.024.004

Pyrenestes ostrinus (Vieillot, 1805)

III GH C

511, 757, 792,

1256

Synonyms: Pyrenestes frommi, Pyrenestes maximus, Pyrenestes rothschildi

E: Black-bellied Seedcracker, S: Pirenestes ventrinegro, F: Gros-bec ponceau à ventre noir,

Pyréneste ponceau, Pyrénestes ponceau

Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782]; Kenya (br?) [5253]; Nigeria (br); Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]

Pytilia hypogrammica Sharpe, 1870

III GH C

757, 792, 1256

E: Red-faced Pytilia, Yellow-winged Pytilia, F: Beaumarquet à ailes jaunes, Diamant à face rouge

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic

CITES EC Reg. RL References

ESTRILDIDAE

(br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br?) [782]; Guinea (br?) [1389]; Liberia (v) [5246]; Nigeria (br); Sierra Leone (br?) [659]; Togo (br?) [5254]

Pytilia phoenicoptera Swainson, 1837

III GH C

511, 757, 792, 1256

E: Aurora Finch, Crimson-winged Pytilia, Red-winged Pytilia, S: Pitilia alirroja, F: Beaumarquet, Beaumarquet aurore, Diamant aurore

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 773]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gambia (br) [760]; Ghana (br?) [782]; Guinea-Bissau (br?) [659]; Mali (br) [659]; Niger (br?) [659, 941]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Spermophaga haematina (Vieillot, 1805)

III GH C

757, 792, 1256

E: Blue-billed Weaver, Western Bluebill, S: Espermófaga hematina, F: Gros-bec sanguin,

Sénégali sanguin

Angola (br?) [5267]; Benin [659]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [6403]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]

Uraeginthus bengalus (Linnaeus, 1766)

III GH C

511, 757, 792, 1256

Synonym: Estrilda bengala

E: Cordonbleu, Red-cheeked Cordonbleu, S: Coliazul bengalí, F: Cordon bleu à joures rouges,

Cordonbleu, Cordonbleu à joues rouges

Angola (br?) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United States (br) [387]; Zambia (br) [659]

Family:

PLOCEIDAE

Amblyospiza albifrons (Vigors, 1831)

III GH C

511, 573, 792, 1256

E: Grosbeak Weaver, Thick-billed Weaver, White-fronted Grosbeak, S: Tejedor picogordo,

F: Amblyospize à front blanc, Gros-bec à front blanc

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Anaplectes rubriceps (Sundevall, 1850)

III GH C

511, 573, 792,

Synonyms: Anaplectes melanotis, Malimbus rubriceps

E: Red-headed Weaver, S: Mailmbo capirotado, F: Tisserin à ailes rouges, Tisserin écarlate Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; ?Cameroon (br) [659]; ?Central African Republic (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659];

Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Anomalospiza imberbis (Cabanis, 1868)

III GH C

511, 573, 792,

E: Cuckoo Weaver, Parasitic Weaver, F: Anomalospize parasite, Tisserin coucou, Tisserin covcau

Angola (br?) [5267]; Botswana (br) [1102]; Cameroon (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br?); Rwanda [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Bubalornis albirostris (Vieillot, 1817)

III GH C

511, 792, 1256

E: White-billed Buffalo Weaver, White-billed Buffalo-Weaver, F: Alecto à bec blanc Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Uganda (br?) [659]

Euplectes afer (Gmelin, 1789)

III GH C

511, 573, 792, 1256

E: Golden Bishop, Napoleon Weaver, Yellow-crowned Bishop, S: Euplectes amarillo, F: Euplecte vorabé, Vorabé

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Japan (int) [503]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes ardens (Boddaert, 1783)

III GH C

511, 573, 792, 1256

Synonym: Coliuspasser ardens

E: Red-collared Whydah, Red-collared Widowbird, S: Falsa viuda pechirroja, F: Euplecte

veuve-noire, Veuve-noire

Angola (br) [5267]; Botswana (v) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes franciscanus (Isert, 1789)

III GH C

511, 573, 792, 1256

Synonym: Euplectes orix franciscanus

E: Orange Bishop, Orange Weaver, S: Euplectes rojo, F: Euplecte franciscain, Ignicolor,

Ignicolore Benin (br) [659]; Bermuda (int, br) [389]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659];

Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico

References

CITES EC Reg. RL PLOCEIDAE

(int, br) [1176]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]

Euplectes hordeaceus (Linnaeus, 1758)

III GH C

511, 573, 792, 1256

E: Black-winged Bishop, Fire-crowned Bishop, S: Euplectes alinegro, F: Euplecte monseigneur, Monseigneur

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; Sao Tome and Principe (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes jacksoni (Sharpe, 1891)

LR/nt

E: Jackson's Widowbird, F: Euplecte de Jackson, Veuve de Jackson Kenya [5253]; Tanzania, United Republic of [659]

Euplectes macrourus (Gmelin, 1789)

III GH C

511, 792, 1256

Synonym: Coliuspasser macrourus

E: Yellow-backed Whydah, Yellow-mantled Whydah, Yellow-mantled Widowbird, Yellowshouldered Widowbird, S: Falsa viuda dorsigualda, F: Euplecte à dos d'or, Veuve à dos d'or Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Malimbus cassini (Elliot, 1859)

III GH C

792, 1256

E: Black-throated Malimbe, Cassin's Malimbe, F: Malimbe à gorge noire, Malimbe de Cassin Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br?) [782]

Malimbus malimbicus (Daudin, 1802)

III GH C

511, 792, 1256

E: Crested Malimbe, S: Malimbo moñudo, F: Malimbe huppé Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br) [5246]; Mali (br) [659]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus nitens (Gray, 1831)

III GH C

E: Blue-billed Malimbe, Gray's Malimbe, S: Malimbo cabecinegro, F: Malimbe à bec bleu Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br?) [659]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus rubricollis (Swainson, 1838)

III GH C

511, 792, 1256

E: Red-headed Malimbe, Red-headed Weaver, S: Malimbo cuellirrojo, F: Malimbe à tête rouge Angola (br) [5267]; Benin (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]: Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus scutatus (Cassin, 1849)

III GH C

792, 1256

E: Red-vented Malimbe, S: Malimbo culirrojo, F: Malimbe à queue rouge

Benin (br) [659]; Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]

Pachyphantes superciliosus (Shelley, 1873)

III GH C

511, 792, 1256

Synonym: Ploceus superciliosus

E: Compact Weaver, S: Tejedor rollizo, F: Tisserin gros-bec

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6403]; Ethiopia (br?) [659]; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (v) [659]

Passer griseus (Vieillot, 1817)

III GH C

511, 573, 792, 1256

E: Grey-headed Sparrow, S: Gorrión pardillo, F: Moineau gris
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659];
Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659];
Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253];
Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659];
Nigeria (br); Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia [5252];
Sudan [659]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659];
Zambia (br) [659]

Petronia dentata (Sundevall, 1850)

III GH C

792, 1256

E: Bush Petronia, Bush Sparrow, S: Chillón de Sundevall, F: Petit Moineau, Petit moineau soulcie, Petit moineau soulie

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Mali (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659]; Yemen (br) [5297]

Plocepasser superciliosus (Cretzschmar, 1827) III GH C
 E: Chestnut-crowned Sparrow-Weaver, S: Tejedor pardal capirotado, F: Mahali à calotte marron, Moineau-tisserin

Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea; Kenya (br) [5253]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]

Ploceus albinucha (Barboza du Bocage, 1876) III GH C 511, 792, 1256 E: Maxwell's Black Weaver, White-naped Weaver, S: Tejedor negro albinuca, F: Tisserin de Maxwell, Tisserin noir de Maxwell Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br);

Equatorial Guinea (br) [6276, 6426]: Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]; Uganda (br?) [659]

Ploceus aurantius (Vieillot, 1805)

III GH C

511, 792, 1256

E: Orange Weaver, S: Tejedor naranja, F: Tisserin orangé
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo
(br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial
Guinea [6426]; Gabon (br) [659]; Ghana (br) [782]; Kenya (v) [5253]; Liberia (br) [5246];
Nigeria (br); Sierra Leone (br) [659]; Tanzania, United Republic of (br?) [659]; Togo
(br) [5254]; Uganda (br) [659]

PLOCEIDAE

CITES EC Reg. RL

References

Ploceus cucullatus (Müller, 1776)

III GH C

511, 573, 574, 792, 975, 1256

Synonym: Ploceus nigriceps

E: Layard's Black-headed Weaver, Spot-backed Weaver, Village Weaver, S: Tejedor cogullado,

F: Tisserin gendarme

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Dominican Republic (int, br) [1312]; Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Haiti (int) [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Migeria (br); Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Ploceus heuglini Reichenow, 1886

III GH C

511, 792, 1256

Synonym: Textu atrogularis

E: Heuglin's Masked-Weaver, S: Tejedor de Heuglin, F: Tisserin masqué
Benin (br) [659]; Burkina Faso (br?) [659]; ?Cameroon (br) [659]; Chad (br?) [659]; Côte
d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (br) [760]; Ghana
(br) [782]; Kenya (br) [5253]; Mali (br) [659]; Niger (br?) [659]; Nigeria (br); Senegal
(br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]

Ploceus luteolus (Lichtenstein, 1823)

III GH C

511, 597, 792,

E: Little Weaver, S: Sitragra chico común, F: Tisserin minule, Tisserin minulle
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic
(br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br);
Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253];
Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan
(br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Ploceus melanocephalus (Linnaeus, 1758)

III GH C

511, 792, 1256

Synonyms: Ploceus capitalis, Sitagra melanocephala

E: Black-headed Weaver, Yellow-backed Weaver, S: Tejedor cabecinegro, F: Tisserin à tête noire

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br) [659]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]

Ploceus nigerrimus Vieillot, 1819

III GH C

511, 792, 1256

E: Vieillot's Black Weaver, S: Tejedor negro de Vieillot, F: Tisserin noir, Tisserin noir de Vieillot Angola (br) [5267]; Benin (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]

PLOCEIDAE

CITES EC Reg. RL

References

Ploceus nigricollis (Vieillot, 1805)

III GH C

511, 792, 1256

E: Black-necked Weaver, S: Tejedor cuellinegro, F: Tisserin à cou noir, Tisserin à lunettes Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Ploceus pelzelni (Hartlaub, 1887)

III GH C

511, 792, 1256

E: Slender-billed Weaver, S: Sitagra de Pelzeln, F: Tisserin de Pelzeln, Tisserin nain Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gabon (br) [659]; Ghana (br) [782]; Kenya (br) [5253]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659, 6417]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]

Ploceus preussi (Reichenow, 1892)

III GH C

792, 1256

E: Golden-backed Weaver, Preuss's Weaver, Yellow-capped Weaver, F: Tisserin à dos doré, Tisserin de Preuss

Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br?) [518, 659]; Ghana (br?) [782]; Guinea (br?) [1078]; Liberia (br?) [5246]; Sierra Leone (br) [659]

Ploceus tricolor (Hartlaub, 1854)

III GH C

511, 792, 1256

E: Yellow-mantled Weaver, S: Tejedor tricolor, F: Tisserin tricolore
Angola (br) [5267]; Benin [659]; Cameroon (br?) [659]; Central African Republic (br?) [659];
Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial
Guinea [6426]; Gabon (br) [518, 659]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253];
Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254];
Uganda (br?) [659]

Ploceus vitellinus (Lichtenstein, 1823)

III GH C

511, 573, 792, 1256

Synonym: Ploceus velatus vitellinus

E: Vitelline Masked-Weaver, S: Tejedor velado, F: Tisserin à tête rouge, Tisserin à tête rousse, Tisserin vitellin

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]: Bioko; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]

Quelea erythrops (Hartlaub, 1848)

III GH C

511, 573, 792, 1256

E: Red-headed Dioch, Red-headed Quelea, S: Laborioso cabecirrojo, F: Travailleur à tête rouge Angola (br) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea; Guinea-Bissau (br) [659]; Kenya [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique [659]; Niger (br) [659]; Nigeria (br); Rwanda [659]; Sao Tome and Principe (br) [659]; Senegal [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

PLOCEIDAE CITES EC Reg. RL References

Sporopipes frontalis (Daudin, 1802)

III GH C

511, 792, 1256

E: Scaly-fronted Weaver, Speckle-fronted Weaver, S: Tejedorcito punteado, F: Moineau

quadrillé, Sporopipe quadrillé

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]

Vidua chalybeata (Müller, 1776)

III GH C

511, 573, 792, 1145, 1256

Synonyms: Vidua amauropteryx, Vidua centralis, Vidua neumanni, Vidua okavangoensis, Vidua ultramarina, Hypochera chalybeata

E: Green Indigobird, Senegal Combassou, Village Indigobird, S: Tejedor bruñido verdoso,

F: Combassou du Sénégal

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Vidua interjecta (Grote, 1922)

III GH C

1146

Synonym: Vidua orientalis interjecta

E: Long-tailed Paradise-Whydah, Uelle Paradise-Whydah, F: Veuve à queue large, Veuve nigérienne

Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br?) [5246]; Mali (br?) [659]; Nigeria (br?); Sudan (br?) [659]

Vidua larvaticola Payne, 1982

III GH C

1145, 1146

E: Baka Indigobird, Black-faced Firefinch Indigobird, F: Combassou de Baka, Veuve Cameroon (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?); Nigeria (br?); Sudan (br?) [659]

Vidua macroura (Pallas, 1764)

III GH C

511, 573, 792, 1256

E: Pin-tailed Whydah, S: Viuda colicinta, F: Veuve dominicaine

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br?); Puerto Rico (int, br) [1176]; Rwanda (br) [659]; Sao Tome and Principe (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; United States (br) [387]; Zambia (br) [659]; Zimbabwe (br) [659]

Vidua orientalis Heuglin, 1871

III GH C

511, 573, 792, 1256

Synonym: Vidua paradisaea orientalis

E: Northern Paradise-Whydah, S: Viuda del paraiso oriental, F: Veuve à collier d'or, Veuve paradisier

Burkina Faso (br) [659, 1345]; Chad (br) [659]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Guinea (br?); Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sudan (br) [659]

Vidua raricola Payne, 1982

III GH C 1145, 1146

E: Goldbreast Indigobird, Jambandu Indigobird, F: Combassou de Jamdandu, Combassou du Jamdandu, Veuve

Cameroon (br?) [659]; Ghana (br?) [782]; Nigeria (br?); Sierra Leone (br) [659]; Sudan (br?) [659]

Vidua togoensis (Grote, 1923)

III GH

1146

Synonym: Vidua orientalis togoensis

E: Togo Paradise-Whydah, F: Veuve du Togo

Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Mali

(v) [659]; Sierra Leone (br?) [659]; Togo (br?) [5254]

Vidua wilsoni (Hartert, 1901)

III GH C 792, 1145, 1256

Synonyms: Vidua incognita, Vidua Iorenzi, Hypochera wilsoni

E: Pale-winged Indigobird, Wilson's Indigobird, S: Tejedor bruñido de Wilson, F: Combassou

de Wilson, Combassou noir

Cameroon (br?) [659]; Central African Republic (br?) [659]; ?Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br) [782]; Guinea; Guinea-Bissau (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sudan

(br) [659]; Togo (br?) [5254]

Family:

STURNIDAE

Gracula religiosa Linnaeus, 1758

Synonyms: Gracula enganensis, Gracula indica, Gracula robusta

E: Common Hill Myna, Hill Myna, S: Miná de la India, Miná religioso, F: Mainate religieux,

Merles des Indes

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (int, br); India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Puerto Rico (int, br) [1176]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]

Leucopsar rothschildi Stresemann, 1912

CR

406, 408, 413, 595, 828, 931, 6511

E: Bali Myna, Bali Starling, Rothschild's Myna, Rothschild's Starling, White Starling,

S: Estornino de Rothschild, Miná de Rothschild, F: Étourneau de Rothschild, Mainate, Mainate de Rothschild, Martin de Rothschild, Sansonnet de Rothschild

Indonesia (br) [393]: Bali

CITES Identification Manual Reference:

A-227.051.013.001

D

Sturnus erythropygius (Blyth, 1846)

Synonym: Sturnia erythropygia

E: White-headed Starling, F: Étourneau à tête blanche

India (br) [1197]: Andaman Is, Nicobar Is

Sturnus sericeus Gmelin, 1788

D

E: Red-billed Starling, F: Étourneau soyeux

China (br) [5293]; Hong Kong; Japan [503]; Philippines [5270]; Viet Nam [5264]

PARADISAEIDAE Family:

Astrapia mayeri Stonor, 1939

452, 595, 606, II В LR/nt

1242

E: Ribbon-tailed Astrapia, Ribbon-tailed Bird-of-paradise, F: Paradisier à rubans

Papua New Guinea (br)

CITES Identification Manual Reference:

A-227.059.004.002

PARADISAEIDAE	CITES	EC Reg	. RL	References
Astrapia nigra (Gmelin, 1788)	II	В		452, 595, 606,
E: Arfak Astrapia, F: Hausse-col doré, Paradisier à	gorge no	oire		1242
Indonesia (br) [393]: Irian Jaya CITES Identification Manual Reference:	A-227.0	059.004.	003	
Astrapia rothschildi Foerster, 1906 E: Huon Astrapia, F: Hausse-col de Rothschild, Par Papua New Guinea (br) CITES Identification Manual Reference:		B e Rothsc 059.004.		452, 606, 1242
Astrapia splendidissima Rothschild, 1895 E: Splendid Astrapia, F: Hausse-col splendide, Par- Indonesia (br) [393]: Irian Jaya; Papua New Guine CITES Identification Manual Reference:	a (br)	B blendide 059.004.	005	452, 606, 1242
Astrapia stephaniae (Finsch, 1885) E: Princess Stephanie's Bird-of-paradise, Stephani Paradisier de la princesse Stéphanie, Paradisier de Papua New Guinea (br) CITES Identification Manual Reference:	Stéphan			452, 606 l à queue rubanée,
Cicinnurus magnificus (Pennant, 1781) Synonym: Diphyllodes magnificus E: Magnificent Bird-of-paradise, F: Paradisier magnificus Indonesia (br) [393]: Irian Jaya; Papua New Guine CITES Identification Manual Reference:	a (br)	B 059.006.	002	452, 606
Cicinnurus regius (Linnaeus, 1758) E: King Bird-of-paradise, F: Paradisier royal Indonesia (br) [393]: Irian Jaya; Papua New Guine CITES Identification Manual Reference:		B 059.005.	001	452, 606, 1242
Cicinnurus respublica (Bonaparte, 1850) Synonym: Diphyllodes respublica E: Wilson's Bird-of-paradise, F: Paradisier républica Indonesia (br) [393]: Irian Jaya CITES Identification Manual Reference:		B 059.006.	LR/nt	595, 606, 1242
Cnemophilus Ioriae (Salvadori, 1894) Synonym: Loria Ioriae E: Loria's Bird-of-paradise, F: Paradisier de Loria, I Indonesia (br) [393]: Irian Jaya; Papua New Guine CITES Identification Manual Reference:	a (br)	B r Ioria 059.003.	001	452, 606
Cnemophilus macgregorii De Vis, 1890	II	В		452, 606, 1242,
E: Crested Bird-of-paradise, F: Paradisier huppé Papua New Guinea (br) CITES Identification Manual Reference:	A-227.0	059.001.0	001	6642
Epimachus albertisi (Sclater, 1873) Synonym: Drepanornis albertisi E: Black-billed Sicklebill, Buff-tailed Sicklebill, F: D Indonesia (br) [393]: Irian Jaya; Papua New Guine CITES Identification Manual Reference:	a (br)	B is d'Albe 059.007.0		452, 606, 1242 disier d'Albertis

PARADISAEIDAE	CITES	EC Reg.	RL	References
Epimachus bruijnii (Oustalet, 1880) Synonym: Drepanornis bruijnii	II	В	LR/nt	452, 595, 606
E: Pale-billed Sicklebill, White-billed Sicklebill, F: Di Indonesia (br) [393]: Irian Jaya; Papua New Guinea	épanorn (br)	is de Bru	ıijn, Parad	isier à bec blanc
CITES Identification Manual Reference:		59.007.0	003	
Epimachus fastuosus (Hermmann, 1783)	II	В	VU	452, 595, 606, 1242
E: Black Sicklebill, F: Epimaque fastueux, Paradisie Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:			002	
Epimachus meyeri Finsch, 1885	II	В		452, 606, 1242
E: Brown Sicklebill, F: Epimaque de Mayer, Paradisi Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:	er de Me (br) A-227.0		003	
Loboparadisea sericea Rothschild, 1896	II	В	LR/nt	452, 606, 6642
E: Wattle-billed Bird-of-paradise, Yellow-breasted B Indonesia (br) [393]: Irian Jaya; Papua New Guinea	ird-of-pa	radise,		
CITES Identification Manual Reference:	A-227.0	59.002.0	001	
Lophorina superba (Pennant, 1781) E: Superb Bird-of-paradise, F: Paradisier superbe	II	В		452, 606, 1242
Indonesia (br) [393]: Irian Jaya; Papua New Guinea	(br)			
CITES Identification Manual Reference:	A-227.0	59.009.0	001	
Lycocorax pyrrhopterus (Bonaparte, 1851)	II	В		452, 606
E: Paradise-Crow, Silky-Crow, F: Corneille de parad	is, Parac	lisier cor	vin	
Indonesia (br) [393]: Moluccas		FO 040 /	201	
CITES Identification Manual Reference:	A-227.0	59.010.0	001	
Macgregoria pulchra De Vis, 1897	II	В	VU	452, 595, 606, 1242
E: Macgregor's Bird-of-paradise, F: Paradisier de Ma Indonesia (br) [393]: Irian Jaya; Papua New Guinea				
CITES Identification Manual Reference:	A-227.0	59.011.0	001	
Manucodia atra (Lesson, 1830) E: Glossy-mantled Manucode, F: Manucaude noir, F	II Paradicies	B		452, 606, 1242
Indonesia (br) [393]: Irian Jaya; Papua New Guinea	(br)	11011		
CITES Identification Manual Reference:	À-227.0	59.012.	002	
Manucodia chalybata (Pennant, 1781)	II	В		452, 606
E: Crinkle-collared Manucode, F: Manucaude vert, F		r vert		
Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:	A-227.0	59.012.	003	
Manucodia comrii Sclater, 1876	II	В		606, 1242
E: Curl-crested Manucode, F: Manucaude de Comrie Papua New Guinea (br)			trecasteau	
CITES Identification Manual Reference:	A-227.0	59.012.	004	
Manucodia jobiensis Salvadori, 1876	II	В		452, 606, 1242
E: Jobi Manucode, F: Manucaude de Jobi, Paradisie	r de Jobi			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:	ı (br) A-227.0	59.012.	005	

PARADISAEIDAE	CITES	EC Reg.	RL	References
Manucodia keraudrenii (Lesson & Garnot, 1826) Synonym: Phonygammus keraudrenii E: Trumpet Manucode, Trumpetbird, F: Manucaude Australia (br) [477]; Indonesia (br) [393]: Irian Jaya CITES Identification Manual Reference:	a; Papua		inea (br)	452, 606, 1242 de Keraudren
Melampitta gigantea (Rothschild, 1899) E: Greater Melampitta, F: Grande mélampitte Indonesia (br) [393]: Irian Jaya; Papua New Guinea	II a (br)	В		452, 1242
Melampitta lugubris Schlegel, 1873 E: Lesser Melampitta, F: Petite mélampitte Indonesia (br) [393]: Irian Jaya; Papua New Guinea	II a (br) [69	B 24]		452, 1242
Paradigalla brevicauda Rothschild and Hartert, 1911 E: Short-tailed Paradigalla, F: Paradigalle à queue d' Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:	a (br)	B aradisier 59.013.0		452, 606, 6930 courte
Paradigalla carunculata Lesson, 1835 E: Long-tailed Paradigalla, F: Paradigalle caronculée Indonesia (br) [393]: Irian Jaya CITES Identification Manual Reference:	II e, Paradi A-227.0			452, 595, 606, 1242, 6930
Paradisaea apoda Linnaeus, 1758 E: Greater Bird-of-paradise, F: Grand paradisier, Pa Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [703] CITES Identification Manual Reference:	(br) [69		idad and	452, 606, 1242 Tobago
Paradisaea decora Salvin and Godman, 1883 E: Goldie's Bird-of-paradise, F: Paradisier de Goldie Papua New Guinea (br) CITES Identification Manual Reference:		B 59.014.0	LR/nt 003	595, 606, 1242
Paradisaea guilielmi Cabanis, 1888 E: Emperor Bird-of-paradise, Emperor of Germany's Guillaume, Paradisier de l'empereur Guillaume Papua New Guinea (br) CITES Identification Manual Reference:	II s Bird-of- A-227.0			452, 595, 606, 1242 disier de
Paradisaea minor Shaw, 1809 E: Lesser Bird-of-paradise, F: Paradisier petit-émera Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:		·		452, 606, 1242
Paradisaea raggiana Sclater, 1873 E: Count Raggi's Bird-of-paradise, Raggiana Bird-of Paradisier du comte Raggi Indonesia (br) [393]: Irian Jaya; Papua New Guinea CITES Identification Manual Reference:		24]		452, 606 Raggi,
E: Red Bird-of-paradise, F: Paradisier rouge Indonesia (br) [393]: Irian Jaya	II A-227.0		LR/nt 007	595, 606, 1242

PARADISAEIDAE CITES EC Reg. RL References VU Paradisaea rudolphi (Finsch, 1885) II 452, 595, 606, 1242 E: Blue Bird-of-paradise, F: Paradisier bleu, Paradisier de Rodolphe Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.014.008 Parotia carolae Meyer, 1894 452, 606, 1242 E: Carola's Parotia, Queen Carola's Parotia, F: Paradisier de Carola, Sifilet de Carola Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.015.002 Parotia helenae De Vis, 1891 В 452,606 Synonym: Parotia lawesii helenae E: Eastern Parotia, F: Paradisier d'Helena, Sifilet d'Hélène Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.015.003a Parotia lawesii Ramsay, 1885 В 452,606 E: Lawes's Parotia, F: Paradisier de Lawes, Sifilet de Lawe Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.015.003b Parotia sefilata (Pennant, 1781) 452,606 В E: Arfak Parotia, Six-plumed Parotia, Western Parotia, F: Paradisier sifilet, Sifilet d'Arfak Indonesia (br) [393]: Irian Jaya CITES Identification Manual Reference: A-227.059.015.004 Parotia wahnesi Rothschild, 1906 В VU 452, 595, 606, 1242 E: Wahnes's Parotia, F: Paradisier de Wahnes, Sifilet de Wahnes Papua New Guinea (br) [452] CITES Identification Manual Reference: A-227.059.015.005 Pteridophora alberti Meyer, 1894 452,606 E: King-of-Saxony Bird-of-paradise, F: Paradisier d'Albert, Paradisier du prince Albert Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.017.001 Ptiloris intercedens Sharpe, 1882 Π 452,606 E: Eastern Riflebird Papua New Guinea (br) Ptiloris magnificus (Vieillot, 1819) 452, 606 E: Magnificent Riflebird, F: Paradisier gorge-d'acier, Proméfil Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.018.002 Ptiloris paradiseus Swainson, 1825 595, 606 E: Paradise Riflebird, F: Paradisier festonné, Ptiloris paradis Australia (br) [477] CITES Identification Manual Reference: A-227.059.018.003 Ptiloris victoriae Gould, 1850 II В 606 E: Queen Victoria's Riflebird, Victoria's Riflebird, F: Paradisier de Victoria, Ptiloris de Victoria Australia (br) [477] CITES Identification Manual Reference: A-227.059.018.004

PARADISAEIDAE CITES EC Reg. RL References 452, 606 В Seleucidis melanoleuca (Daudin, 1800) E: Twelve-wired Bird-of-paradise, F: Paradisier multifil Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-227.059.019.001 472, 595, 606 В Semioptera wallacii Gould, 1859 E: Standardwing, Standard-wing Bird-of-paradise, Wallace's Standardwing, F: Paradisier de Indonesia (br) [393]: Moluccas A-227.059.020.001 CITES Identification Manual Reference: **CORVIDAE** Family: D Cissa thalassina (Temminck, 1826) E: Short-tailed Green Magpie, Short-tailed Magpie, F: Pirolle à queue courte Indonesia [393]: Jawa; Malaysia: Sabah, Sarawak D LR/nt Cyanocorax caeruleus (Vieillot, 1818) E: Azure Jay, F: Geai azuré Argentina [5291]; Brazil [6186]; Paraguay [5295] D LR/nt Cyanocorax dickeyi Moore, 1935 E: Tufted Jay, F: Geai panaché Mexico (br) [5241]

Platysmurus leucopterus (Temminck, 1824)
E: Black Magpie, F: Geai à ailes blanches

Brunei Darussalam; Indonesia [393]: Kalimantan, Sumatera; Malaysia: Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Singapore (**ex**); Thailand [487]

D

LR/nt

References

neiele	ences		
32	Rasmussen, P.C. (1998) A new scops-owl from Great Nicobar Island. Bulletin of the British Ornithologists' Club Volume 118 Number 3 Pages 141-153	381	Ali, S. and Ripley, S.D. (1987) Compact handbook of the birds of India and Pakistan together with those in Bangladesh, Nepal, Bhutan and Sri Lanka. Oxford University Press, Oxford Ali, S., Daniel, J.C. and Rahmani, A.R.
41	Lafontaine, R.M. and Moulaert, N. (1998) A new species of scops owl (<i>Otus</i> : Aves): taxonomy and conservation status. Journal of African Zoology Volume 112 Number 2 Pages 163-169	383	(1986) Study of ecology of certain endangered species of wildlife and their habitats The Floricans. Annual Report 1. Bombay Natural History Society, Bombay Allan, D. (1989) The Bald Ibis returns to Cape Town
189	Lathrop, A., Murphy, R.W., Orlov, N., and Ho, C.T. (1998)		Quagga 25:18-20
	A new species of Leptolalax (Anura: Megophryidae) from northern Vietnam. Amphibia-Reptilia. Volume 19 Number 3 Pages 253-267	385	Allouse, B.E. (1953) The avifauna of Iraq Iraq Natural History Museum Publication 3
259	Pavel Tomkovich. (1 January 2000) Russian names of Species for Arctic Bird Library and AEWA. Список видов птиц, зарегистриров [Russian]	386	Amadon,D.,Bull,J.,Marshall,J.T. and King,B.F. (1988) Hawks and owls of the world: a distributional and taxonomic list Proceedings of the Western Foundation
374	Abdusalyamov, I. A. (1977) [Fauna of the Tadjik Soviet Socialistic Republic: birds.]. [Russian] DonishDushanbe Volume 19 Number 3	387	of Vertebrate Zoology 3(4): 295-357 American Ornithologists' Union. (1983) Checklist of North American birds
376	Achaval, F. (1989) Lista de Especies de Vertebratos del Uruguay Parte 2: Anfibios, reptiles aves	389	Sixth edition. American Ornithologists' Union, New York Amos, E. J. R. (1991)
	y mamíferos Facultad de Humanidades y Ciencias, Universidad de la Republica, Uruguay		A guide to the birds of Bermuda. Eric J. R. Amos Warwick, Bermuda
377	Aitchison, J. (1993) Pittas or Plantations? World Birdwatch 15(1):7-10	390	Andre, R. (1985) Some aspects of the biological reproduction of the Little Bustard and a contribution to an estimate of its population in France 1978.
378	Akcakaya, H. R. (1990) Bald Ibis <i>Geronticus eremita</i> population in Turkey: an evaluation of the captive breeding project for reintroduction. Biological Conservation	391	Bustard Studies 2: 153-160 Andres, B., Haag, W. and Andres, S. (1991) Recent records of Swainson's Hawk in Trinidad and Tobago
379	Volume 51 Pages 225-237. Akcakaya, H.R. and Akcakaya, R. (1986) Concern for Turkey's last Bald Ibises	202	Journal of the Trinidad and Tobago Field Naturalists Club 1991: 45
	WWF Monthly Reports September: 243- 245	392	Andrew, P. (1985) An annotated checklist of the birds of Cibodas-Gunung Gede Nature Reserve.
380	Albuquerque, J.L.B. (1986) Conservation and status of raptors in southern Brazil Birds of Prey Bulletin 3: 88-94		Kukila Volume 2 Pages 10-28.

393	Andrew, P. (1992)	409	Anon (1992)
	The birds of Indonesia: a checklist		Bolivian find
	(Peters' sequence)		World Birdwatch 14(4): 3
	Indonesian Ornithological Society,		
	Jakarta	410	Anon. (1992)
204	A - down D - and Milhar C D (1000)		Lorikeet transfer.
394	Andrew, P. and Milton, G. R. (1988)		World Birdwatch
	A note on the Javan Scops-owl Otus		Volume 14 Number 4 Pages 4
	angelinae Finsch. Kukila	411	Anon (1992)
	Volume 3 Pages 79.	7.4.4	Morocco last hope
	Volume 5 rages 75.		World Birdwatch 14(3): 4
395	Andrews, I. J. (1995)		Trona Brianacan I ((a))
	The birds of the Hashemite Kingdom of	412	Anon (1992)
	Jordan.		New species of owl
	Published by the authorMusselburgh,		World Birdwatch 14(3): 4
	U.K		
		413	Anon. (1993)
396	Anon (1985)		Back from the brink.
	Conservationists battle for Caroni		World Birdwatch
	Swamp and Scarlet Ibis		Volume 15 Number 2 Pages 4.
	World Birdwatch 7(3): 3	414	Anon (1994)
397	Anon (1985)	717	Slender-billed Curlew: situation critical
337	European news		World Birdwatch 16(1): 4
	British Birds 78: 638-645		
		415	Araya, L. (1982)
398	Anon (1985)		Lista patron de las aves Chilenas
	No Kakapo chicks survive breeding		Publicaciones ocasionales No.1,Instituto
	season in New Zealand		de Oceanologica, Universidad de
	World Birdwatch 7(2): 1-2		Valparaiso, Vina del Mar, Chile
200	A (1007)	416	Araya Madingar B. (1003)
399	Anon (1987) More Plains-wanderers located	410	Araya Modinger, B. (1983) A preliminary report on the status and
	World Birdwatch 9(2): 5		distribution of the Humboldt Penguin in
	world birdwater 5(2). 5		Chile.
400	Anon (1988)		Pp. 125-140 In: Proceedings of the Jean
	European news		Delacour/IFCB Symposium on breeding
	British Birds 81: 330-340		birds in captivity. North Hollywood,
			California: International Foundation for
401	Anon (1988)		the Conservation of Birds
	Parakeets breed in Mauritius	44.7	A 1:1 11 0 (4000)
	World Birdwatch 10(1): 3	417	Archibald, G. (1988)
403	Anon (1989)		Whooping Crane update
703	Rediscoveries		ICF Bugle 14(1): 4-6
	World Birdwatch 11(1): 4	418	Archibald, G. (1993)
	77077d 577d7d2577 12(1).	,	Saddlebill Storks in the Okavango,
404	Anon (1989)		Botswana
	Tai Forest news		Specialist Group on Storks, Ibis and
	World Birdwatch 11(2): 3		Spoonbills Newsletter 6(1/2): 13
400	44000		
405	Anon (1989)	419	Argeloo, M. (1992)
	Tragopan triumph		The Maleo - more than a symbol
	World Birdwatch 11(3): 3		World Birdwatch 14(1): 8-9
406	Anon (1991)	420	Arinaitwe, J. (1994)
	Recent news from Bali	420	Red DataBird: Shoebill
	World Birdwatch 13(2): 3		World Birdwatch 16(2): 20-21
	,		20(2), 20 21
407	Anon (1991)		
	Woodstar turn		
	World Birdwatch 13(2): 3		
400	Anna (1003)		
408	Anon. (1992)		
	Bali Starling increase. World Birdwatch		
	Volume 14 Number 3 Pages 5.		
	volume 14 Number 5 rages 5.		

421	Arndt, T. and Roth, P. (1986) Der Rotbauchsittich <i>Pyrrhura</i> rhodogaster im Vergleich mit den verschiedenen Unterarten des	433	Balchin, C.S. (1988) Recent observations of birds from the Ivory Coast Malimbus 10: 201-206
	Blausteisssittichs Pyrhhura perlata: Vorschlag für nomenklatorische und systematische Anderungen. Verhandlungen der Orn. Gesellschaft Bayern 24: 313-317	434	Balen, S. van and Compost, A.R. (1989) Overlooked evidence of the Short-toed Eagle <i>Circaetus gallicus</i> on Java. Kukila 4: 44-46
422	Aronson, L. and van den Berg, A. B. (1979) Hume's Tawny Owl <i>Strix butleri</i> in Israel. Dutch Birding Volume 1 Pages 18-19	435	Balen, S. van. (1984) Sight records of the Black Baza <i>Aviceda</i> <i>leuphotes</i> on Java. Ardea 72: 234
423	Ash, J. (1973) Six species of birds new to Ethiopia Bulletin of the British Ornithologists' Club 93: 3-6	436	Baltosser, W.H. (1989) Costa's Hummingbird: its distribution and status Western Birds 20(2): 1-62
424	Ash, J. S. (1977) Four species of birds new to Ethiopia and other notes.	437	Banks, R.C. (1990) Taxonomic status of the coquette hummingbird of Guerrero, Mexico Auk 107: 191-192
	Bulletin of the British Ornithologists' Club Volume 97 Pages 4-9	443	Baral, H.S. (1993) Status of storks, ibises and spoonbills in Nepal Specialist Group on Storks, Ibis and
425	Ash, J. S. (1981) Ayres' Hawk Eagle <i>Hieraaetus dubius</i> in Ethiopia and Somalia.	444	Spoonbills Newsletter 6(1/2): 6-8 Bates, J. M., Garrin, M. C., Schmitt, D.
426	Scopus Volume 5 Pages 54-56. Ash, J.S. (1984)	•••	C. and Schmitt, C. G. (1989) Notes on bird distribution in northeastern Dpto. Santa Cruz, Bolivia
420	Bird observations on Bali Bulletin of the British Ornithologists' Club 104: 24-35		with 15 species new to Bolivia. Bulletin of the British Ornithologists' Club Volume 109 Pages 236-244
427	Ash, J.S. (1985) Midwinter observations from Djibouti Scopus 9: 43-49	445	Bates, J. M., Parker, T. A., Capparella, A. P. and Davis, T. J. (1992) Observations on the campo, cerrado and
428	Ash, J.S. (1987) Surveys of <i>Picathartes oreas</i> , _Malimbus ibadanensis_ and other species in Nigeria.		forest avifaunas of eastern Dpto. Santa Cruz, Bolivia, including 21 species new to the country. Bulletin of the British Ornithologists'
	International Council for Bird Preservation and Nigerian Conservation Foundation. Unpublished		Club Volume 112 Pages 86-98.
420	-Unpublished	446	Beaman, M. (ed.). (1975) Turkey bird report 1970-1973 Ornithological Society of Turkey, Sandy
429	Ash, J. S. (1989) An atlas of the past and present distribution of bustards in Ethiopia and Somalia. Bustard Studies Volume 4	447	Beaman, M. and Porter, R.F. (1985) Status of birds of prey in Turkey Bulletin of the World Working Group on Birds of Prey 2: 52-56
431	Ash, J. S. and Shafeeg, A. (1994) The birds of the Maldives. Forktail Volume 10 Pages 3-31	448	Beavers, R.A., Delaney, D.J., Leahy, C.W. and Oatman, G.F. (1991) New and noteworthy bird records from Petén, Guatemala, including Tikal National Park
432	Baker, N. (1989) The distribution and legal status of		Bulletin of the British Ornithologists' Club 111: 77-90

bustards in Tanzania Bustard Studies 4: 35-40

449	Becking, J.H. (1976) Feeding range of Abbott's Booby <i>Sula</i> <i>abbotti</i> at the coast of Java. Ibis 118: 589-590	463	Berlepsch, H.G. von (1908) On the birds of Cayenne Novitates Zoologicae 15: 103-164, 261- 324
450	Becking, J.H. (1994) On the biology of the Javan Scops Owl Otus angelinae. Bulletin of the British Ornithologists' Club 114: 211-224	464	Berlioz, J. (1962) Etude d'une collection d'oiseaux de Guyane francaise Bulletin du Muséum National d'Histoire Naturelle 34: 131-143
451	Beehler, B.M. (1985) Conservation of New Guinea rainforest birds Pp. 233-247 In: Diamond A.W. and Lovejoy, T.E. (eds.) Conservation of tropical forest birds. (Techn. Publ. 4). International Council for Bird Preservation, Cambridge, U.K	465	Bertonatti, C. and Gonzalez, F. (1992) Lista de vertebrados argentinos en peligro de extincion Fundacion Vida Silvestre Argentina, Boletin Tecnico No. 8 Best, H. and Powlesland, R. (1985) Kakapo John McIndoe and New Zealand Wildlife
452	Beehler, B.M., Pratt, T.K. and Zimmerman, D.A. (1986) Birds of New Guinea Princeton University Press, Princeton, New Jersey	467	Service, Dunedin, New Zealand Best, H.A. (1984) The foods of Kakapo on Stewart Island as determined from their feeding sign New Zealand Journal of Ecology 7: 71-
453 454	Bege, L.A.R. and Pauli, B.T. (1990) Two new birds to the Brazilian avifauna Bulletin of the British Ornithologists' Club 110: 93-94 Beggs, J. and Wilson. P. (1988)	468	Bezzel, E. and Wartmann, B. (1990) Neue Beobachtungen des Waldrapps (<i>Geronticus eremita</i>) in Jemen Journal für Ornithologie 131: 456-457
455	Kaka: a threatened species? Forest and Bird 250: 18-19 Belarbi,A. (1989)	469	Biber, JP. (1992) Red Data bird: Lesser Kestrel World Birdwatch 14(2): 14
456	A note on the Little Bustard in Algeria Bustard Studies 4 Bell, J. (1970) The white-quilled black bustard Animal Kingdom 73: 25-28	470	Bierregaard, R.O. (1984) Observations of the nesting biology of the Guiana Crested Eagle (<i>Morphnus guianensis</i>) Wilson Bulletin 96: 1-5
457	Belton,W. (1984) Birds of Rio Grande do Sul,Brazil, part 1: Rheidae through Furnariidae Bulletin of the American Museum of Natural History 178(4)	471	Bildstein, K.L. (1990) Status, conservation and management of the Scarlet Ibis <i>Eudocimus ruber</i> in the Caroni Swamp, Trinidad, West Indies Biological Conservation 54: 61-78
460	Bereszynski, A. and Kaczmarkowski, M. (1983) Bustard (<i>Otis tarda</i> L.) in Poland Pp. 118-120 In: Goriup, P.D. and Vardhan, H. (eds.) Bustards in Decline. Tourism and Wildlife Society of India, Jaipur	472	Bishop, D. (1992) The Standardwing Bird of Paradise Semioptera wallacii (Paradisaeidae), its ecology, behaviour, status and conservation Emu 92: 72-78
461	Bergier, P. and Bergier, F. (1990) A Birdwatcher's Guide to Morocco Prion, Huntingdon, U.K	473	Bishop, K.D. (1983) Some notes on non-passerine birds of west New Britain Emu 83: 235-241
462	Berlanga, M. and Wood, P. (1992) Observations of the King Vulture Sarcoramphus papa in the Calakmui Biosphere Reserve, Campeche, Mexico Vulture News 26: 15-21	475	Black, J. (1991) The Nene Recovery Intiative IWRB Threatened Waterfowl Research Group Newsletter 1: 4

476	Blake, E.R. (1977) Manual of Neotropical birds University of Chicago Press, Chicago	491	Boshoff, A.F. and Robertson, A.S. (1985) A conservation plan for the Cape Vulture colony at Potberg, de Hoop Nature Reserve, southwestern Cape Province
477	Blakers, M., Davies, S.J.J.F. and Reilly, P.N. (1984) The atlas of Australian birds	492	Boshoff, A.F. and Vernon, C.J. (1987)
	Royal Australian Ornithologists' Union and Melbourne University Press, Melbourne		The Cape Vulture colonies at Karnmelkspruit 1984-1986 and Balloch 1978- 1986, north-eastern Cape Province
478	Blasius, W. (1884) Über die neusten Ergebnisse von Herrn		Vulture News 17: 31- 36
	F.J. Grabowsky's Ornithologischen Forschungen in Süd- Ost Borneo. Journal für Ornithologie 32: 210-227	494	Bourne, W. R. P. (1976) On subfossil bones of Abbott's Booby Sula abbotti from the Mascarene Islands, with a note on the proportions and
479	Bleiweiss, R. and Olalia, P.M. (1983) Notes on the ecology of the Black- breasted Puffleg on Volcan Pinchincha,		distribution of the Sulidae. Ibis Volume 118 Pages 119-123.
	Ecuador Wilson Bulletin 94: 656-661	495	Bourne, W. R. P., Brooke, M de L., Clark,
480	Bloch, D. and Sfrensen, S. (1984) Check list of Faroes birds		G. S. and Stone, T. (1992) Wildlife conservation problems in the Juan Fernandez Archipelago, Chile.
	Torshaven		Oryx Volume 26 Pages 43-51.
481	Blondel, J. and Blondel, C. (1964) Remarques sur l'hivernage des ilmicoles et autres oiseaux aquatiques au Maroc Alauda 32: 250-279	496	Boussekey, M., Saint-Pie, J. and Morvan, O. (1992) Beobachtungen an einer Population des
			Rotohraras (Ara rubrogenys) im Rio-
482	Boeke, J.D. (1978) A food source of the Marvellous Spatuletail		Caine-Tal, Zentral Bolivien Papageien 5: 54-57, 95-99
	Ibis 120: 551	498	Brandis, C. (1989) Sighting of a Northern Shoveler at Lake
483	Bokermann, W.C.A. (1991) Observaces sobre a biologia do Macuco,		Cowal, central New South Wales Australian Birds 23(2): 37-38
	Tinamus solitarius (Aves - Tinamidae) Doctoral Thesis, Universidad de Sao	499	Brandt, A. and Machado, R.B. (1990)
405	Paolo Bond, J. (1985)		Área de alimentação e comportamento alimentar de <i>Anodorhynchus leari</i>
485	Birds of the West Indies		Ararajuba 1: 57-63
486	Sth edition. Collins, London Bonde, K. (1993)	500	Brazil, M. (1985) Owl of the setting sun BBC Wildlife 3: 110-115
	Birds of Lesotho, a guide to distribution past and present	501	Brazil, M. (1986)
	University of Natal Press		Sea eagle sunrise BBC Wildlife 4: 588- 592
487	Boonsong Lekagul and Round, P. D. (1991)	502	Brazil, M. (1987)
	A guide to the birds of Thailand. Saha Karn Bhaet Co. LtdBangkok		Where have all the Baikal Teals gone? Oriental Bird Club Bulletin 5: 29
489	Borodin, A.M. (ed.). (1984) Red data book of the USSR: rare and endangered species of animals and plants	503	Brazil, M. (1991) The birds of Japan. Christopher Helm, London
	Vol. 1: animals [In Russian]. 2nd edition. Promyshlennost, Moscow	504	Brazil, M. and Yamamoto, S. (1989) The status and distribution of owls in
490	Bosch, K. (1991) Welche Gelbkopfamazone haben Sie?		Japan Pp. 389-401 in Meyburg, B U. and Chancellor, R.D. (eds.) Raptors in the
	Gefiederte Welt 115: 342-344		modern world. Proceedings of the III World Conference on Birds of Prey and

	Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O	519	Brosset, A. and Erard, C. (1986) Les oiseaux des regions forestières du nord-est du Gabon, 1
505	Bregulla, H. (1987) Zur Biologie des Kagu, <i>Rhynochetos</i>		Société Nationale de Protection de la Nature, Paris
	jubatus. Zool. Garten N.F. 57: 349-365	520	Brown, C.J. (1985) The status and conservation of the Cape
507	Breuil, M. (1989) Les oiseaux d'Islande Le Chevalier, Paris		Vulture in SWA/Namibia Vulture News 14: 4-15
		521	Brown, C.J. and Hines, C.J.H. (1987) Western Banded Snake Eagles in
509	Brickell, N. (1988) Ducks, Geese and Swans of Africa and its outlying Islands		Namibia Gabar 2(2): 40-42
	Frandesen Publishers. Sandton	522	Brown, L.H. (1976)
511	Britton, P.L. (ed.). (1980) Birds of East Africa		Observations on Pel's Fishing Owl Scotopelia peli
	East Africa Natural History Society, Nairobi		Bulletin of the British Ornithologists' Club 96: 49-53
512	Brock, M.K. (1991) Genetic assessment of the captive breeding programs for the Puerto Rican Parrot <i>Amazona vittata</i> , and other	523	Brown, L.H. and Amadon, D. (1968) Eagles, hawks and falcons of the world 2 volumes. Country Life Books, Feltham, Middlesex
	Caribbean parrots. Ph.D. thesis, Department of Biology,	524	Brown, L.H., Urban, E.K. and Newman,
	Queen's University, Kingston, Ontario		K. (1982) The birds of Africa 1
513	Broni, S.C. (1985) Social and spatial foraging patterns of		Academic Press, London and New York
	the Jackass Penguin Spheniscus demersus South African Journal of Zoology 20: 241-245	525	Brown, P.B. and Wilson, R.I. (1984) Orange-bellied Parrot recovery plan National Parks and Wildlife Service, Tasmania
		526	Brown, P.B., Wilson, R., Loyn, R.,
514	Brooke, M. de L. (1987) The birds of the Juan Fernandez Islands, Chile		Murray, N. and Lane, B. (1985) The Orange-bellied Parrot - an RAOU conservation statement
	(Study Report 16). International Council for Bird Preservation, Cambridge, U.K.		Royal Australasian Ornithologists' Union, Melbourne
515	Brooke, R.K. (1981) The feral pigeon: a `new' bird for the	527	Browne, P.W.P. (1981)
	South African list Bokmakierie 33: 37-40		New bird species in Mauritania Malimbus 3(2): 63-72
516		529	Brüggemann, J. (1877)
516	Brooke, R.K. (1984) South African Red Data Book: birds		Über eine Vögelsammlung aus Süd- Ost Borneo. [German]
	South African National Scientific Programmes Report No. 97		Abhandlungen Naturw. Vereins Bremen Volume 5 Pages 435-466.
517	Brooks, D.J., Evans, M.I., Martins, R.P.	531	Bucher, E.H. and Nores, M. (1988)
	and Porter, R.F. (1987) The status of birds in North Yemen and the records of the OSME Expedition in		Present status of birds in steppes and savannas of northern and central Argentina
	autumn 1985 Sandgrouse 9: 4- 66		Pp. 71-79 in Goriup, P.D. (ed) Ecology and Conservation of Grassland Birds.
518	Brosset, A. and Erard, C. (1977) New faunistic records from Gabon		ICBP Technical Publication 7. Cambridge, England
	Bulletin of the British Ornithologists' Club 97: 125- 132	533	Buden, D.W. (1990) The birds of Rum Cay, Bahama Islands Wilson Bulletin 102: 451-468

534	Bugalho, F.F. (1987) Great Bustard in Portugal Pp. 65-76 In: Farago, S. (ed.) The Great Bustard Otis tarda L.). Proceedings of	547	Cade, T.J. (1982) The falcons of the world Collins, London
	the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation, Budapest	548	Cahyadin, Y., Jepson, P. and Manoppo, B.I. (1994) The status of <i>Cacatua goffini</i> and _Eos reticulata_ on the Tanimbar Islands
536	Bundy, G. (1976) The birds of Libya British Ornithologists' Union, London		PHPA/Birdlife International Laporan. 26pp
		549	Cahyadin, Y., Jepson, P. and Syarief, M.
537	Bundy, G. and Warr, E. (1980) A checklist of the birds of the Arabian Gulf States Sandgrouse 1: 4-49		(1994) A rapid assessment of Cacatua sulphurea sulphurea in South Sulawesi Province, Indonesia PHPA/Birdlife International (3), 13pp
539	Bunn, D.S., Warburton, A.B. and Wilson,		,
337	R.D. (1982) The Barn Owl	550	Cahyadin,Y., Jepson, P. and Arif,S. (1994)
	Poyser, Calton, U.K		Status of Cacatua sulphurea abbotti on the Masalembo Islands
540	Burbridge, A.A. and Jenkins, R.W.G. (eds.). (1984)		PHPA/Birdlife International Laporan (2) 11pp
	Endangered vertebrates of Australia and	551	Cajal, J.L. (1988)
	its island territories Australian National Parks and Wildlife Service, Canberra	331	The Lesser Rhea in the Argentine Puna region: present situation Biological Conservation 45(2): 81-91
541	Burton, J.A. (ed.). (1973)	552	Caleda, M., Lanante, R. and Viloria, E.
	Owls of the world, their evolution, structure and ecology	332	(1986)
	Peter Lowe, London		Preliminary studies of the Palawan Peacock Pheasant <i>Polyplectron</i>
542	Butler, L.Y. (1979) The birds of Ecuador and the Galapagos		emphanum In: Ridley, M. (ed.) Pheasants in Asia
	Archipelago		1986. World Pheasant Association.
	The Ramphastos Agency, Portsmouth, N.H		Basildon, U.K
		553	Camp, K. (1993) Observations of Short-tailed Albatross
543	Butler, P.J. (1981) The St. Lucia Amazon (<i>Amazona</i> versicolor): its changing status and		(<i>Diomedea albatrus</i>) in the Bering Sea Colonial Waterbirds 16(2): 221-222
	conservation Pp. 171- 180 In: Pasquier, R.F. (ed.)	554	Cardiff, S.W. and Remsen, J.V. Jr. (1981)
	Conservation of New World parrots. Smithsonian Institution Press for the		Three bird species new to Bolivia
	International Council for Bird Preservation, Washington D.C		Bulletin of the British Ornithologists' Club 101: 304-305
544	Butler, P.J. (1990)	555	Carroll, R.W. (1988)
	Some observations on polymorphism in the St Vincent Parrot Amazona guildingii		Birds of the Central African Republic Malimbus 10(2): 177-200
	Dodo 26 [1989]: 98-107	557	Casanova, F.D. (1989)
545	Butler, P.J. (1991) Saint Lucia Parrot Amazona versicolor:		The Houbara Bustard in the Canary Islands: towards a recovery plan
	consolidating a conservation campaign		Bustard Studies 4
	RARE Center for Tropical Conservation, Philadelphia	558	Cataneaunu, I. (1978) Aves
546	Butler, P.J. (1992)		Fauna Respublicii Socialiste Romania.
	Parrots, pressures, people, and pride Pp. 25-46 In: Beissinger, S.R. and		Vol. XV, Fasc. I. Editura Academiei RSR, Bucarest
	Snyder, N.F.R. (eds.) New World parrots in crisis: solutions from conservation	559	Cavalcanti, R.B. (1988)
	biology. Smithsonian Institution Press, Washington, D.C		Conservation of the birds in the cerrado of Central Brazii

	Pp. 59-66 in Goriup, P.D. (ed) Ecology and Conservation of Grassland Birds. ICBP Technical Publication 7. Cambridge, England	574	Clancey, P.A., Brooke, R.K., Crowe, T.M. and Mendelsohn, J.M. (1987) S.A.O.S. checklist of southern African birds
562	Chayadin, Y. (1993) Tanimbar Corella on Yamdena Oriental Bird Club Bulletin 18: 55-56	575	First updating report. Southern African Ornithological Society, Johannesburg Clark, A. (1977)
563	Chebez, J.C. (1986) El Guacamayo Violaceo (<i>Anodorhynchus glaucus</i>) Nuestras Aves 4(9): 17-20		Review of the records of three Palearctic ducks in southern Africa Bulletin of the British Ornithologists' Club 97: 107-114
		576	Clark, R.J. and Mikkola, H. (1989)
564	Cheke, A.S. (1987) The legacy of the Dodo - conservation in Mauritius Oryx 21: 29-36	3,0	A preliminary revision of threatened and near-threatened nocturnal birds of prey of the world Pp. 371-388 In: Meyburg, BU. and
565	Cheke, R.A. (1982) More bird records from the Republic of Togo Malimbus 4: 55-56		Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey
566	Cheke, R.A. (1986)		and O
	The supposed occurrence of the White- necked Picathartes <i>Picathartes</i> <i>qymnocephalus</i> in Togo.	577	Clark, W.D. (1991) Hyacinth Macaws: nesting habits in the
	Bulletin of the British Ornithologists'		wild AFA Watchbird 18(3): 8-10
	Club 106: 152		
567	Cheke, R.A. and Walsh, J.F. (1980) Bird records from the Republic of Togo Malimbus 2(2): 112-120	578	Clark, W.S. (1986) What is <i>Buteo ventralis?</i> Birds of Prey Bulletin 3: 115-118
568	Cheke, R.A. and Walsh, J.F. (1984)	579	Clark, W.S. and Parslow, R. (1991) A specimen record of Shikra <i>Accipiter</i>
	Further bird records from the Republic of Togo		badius for Saudi Arabia Sandgrouse 13: 44-46
	· · · · · · · · · · · · · · · · · · ·		badius for Saudi Arabia Sandgrouse 13: 44-46
569	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger	580	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution,
569	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986)	580	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and
	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986	580	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to
	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of		badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation
	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G.	580	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (<i>Ara rubrogenys</i>) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986)
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989)		badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes Grus nigricollis in Bhutan
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila		badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_		badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes Grus nigricollis in Bhutan
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and	581	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (<i>Ara rubrogenys</i>) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes <i>Grus nigricollis</i> in Bhutan Forktail 2: 103-107
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987.	581	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (<i>Ara rubrogenys</i>) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes <i>Grus nigricollis</i> in Bhutan Forktail 2: 103-107 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico AFA Watchbird 12(6): 22-24
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and	581	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes Grus nigricollis in Bhutan Forktail 2: 103-107 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico
570	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O Clancey, P.A. (ed.). (1980)	581	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (<i>Ara rubrogenys</i>) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes <i>Grus nigricollis</i> in Bhutan Forktail 2: 103-107 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico AFA Watchbird 12(6): 22-24 Clinton-Eitniear, J. (1990) Amazona oratrix belizensis AFA Watchbird 17(2): 25-26
570 572	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O Clancey, P.A. (ed.). (1980) Checklist of southern African birds	581 582 583	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes Grus nigricollis in Bhutan Forktail 2: 103-107 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico AFA Watchbird 12(6): 22-24 Clinton-Eitniear, J. (1990) Amazona oratrix belizensis
570 572	Togo Malimbus 6(1/2): 15-22 Cheke, R.A., Walsh, J.F. and Fishpool, D.C. (1985) Bird records from the Republic of Niger Malimbus 7: 73-90 Cheke, R.A., Walsh, J.F. and Sowah, S.A. (1986) Records of birds seen in the Republic of Togo during 1984-1986 Malimbus 8(2): 51-72 Christensen, S. and Sorensen, U.G. (1989) A review of the migration and wintering of Aquila pomarina and _Aquila nipalensis orientalis_ Pp. 139-150 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O Clancey, P.A. (ed.). (1980)	581 582 583	badius for Saudi Arabia Sandgrouse 13: 44-46 Clarke, R.O.S. and Duran Patiño, E. (1991) The Red-fronted Macaw (Ara rubrogenys) in Bolivia: distribution, abundance, biology and conservation Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation Clements, F.A. and Bradbear, N.J. (1986) Status of wintering Black-necked Cranes Grus nigricollis in Bhutan Forktail 2: 103-107 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico AFA Watchbird 12(6): 22-24 Clinton-Eitniear, J. (1990) Amazona oratrix belizensis AFA Watchbird 17(2): 25-26 Coats, S. and Phelps, W.H. (1985)

	M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) Neotropical		Houbara Expedition, 1979 Bustard Studies 1
	ornithology. American Ornithologists' Union Ornithological Monograph No. 36. AOU, Washington D.C	597	Collar, N.J. and Stuart, S.N. (1985) Threatened birds of Africa and related islands: The ICBP/IUCN Red Data Book,
585	Colebrook-Robjent, J.F.R. and Osborne, T.O. (1973) Nesting of Verreaux's Eagle Aquila verreauxi in Zambia Bulletin of the British Ornithologists' Club 93: 166		Part 1 3rd edition. International Council for Bird Preservation and International Union for Conservation of Nature and Natural Resources, Cambridge, U.K
586	Colebrook-Robjent, J.F.R. and Osborne, T.O. (1974) High density breeding of the Red-necked Falcon <i>Falco chicquera</i> in Zambia Bulletin of the British Ornithologists' Club 94: 172-176	598 599	Collar, N.J., Gonzaga, L.P., Krabbe, N., Madroño Nieto, A., Naranjo, L.G., Parker, T.A. III and Wege, D.C. (1992) Threatened birds of the Americas: the ICBP/IUCN Red Data Book, 2 3rd edition. Cambridge, U.K Collar, N.J., Round, P.D. and Wells, D.R.
587	Collar, N. (1992) Red Data bird: Red Siskin World Birdwatch 14(1): 13	333	(1986) The past and future of Gurney's <i>Pitta Pitta gurneyi</i> Forktail 1: 29- 51
588	Collar, N.J. (1979) The world status of the Houbara: a preliminary review 12 pp. (unpaginated) In: Coles, C.L. and Collar, N.J. (eds.) Symposium papers: the Great Bustard (Otis tarda), Sofia,	600	Colston, P.R. and Curry-Lindahl, K. (1986) The birds of Mount Nimba, Liberia British Museum (Natural History), London
	Bulgaria, May 26th, 1978 [and] the Houbara Bustard (Chlamydotis undulata), Athens, Greece, May 24th 1979. [Fordi	603	Contreras-Balderas, A.J. (1988) New records of birds from Nuevo Leon, Mexico Southwestern Naturalist 33: 251- 252
589	Collar, N.J. (1985) Red Data bird: The Juan Fernandez Firecrown World Birdwatch 7(2): 5	604	Conway, W.G. (1991) The secret lives of the volcano flamingos Wildlife Conservation 94(6): 56-63
590	Collar, N.J. (1985) Red Data bird: The Eskimo Curlew World Birdwatch 7(1): 5	605	Cooper, J. (1985) New breeding locality data for southern African seabirds: Jackass Penguin Spheniscus demersus
591	Collar, N.J. (1985) The world status of the Great Bustard Bustard Studies 2: 1-20	606	Cormorant 13: 81 Cooper, W.T. and Forshaw, J.M. (1977) The birds of paradise and bower birds
592	Collar, N.J. (1987) Red Data bird: Hook-billed Hermit World Birdwatch 9(1): 5	608	Collins, Sydney Coulter, M. and Brower, K. (1993)
593	Collar, N.J. (1989) Red Data birds: the cockatoos		Storks unlimited World Birdwatch 15(2): 13-17
594	World Birdwatch 11(1): 5 Collar, N.J. (1991) Red Data bird: Great Bustard	609	Coulter, M.C. (1990) The conservation status of the Oriental White Stork <i>Ciconia boyciana</i> P. 209 in Matthews, G.V.T. (ed) 1990.
595	World Birdwatch 13(1): 13 Collar, N.J., Crosby, M.J. and Stattersfield, A.J. (1994) Birds to watch 2, the world list of		Managing Waterfowl Populations. Proceedings of the IWRB Symposium, Astrakhan 1989. IWRB Special Publication 12, IWRB, Slimbridge, U.K
	threatened birds BirdLife International, Cambridge, U.K	610	Counsell, D. (1988) The RAFOS expedition to Belize Feb- Mar 1986
596	Collar, N.J. and Goriup, P.D. (eds.). (1983) Report of the ICBP Fuerteventura		Royal Air Force Ornithological Society Journal 18: 17-63

	611	Cramp, S. (ed.). (1985) Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic Volume 4. Oxford University Press, Oxford Cramp, S. and Simmons, K.E.L. (eds.). (1983)	620	Crivelli, A.J., Catsadorakis, G., Jerrentrup, H., Hatzilacos, D. and Mitchv T. (1991) Conservation and management of pelicans nesting in the Palaearctic Pp. 137-152 in Salathe, Y. 1991. Conserving Migratory Birds. ICBP Technical Publication 12. ICBP, Cambridge, England
		Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic Volume 3. Oxford University Press, Oxford	622	Dallmeier, F. (1991) Whistling Ducks as a manageable and sustainable resource in Venezuela: balancing economic costs and benefits Pp.266-287 in Robinson, J.G. and
	613	Cramp, S. and Simmons, K.E.L. (eds.). (1977) Handbook of the birds of Europe, the Middle East and North Africa: the birds of	626	Redford, K.H. (eds) 1991. Neotropical Wildlife Use and Conservation Danks, A. (1990)
		the Western Palearctic Volume 1. Oxford University Press, Oxford		Red Data bird: Noisy Scrub-bird World Birdwatch 12(4): 13
	614	Cramp, S. and Simmons, K.E.L. (eds.). (1980) Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic Volume 2. Oxford University Press,	627	Davies, A.G. (1987) The Gola Forest Reserves, Sierra Leone: wildlife conservation and forest management International Union for Conservation of Nature and Natural Resources, Gland, Switzerland and Cambridge, U.K
	615	Oxford Cranbrook, Lord (1980)	628	Davis, I. (1979) Additions to the Birds of Suriname
	525	Birds recorded within Gunung Mulu National Park		Continental Birdlife 1(6): 136-146
	616	Pp. 157-164 In: Hanbury-Tenison, R. Mulu: the rain forest. Weidenfeld and Nicolson, London Crawford, R.J.M., Williams, A.J., Randall,	629	Davison, G.W.H. (1982) Systematics within the genus <i>Arborophila Hodgson</i> . Federation of Museums Journal 27: 125-134
		R.M., Randall, B.M., Berruti, A. and Ross, G.J.B. (1990) Recent population trends of Jackass Penguins <i>Spheniscus demersus</i> off Southern Africa	630	Dean, W.R.J. and Tarboton, W.R. (1983) Osprey breeding records in South Africa Ostrich 54: 241-242
	617	Biological Conservation 52: 229-243 Crivelli, A.J. (1987) The ecology and behaviour of the	631	Debruijn, O. (1994) Population ecology and conservation of the Barn Owl <i>Tyto alba</i> in farmland habitats in Liemers and Achterhoek (the
		Dalmatian Pelican, <i>Pelecanus crispus</i> Bruch		Netherlands). Ardea 82(1): 1-109
		A world endangered species. Commission of the European Communities and Station Biologique de la Tour de Valat. Unpublished -Unpublished	632	DeDios [sic], A. and Hill, P. (1990) Breeding the Spix Macaw Bird World 13(4) (November/December) 16, 18
	618	Crivelli, A.J. and Schreiber, R.W. (1984) Status of the Pelecanidae Biological Conservation 30: 147-156	633	Dee, T.J. (1987) The status and distribution of the endemic birds of Madagascar International Council for Bird
	619	Crivelli, A.J. and Vizi, O. (1981) The Dalmatian Pelican <i>Pelecanus crispus</i> Bruch 1832, a recently world endangered bird species. Biological Conservation 20: 297- 310	634	Preservation, Cambridge, U.K Dekker, R.W.R.J. (1990) The distribution and status of nesting grounds of the Maleo <i>Macrocephalon maleo</i> in Sulawesi, Indonesia Biological Conservation 5: 139-150

635	Dekker, R.W.R.J. and Wattel, J. (1987) Egg and image: new and traditional uses for the Maleo (<i>Macrocephalon maleo</i>) Pp. 83-87 In: Diamond, A.W. and Finion, F.L. (eds.) The value of birds. International Council for Bird Preservation, Cambridge, U.K	655	Dornbusch, M. (1983) Status, ecology and conservation of Great Bustard in the German Democratic Republic Pp. 89- 90 in Goriup, P.D. and Vardhan, H. (eds) Bustards in decline. Tourism and Wildlife Society of India, Jaipur
636	Del Hoyo, J., Elliot, A. and Sargatal, J. eds. (1992) Handbook of the Birds of the World Vol 1 Ostriches to Ducks. Lynx editions,	656	Doughty, R.W. (1989) The return of the Whooping Crane University of Texas Press, Austin, Texas
	Barcelona	657	Downer, A. and Sutton, R. (1990) Birds of Jamaica: a photographic field
637	Delacour, J. (1977) The pheasants of the world		guide Cambridge University Press, Cambridge
	2nd edition. World Pheasant Association and Spur Publications, Hindhead, Surrey	658	Dowsett, R.J. (1979) Recent additions to the Zambian list
638	Delacour, J. and Amadon, D. (1973) Curassows and related birds American Museum of Natural History,		Bulletin of the British Ornithologists' Club 99: 94-98
	New York	659	Dowsett, R.J. and Dowsett-Lemaire, F. (1993)
640	Delibes, M. (1978) Ecologia alimenticia del aguila imperial iberica (<i>Aquila adalberti</i>) en el Coto Donaña durante la crianza de los pollos Donaña, Acta Vertebrata 5: 35-60		A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds Tauraco Research Report No. 5
		661	Duckworth, F. (1974)
643	Desfayes, M. (1987) Evidence for the ancient presence of the Bald Ibis Geronticus eremita in Greece. Bulletin of the British Ornithologists' Club		The Whale-headed Stork in Ethiopia Bulletin of the British Ornithologists' Club 94: 3-4
	107: 93-94	662	Duffy, D.C., Wilson, R.P., Ricklefs, R.E. Broni, S.C. and Veldhuis, H. (1987)
645	Diamond, J.M. (1985) New distributional records and taxa from the outlying mountain ranges of New Guinea Emu 85: 65-91		Penguins and purseseiners: competition or co-existence? National Geographic Research 3: 480-488
646	Díaz Montes, V.R. (1991)	663	Dujardin, J.L. (1991) Scarlet Ibis in French Guiana
040	Status of the highly endangered White- winged Guan Cracid Newsletter 1(1): 1, 6		Specialist Group on Storks, Ibis and Spoonbills Newsletter 4(2): 5
647		664	Duke, G. (1994)
647	Dick, J.A., McGillivray, W.B. and Brooks, D.J. (1984) A list of birds and their weights from		Mountains, forests and pheasants World Birdwatch 16(1): 10-13
	Saul, French Guiana Wilson Bulletin 96(3): 347-365	665	Dupuy, A.R. (1976) Première observation d'un Vautour fauve Gyps fulvus au Sénégal.
648	Dickerman, R.W., Cane, W.P., Carter, M.F., Chapman, A. and Schmitt, C.G.		Ardea 44: 33-334
	(1994) Report on three collections of birds from Liberia	666	Dybbro, T. (1978) Oversigt over Danmarks fugle Dansk Ornithologisk Forening, Denmark
	Bulletin of the British Ornithologists' Club 114: 267-274	667	Ebenhard, N.T. (1979) First record in the Seychelles of Northern
653	Dolz, J.C., Gimenez, M. and Huertas, J. (1991) Status of some threatened Anatidae		Pintail Bulletin of the British Ornithologists' Club 99: 39-40
	species in the Comunidad, Valencia, East	669	
	Spain IWRB Threatened Waterfowl Research Group Newsletter 1: 7-8	668	Eccles, S.D. (1988) The birds of Sao Tome - record of a visit, April 1987 with notes on the rediscovery

	of Bocage's Longbill Malimbus 10(2): 207-217	682	Espino-Barros, R. and Baldassarre, G.A. (1989)
669	Eck, S. (1986) Eutriorchis astur im Dresden Tierkunde- Museum. Journal für Ornithologie 127: 93-94		Numbers, migration chronology, and activity patterns of non-breeding Caribbean Flamingos in Yucatan, Mexico Condor 91: 585- 591
670	Edwards, E.P. and Lea, R.B. (1955) Birds of the Monserrate area, Chiapas, Mexico	683	Etcheberry, R. (1982) Les oiseaux de Saint-Pierre et Miquelon ONC, Paris
671	Condor 57: 31-54 Ehrlich, P.R, Dobkins, D.S. and Wheye, D. (1992) Birds in Jeopardy. The Imperiled and Extinct Birds of the United States &	684	Evans, I.M. and Pienkowski, M.W. (1991) World status of the Red Kite: a background to the experimental reintroduction to England and Scotland British Birds 84: 171-187
	Canada Stanford University Press, Stanford, CA	685	Evans, P.G.H. (1991) Status and conservation of Imperial and
672	Eichacker, X. (1990) First breeding records of Verreaux's Eagle Aquila verreauxii in Saudi Arabia		Red-necked Parrots <i>Amazona imperialis</i> and _A. arausiaca_ on Dominica Bird Conservation International 1: 11-32
673	Sandgrouse 12: 53-54 Einarsson, O., Durrinck, J., Peterz, M.	686	Eve, R. and Guigue, A.M. (1989) Survey of the Mahakam River delta, East Kalimantan, with special reference to its
	and Vadar, M. (1989) [First record of the Black Stork <i>Ciconia</i> nigra in Iceland.] Bliki 8: 51-54. (In Icelandic.)		waterbirds (Publ. no. 45). Asian Wetland Bureau, Kuala Lumpur
675	Eley, J.W. (1982) Systematic relationships and zoogeography of the White-winged Guan (<i>Penelope albipennis</i>) and related forms Wilson Bulletin 94: 241-259	687	Ewbank, D.R. (1993) Status of storks, ibises and spoonbills in the Matabele Area of Zimbabwe Specialist Group on Storks, Ibis and Spoonbills Newsletter 6(1/2): 11-12
677	Ellis, D.H. and Peres, G. (1983)	688	Faaborg, J. (1984) Potential for restocking Galapagos Hawks
	The Pallid Falcon <i>Falco kreyenborgi</i> is a color phase of the Austral Peregrine Falcon (_Falco peregrinus cassini_) Auk 100: 269-271, 442		on islands where they have been extirpated Noticias de Galapagos 39: 28-30
678	Ellis-Joseph, S., Hewston, N. and Green, A. (1992) Global waterfowl conservation assessment and management plan Captive Breeding Specialist Group and The Wildfowl and Wetland Trust. First	689	Faaborg, J. (1985) Reproductive success and survivorship of the Galapagos Hawk <i>Buteo galapagoensis</i> : potential costs and benefits of cooperative polyandry Ibis 128: 337-347
679	review draft, 15 March 1992 Elwell, N. (1970) Marabous in winter - by the hundred Bokmakierie 22: 69-71	690	Faanes, C.A. and Senner, S.E. (1991) Status and conservation of the Eskimo Curlew American Birds 45: 237-239
680	Erickson, R. (1977) First record of Knot <i>Calidris canutus</i> , and other records, from Belize (British Honduras). Bulletin of the British Ornithologists' Club	691	Fan, Z. and Song, Y. (1991) [Saving a treasure of the world - Japanese Crested Ibis.] Forestry of China 1991(5): 36-37. (In Chinese.)
681	97: 78-81 Escalante-Pliego, P. and Peterson, A.T. (1992)	692	Fan, Z., Song, Y. and Lu, B. (1991) [Protection of the Crested Ibis for 10 years.]
	Geographic variation and species limits in middle American woodnymphs (<i>Thalurania</i>).	693	Chinese Wildlife 59: 3-5. (In Chinese.) Fanshawe, J. (1993) Sokoke Scops Owl
	Wilson Bulletin 104: 205-219		World Birdwatch 15(1): 18-19

707 Fitzpatrick, J.W., Willard, D.E. and 694 FAO (1981) Terborgh, J.W. (1979) Checklist of the birds of Afghanistan A new species of hummingbird from Peru In: Afghanistan, a contribution to a Wilson Bulletin 91: 177-186 conservation strategy 708 Fjeldså, J. and Krabbe, N. (1990) Farago, S. (1993) 695 Birds of the high Andes Development of the Great Bustard Zoological Museum, University of population in Hungary in the period Copenhagen and Svendborg, 1981-1990 Copenhagen Folia Zoologica 42(3): 221-236 Flint, P.R. and Stewart, P.F. (1991) 709 696 Farago, S., Ena, V. and Martinez, A. The birds of Cyprus (1987)2nd edition. British Ornithologists' Union Comparison of the state of Great Bustard Checklist No. 6. London stocks in Hungary and Spain Pp. 51-63 In: Farago, S. (ed.) The Great 710 Flint, V.E., Boehme, R.L., Kostin, Y.V. Bustard (Otis tarda L.). Proceedings of the symposium in Budapest on June 2nd and Kuznetzov, A.A. (1984) A field guide to birds of the USSR 1987. International Council for Game Princeton University Press, Princeton, and Wildlife Conservation, Budapest New Jersey 698 Feare, C.J. (1973) 711 Folkestad, A.O. (1984) Numenius minutus, _Falco subbuteo_ Situasjonen for havorna Haliaeetus and _Caprimulgus europaeus_ in the albicilla in Norge. Seychelles Vår Fuglefauna 7: 209-216 Bulletin of the British Ornithologists' Club 93: 99-101 713 Forshaw, J.M. and Cooper, W.T. (1989) Parrots of the world 699 Feare, C.J. (1975) 3rd edition. Blandford Further migrant birds in the Seychelles Bulletin of the British Ornithologists' Club Fraga, R.M. (1990) 716 95: 48-50 El Tordo Amarillo al borde de la extinción Nuestras Aves 23: 13-15 701 Fei Dian-jin (1989) [An observation and investigation on the 717 Frederick, P.C., Morales, G., Spaans, A.L. breeding situation of the Oriental Stork and Luthin, C.S. (eds) (1990) in Qiqihar Suburban District.] El Corocoro Rojo (Eudocimus ruber): Zoological Research 10: 263-270. (In Situacion Actual, Conservacion e Chinese.) Investigaciones Recientes Proceedings of the first International 702 Fernandez-Cruz, M. and Arauio, J. (eds.). Scarlet Ibis Conservation Workshop, (1985)Caracas, Venezuela. IWRB Special Situacion de la avifauna de la Peninsula Publication 11 Iberica, Baleares y Macaronesia Sociedad Espanola de Ornitologia, Madrid 718 Frey, H. (1985) The Black-hooded Red Siskin, an ffrench, R.P. (1991) 703 endangered species; an interview with A guide to the birds of Trinidad and Pat Dempko Tobago AFA Watchbird 12(4): 40-42 4th edition. Livingston Publishing, Wynnewood, Pennsylvania Friedmann, H. (1950) 719 The birds of North and Middle America, 704 Fisher, D.J. (1985) Observations on Relict Gull in Mongolia Bulletin of the United States National Dutch Birding 7: 117-120 Museum 50 Fitzpatrick, J.W. and O'Neill, J.P. (1986) 705 721 Frith, C.B. (1974) Otus petersoni, a new screech-owl from New observations of migrants and the eastern Andes, with systematic notes vagrants from Aldabra, Farquhar and on O. colombianus_ and _O. ingens_ Astove Atolls, Indian Ocean Wilson Bulletin 98: 1-14 Bulletin of the British Ornithologists' Club Fitzpatrick, J.W. and Willard, D.E. (1982) 94: 12- 19 706

Twenty-one bird species new or little known from the Republic of Colombia Bulletin of the British Ornithologists' Club

102: 153-158

- 722 Frumkin, R. and Adar, M. (1989)
 First breeding records of Sparrowhawk in
 Israel
 Ornithological Society of the Middle East
 Bulletin 23: 20-22
- 723 Fry, C.H., Keith, S. and Urban, E. (1988)
 The birds of Africa
 Volume 3. Academic Press, London and
 San Diego
- 724 Fujimaki, Y. (1987)
 Joint survey report of Japan and USSR on Steller's Sea-Eagle
 P. 49 In: The Third Japan-USSR Bird
 Protection Symposium, 21 November
 1986, summary. Wild Bird Society of
 Japan [Tokyo]
- 725 Fullager, P.J. and Disney, H.J. de S. (1975)
 The birds of Lord Howe Islands: a report on the rare and endangered species
 Bulletin of the International Council for Bird Preservation 12: 187-202
- 726 Gallagher, M. (1982)

 Nesting of the Lappet-faced Vulture

 Torgos tracheliotus in Oman

 Bulletin of the British Ornithologists' Club

 102: 135-139
- 727 Gallagher, M. and Brown, M.R. (1982)
 Golden Eagle Aquila chrysaetos breeding
 in Oman, eastern Arabia
 Bulletin of the British Ornithologists' Club
 102: 41-42
- 729 Gargett, V. (1990)
 The Black Eagle: a study
 Acorn Books, Randburg, South Africa
- 730 Garnett, S. (1987)
 An Australian record of Gurney's Eagle
 Aquila gurneyi
 Australian Bird Watcher 12(4): 134-135
- 731 Garrido, O.H. (1985)
 Cuban endangered birds
 Pp. 992-999 in Buckley, P.A., Foster,
 M.S., Morton, E.S., Ridgely, R.S. and
 Buckley, F.G. (eds.) Neotropical
 ornithology. American Ornithologists'
 Union, Ornithological Monograph 36.
 AOU, Washington D.C
- 732 Garrido, O.H. (1986)
 Las palomas
 Editorial Cientifico- Tecnica, La Habana
- 734 Garson, P.J. (1983)
 The Cheer Pheasant Catreus wallichii in
 Himachal Pradesh, western Himalayas:
 an update.
 World Pheasant Association Journal 8:
 29-39

- 735 Gaston, A.J. and Singh, J. (1980)
 The status of the Cheer Pheasant
 Catreus wallichii in the Chail Wildlife
 Sanctuary, Himachal Pradesh
 World Pheasant Association Journal 5:
 68-73
- Gaston, A.J., Garson, P.J. and Hunter,
 M.L. (1981)
 Present distribution and status of
 pheasants in Himachal Pradesh, western
 Himalayas
 World Pheasant Association Journal 6:
 10-30
- 737 Gaston, A.J., Islam, K. and Crawford, J.A. (1983) The current status of the Western Tragopan *Tragopan melanocephalus*. World Pheasant Association Journal 8: 40-49
- Gaucher, P., Thiollay, J.-M. and Eichaker, X. (1995)
 The Sooty Falcon Falco concolor on the Red Sea coast of Saudi Arabia: distribution, numbers and conservation Ibis 137: 29-33
- 739 Geeson, J. and Geeson, J. (1990) First Red Kite record for the Gambia Malimbus 11: 144
- **740** Genot, J.-C. (1989)
 Athene noctua, world bibliography
- 741 Gensbol, B. (1986)
 Collins guide to the birds of prey of
 Britain and Europe, North Africa and the
 Middle East
 Collins, London
- 747 Glade, A.A. (ed.). (1988)
 Red list of Chilean terrestrial vertebrates
 Impresimas Comerciales, for CONAF,
 Santiago
- 748 Godfrey, E. (1986)
 The birds of Canada
 2nd ed. National Museum of Natural
 Sciences, Ottawa, Canada
- 749 Gollop, J.B., Barry, T.W. and Iversen, E.H. (1986)
 The Eskimo Curlew
 A vanishing species. Regina,
 Saskatchewan: Saskatchewan Natural
 History Society (Spec. Publ. 17)
- 750 Golovushkin, M.I. and Osipova, M.A. (1988)
 [Nesting of Imperial Eagle (*Aquila heliaca*) in the region south to Baikal.]
 Ornitologiya 23: 205-206. (In Russian.)

Gore, M.E.J. and Gepp, G.R.M. (1978) 761 Gonzales, Z.J. (1977) 751 Las aves del Uruguay Sobre la presencia en Chile de Sappho International Council for Bird sparganura sappho (Lesson) (Aves: Preservation, (Pan-American Section), Trochilidae) Montevideo Boletin Ornitologico 9(1/2): 11-12 762 Gore, M.E.J. and Won, P-O. (1971) Gonzalez, L.M., Gonzalez, J.L., Garzon, J. 752 The birds of Korea and Heredia, B. (1987) Royal Asiatic Society, Korea Branch, in Censo y distribucion del Aguila Imperial conjunction with Taiwan Publishing Co., Iberica, Aquila (heliaca) adalberti Brehm, 1861, en España durante el periodo Seoul 1981-1986. 763 Goriup, P.D. (ed.). (1983) Bol. Est. Cent. Ecol. 16(31): 99-109 The Houbara Bustard in Morocco: a report of the Al-Areen/ICBP March 1982 González-García, F. (1984) 753 preliminary survey Aspectos biologicos del Pavon Oreophasis [International Council for Bird derbianus G. Preservation, Cambridge, U.K., on behalf R. Gray (Aves: Cracidae) en la Reserva of Al-Areen Wildlife Park, Bahrain.] Natural "El Triunfo", Municipio del Angel Albion Corzo, Chiapas, Mexico. Tesis Goriup, P.D. and Karpowicz, Z.J. (1985) 764 profesional, Facultad de Ciencias A review of the past and recent status of Biologicas, Universidad Veracruzana, the Lesser Florican Xalapa, Veracruz, Mexico Bustard Studies 3: 163-182 754 González-García, F. (1991) Goriup, P.D. and Parr, D.F. (1985) 765 Observaciones sobre la ecología y Results of the ICBP bustard survey of biología reproductiva del Pavón Turkey, 1981 Oreophasis derbianus en la Reserva de la Bustard Studies 2: 77-98 Biosfera "El Triunfo", Chiapas, México Paper presented at IV Congreso de 766 Gorman, K.M. (1990) Ornitología Neotropical, Quito, Ecuador, Breeding the endangered Venezuelan November 1991. Unpublished Black-hooded Red Siskin -Unpublished AFA Watchbird 17(1): 7-12 755 Gonzalez-Grande, J.L. (1981) Gorman, K.M. (1992) 767 Spain's Imperial Eagle AFA Red Siskin Project Natural History 90: 40-43 AFA Watchbird 18(6): 24-25 Goodman, S. M. and Meininger, P. L. 756 Graham, G.L., Graves, G.R., 768 (1989)Schulenberg, T.S. and O'Neill, J.P. The birds of Egypt. (1980)Oxford University Press. -Oxford Seventeen bird species new to Peru from the Pampas de Heath Goodwin, D. (1982) 757 Auk 97: 366-370 Estrildid finches of the world British Museum (Natural History) and 769 Grantsau, R. (1967) Oxford University Press, London and Sobre o genero Augastes, com a Oxford descricao de uma subespecie nova (Aves, Trochilidae) 758 Goodwin, D. (1983) Pap. Avuls. Zool. 21: 21-31 Pigeons and doves of the world 3rd edition. British Museum (Natural Graves, G.R. (1980) 770 History) and Cornell University Press, A new species of metaltail hummingbird London and New York from northern Peru Wilson Bulletin 92: 1-7 Gore, M.E.J. (1968) 759 A checklist of the birds of Sabah, Borneo Graves, G.R. and Giraldo, O.J.A. (1987) 771 Ibis 110: 165-196 Population status of the Rufous-fronted Parakeet (Bolborhynchus Gore, M.E.J. (1990) 760 ferrugineifrons), a Colombian endemic The birds of the Gambia Gerfaut 77: 89-92 2nd ed. British Ornithologists' Union Check List No. 3. BOU, London 772 Green, A. (1993) White-headed Ducks, a case for action. Birds Magazine, Spring

Volume 1993 Pages 39-40.

785 Guedes, N.M.R. and Harper, L.H. (1991) 773 Green, A. A,. (1984) Nest site characteristics of the Hyacinth Additional bird records from Bamingui-Macaw (Anodorhynchus hyacinthinus) in Bangoran National Park, Central African the Nhecolândia region of the Brazilian Republic. Malimbus Abstract 261 in the Program of the 109th Volume 6 Number 1/2 Pages 14-28. Stated Meeting of the American Ornithologists' Union, 14-17 August Green, A. A. and Sayer, J. A. (1979) 774 The birds of Pendjari and Arli National 1991. Committee on Local Arrangements (etc.), Montreal. Unpublished Parks (Benin and Upper Volta). -Unpublished Malimbus Volume 1 Number 1 Pages 14-28. 786 Guerriat, H. and Ittelet, M. (1982) Green, A. J. (1991) [A survey on the status of the Black Kite 775 Focus on the White-winged Wood Duck. Milvus migrans in Belgium.]. Aves 19: 183- 191 Oriental Bird Club Bulletin Volume 14 Pages 25-27. Gutierrez, R.J. and Carey, A.B. (eds.). 787 Greenway, J. C. (1958) 776 Ecology and management of the Spotted Extinct and vanishing birds of the world. Owl in the Pacific northwest American Committee for International United States Department of Agriculture Wildlife Protection (Ser. Publ. 13). -New (General Technical Report PNW-185), Oregon Greenway, J. C. (1967) 777 Haas, V., Haussler, U. and Stick, R. 788 Extinct and vanishing birds of the world. (1981)Second edition. Dover Publications. -New York Turtle Dove Streptopelia turtur in Kenya. Scopus 5: 128 Gretton, A. (1987) 778 Gurney's Pitta: the struggle to survive 789 Hadden, D. (1981) Birds of the North Solomons World Birdwatch 9(4): 6-7 Papua New Guinea: Wau Ecology 779 Gretton, A. (1990) Institute (Handbook No. 8) Red Data bird: Slender-billed Curlew 791 Hails, C.J. and Jarvis, F. (1987) World Birdwatch 12(3): 11 Birds of Singapore Gretton, A., Kohler, M., Lansdown, R.V., 780 Times Editions, Singapore Pankhurst, T.J., Parr, J. and Robson, C. 792 Hall, B.P. and Moreau, R.E. (1970) (1994)The status of Gurney's Pitta Pitta gurneyi An atlas of speciation in African 1987-1989 passerine birds British Museum (Natural History), Bird Conservation International 3: 351-367 London 793 Hallmann, B. (1994) 781 Grice, D., Caughley, G. and Short, J. The decline of the Imperial Eagle (Aquila Density and distribution of the Australian heliaca) in Greece In: Meyburg and Chancellor (eds) 1994 Bustard Ardeotis australis Biological Conservation 35: 259-267 Eagle Studies. World Working Group on Birds of Prey and Owls, Berlin, London & 782 Grimes, L. (1987) Paris The birds of Ghana B.O.U. Check-list No. 9. British 794 Hämmerli, J. (1991) Haltung und Zucht des Spix-Aras Ornithologists' Union, London (Cyanopsitta spixii) Grimmett, R. (1986) 783 Gefiederte Freund 38: 130-145 News and views: White-winged Ducks in Thailand 795 Hancock, J. and Kushlan, J. (1984) Bulletin of the Oriental Bird Club 3: 7 The herons handbook Croom Helm, London 784 Guedes, N.M.R. (1991) Observações de ninhos de arara azul 796 Hancock, J.A., Kushlan, J.A. and Kahl, (Anodorhynchus hyacinthinus) no M.P. (1992) Storks, ibises and spoonbills of the world Pantanal P.6 In: Resumos, I Congresso Brasileiro Academic Press, London de Ornitologia. Belém: Museu Paraense

Emílio Goeldi

797	Haney, J.C. (1987) First sight record of Orange-breasted Falcon for Belize Wilson Bulletin 95: 314-315	812	Haverschmidt, F. (1983) First record of the Little Egret (<i>Egretta garzetta</i>) in Suriname Wilson Bulletin 95: 315
798	Hanmer, D. B. and Roseveare, M. (1989) The first record of the Shoebill (<i>Balaeniceps rex</i>) in Malawi. Scopus Volume 12 Number 3/4 Pages 92.93.	814	Hayes, F.E., Goodman, S.M. and López, N.E. (1990) New or noteworthy bird records from the Matogrosense region of Paraguay Bulletin of the British Ornithologists' Club 110: 94-103
800	Hanson, D.A. (1982) Distribution of the Quetzal in Honduras Auk 99: 385	815	Hayes, F.N. and Dumbell, G.S. (1989) Progress in Brown Teal <i>Anas aucklandica</i> chlorotis conservation
802	Harrison, P. (1985) Seabirds: an identification guide.Revised edition.	816	Wildfowl 40: 137-140 Hayman, P., Marchant, J. and Prater, T.
202	Christopher HelmBromley, Kent		(1986) Shorebirds
803	Hart, J. (1991) Conservation of the Lear's Macaw:		Croom Helm, London and Sydney
	management of an endangered species	817	Hays, C. (1984)
	Pp. 48-51 In: Clinton-Eitniear, J. (ed.) Proceedings of the First Mesoamerican		The Humboldt Penguin in Peru Oryx 18: 92-95
	Workshop on the Conservation and	818	Hays, C. (1986)
	Management of Macaws. (Misc. Publ. 1). Center for the Study of Tropical Birds,	010	Effects of the 1982-83 El Niño on
	Inc., Antonio, Texas		Humboldt Penguin colonies in Peru Biological Conservation 36: 169-180
804	Harvey, W.G. (1990) Birds in Bangladesh	819	Hayward, G.D., Hayward, P.H. and
	University Press Ltd., Dhaka		Garton, E.O. (1993)
805	Hasegawa, H. (1982)		Ecology of Boreal Owls in the Northern Rocky Mountains, USA
	The breeding status of the Short-tailed Albatross <i>Diomedea albatrus</i> , on		Wildlife Monographs 124: 1-59
	Torishima, 1979/80 - 1980/81	820	Hazevoet, C.J. (1995)
	Journal of the Yamashina Institute for Ornithology 14: 16-24		The Birds of the Cape Verde Islands British Ornithologists' Union, Tring, U.K
806	Hasegawa, H. (1984)	821	Heather, B.D. (1991)
	Status and conservation of seabirds in Japan, with special attention to the		Cattle Egret numbers in New Zealand 1986 - 1990
	Short-tailed Albatross		Notornis 35: 185-191
	Pp. 487-500 In: Croxall, J.P., Evans, P.G.H. and Schreiber R.W. (eds.) Status	823	Helander, B. (1980)
	and conservation of the world's seabirds.		Fargringmarkning av havsorn - en lagesrapport
	(Techn. Publ. 2). International Council for Bird Preservation, Cambridge, U.K		Fauna och Flora 4: 183-187
807	Hasegawa, H. (1991)	824	Helander, B., Olsson, M. and
307	Red Data bird: Short-tailed Albatross		Reutergardh, L. (1982)
	World Birdwatch 13(2): 10		Residue levels of organochlorine and mercury compunds in unhatched eggs
809	Haverschmidt, F. (1972)		and the relationships to breeding success
	Accipiter poliogaster in Surinam Journal für Ornithologie 113: 338-339		in White-tailed Sea Eagles Haliaeetus albicilla in Sweden
040			Holarctic Ecology 5: 349-366
810	Haverschmidt, F. (1972) Bird records from Surinam	825	Helbig, A.J. and Wells, D.R. (1990)
	Bulletin of the British Ornithologists' Club 92: 49-53		Steppe Eagles in Peninsular Malaysia in 1987 Dutch Birding 12: 77-79
811	Haverschmidt, F. (1975)		Dutch bliding 12. 7/-73
	More bird records from Surinam Bulletin of the British Ornithologists' Club 95: 74-77		

Hollom, P.A.D., Porter, R.F., Christensen, Hellenic Ornithological Society (1987) 841 826 S. and Willis, (1988) [Decrease in the population of the Lesser Birds of the Middle East and North Africa Kestrel.] T. and A.D. Poyser, Calton Nature 37: 35. (In Greek.) 842 Holmes, D.A. (1977) Helvoort, B. van (1987) 828 Faunistic notes and further additions to Status and conservation needs of the the Sumatran avifauna. Bali Starling Bulletin of the British Ornithologists' Club Bulletin of the Oriental Bird Club 5: 9-12 97: 68-71 Heredia, B., Gonzalez, L.M., Gonzalez, 830 Holmes, D.A. (1990) 843 J.L. and Alonso, J.C. (1985) Notes on the occurence of the White-La emancipacion y dispersion de los winged wood duck Cairina scutulata on jovenes de Aguila Imperial en el Parque the west coast of North Sumatra Nacional de Donaña Kukila 5(1):69-72 Vida Silvestre 53: 37-43 Holmes, D.A. and Burton, K. (1987) 844 Hermes, N. (1980) 831 Recent notes on the avifauna of Endangered species Kalimantan In: Haigh, C. (ed.) Endangered animals Kukila 3: 2-32 of New South Wales. National Parks and Wildlife Service, Sydney Holyoak, D.T. and Seddon, M.B. (1990) 845 Distributional notes on the birds of Benin Herremans, H., Stevens, J., Vangeluwe, 833 Malimbus 11: 128-134 D. and Soilih, A. (1990) Red Data bird: Grand Comoro Scops Owl Holyoak, D.T. and Thibault, J-C. (1984) 846 World Birdwatch 12(1-2): 13 Contribution à l'étude des oiseaux de Polynesie orientale 834 Hestbeck, J.B. (1993) Mémoires du Muséum Nationale Overwinter distribution of Northern d'Histoire Naturelle Ser. A., Zool. 127: 1-Pintail population in North America Journal of Wildlife Management 57(3): 582-589 Hoshide, H.M., Price, A.J. and Katahira, 847 Hillgarth, N., Stewart-Cox, B. and L. (1990) 835 A progress report on Nene Branta Thouless, C. (1986) sandvicensis in Hawaii's Volcanoes The decline of the Green Peafowl Pavo National Park from 1974-1989 muticus Wildfowl 41: 152-155 In: Ridley, M. (ed.) Pheasants in Asia 1986. World Pheasant Association, 849 Howell, S. N. G. (1992) Basildon, U.K. The Short-crested Coquette: Mexico's least-known endemic. 836 Hilty, S. (1985) Birdina Distributional changes in the Colombian Volume 24 Pages 87-91 avifauna: a preliminary blue list Pp. 1000-1012 in Buckley, P.A., Foster, 850 Howell, S.N.G. and Webb, S. (1992) M.S., Morton, E.S., Ridgely, R.S. and New and noteworthy bird records from Buckley, F.G. (eds.) Neotropical Guatemala and Honduras ornithology. American Ornithologists' Union Ornithological Monograph No. 36. Bulletin of the British Ornithologists' Club 112: 42-49 AOU, Washington D.C. 851 Howells, W.W. and Finn, K.J. (1979) Hilty, S. and Brown, W.L. (1986) 837 The occurrence of Denham's Bustard at A guide to the birds of Colombia Wankie National Park and in north- west Princeton University Press, Princeton, Rhodesia with notes on movements and New Jersey behaviour Honeyguide 97: 4-12 Hirschfeld, E. (1991) 838 Rare birds in Bahrain 1989 and 1990 852 Howes, J. (1988) Ornithological Society of the Middle East Nordmann's Greenshank Tringa guttifer: Bulletin 26: 20-25 status and threats.

Hodges, C.S.N. (1991)

Elepaio 51(6): 38-39

Survey of Nene (*Branta sandvicensis*) in Haleakala National Park 1988 through

839

Asian Wetland News 1: 12

853	Howes, J. and Lambert, F. (1987) Some notes on the status, field identification and foraging characteristics of Nordmann's Greenshank Wader Study Group Bulletin 49: 14-17	867	Islam, K. and Crawford, J.A. (1985) Brood habitat and roost sites of Western Tragopans in northeastern Pakistan World Pheasant Association Journal 10: 7-14
854	Humphrey, S.R. and Bain, J.R. (1990) Endangered Animals of Thailand Sandhill Crane Press, Gainesville, Florida	868	Islam, K. and Crawford, J.A. (1986) Summary of Western Tragopan Project in Pakistan with recommendations for conservation of the species
855	Hunt, G. (1994) Red Data Bird: Kagu World Birdwatch 16(1): 20-21		In: Ridley, M. (ed.) Pheasants in Asia 1986. World Pheasant Association, Basildon, U.K
856	Hunter, L.A. (1988) Status of the endemic Atitlan Grebe of Guatemala: is it extinct? Condor 90: 906-912	869	Jackson, F.J. and Sclater, W.L. (1938) The birds of Kenya Colony and the Ugandan Protectorate Gurney and Jackson, London
857	Hussain, S.A. (1984) Some aspects of the biology and ecology of Narcondam Hornbill (<i>Rhyticeros narcondami</i>) Journal of the Bombay Natural History Society 81: 1-18	870	Jackson, H.D. (1973) The Cape Eagle Owl <i>Bubo capensis</i> in Moçambique Bulletin of the British Ornithologists' Club 93: 10
858	Hutchinson, C.D. (1989) Birds in Ireland Poyser, Calton, U.K	871	Jacobson, O.W. (1993) Use of feeding habitats by breeding Eurasian Wigeon Canadian Journal of Ecology 71(5): 1046-1054
860	Ingels, J., Parkes, K.C. and Farrand, J. (1981) The status of the macaw generally but incorrectly called <i>Ara caninde</i> (Wagler) Gerfaut 71: 283-294	872	Jairaj, A.P. and Sanjeev Kumar, V.K. (1990) Occurrence of the Spoonbill <i>Platalea leucorodia</i> in Kerala. Journal of the Bombay Natural History
861	Inskipp, C. (1989) Nepal's forest birds: their status and conservation International Council for Bird Preservation (Monograph No. 4.),	873	Society 87(2): 289-290 Jaksic, F.M. and Jimenez, J.E. (1986) Conservation status of raptors in Chile Birds of Prey Bulletin No 3
862	Cambridge, U.K Inskipp, C. and Collar, N.J. (1984) The Bengal Florican: its conservation in	874	Jaramillo, A. (1992) Eskimo Curlew: a glimmer of hope Birders Journal 1: 202
863	Nepal Oryx 18: 30-35 Inskipp, C. and Inskipp, T. (1983)	875	Jeggo, D.F. (1990) Preliminary international studbook: St Vincent Parrot <i>Amazona guildingii</i> .
	Results of a preliminary survey of Bengal Floricans <i>Houbaropsis bengalensis</i> in Nepal and India, 1982	076	Unpublished -Unpublished
	(Study Report 2). International Council for Bird Preservation, Cambridge, U.K	876	Jeggo, D.F. (1991) Captive breeding and the conservation of the St Lucia Parrot Amazona versicolor
864	Inskipp, C. and Inskipp, T. (1985) A survey of Bengal Floricans in Nepal and India, 1982 Bustard Studies 3: 141- 160		and St Vincent Parrot _A. guildingii_ Pp. 18-28 In: Colley, R. (ed.) Parrots in captivity. Association of British Wild Animal Keepers, Bristol
865	Inskipp, C. and Inskipp, T. (1991) A guide to the birds of Nepal 2nd ed. Christopher Helm	877	Jeggo, D.F. and Anthony, D. (1991) A report on the 1990 field survey of the St Lucia Parrot <i>Amazona versicolor</i> Dodo 27: 102-107
		878	Jeggo, D.F., Anthony, D. and John, L.
			(1988) A report on the 1988 survey of the St.

	Lucia Parrot <i>Amazona versicolor</i> Dodo 25: 24-30		studies of Greater Flamingos in the Camarque
	D000 25. 24 50		Pp.49-63 in Spaans, A.L. Wetlands en
879	Jehl, J.R. and Parkes, K.C. (1982)		Watervoegels. Pudoc, Wageningen, the
6/3	The status of the avifauna of the		Netherlands
			Mediciands
	Revillagigedos Islands, Mexico Wilson Bulletin 94: 1-19	894	Johnson, E.D.H. (1972)
	Wilson Builetin 94: 1-19	094	Observations on the birds of the Upper
001	3in M.C. (1001)		
881	Jennings, M.C. (1981)		Blue Nile Basin
	The birds of Saudi Arabia: a check- list		Bulletin of the British Ornithologists' Club
	Published by the author, Whittlesford,		92: 42-49
	Cambridge		- 1 0 11 0 (1000)
		895	Johnson, G. and Smiddy, P. (1989)
882	Jenny, J.P. and Burnham, W.A. (1987)		Black Stork in Co. Dublin - a species new
	Preliminary observations on the biology		to Ireland.
	of the Orange-breasted Falcon (Falco		Irish Birds
	deiroleucus)		Volume 4 Pages 69-70.
	III Congress de Ornitologia Neotropical:		
	Resumenes. Unpublished	896	Johnson, T. (1987)
	-Unpublished		Red Data bird: White-breasted White-
	·		eye
883	Jenny, J.P. and Cade, T.J. (1986)		World Birdwatch 9(3): 5
	Observations on the biology of the		
	Orange-breasted Falcon Falco	897	Johnson, T.B., Snyder, N.F.R. and
	deiroleucus		Franks, M.A. (1991)
	Wilson Bulletin 3: 119-124		Thick-billed Parrot Reintroduction Project
			Progress Report of December 23, 1991
884	Jensen, A. (1991)		Arizona Game and Fish Department.
	Forest future in the balance		Unpublished
	World Birdwatch 13(4): 10-11		-Unpublished
	17011d Bildinates 25(1): 20 00		511pab115110a
885	Jessop, A.E. and Reid, T. (1986)	899	Jones, C.G. (1987)
	Winter surveys of the Orange-bellied		The larger land-birds of Mauritius
	Parrot Neophema chrysogaster in		Pp. 208-300 In: Diamond A.W. (ed.)
	Victoria, 1984 and 1985		Studies of Mascarene Island birds.
	Royal Australasian Ornithologists' Union,		Cambridge University Press, Cambridge,
	Victoria		U.K.
	VICEO I I I		
886	Johnsgard, P.A. (1983)	900	Jones, P.J. and Tye, A. (1988)
	Cranes of the world		A survey of the avifauna of Sao Tome
	Croom Helm, London and Canberra		and Principe
	,		(Study Report 24). International Council
887	Johnsgard, P.A. (1983)		for Bird Preservation, Cambridge, U.K.
	The hummingbirds of North America		,
	Smithsonian Institution Press.	901	Jordan, O.C. and Munn, C.A. (1993)
	Washington D.C.		First observation of the Blue-throated
			Macaw in Bolivia
888	Johnsgard, P.A. (1986)		Wilson Bulletin 105(4):694-695
	Plovers, sandpipers and snipes of the		
	world	902	Juhaeni, D. (1993)
	University of Nebraska Press, Lincoln and		Little-known bird: Sumba Hornbill Aceros
	London		everetti
			Oriental Bird Club Bulletin 18: 19-20
889	Johnsgard, P.A. (1986)		Official Bird Grab Barretin 10, 13 20
	The pheasants of the world	903	Juniper, A.T. and Yamashita, C. (1991)
	Oxford University Press, Oxford		The habitat and status of Spix's Macaw
			Cyanopsitta spixii
890	Johnsgard, P.A. (1988)		Bird Conservation International 1: 1-9
	The quails, partridges and francolins of		5a conservation international 1, 1-9
	the world	904	Juniper, T. (1990)
	Oxford University Press, Oxford	304	A very singular bird
	Oxidia diliversity i 1655, Oxidia		BBC Wildlife 8: 674- 675
891	Johnsgard, P.A. (1991)		DDC Whalle 0. 074-075
0,71	Bustards, hemipodes and sandgrouse:	905	Juniper, T. (1990)
	birds of dry places	505	Spix's Macaw - a lone survivor
	Oxford University Press, Oxford		World Birdwatch 12(3): 13

Johnson, A.R. (1989) Population studies and conservation

892

906	Juniper, T. (1991) Last of a kind Birds International 3: 10- 16	919	Kemp, A.C. and Crowe, T.M. (1994) A morphometric Analysis of <i>Accipiter</i> species
907	Juniper, T. and Yamashita, C. (1990) The conservation of Spix's Macaw Oryx 24: 224-228		In: Meyburg & Chancellor (eds) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls, Berlin, London & Paris
908	Jurek, R.M. (1990) An historical review of California Condor recovery programmes Vulture News 23: 3-7	920	Kennerley, P.R. (1987) A survey of the birds of the Poyang Lake Nature Reserve, Jiangxi Province, China, 29 December 1985 - 4 January 1986 Hong Kong Bird Report 1984/1985: 97-
909	Karim, F. (1985) A note on the disappearance of the Bengal Florican from Bangladesh Bustard Studies 3: 161-162	921	Kennerley, P.R. and Bakewell, D.N. (1987)
910	Karl, B.J. and Best, H.A. (1982) Feral cats on Stewart Island; their foods, and their effects on Kakapo		Nordmann's Greenshank in Hong Kong: a review of the identification and status Hong Kong Bird Report 1986: 83-100
911	New Zealand Journal of Zoology 9: 287-294 Kasparek, M. (1989)	922	Kerley, G.I.H. (1986) Jackass Penguins harmed in South Africa oil spills World Birdwatch 8(2): 4
	Status and distribution of the Great Bustard and the Little Bustard in Turkey Bustard Studies 4	923	Khan, M. A. R. (1986) The threatened White-winged Wood
912	Kasparek, M. and van der Ven, J. (1983) Birds of Turkey. 1: Ercek Golu Published by the authors, Heidelburg		Duck <i>Cairina scutulata</i> in Bangladesh. Forktail Volume 2 Pages 97-101
913	Kebede, E. and Hillman, J.C. (1989) First recorded breeding of Greater Flamingos <i>Phoenicopterus ruber roseus</i> in Ethiopia.	925	Kiff, L. (1990) To the brink and back: the battle to save the California Condor Terra 28(4): 6-18
	Flamingo Research Group Newsletter 5: 7	926	King, B. (1985) Wild sighting of Hume's Pheasant in Burma
914	Keller, C. (1992) Em busca da ararinha de Spix Atualidades Ornitológicas 45: 5	927	World Pheasant Association News 8: 21 King, B. (1987)
916	Kemp, A.C. (1980) The importance of the Kruger National Park for bird conservation in the Republic		Wild sighting of Cabot's Tragopan World Pheasant Association News 18: 21-23
917	of South Africa Koedoe 23: 99-122 Kemp, A.C. (1988)	928	King, B. (1990) <i>Hieraeetus morphnoides</i> on Halmahera. Kukila 5: 77
31/	The systematics and zoogeography of Oriental and Australasian hornbills (Aves: Bucerotidae) Bonner Zoologische Beiträge 39: 315- 345	929	King, B.F., Dickinson, E.C. and Woodcock, M.W. (1975) A field guide to the birds of South-East Asia Collins, London
918	Kemp, A.C. (1989) Estimation of biological indices for little-known African owls Pp. 441-449 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and	931	King, W.B. (1981) Endangered birds of the world: the ICBP Bird Red Data Book Smithsonian Institution Press and International Council for Bird Preservation, Washington D.C.
	Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O	932	Kirkby, J.S. and Mitchell, C. (1993) Distribution and status of wintering Shovelers <i>Anas clypeata</i> in Great Britain. Bird Study 40: 170-180

			Journal of the Bombay Natural History
933	Kitson, A.R. (1980) Larus relictus - a review.		Society 78: 375-377
	Bulletin of the British Ornithologists' Club 100(3): 178-185	947	Kumerloeve, H. (1984) The Waldrapp, <i>Geronticus eremita</i>
935	Knoder, C.E. (1983)		(Linnaeus, 1758): historical review,
	Elliot's Pheasant conservation World Pheasant Association Journal 8:		taxonomic history, and present status Biological Conservation 30: 363-373
	11-28	948	Kyllingstad, H.C. (1986)
936	Knystautas, A. (1993)		A record of Bald Ibis from the Sinai
	Birds of Russia		Mountains Ornithological Society of the Middle East
	Harper Collins Publishers, London		Bulletin 17: 1-2
937	Kohalmy, T. (1987)	949	La Cock, G.D. (1986)
	Data on the condition of the eastern subspecies of Great Bustard (<i>Otis tarda</i>		The Southern Oscillation, environmental
	dybowskii Tacz. 1874)		anomalies, and mortality of two southern
	In: Farago, S. (ed.) The Great Bustard		African seabirds Climatic Change 8: 173-184
	(Otis tarda L.). Proceedings of the symposium in Budapest on June 2nd		
	1987. International Council for Game	950	La Cock, G.D., Duffy, D.C. and Cooper, J.
	and Wildlife Conservation, Budapest		(1987) Population dynamics of the African
020	Valence AM (ad.) (1097)		Penguin <i>Spheniscus demersus</i> at Marcus
938	Kolosov, A.M. (ed.). (1983) [Red data book of the RSFSR: animals.]		Island in the Benguela Upwelling
	Rossel `khozizdat', Moscow. (In		ecosystem: 1979-85 Biological Conservation 40: 117-126
	Russian.)		
939	Konrad, P.M. (1981)	951	LaBastille, A. (1990) And now they are gone
	Status and ecology of the Wattled Crane		International Wildlife 20(4): 18-23
	in Africa Pp. 220-237 In: Lewis, J.C. and		
	Masatomi, H. (eds.) Crane research	952	LaBastille, A. (1992) The Giant Grebes of Atitlan
	around the world. Robinson Press, Fort		A chronicle of extinction. Living Bird
	Collins, Colorado		Quarterly 11(1): 10-15
940	Koschmann, J.R. and Price, P.L. (1987)	953	Labinger, Z., Gorney, E. and Parslow, R.
	The Thick-billed Parrot AFA Watchbird 14(1): 48-53		(1991)
	ALA Waterisha 14(1). 10 33		First record of Shikra Accipiter badius in Israel
941	Koster, S.H. and Grettenberger J.F. (1983)		Sandgrouse 13: 46-49
	A preliminary survey of the birds of Park	956	Lambert, F. (1983)
	W, Niger	330	Report of an expedition to survey the
	Malimbus 5(2): 62- 72		status of the St Vincent Parrot Amazona
942	Kreitchmar, A.V. (1994)		guildingii (Study Report 3). International Council
	[Eurasian wigeon Ans penelope in North East Asia.]		for Bird Preservation, Cambridge, U.K.
	Zoologichesky Zhurnal 73(5): 68-79. (In	957	Lambert, F. (1985)
	Russian.)	937	The St Vincent parrot, an endangered
943	Krupa, R.E. (1989)		Caribbean bird
	Social and biological implications for		Oryx 19: 34-37
	endangered species management: the	958	Lambert, F.R. (1993)
	Philippine Eagle <i>Pithecophaga jefferyi</i> Pp. 301-314 In: Meyburg, BU. and		Trade, status and management of three
	Chancellor, R.D. (eds.) Raptors in the		parrots in the North Moluccas, Indonesia; White Cockatoo Cacatua alba, Chattering
	modern world. Proceedings of the III World Conference on Birds of Prey and		Lory _Lorius garrulus_ and Violet- eared
	Owls, Eilat, Israel, 22-27 March 1987.		lory _Eos squamata_
	World Working Group on Birds of Prey		Bird Conservation International 3:145-168
	and O		
944	Kulkarni, B.S. (1981)		
	Ecology and behaviour of Great Indian		
	Bustard (Family Otididae)		

969 Lassey, P.A. (1994) Langrand, O. (1987) 960 First record of Lesser Flamingo Distribution, status and conservation of Phoenicopterus minor in Egypt. the Madagascar Fish-eagle Haliaeetus Sandgrouse 16: 52-53 vociferoides Desmurs, 1845 Biological Conservation 42: 73-77 Lawson, P.W. and Lanning, D.V. (1981) 970 Nesting and status of the Maroon-fronted Langrand, O. (1990) 961 Parrot (Rhynchopsitta terrisi) Pp Guide to the Birds of Madagascar 385-392 In: Pasquier, R.F. (ed.) Yale University Press, New Haven and Conservation of New World parrots. London (Techn. Publ. 1). International Council for Bird Preservation, Smithsonian Langrand, O. and Meyburg, B.-U. (1984) 962 Institution Press, Washington D.C. Birds of prey and owls in Madagascar: their distribution, status and Ledant, J.-P. Jacob, J.-P., Jacobs, P., 971 conservation Malher, F., Ochando, B. and Roché, J. In: Mendelsohn, J.M. and Sapsford, C.W. 1984. Proceedings of the Second (1981)Mise à jour de l'avifaune algérienne Symposium on African Predatory Birds, Gerfaut 71: 295-398 22-26 August 1983. Natal Bird Club, Durban, South Africa 972 Ledger, J. (1985) Langrand, O. and Meyburg, B.-U. (1984) Egyptian extinction 963 Quagga 12: 10-12 Range, status and biology of the Madagascar Sea Eagle Haliaeetus 973 Lelliott, A.D. (1981) vociferoides Cheer Pheasants in west-central Nepal Pp. 269-278 In: Meyburg, B.-U. and World Pheasant Association Journal Chancellor, R.D. (eds.) Raptors in the 6:89-95 modern world. Proceedings of the III World Conference on Birds of Prey and Lesniczak, A.B. (1989) 974 Owls, Eilat, Israel, 22-27 March 1987. The Black Stork, Ciconia nigra, in the World Working Group on Birds of Prey environs of Rybnik on the Silesian and O Upland. Chronmy PRzyr. Ojczysta 45:68-70 964 Lanning, D.V. (1982) Survey of the Red-fronted Macaw (Ara 975 Lever, C. (1987) rubrogenys) and Caninde Macaw (_Ara Naturalized birds of the world caninde_) in Bolivia, December 1981 -Longman Scientific and Technical, March 1982. Unpublished Harlow, U.K. -Unpublished Lewis, J. C. and Renton, K. (1989) 976 965 Lanning, D.V. (1991) The status and ecology of the West-Distribution and breeding biology of the Indian Whistling Duck (Dendrocygna Red-fronted Macaw arborea) on Barbuda. Wilson Bulletin 103: 357-365 Neotropical Wetlands Newsletter Volume 4 Pages 10-13. 966 Lanning, D.V. and Shiflett, J.T. (1981) Status and nesting ecology of the Thick-977 Lewis, R. E. (1986) billed Parrot (Rhynchopsitta A rain-forest raptor in danger. pachyrhyncha) Pp. 393-401 In: Pasquier, R.F. (ed.) Volume 20 Pages 170-175. Conservation of New World parrots. (Techn. Publ. 1). International Council 978 Liefde, M. van. (1992) for Bird Preservation, Smithsonian Status of the West Indian Whistling Duck Institution Press, Washington D.C. in the Cayman Islands IWRB Threatened Waterfowl Research Lanning, D.V. and Shiflett, J.T. (1983) 967 Group Newsletter 2: 11-12 Nesting ecology of Thick-billed Parrots Condor 85: 66-73 Lindsey, G.D. and Arendt, W.J. (1991) 979 Radio-tracking Puerto Rican Parrots: 968 Lara, O.F. (1987) assessing triangulation accuracy in an Notas reproductivas de Jabiru mycteria, insular rain forest una ciqueña en peligro de extinction Caribbean Journal of Science 27: 46-53 Flora, Fauna y Areas Silvestres 4(2): 35

980	Lindsey, G.D., Arendt, W.J., Kalina, J. and Pendleton, G.W. (1991) Home range and movements of juvenile Puerto Rican Parrots Journal of Wildlife Management 55: 318- 322	994	Loyn, R.H., Lane, B.A., Chandler, C. and Carr, G.W. (1986) Ecology of Orange-bellied Parrots Neophema chrysogaster at their main remnant wintering site Emu 86: 195-206
982	Lisle, M. de. (1956) Sur une observation de <i>Balaeniceps rex</i> au Cameroun L'Oiseau 26: 1-3	995	Lu Tai-chun, He Fen-qi and Liu Ru-sun (1986) The Chinese Monal <i>Lophophorus Ihuysii</i> : studies of its ecology and biology In: Ridley, M. (ed.) Pheasants in Asia
983	Lloyd, B.D. and Powlesland, R.G. (1994) The decline of the Kakapo <i>Strigops</i> habroptilus and attempts at conservation by translocation Biological Conservation 69(1): 75-85	996	1986. World Phasant Association, Basildon, U.K Lucca, E.R. de. (1992) El Aguila Coronada <i>Harpyhaliaetus</i>
984	Lobkov, E.G. and Neufeldt, I.A. (1986) Distribution and biology of the Steller's Sea Eagle - Haliaeetus pelagicus	997	coronatus en San Juan Nuestras Aves 26: 25 Ludlow, F. (1937)
	pelagicus (Pallas) Proceedings of the Zoological Institute of the Academy of Sciences, USSR 150: 107-146		The birds of Bhutan and adjacent territories of Sikkim and Tibet Ibis (14)1: 1-46, 249-293, 467-505
	107-140	998	Ludlow, F. and Kinnear, N. (1944)
985	Londei, T. (1995)		The birds of South-eastern Tibet.
	Field observations on the Azores Buzzard		Ibis 86: 43-86, 176-208, 348-389
	Buteo buteo rothschildi Bulletin of the British Ornithologists' Club 115: 48-53	999	Luthin, C., Frederick, P. and Morales, G. (1988) The Scarlet Ibis (<i>Eudocimus ruber</i>):
986	Long, J.L. (1981)		status, conservation and recent research
300	Introduced birds of the world David and Charles, Newton Abbot	1000	Luthin, C.S. (1987) Rare visit of Oriental Crested Ibis
988	Louette, M. (1992) The identification of forest <i>Accipiters</i> in Central Africa	1001	Flying Free 5(2): 4-5 Luthin, C.S. (1987)
	Bulletin of the British Ornithologists' Club 112(1): 50-53		Status and conservation priorities for the world's stork species Colonial Waterbirds 10: 181-202
989	Louette, M., Stevens, J., Bijnens, L. and Janssens, L. (1986)	1002	Luthin, C.S., Frederick, P.C. and Morales, G. (1990)
	Comoro Islands endemic bird survey International Council for Bird Preservation, final report (30 April 1986)		The Scarlet Ibis <i>Eudocimus ruber</i> Action Plan IWRB, Slimbridge, U.K
990	Love, J.A. (1983)		
	The return of the Sea Eagle	1003	Macdonald, A. A. (1995)
	Cambridge University Press, Cambridge,		Distribution of Blue Crowned pigeon Goura cristata on north Seram.
	U.K		Bulletin of the British Ornithologists' Club
992	Lowe, D.W., Matthews, J.R. and Moseley,		Volume 115 Pages 33-35.
	C.J., (eds.). (1990)	1004	Machado, R. B. and Brandt, A. (1990)
	Puerto Rican Parrot, <i>Amazona vittata</i> Pp. 565-567 In: The official World Wildlife Fund guide to endangered species of North America	1004	Projeto ararinha azul: relatório final. Belo Horizonte: Fundação Biodiversitas. Unpublished.
993	Lowe, D.W., Matthews, J.R. and Moseley,	1006	Mackworth-Praed, C. W. and Grant, C. H.
993	C.J., (eds.). (1990) Thick-billed Parrot, Rhynchopsitta pachyrhyncha Pp. 692-693 In: The official World		B. (1957) Birds of eastern and north-eastern Africa. Volume 1. LongmansLondon
	Wildlife Fund guide to endangered		

species of North America

1007	Mackworth-Praed, C.W. and Grant, C.H.B. (1962) Birds of the southern third of Africa. Volume 1.	1022	Mansoori, J. (1985) The status of the Houbara Bustard in Iran. Bustard Studies
	LongmansLondon		Volume 3 Pages 97-100.
1008	Maclean, G. I. (1993) Roberts' birds of Southern Africa. Sixth Edition. Trustees of the John Voelcker Bird Book FundCape Town	1023	Marchant, S. and Higgins, P. J. (eds). (1990) Handbook of Australian, New Zealand and Antarctic Birds.Vol 1. Ratites and ducks. RAOU/Oxford University Press
1009	MacLeod, H. and Parrott, J. (1991) Red Data bird: Bannerman's Turaco. World Birdwatch	1024	Melbourne Marcondes-Machado, L. O. and Montiero
	Volume 13 Number 4 Pages 12.		Filhoe, E. L. A. (1990) The Scarlet Ibis <i>Eudocimus ruber</i> in
1010	Madge, S. and Burn, H. (1988) Wildfowl. Christopher HelmLondon		southeastern Brazil. Bulletin of the British Ornithologists' Club Volume 110 Number 3 Pages 123-126.
1011	Madsen, S. T. (1990) Black Storks in Nepal and India. Bulletin of the Oriental Bird Club	1025	Marcus, M.J. (1983) Additions to the avifauna of Honduras. Auk
	Volume 11 Pages 34-35.		Volume 100 Pages 621-629.
1012	Magnin, G. (1991) A record of Brown Fish Owl <i>Ketupa</i> zeylonensis from Turkey. Sandgrouse	1026	Marion, L. and Marion, P. (1982) [The Spoonbill <i>Platalea leucorodia</i> nests at the Lac de Grand-Lieu, France.]. [French]
	Volume 13 Pages 42-44.		Alauda Volume 50 Pages 241-249.
1013	Magrath, R.D., Ridley, M.W. and Woinarski, J.Z. (1985) Status and habitat requirements of Lesser Floricans in Kathiawar, western India.	1027	Marle, J. G. van and Voous, K. H. (1988) The birds of Sumatra. British Ornithologists' Union Check-list 10London
	Bustard Studies Volume 3 Pages 185-193.	1028	Marquiss, M. and Newton, I. (1982) The Goshawk in Britain.
1017	Mann, C.F. (1986) Christmas Island Frigatebirds <i>Fregata</i> andrewsi on the Kenya coast.		British Birds Volume 75 Pages 243-260.
	Bulletin of the British Ornithologists' Club Volume 106 Pages 89-90.	1029	Marti, R. (1993) Red Data Bird: White-headed Duck. World Birdwatch
1019	Mann, C. F. (1988) Bird report for Brunei Darussalam, July		Volume 15 Number 3 Pages 18-19.
	1986 to June 1988. Brunei Museum Journal Volume 6 Pages 88-111.	1030	Martin, R. (1981) An extension of range of the Mountain Buzzard.
1020	Manry, D. E. (1985)		Bokmakierie Volume 33 Pages 93.
	Distribution, abundance and conservaation of the Bald Ibis <i>Geronticus</i> calvus in southern Africa. Biological Conservation	1031	Martuscelli, P. (1991) Predação de <i>Megalobulimus</i> paranaguensis Pelsbry & Ihering, 1900
	Volume 33 Pages 351-362.		(Megalobulimidae, Mollusca) por _Leucopternis lacernulata
1021	Manry, D.E. (1985) Reproductive performance of the Bald Ibis Geronticus calvus in relation to rainfall and grass-burning.		P. 29 in: Resumos, 1 Congreso Brasileiro de Ornitologia Museu Paraense Emílio GoeldiBelém
	Ibis 127 Volume 127 Pages 159-173.	1032	Mason, V. (1989) The birds of Bali. Periplus EditionsBerkeley, California and Singapore

1033	Massey-Stewart, J. (1987) The `Lily of birds': the success story of the Siberian White Crane. Oryx Volume 21 Pages 6-10.	1048	McNutt, J.W. (1984) A peregrine falcon polymorph. Observations on the reproductive behaviour of <i>Falco kreyenborgi</i> Condor 86: 378-382
1034	Masterson, A. (1986) Wattled Cranes - hot seating? Honeyguide Volume 32 Pages 154-155.	1049	Medway, Lord and Wells, D.R. (1976) The birds of the Malay Peninsula Volume 5: conclusions and survey of every species. H.F. and G. Witherby and Penerbit Universiti Malaya, London and
1035	Matthews, G. V. T. and Evans, M. E. (1974)		Kuala Lumpur
	On the behaviour of the White-headed Duck with special reference to breeding. Wildfowl Volume 25 Pages 56-66.	1050	Mees, G.F. (1971) Systematic and faunistic remarks on birds from Borneo and Java, with new records
1037	Matthews, N. J. C. and Scott, L. B.		Zoologische Mededelingen 45: 225-244
	(1980) A new distribution record for the Cape Eagle Owl. Bokmakierie	1051	Mees, G.F. (1977) Additional records of birds from Formosa (Taiwan) Zoologische Mededelingen 51: 243-264
	Volume 32 Pages 99-100.	1052	Mees, G.F. (1977)
1038	Matvejev, S. D. and Vasic, V. F. (1973) Catalogus Faunae Jugoslaviae, IV/3, Aves.		Zur Verbreitung von <i>Phaethornis malaris</i> (Nordmann) (Aves, Trochilidae)
	-Yugoslavia		Zoologische Mededelingen 52: 209-211
1040	Mauersberger, G., Wagner, S., Wallschlager, D. and Warthold, R. (1982) Neue Daten zur Avifauna mongolica. [German] Mitteilungen aus dem Zoologischen	1053	Mees, G.F. (1980) The sparrow-hawks (<i>Accipiter</i>) of the Andaman Islands Journal of the Bombay Natural History Society 77: 371-412
	Museum in Berlin Volume 58 Pages 11-74.	1054	Mees, G.F. (1985) Nomenclature and systematics of birds
1043	Mayol, J. (1981)		from Suriname Proceedings. Koniklijke Nederlandse
	[Evaluation of the Majorcan colonies of Eleonora's Falcon, <i>Falco eleonorae</i> , during summer 1981.]. [Spanish]		Akademie van Wetenschappen Series C, 88(1): 75-91
	Bol. Est. Cent. Ecol. Volume 20 Pages 21-25.	1055	Ménégaux, M.A. (1904) Catalogue des oiseaux rapportés par M
1045	Mayr, E. and Cottrell, G. W. (eds.).		Geay de la Guyane française et du Conteste France- Bresilien.
	(1978) Check-list of the birds of the world. Volume 1, 2nd edition.		Bulletin du Muséum National d'Histoire Naturelle 10: 107-119, 174-186
	Museum of Comparative Zoology Cambridge, Massachusetts	1056	Ménégaux, M.A. (1907) Oiseaux de la Guyane française donnés au Museum par M
1046	McKean, J.L. (1987) A first record of Christmas Island Frigatebird <i>Fregata andrewsi</i> on Timor. Kukila 3(1-2): 47		Rey, gouverneur des Colonies. Bulletin du Muséum National d'Histoire Naturelle 13: 493- 499
1047	McNee, S. (1986) Surveys of the Western Whipbird and Western Bristlebird in western Australia,	1057	Menkhorst, P.W. and Isles, A.C. (1981) The Night Parrot <i>Geopsittacus</i> occidentalis: evidence of its occurrence in north-western Victoria during the
	1985 Royal Australasian Ornithologists' Union, Victoria		1950s Emu 81: 239-240
		1058	Mercado, N.K. (1985) Aves de Bolivia Editorial Gisbert, La Paz

Editorial Gisbert, La Paz

1070 Meyer de Schauensee, R. and Phelps, 1059 Meretsky, V.J. and Snyder, N.F.R. (1992) W.H. (1978) Range use and movements of California A guide to the birds of Venezuela Condors Princeton University Press, Princeton, Condor 94: 313-335 New Jersey 1060 Merton, D.V., Morris, R.B. and Atkinson, 1071 Meyers, J.M. and Barrow, W.C. (1992) I.A.E. (1984) Habitat of breeding and nonbreeding Lek behaviour in a parrot: the Kakapo pairs of Puerto Rican Parrots (Amazona Strigops habroptilus of New Zealand vittata) after Hurricane Hugo Ibis 126: 277-283 Program abstract, Society of Conservation Biology, June 27-July 1 1061 Merwe, F. van der. (1981) Review of the status and biology of the 1992. Virginia Polytech Institute and State University, Blacksburg, VA Black Harrier Ostrich 52: 193-207 1072 Mian, A. (1986) Ecological impact of Arab falconry on 1062 Meyburg, B.-U. (1982) Houbara Bustard in Baluchistan Seltene und vom Aussterben bedtypogramylerohte Greifvogel (III): der Environmental Conservation, 13: 41-46 Spanische Kaiseradler Aquila (heliaca) 1073 Mills, J.A. and Williams, G.R. (1978) adalberti The status of endangered New Zealand Der Falkner 31/32: 21-30 birds Meyburg, B.-U. (1987) Pp. 147-168 In: Tyler, M.J. (ed.) The 1063 Clutch size, nestling aggression and status of endangered Australasian breeding success of the Spanish Imperial wildlife. Royal Zoological Society of Eagle Australia, Adelaide British Birds 80: 308-320 1074 Mitchell, P. (1988) 1064 Meyburg, B.-U. (1989) Unusual sighting reports. The Spanish Imperial Eagle Aquila Bird Observer (heliaca) adalberti: its biology, status Number 678 Pages 87-88. and conservation 1075 Mlingwa, C. (1989) Pp. 255-268 In: Meyburg, B.-U. and Notes on Marabou Storks Leptoptilos Chancellor, R.D. (eds.) Raptors in the crumeniferus at Shinyanga, Tanzania. modern world. Proceedings of the III East African Natural History Society World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. Bulletin 19:34 World Working Group on Birds of Prey 1076 Monroe, B.L. Jr. (1968) and O A distributional survey of the birds of Meyburg, B.-U. and Meyburg, C. (1983) 1065 Honduras Distribution and present status of the Ornithological Monographs 7: 1-457 Black Vulture Aegypius monachus Moreau, G. (1990) 1077 Bulletin of the World Working Group on [A new breeding species for France: the Birds of Prey 1: 172 Common Crane.] Meyburg, B.-U., Balen, S. van, Thiollay, Alauda 58: 244. (In French.) 1066 J.-M. and Chancellor, R.D. (1989) 1078 Morel, G.J. and Morel, M.-Y. (1988) Observations on the endangered Java Liste des oiseaux de Guinée Hawk Eagle Spizaetus bartelsi Malimbus 10(2): 143-176 Pp. 279-285 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) Raptors in the 1079 Morel, G.J. and Morel, M.-Y. (1988) modern world. Proceedings of the III Nouvelles données sur l'hivernage de la World Conference on Birds of Prey and tourterelle des bois, Streptopelia turtur Owls, Eilat, Israel, 22-27 March 1987. en afrique de l'ouest: nord de la Guinee World Working Group on Birds of Prey Alauda 56(2): 85-91 and O 1080 Morel, G.J. and Morel, M.-Y. (1990) 1068 Meyer de Schauensee, R. (1982) Les oiseaux de Senegambie, notices et A guide to the birds of South America cartes de distribution Academy of Natural Sciences, Editions de l'Orstom, Paris Philadelphia

Meyer de Schauensee, R. (1984)

Oxford University Press, Oxford

The birds of China

1069

1081	Morel, M-Y. (1987) La tourterelle des bois <i>Streptopelia turtur</i> dans l'ouest africaIn: mouvements migratoire et regime alimentaire Malimbus 9(1): 23-42 Morgan-Davis, A.M. (1965) On the Kori Bustard <i>Ardeotis kori</i>	1095	Navarro, A.G. Torres, M.G. and Escalante, B.P. (1991) Catálogo de aves, Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México México [City]: Museo de Zoología "Alfonso L. Herrera", Facultad de Ciencias, UNAM
	(Burchell) in north-western Tanzania Bulletin of the British Ornithologists' Club 85: 145-147	1096	Negret, A.J. (1991) Reportes recientes en el Parque Nacional Munchique de aves consideradas raras o
1085	Mosimann, P. and Juillard, M. (1988) [Breeding status and winter distribution of the Red Kite <i>Milvus milvus</i> in Switzerland.]		amenazadas de extinción Noved. Colombianas (nueva epoca) 3: 39-45
1086	Orn. Beob. 85: 199-206. (In French.) Mottley, J. (1863) Observations on the birds of southeastern Borneo Proceedings of the Zoological Society of London 1863: 206-224	1097	Negret, A.J. and Acevedo, C.I. (1990) Reportes recientes de <i>Leptosittaca</i> <i>branickii</i> , ave colombiana amenazada de extinción. Noved. Colombianas (nueva epoca) 2: 70-71
1087	Müller-Bierl, M. and Cordier, C. (1991) Auf den Spuren des Rotohraras <i>Ara</i> rubrogenys. Gefiederte Welt 115: 413-416	1098	Nelson, J.B. (1974) The distribution of Abbott's Booby <i>Sula abbotti</i> Ibis 116: 368-369
1088	Munn, C.A., Silva, C.P. da, Renton, K. and Valqui, M. (1991) Eine kurze Studie über nistende Hyazintharas im Pantanal Papageien 5/91: 145-148; 6/91: 178-	1101	Nelson, J.B. and Powell, D. (1986) The breeding ecology of Abbott's Booby Sula abbotti Emu 86(1): 33-46 Newby, J., Grettenberger, J. and
1089	Munn, C.A., Thomsen, J.B. and Yamashita, C. (1987)		Watkins, J. (1987) The birds of northern Air, Niger Malimbus 9(1): 4-16
	Survey and status of the Hyacinth Macaw (Anondorhynchus hyacinthinus) in Brazil, Bolivia, and Paraguay. Unpublished -Unpublished	1102	Newman, K. (1989) Birds of Botswana Southern Book Publishers (Pty)
1091	Nagy, K.A., Siegfried, W.R. and Wilson, R.P. (1984) Energy utilization by free-ranging Jackass Penguins, <i>Spheniscus demersus</i> Ecology 65: 1648-1655	1103	Newman, K., Johnston-Stewart, N. and Medland, B. (1992) The birds of Malawi. A supplement to Newman's birds of Southern Africa. Southern Book Publishers (Pty)Cape Town
1092	Naoroji, R.K. (1991) Shikra Accipiter badius taking carrion Journal of the Bombay Natural History Society 88: 447- 448	1105	Nightingale, T. and Hill, M. (1992) The birds of Bahrain Immel
1093	Narang, M.L. (1989) Occurrence of the Western Horned Pheasant <i>Tragopan melanocephalus</i> east of R Sutlej in Himachal Pradesh. Ann. Biol. (Ludhiana) 5: 153-154	1109	O'Neill, J.P., Solar R.G. del, Ortiz, T.E., Eley, J.W. and Williams, M.D. (1981) The White-winged Guan <i>Penelope albipennis</i> ; its rediscovery, status, nesting, systematics, and recommendations for its continued survival In: Primer Simposio Internacional de la
1094	Nash, S.V. and Nash, A.D. (1986) Records of the White- winged Duck Cairina scutulata in Sumatran peatswamp forest		Familia Cracidae: Memorias. Universidad Nacional Autonoma de Mexico [Mexico City]
	Oriental Bird Club Bulletin 3: 17	1110	Ogilvie, M. and Ogilvie, C. (1986) Flamingos Alan Sutton, Gloucester, U.K.

- 1111 Ogle, D. (1986)
 The status and seasonality of birds in Nakhon Sawan Province, Thailand Natural History Bulletin of the Siam Society 34(2): 115-143
- Olrog, C.C. (1985)
 Status of wet forest raptors in northern
 Argentina
 Pp. 191-197 In: Newton, I. and
 Chancellor, R.D. (eds.) Conservation
 studies on raptors. (Techn. Publ. 5).
 International Council for Bird
 Preservation, Cambridge, U.K.
- Olsen, P.D. and Olsen, J. (1986)
 Distribution, status, movements and breeding of the Grey Falcon Falco hypoleucos
 Emu 86: 47-51
- Olsen, P.D. and Stokes, T. (1989)
 State of knowledge of the Christmas
 Island Hawk-Owl Ninox squamipila
 natalis.
 Pp. 411-414 In: Meyburg, B.-U. and
 Chancellor, R.D. (eds.) Raptors in the
 modern world. Proceedings of the III
 World Conference on Birds of Prey and
 Owls, Eilat, Israel, 22-27 March 1987.
 World Working Group on Birds of Prey
 and O
- Olsen, P.D., Mooney, N.J. and Olsen, J. (1989)
 Status and conservation of the Norfolk Island Boobook Ninox novaeseelandiae undulata
 Pp. 415-422 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O
- 1117 Olson, P.D., Crome, F. and Olson, J. (1993) Birds of Prey and Ground Birds of Australia Australian Museum and Angus & Robertson, Sydney
- 1118 Oren, D.C. and Novaes, F.C. (1986)
 Observations on the Golden Parakeet
 Aratinga guarouba in northern Brazil
 Biological Conservation 36: 329-337
- 1119 Ortiz Tejada, E. and Purisaca Puicon, J. (1981)
 Estudio preliminar sobre la Pava aliblanca (*Penelope albipennis*)
 Taczanowski 1877
 Pp. 192-202 in Primer Simposia
 Internacional de la Familia Cradidae:
 Memorias. [Mexico City] Universidad
 Nacional Autonoma de Mexico

- 1121 Ortiz-Crespo, F.I. (1984)
 First twentieth-century specimen of the
 Violet-throated Metaltail Metallura baroni
 Bulletin of the British Ornithologists' Club
 104: 95-97
- 1122 Osborne, P.E. (1986)
 Survey of the birds of Fuerteventura,
 Canary Islands, with special reference to
 the status of the Canarian Houbara
 Bustard *Chlamydotis undulata*(Study Report 10). International Council
 for Bird Preservation, Cambridge, U.K.
- 1126 Otero, C. (1987)
 The Great Bustard (*Otis tarda*) in Spain
 Pp. 43-50 In: Farago, S. (ed.) The Great
 Bustard (*Otis tarda* L.). Proceedings of
 the symposium in Budapest on June 2nd
 1987. International Council for Game
 and Wildlife Conservation, Budapest
- 1127 Ottenwalder, J.A. (1988)
 Flamingos in Haiti
 World Birdwatch 10(3/4): 8
- Ottenwalder, J.A., Woods, C.A., Rathburn, G.B. and Thorbjarneson, J.B. (1990) Status of the Greater Flamingo in Haiti Colonial Waterbirds 13(2): 115-123
- Owre, O.T. (1966)
 The Crowned Crane at Lake Rudolf
 Bulletin of the British Ornithologists' Club
 86(3): 54-56
- Padron, F.P. (1983) Las aves de Canarias
- Parker, S.A and Reid, N. (1978)
 Remarks on the status of some
 Australian passerines
 Pp. 109-115 In: Tyler, M.J. (ed.) The
 status of endangered Australasian
 wildlife. Royal Zoological Society of
 Australia, Adelaide
- Parker, T.A. (1982)
 First record of the Chilean Woodstar

 Eulidia yarrellii in Peru.
 Bulletin of the British Ornithologists' Club
 102: 86
- Parker, T.A. and Parker, S.A. (1982)
 Behavioural and distributional notes on some unusual birds of a lower montane cloud forest in Peru
 Bulletin of the British Ornithologists' Club
 102: 63-70
- Parker, T.A. and Remsen, J.V. Jr. (1987)
 Fifty-two Amazonian bird species new to
 Bolivia
 Bulletin of the British Ornithologists' Club
 107(3): 94-107

1147 Pegoraro, K. and Malin, G. (1990) Parker, T.A., Parker, S.A. and Plenge, 1136 Freilandbeobachtungen am Waldrapp M.A. (1982) An annotated checklist of Peruvian birds (Geronticus eremita) in Marokko: Buteo Books, Vermillion, South Dakota Verhalten immaturer Individuen Journal für Ornithologie 131: 453- 456 1137 Parker, T.A., Schulenberg, T.S., Graves, Penry, E.H. (1979) G.R. and Braun, M.J. (1985) 1149 The avifauna of the Huancabamba Sight records of the Sooty Falcon Falco region, northern Peru concolor in Zambia Bulletin of the British Ornithologists' Club Pp. 169-197 In: Buckley, P.A., Foster, 99: 63-65 M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) Neotropical Peña, M.R. de la. (1992) 1150 ornithology. American Ornithologists' Guía de Aves Argentinas Union Ornithological Monograph No. 36. Second edition. Vol. 2. Falconiformes-AOU, Washington D.C. Charadriiformes. Literature of Latin America (L.O.L.A.), Buenos Aires Parker, V. (1988) 1138 Birds of Swaziland 1152 Perennou, C. and Mundkur, T. (1991) Bokmakierie 40: 77-79 Asian Waterfowl Census 1991 IWRB, Slimbridge, U.K. Parker, V. (1992) 1139 Swaziland bird checklist 1154 Petretti, F. (1985) The Conservation Trust of Swaziland, Preliminary data on the status of the Swaziland Little Bustard in Italy Parkes, K.C. and Dickinson, E.C. (1991) Bustard Studies 2: 165-172 1140 Types, type localities, and variation in Petrov, T. et al. (1994) 1155 some races of the Colasisi or Philippine Status of the Imperial Eagle (Aquila Hanging Parrot Loriculus philippinensis heliaca Savigny) in Bulgaria in the period Bulletin of the British Ornithologists' Club between 1890 and 1993. 111: 104-110 In: Meyburg and Chancellor (eds) 1994 Parr, J.W.K., Pongpan Laothong and Eagle Studies. World Working Group on 1141 Gorrerk Ruangsree (1994) Birds of Prey and Owls, Berlin, London & The status of the White-winged Wood Paris Duck Cairina scutulata in Thailand 1156 Phelps, W.H. and Phelps, W.H. (1958) TigerPaper 21(1): 1-7 Lista de las aves de Venezuela con su distribucion, 2 1142 Pasquier, R.F. ed. (1981) Conservation of New World parrots Parte 1. No passeriformes. Boletin Soc. venez. Cienc. Nat. 19(90): 1-317 (Techn. Publ. 1). International Council for Bird Preservation. Smithsonian 1159 Piechocki, R. (1968) Institution Press and International Beiträge zur avifauna der mongolei teil I Council for Bird Preservation, non-passeriformes. Ergebnisse der Washington D.C. and Cambridge, U.K. Mongolisch- Deutschen Biologischen Expecition seit 1962. Mitt. Zool. Mus. 1144 Patzwahl, S. (1991) Vogelpark Walsrode places Spix's Macaw Berlin, Bd, 44, Heft 2, 1968. Pp. 149-292 in breeding program 1160 Piechocki, R., Stubbe, M., Uhlenhaut, K. AFA Watchbird 18(3): 4, 7 and Sumjaa, D. (1981) 1145 Payne, R. B. (1982) Beitrage zur Avifauna der Mongolei Species limits in the indigobirds Mitteilungen aus dem Zoologischen (Ploceidae, Vidua) of West Africa: mouth Museum in Berlin 57, Suppl. Ann. Orn. 5: 71-128 mimicry, song mimicry and description of new species. 1161 Pilcher, C.W.T., Gregory, G., Tye, A. and Miscellaneous Publications of the Ahmed, M.S. (1990) Museum of Zoology, University of Additions to the country list produced by Michigan the Kuwait Avifaunal Survey, 1985-7 Number 162 Pages 96 pp. Sandgrouse 12: 31-36 1146 Payne, R. B. (1985) 1162 Pineschi, R.B. (1990) The species of parasitic finches in West Aves como dispersores de sete espécies Africa. de Rapanea (Myrsinaceae) no maciço do Malimbus

Volume 7 Number 2 Pages 103-113.

Itatiaia, estados do Rio de Janeiro e

Minas Gerais Ararajuba 1: 73- 78

1164	Pinto, O. (1978) Novo catalogo das aves do Brasil Departmento de Zoologia, Sao Paulo	1177	Rahmani, A.R. (1987) Protection for the Great Indian Bustard Oryx 21: 174-179
1165	Piper, S.E. and Ruddle, P. (1986) An initial evaluation of the Cape Vulture colonies at Mkambati, Transkei Vulture News 15: 7-12	1178	Rahmani, A.R. and Manakadam, R. (1985) Present status of the Great Indian Bustard Bustard Studies 3: 123-132
1166	Pont, J.E. du. (1971) Philippine birds Delaware Museum of Natural History, Greenville, Delaware	1179	Ramyle.J. (1988) [Confirmation of the presence of Spheniscus humboldti Meyen (Aves: Spheniscidae) in Colombia.].
1167	Poole, A.F. (1989) Ospreys: a natural and unnatural history Cambridge University Press, Cambridge, U.K.	1180	Trianea (Bogota) 1: 141-143. (In Spanish.) Randall, R.M. and Randall, B.M. (1986)
1168	Poonswad, P. (1993) Forest flagships World Birdwatch 15(3): 14-17		The diet of Jackass Penguins Spheniscus demersus in Algoa Bay, South Africa, and its bearing on population declines elsewhere Biological Conservation 37: 119-134
1169	Poonswad, P.and Kemp, A.C. (eds) (1993) Manual to the Conservation of Asian Hornbills Hornbill Project Mahidol University,	1181	Rands, M., Rands, G. and Porter, R. (1988) Birds in the Yemen Arab Republic Report of the expedition of the
1170	Bangkok, Thailand. pp511 Potapov, R.L. and Flint, V.E. (eds.).		Ornithological Society of the Middle East. OSME, Sandy, U.K.
	(1987) The birds of the USSR: Galliformes, Gruiformes Nauka, Leningrad. (In Russian.)	1183	Reichenow, A. (1910) Uber eine Vogelsammlung vom Rio Benito in Spanischen Guinea Mitteilungen aus dem Zoologischen Museum in Berlin 5: 71-87
1171	Pratt, J.D., Bruner, P.L. and Berrett, D.G. (1987) A field guide to the birds of Hawaii and the tropical Pacific Princeton University Press, Princeton, New Jersey	1184	Remsen, J.V. Jr. (1984) Natural history notes on some poorly known Bolivian birds Part 2. Gerfaut 74: 163-179
1173	Pruett-Jones, S.G., Pruett-Jones, M.A. and Knight, R.L. (1980) The White-tailed Kite in North and Middle	1185	Remsen, J.V. Jr. and Traylor, M.A. (1983) Additions to the avifauna of Bolivia, part 2
	America: current status and recent population changes American Birds 34: 682-688	1186	Condor 85: 95-98 Remsen, J.V. Jr. and Traylor, M.A.
1174	Radtke, G.A. (1991) Haltung und Zucht des Kapuzenzeisigs (Spinus cucullatus)		(1989) An annotated list of the birds of Bolivia Buteo Books, Vermillion, South Dakota
	Voliere 14: 59-61	1187	Remsen, J.V., Traylor, M.A. and Parkes, K.C. (1986)
1175	Raffaele, H.A. (1983) The raising of a ghost - <i>Spinus cucullatus</i> in Puerto Rico Auk 100 (3): 737-739		Range extensions of some Bolivian birds, 2 (Columbidae to Rhinocryptidae) Bulletin of the British Ornithologists' Club 106: 22-32
1176	Raffaele, H.A. (1989) A guide to the birds of Puerto Rico and the Virgin Islands Revised edition. Princeton University Press, Princeton, New Jersey		

1188	Reville, R., Tranter, J. and Yorkston, H.D. (1989) Monitoring the endangered Abbott's		Distribución y status del Pachaloro Forpus xanthops. Resúmenes del IV Congreso de Ornitología Neotropical, 3- 9 de
	Booby on Christmas Island 1983-86 Occasional Paper no. 11. Australian National Parks and Wildlife Service,		Noviembre 1991, Quito, Ecuador (resumen 160)
1189	Canberra Reville, R., Tranter, J. and Yorkston, H. (1987) Monitoring the endangered Abbott's Booby on Christmas Island 1983- 1986	1202	Robbins, M.B. and Ridgely, R.S. (1990) The avifauna of an upper tropical cloud forest in southwestern Ecuador Proceedings of the Academy of Natural Sciences of Philadelphia 142: 59-71
	Australian National Parks and Wildlife Service (Occasional Paper No. 11), Canberra	1203	Robbins, M.B., Parker, T.A. and Allen, S.E. (1985) The avifauna of Cerro Pirre, Darien,
1191	Richards, D.K. (1982) The birds of Conakry and Kakulima, Democratic Republic of Guinea		eastern Panama Ornithological Monographs 36: 198-232
1192	Malimbus 4(2): 93-103 Richardson, C. (1990)	1204	Roberts, J.L. (1979) Observation of the migration of raptors and other large soaring birds in Bulgaria Ibis 121: 301-312
	The birds of the United Arab Emirates Hobby Publications, Dubai and Werrington, U.K.	1205	Robertson, A. and February, E. (1986) Towards an historical perspective of
1193	Ridgely, R.S. (1980) Notes on some rare or previously unrecorded birds in Ecuador		Cape Vultures and domestic stock: a view from the southwestern Cape Vulture News 15: 4-6
1194	American Birds 34: 242-248 Ridgely, R.S. (1981)	1206	Robertson, A.S. (1986) Notes on the breeding cycle of Cape Vultures (<i>Gyps coprotheres</i>)
	The current distribution and status of mainland Neotropical parrots Pp. 233-384 In: Pasquier, R.F. (ed.) Conservation of New World parrots.	1207	Raptor Research 20: 51-60 Robertson, A.S. and Boshoff, A.S. (1986) The feeding ecology of Cape Vultures
	(Techn. Publ. 1). International Council for Bird Preservation. Smithsonian Institution Press, Washington D.C.		Gyps coprotheres in a stock- farming area Biological Conservation 35: 63-86
1195	Ridgely, R.S. and Gwynne, J.A. (1989) A Guide to the Birds of Panama with Costa Rica, Nicaragua, and Honduras 2nd edition. Princeton University Press, Princeton, New Jersey	1208	Robson, C.R. (1986) Recent observations of birds in Xizang and Qinghai provinces, China Forktail 2: 67-82
1196	Ripley, S.D. (1977) Rails of the world M.F. Feheley Publishers, Toronto	1209	Rockingham-Gill, D.V. (1983) On the distribution of the Kori Bustard (<i>Otis kori</i>) in Zimbabwe. Pp. 97-103 In: Goriup, P.D. and
1197	Ripley, S.D. (1982) A synopsis of the birds of India and Pakistan		Vardhan, H. (eds.) Bustards in decline. Tourism and Wildlife Society of India, Jaipur
4400	2nd edition. Bombay Natural History Society, Bombay	1211	Röder, J. (1990) Beobachtungen bei der Haltung und Zucht des Grünkardinals
1199	Risberg, L. (1990) Sveriges Faglar Serviges Ornit. For., Stockholm	1212	Voliere 13: 184-186 Rodriguez-Estrella, R., Mata, E. and
1200	Riveros, G.G. (1980) Nuevos datos sobre distribucion de <i>Oreotrochilus leucopleurus</i> Gould 1847 Anales Mus. Nat. Hist. nat. Valparaiso 13: 299-300		Rivera, L. (1992) Ecological notes on the Green Parakeet of Isla Socorro, Mexico Condor 94: 523-525
1201	Riveros Salcedo, J.C., Sánchez S.R. and Ascensios V.D. (1991)	1213	Rodziewiez, M. (1994) The status, range and breeding success of the Lesser Spotted Eagle <i>Aquila</i> pomarina in Poland

	I GL II (-d-) 1004		
	In: Meyburg and Chancellor (eds) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls, Berlin, London & Paris	1226	Ruschi, O. (1975) Threnetes christinae sp. nov Bol. Mus. Biol. Prof. Mello Leitao 83: 1-3
		1227	Russell, S.M. (1964)
1214	Rojas, F. (1991)	122/	A distributional study of the birds of
	Biología reproductiva de la cotorra:		British Honduras
	Amazona barbadensis (Aves:		Ornithological Monographs 1: 1-95
	Psittaciformes) en la Península de		
	Macanao, Edo Nueva Esparta. Lic. Biol. thesis,	1228	Sahin, R. (1990)
	Universidad Central de Venezuela		Werdegang und Bedeutung des Kopfnickens beim Waldrapp (<i>Geronticus</i>
			eremita)
1215	Rokitansky, G. (1964)		Journal für Ornithologie 131: 445-451
	Catalogus Faunae Austriae		•
	XXIb Aves	1229	Saleh, M. (1989)
1216	Rooke, I. (1986)		The status of the Houbara Bustard in
1210	Survey of the White-breasted White-eye		Egypt Bustard Studies 4
	and the Norfolk Island Boobook Owl on		Bustaru Studies 4
	Norfolk Island, October-November 1985.	1232	Sane, S.R., Kannan, P., Rajendran, C.G.,
	Royal Australasian Ornithologists' Union.		Ingle, S.T. and Bhagwat, A.M. (1986)
	-Victoria		On the taxonomic status of Psittacula
1217	Rooks, D. (1989)		intermedia (Rothschild)
1227	Bird observations in Tobago, December		Journal of the Bombay Natural History Society 83: 26-37
	1987 to November 1989		30clety 83. 20-37
	Journal of the Trinidad and Tobago Field	1233	Sanft, K. (1960)
	Naturalists Club 1989: 15		Aves/Upupae: Bucerotidae
1218	Roseveare, M. (1989)		Das Tierreich 76: 174
1110	First record of the Shoebill in Malawi.	1234	Sankaran, R. (1987)
	Nyala	1237	The Lesser Florican
	Volume 14 Pages 45.		Sanctuary 7: 26- 37
1220	Round, P.D. (1988)		C) D (1002)
1220	Resident forest birds in Thailand: their	1235	Sankaran, R. (1993) Red Data Bird: Lesser Florican
	status and conservation		World Birdwatch 15(4): 18-19
	International Council for Bird		
	Preservation (Monograph No. 2).	1236	Sankaran, R. and Rahmani, A.R. (1986)
	Cambridge, U.K.		Study of ecology of certain endangered species of wildlife and their habitats: the
1221	Round, P.D. and Treesucon, U. (1986)		Lesser Florican, annual report 2 1985-86
	The rediscovery of Gurney's Pitta Pitta		Bombay Natural History Society, Bombay
	gurneyi		
	Forktail 2: 53-66	1237	Sarker, S.U. and Iqbal, M. (1985)
1222	Rowan, M.K. (1983)		Observations on Pallas's Fish Eagle Haliaeetus leucoryphus in Bangladesh.
	The doves, parrots, lories and cuckoos of		Bulletin of the World Working Group on
	southern Africa		Birds of Prey 2: 100-102
	David Philip, Cape Town	4555	C N.C. (-1 Manage D.L. (1005)
1223	Rowley, J.S. and Orr, R. (1964)	1238	Saxena, V.S. and Meena, B.L. (1985) Occurrence of Lesser Floricans in forest
	A new hummingbird from southern		plantations in Rajasthan, India
	Mexico		Bustard Studies 3: 183-184
	Condor 66: 81-83		
1224	Rumboll, M.A.E. (1990)	1239	Schenck, H. and Aresu, M. (1985)
1224	Tres aves nuevas para la Argentina		On the distribution, number and conservation of the Little Bustard in
	Nuestras Aves 22(8): 28		Sardinia (Italy)
			1971-1982. Bustard Studies 2: 161-164
1225	Ruschi, O. (1973)		
	Uma nova espécie de <i>Threnetes</i> (Aves, Trochilidae).		
	Bol. Mus. Biol. Prof. Mello Leitao 37: 1-6		
	2011 . 1001 21011 . 1011 . 10110 201100 20 7 2 2		

- 1240 Scherer Neto, P. and Martuscelli, P. (1992)
 Conservação e biologia do Papagaio-dacara-roxa, Amazona brasiliensis, nos estados de São Paulo e Paraná Segundo relatório parcial. Unpublished report to The Nature Conservancy and Fundação SOS-Mata Atlântica
- Schernazarov, E. (1988)
 [New breeding site of Dalmatian Pelican
 Pelecanus crispus in Uzbekistan.]
 Ornitologiya 23: 225. (In Russian.)
- 1242 Schodde, R. (1978)
 The status of endangered Papuasian birds, and Appendix
 Pp. 133-145 and 185-206 respectively
 In: Tyler, M.J. (ed.) The status of endangered Australasian wildlife. Royal Zoological Society of South Australia, Adelaide
- 1245 Schuchmann K-L. (1978)
 Allopatrische Artbildung bei der
 Koligbrigattung Trochilus
 Ardea 66: 156-172
- 1246 Schuchmann, K-L. (1978)
 Notes on the Rufous-capped Thornbill
 Chalcostigma ruficeps, a new
 hummingbird species for Colombia
 Bulletin of the British Ornithologists' Club
 98: 115-116
- 1247 Schuchmann, K-L. (1980)
 Okologie und evolution der
 Trochilidenfauna auf den ozeanischen
 Inseln der Karibischen See
 Bonner Zoologische Beiträge 31: 289-
- 1248 Schuchmann, K-L. (1984)
 Two hummingbird species, one a new subspecies, new to Bolivia
 Bulletin of the British Ornithologists' Club
 104: 6
- Schulenberg, T.S., Allen, S.E., Stotz,
 D.F. and Wiedenfeld, D.A. (1984)
 Distributional records from the Cordillera
 Yanachaga, central Peru
 Gerfaut 74: 57-70
- 1250 Schulz, H. (1985)
 A review of the world status and breeding distribution of the Little Bustard Bustard Studies 2: 131- 152
- 1251 Scott, D.A. (1994)
 The Black-necked Cranes *Grus nigricollis*of Puoergi Marshes, Sichuan, China
 Bird Conservation International 3: 245259

- Scott, D.A. and Brooke, M. de L. (1985)
 The endangered avifauna of
 southeastern Brazil: a report on the
 BOU/WWF expedition of 1980/81 and
 1981/82
 Pp. 115-139 In: Diamond, A.W. and
 Lovejoy, T.E. (eds) Conservation of
 tropical forest birds. (Techn. Publ. 4).
 International Council for Bird
 Preservation, Cambridge, U.K.
- Scott, D.A., Hamadani, H.M. and Mirhosseyni, A.A. (1975)
 The birds of Iran
 Department of Environment, Tehran, Iran
- 1254 Seal, U.S., Wirth, R., Thomson, J., Ellis-Joseph, S. and Collar, N. (1992) Parrot Conservation Assessment and Management Plan Camp Workshop Report 14-17 January 1992. Draft Review. ICBP/IUCN/SSC Parrot Specialist Group, Traffic International, ICBP, IUCN/SSC, IUCN SSC Captive Breeding Specialist Group
- 1256 Serle, W. and Morel, G.J. (1977) A field guide to the birds of West Africa Collins, London
- 1257 Servat, G. and Pearson, D.L. (1991)
 Natural history notes and records for seven poorly known bird species from Amazonian Peru
 Bulletin of the British Ornithologists' Club
 111: 92-95
- 1258 Severinghaus, L.L. (1989)
 The status and conservation of Lanyu
 Scops Owl Otus elegans botelensis
 Pp. 423-431 In: Meyburg, B.-U. and
 Chancellor, R.D. (eds.) Raptors in the
 modern world. Proceedings of the III
 World Conference on Birds of Prey and
 Owls, Eilat, Israel, 22-27 March 1987.
 World Working Group on Birds of Prey
 and O
- 1259 Severinghaus, S. (1986)
 The adaptability of Mikado and Swinhoe's Pheasants to disturbed habitats in Taiwan
 Unpaginated abstract In: Ridley, M. (ed.) Pheasants in Asia 1986. World Pheasant Association, Basildon, U.K.
- 1260 Severinghaus, S.R. (1978)
 Recommendations for the conservation of the Swinhoe's and Mikado Pheasants in Taiwan
 World Pheasant Association Journal 3: 79-89

1261	Severinghaus, S.R. and Blackshaw, K.T.	1275	Silva, F. (1981)
	(1976)		Contribuicao ao conhecimento da papagaio charao, Amazona pretrei
	A new guide to the birds of Taiwan Me Ya Publications, Taipei		(Temminck, 1830) (Psittacidae, Aves)
	Me la rubilcations, laipei		Inheringia Ser. Zool. 58. 79-85
1262	Shaw, D. and Maxwell, T.C. (1988)		
	First record of the Mississippi Kite for	1276	Silva, G.L. da and Nacinovic, J.B. (1991) Birds as indicator [sic] for the
	Bolivia Journal of Raptor Research 22: 90		conservation of Atlantic Forests in Bahia,
	Journal of Raptor Research 22: 50		Brazil
1263	Sheldon, B.C.K. and Duckworth, J.W.		Interim project report to WWF for the
	(1990)		period July 1990-July 1991
	Rediscovery of the Madagascar Serpent- eagle Eutriorchis astur	1277	Silvius, K. M. (1991)
	Bulletin of the British Ornithologists' Club		Ecology and conservation of Amazona
	110: 126-130		barbadensis on Margarita Island,
	Oli D. V. Visa sias Chara Vis		Venezuela
1264	Shi Dong-chou, Yu Xiao-ping, Chang Xiu- yun and Lu Bao-zhong. (1989)		Summary report of activities and results, 1989-1991. Unpublished
	[The breeding habits of the Crested Ibis		-Unpublished
	(Nipponia nippon).]		
	Zoological Research 10: 327-332. (In	1278	Silvius, M.J. (1988)
	Chinese.)		On the importance of Sumatra's east coast for waterbirds, with notes on the
1265	Shobrak, M. and Rahmani, A. (1991)		Asian Dowitcher <i>Limnodromus</i>
	Notes on the Arabian Bustard Ardeotis		semipalmatus
	arabs in Saudi Arabia		Kukila 3: 117-137
	Sandgrouse 13: 14-23	1279	Silvius, M.J. and Verheugt, W.J.M.
1266	Short, L.L. (1982)	12/3	(1989)
	Woodpeckers of the world		The status of storks, ibises and
	Delaware Museum of Natural History,		spoonbills in Indonesia Kukila 4: 119- 132
	Greenville, Delaware		Kukiia 4: 119- 132
1267	Sick, H. (1979)	1280	Silvius, M.J., Verheugt, W.J.M. and
	Decouverte de la patrie de l'Ara de Lear		Iskandar, J. (1986)
	Anodorhynchus leari		Coastal wetlands inventory of southeast
	Manda 47: 59-60		Sumatra
	Alauda 47: 59-60		Sumatra (Study Report 9). International Council
1268	Sick, H. (1979)		
1268	Sick, H. (1979) Notes on some Brazilian birds	1201	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K.
1268	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club	1281	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992)
1268	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120	1281	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K.
1268	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984)	1281	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali,
	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira		(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1
	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de	1281	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G.
1269	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia		(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation
	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985)		(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986)
1269	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.)
1269	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985)		(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation
1269	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990)	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology
1269 1270	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of
1269 1270	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985)
1269 1270	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979)	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) Progress report
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção Publ. avuls. Mus. Nac. 62	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção Publ. avuls. Mus. Nac. 62 Silva, C.P. da, Munn, C.A., Cintra, R.,	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985. Royal
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção Publ. avuls. Mus. Nac. 62 Silva, C.P. da, Munn, C.A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C.	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985. Royal Netherlands Academy of Arts and
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção Publ. avuls. Mus. Nac. 62 Silva, C.P. da, Munn, C.A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C. (1991)	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985. Royal
1269 1270 1271	Sick, H. (1979) Notes on some Brazilian birds Bulletin of the British Ornithologists' Club 99: 115-120 Sick, H. (1984) Ornitologia Brasileira Volume 1. Editora Universidade de Brasilia, Brasilia Sick, H. (1985) Ornitologia brasileira, uma introdução Editora Universidade de Brasilia, Brasilia Sick, H. (1990) Notes on the taxonomy of Brazilian parrots Ararajuba 1: 111-112 Sick, H. and Teixeira, D.M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção Publ. avuls. Mus. Nac. 62 Silva, C.P. da, Munn, C.A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C.	1282	(Study Report 9). International Council for Bird Preservation, Cambridge, U.K. Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa Heron Conservation Newsletter 5: 1 Skokova, N.N. and Vinogradov, V.G. (1986) (Waterfowl habitat conservation) Agropromizdat, Moscow. (In Russian.) Slud, P. (1964) The birds of Costa Rica, distribution and ecology Bulletin of the American Museum of Natural History 128: 1-430 Smeenk, C. (1985) Whales and seabirds Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985. Royal Netherlands Academy of Arts and

1285	Smet, K. de. (1989) The Houbara Bustard in Algeria: a preliminary report Bustard Studies 4	1297	Snyder, N.F.R., King, W.B. and Kepler, C.B. (1982) Biology and conservation of the Bahama Parrot Living Bird 19: 91-114
1286	Smith, D.W. and Ireland, J. (1992) First record of the Black-shouldered Kite for Canada. Western Birds 23:177-178	1298	Snyder, N.F.R., Wiley, J.W. and Kepler, C.B. (1987) The parrots of Luquillo: natural history and conservation of the Puerto Rican
1287	Smith, G.T. (1978) The Noisy Scrub-bird Pp. 117-121 In: Tyler, M.J. (ed.) The status of endangered Australasian wildlife. Royal Zoological Society of	1299	Parrot Western Foundation of Vertebrate Zoology, Los Angeles Sociedad Española de Ornitologia (1981)
	Australia, Adelaide	1233	[First general survey of Griffon Vulture breeding colonies in the Iberian
1288	Smith, G.T. (1978) The status of Australian parrots Pp. 101- 108 In: Tyler, M.J. (ed.) The		peninsula, 1979.] Ardeola 26-27: 165-312
	status of endangered Australasian wildlife. Royal Zoological Society of Australia, Adelaide	1300	Solonen, T. (1985) Suomen linnusto Lintutieto, Helsinki
1289	Smythies, B.E. (1981) The birds of Borneo 3rd edition. The Sabah Society and the	1301	Sonobe, K. and Izawa, N. (1987) Endangered bird species in the Korean Peninsula
1290	Malayan Nature Society, Malaysia Smythies, B.E. (1986)		Museum of Korean Nature (Korea University in Tokyo) and Wild Bird Society of Japan, Tokyo
	The birds of Burma 3rd edition. Nimrod Press, Liss, Hampshire, U.K. and Silvio Mattacchione and Co., Pickering, Ontario	1302	Sophasan, S. and Dobias, R. (1984) The fate of the "princess bird", or White- eyed River Martin (<i>Pseudochelidon</i> sirintarae)
1292	Snow, D.W. (ed.). (1978) An atlas of speciation in African non-passerine birds	4500	Natural History Bulletin of the Siam Society 32(1): 1-10
	British Museum (Natural History), London	1303	Staub, F. (1976) Birds of the Mascarenes and Saint Brandon
1293	Snow, D.W. (1979) Atlas of speciation in African non- passerine birds - addenda and corrigenda		Orginisation Normale des Enterprises Ltée, Labama House, Port Louis, Mauritius
	Bulletin of the British Ornithologists' Club 99: 66-68	1304	Steadman, D.W., Stull, J. and Eaton, S.W. (1979) Natural history of the Ocellated Turkey
1294	Snow, D.W. (1982) The cotingas British Museum (Natural History) and		World Pheasant Association Journal 4: 15-37
	Oxford University Press, London and Oxford	1305	Stepanyan, L.S. (1987) [The first record of <i>Aviceda jerdoni</i> (Blyth 1842) (Accipitridae, Aves) in
1295	Snyder, D.E. (1966) The birds of Guyana Peabody Museum, Salem		northern Viet Nam.]. Biol. Nauki (Mosc.). 1987(1): 42-45. (In Russian.)
1296	Snyder, N.F.R. and Snyder, H.A. (1991) Birds of prey Natural History and Conservation of North American Raptors. Voyageur Press, Stillwater, Minnesota, USA	1306	Stepanyan, L.S., Bold, A. and Fomin, V.E. (1988) [Taxonomic list of birds of Mongolia.] Ornitologiya 23: 26- 35. (In Russian)
	Sumwater, Philinesota, USA	1307	Sterbetz, I. (1982) Migration of <i>Anser erythropus</i> and _Branta ruficollis_ in Hungary 1971-1980 Aquila 89: 107- 114

1308	Stewart, P.A. (1980) Population trends of Barn Owls in North America American Birds 34: 698-700	1322	Swanbeck, A.B. and Seiler, C.F. (1987) First sighting of a Short-eared Owl in the US Virgin Islands Florida Field Naturalist 15: 52-53
1309	Stiles, F.G. (1985) Geographic variation in the Fiery- throated Hummingbird <i>Panterpe insignis</i> Ornithological Monographs 36: 23-30	1323	Taczanowski, L. and Stolzmann, J. (1881) Notice sur la <i>Loddigesia mirabilis</i> Bourc Proceedings of the Zoological Society of London: 827-834
1310	Stiles, F.G. (1987) Observaciones sobre la situacion actual del Picaflor Rojo de Juan Fernandez Sephanoides fernandensis, con recomendaciones para un estudio integral de su ecologia y biologia poblacional.	1324	Tarboton, W. (1984) The status and conservation of the Wattled Crane in the Transvaal Proceedings of the V Pan African Ornithological Congress: 665-678
	Oficina Regional de la FAO para America Latina y el Caribe	1325	Taylor, I. (1994) Barn Owls: predator-prey relationships and conservation Cambridge University Press
1311	Stiles, F.G., Skutch, A.F. and Gardner, D. (1989) A guide to the birds of Costa Rica Christopher Helm, London	1326	Taylor, R.H. (1985) Status, habits and conservation of Cyanoramphus parakeets in the New
1312	Stockton de Dod, A. (1987) Aves de la Republica Dominicana 2nd edition. Museo Nacional de Historia Natural, Santo Domingo		Zealand region Pp. 195-211 In: Moors, P.J. (ed.) Conservation of island birds. (Techn. Publ. 3). International Council for Bird Preservation, Cambridge, U.K.
1313	Stoddart, D.R. (1981) Abbott's Booby on Assumption Atoll Research Bulletin 225: 27-32	1327	Taylor, R.H., Heatherbell, E.G., and Heatherbell, E.M. (1986) The Orange-fronted Parakeet
1315	Stokes, T. (1988) A review of the birds of Christmas Island, Indian Ocean Australian National Parks and Wildlife Service, Occasional Paper No. 16		(Cyanoramphus malherbi) is a color morph of the Yellow-crowned Parakeet _C. auriceps_ Notornis 33: 17-22
1316	Stokes, T., Sheils, W. and Dunn, K. (1984) Birds of the Cocos (Keeling) Islands, Indian Ocean Emu 84: 23-28	1328	Teixeira, D.M. and Snow, D.W. (1982) Notes on the nesting of the Red-billed Curassow <i>Crax blumenbachii</i> Bulletin of the British Ornithologists' Club 102: 83-84
1317	Storer, R.W. (1989) Notes on Paraguayan birds Occasional Papers of the Museum of Zoology, University of Michigan 719, 21 pp	1329	Temple, S.A. and Wallace, M.P. (1989) Survivorship patterns in a population of Andean Condors <i>Vultur gryphus</i> Pp. 247-251 In: Meyburg, BU. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and
1318	Sukhinin, A.N., Bel'skaya, G.C. and Zhernov, I.V. (1972) [The distribution of the Little Owl <i>Athene noctua</i> in Turkmenistan.]		Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O
1320	Ornitologiya 10: 216-227. (In Russian) Sutherland, W.J. and Allport, G. (1991) The distribution and ecology of naturalised Egyptian Geese Alopochen aegyptiacus in Britain Bird Study 38(2): 128-134	1330	Tewes, E. (1994) The European Black Vulture Aegypius monachus Project in Mallorca In: Meyburg & Chancellor (eds) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls, Berlin, London & Paris

1331	Thelen, K.D. and Faizool, S. (1980) Plan for a system of national parks and other protected areas in Trinidad and Tobago Forestry Division, Ministry of Agriculture Land and Fisheries, Trinidad Themido, A.A. (1952)	1346	Thorstrom, R., Watson, R.T., Damary, B., Toto, F., Baba, M. and Baba, V. (1995) Repeated sightings and first capture of a live Madagascar Serpent-eagle Eutriorchis astur Bulletin of the British Ornithologists' Club 115: 40-45
1333	Aves de Portugal Memorias e Estudos do Museu Zoologico de Universidade de Coimbra, no. 213 Thiollay, JM. (1984)	1347	Tilson, R.L. and Kok, O.B. (1980) Habitat ecology of Black Storks in the Kuiseb River Madoqua 11: 347-349
1333	Raptor community structure of a primary rain forest in French Guiana and effect of human hunting pressure Raptor Research 18: 117-122	1348	Tomialojc, L. (1990) Ptaki Polski rozmieszczenie i liczebnosc Pantstwowe Wydawnictwo Naukowe, Warszawa
1334	Thiollay, JM. (1985) Birds of Ivory Coast: status and distribution Malimbus 7(1): 1-59	1349	Tostain, O., Dujardin, J.L., Erard, C. and Thiollay, JM. (1992) Les Oiseaux de Guyane
1335	Thiollay, JM. (1985) Birds of prey in French Guiana - a preliminary survey Bulletin of the World Working Group on Birds of Prey 2: 11-15	1350	Trail, P.W. (1978) Sight records of two species new for Surinam Ardea 66: 184-185
1336	Thiollay, JM. (1989) Area requirements for the conservation of rain forest raptors and game birds in French Guiana	1351	Turbott, E.G. (Ed) (1990) Checklist of the birds of New Zealand and the Ross Dependency, Antarctica 3rd edition
1338	Conservation Biology 3(2): 128-137 Thiollay, J.M. (1993) Habitat segregation and the insular syndrome: two congeneric raptors in New Caledonia: the White-bellied Goshawk Accipiter haplochrous and the	1352	Turnbull, R.E., Johnson, F.A. and Brakhage, D.H. (1989) Status, distribution and foods of Fulvous Whistling-duck in South Florida Journal of Wildlife Management 53(4): 1046-1051
	Brown Goshawk _A. fasciatus_ Ibis 135: 237-246	1353	Turner, A. and Rose, C. (1989) Swallows and martins of the world Christopher Helm, Kent
1341	Thompson, H. (1992) Red Data bird: White-necked Picathartes World Birdwatch 14(3): 13	1354	Turner, D.A. (1974) Cape Grass Owl in Ethiopia Bull. Brit. Orn. Club 94: 38-39
1342	Thompson, H.S.S. (1993) Status of White-necked Picathartes - another reason for the conservation of the Peninsula Forest, Sierra Leone Oryx 27(3): 155-158	1355	Turner, D.A. (1982) The status and distribution of the Arabian Bustard <i>Otis arabs</i> in northeastern Africa and its possible occurrence in northern Kenya.
1343	Thomsen, J.M. and Munn, C.A. (1988) Cyanopsitta spixii: a non-recovery report Parrotletter 1(1): 6-7	1356	Scopus 6: 20-21 Turner, D.A. and Dowsett, R.J. (1988)
1344	Thomsen, P. and Jacobsen, P. (1979) The birds of Tunisia Peder Jacobsen, Copenhagen		Additions and corrections to Afrotropical and Malagasy avifaunas, 1. Western Indian Ocean islands Tauraco 1: 130-138
1345	Thonnerieux, Y. (1988) Etat des connaissances sur la reproduction de l'avifaune du Burkina Faso (ex Haute- Volta) L'Oiseau et la Revue Française Ornithologie 58: 120-145	1357	Turner, D.A. and Forbes-Watson, A.D. (1976) Additional migrant records from Seychelles Bulletin of the British Ornithologists' Club 96: 57-58

1358	Turner, D.A. and Goriup, P.D. (1989) The status of Denham's Bustard in Kenya Bustard Studies 4: 170-173	1377	Vinokurov, A.A. (1982) Present status of the <i>Branta ruficollis</i> population and measures for its conservation
1360	Urban, E.K., Fry, C.H. and Keith, S. (1986)		Aquila 89: 115-122
	The birds of Africa Volume 2. Academic Press, London and Florida	1378	Vlug, J.J. and Fjeldsa, J. (1990) Working bibliography of the grebes of the World: with summaries of current taxonomy and distributional status.
1362	Van Ee, C.A. (1981) Status of the Blue Crane in south and		210pp
	southwest Africa P. 259 In: Lewis, J.C. and Masatomi, H. (eds.) Crane research around the world. Robinson Press, Fort Collins, Colorado	1380	Voous, K.H. (1983) Birds of the Netherlands Antilles De Walburg Pers, Zutphen
1363	Vardhan, H. (1985)	1381	Vries, T. de. (1984) Problems of reintroducing native animals
	A report on the status of bustards in India Bustard Studies 3: 113-118		on islands where they have been exterminated Noticias de Galapagos 40: 12
4265	Make: IT (1001)	1382	Vries, T. de. (1989)
1365	Vatev, I.T. (1991) Observations de Flamant rose Phoenicopterus ruber en Bulgarie Alauda 59: 53-54	1362	Conservation, status and ecological importance of the Galapagos Hawk <i>Buteo galapagoensis</i> Pp. 327-330 In: Meyburg, BU. and
1367	Vázquez, M.A. and Maldonado Rodríguez, D.M.A. (1990) Loro Cabeza Amarilla (<i>Amazona</i>		Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and
	ochrocephala) en el estado de Tamaulipas. Unpublished -Unpublished		Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and O
1368	Verheugt, W. (1987) Conservation status and action program for the Milky Stork Mycteria cinerea. Colonial Waterbirds 10(2): 211-220	1383	Walker, F. J. (1981) Notes on the birds of northern Oman. Sandgrouse Volume 2 Pages 33-55.
1369	Verheugt, W.J.M. (1989)	1384	Walkinshaw, L. (1973)
1303	Status of storks in the South Sumatra	2501	Cranes of the world
	Province, Indonesia Specialist Group on Storks. Ibis and		Winchester Press, New York
	Spoonbills Newsletter 2: 8-9	1385	Wall, J.W. (1992) Worldtwitch
1370	Vernon, C.J. and Piper, S.E. (1986) The Cape Vulture colony at		Winging It 4(4): 53
	Colleywobbles, Transkei, in 1984 and	1386	Wallace, D.I.M. (1982)
	1985 Vulture News 15: 27-28		Observations on migrant birds at Azraq and north-east Jordan, up to April 1967 Sandgrouse 4: 77-99
1373	Vierheilig, M.B. and Vierheilig, H. (1988) Beiträge zu status und biologie von	1387	Wallace, D.I.M. (1984)
	papageien der Insel Margarita, Venezuela		Selected observations from Lebanon, Syria and Jordan in the springs of 1963
	Gefiederte Welt 112: 50-52, 91		and 1966 Sandgrouse 6: 24-47
1375	Viljoen, P.J. (1983)		
	Distribution, numbers and group size of the Karoo Korhaan in Kaokoland, South West Africa	1388	Walsh, J.F. (1977) Nesting of the Jabiru Stork <i>Ephippiorhynchus senegalensis</i> in West
	Ostrich 54: 50-51		Africa Bulletin of the British Ornithologists' Club
1376	Village, A. (1990) The Kestrel		97: 136
	Poyser, Calton, U.K.		

1389	Walsh, J.F. (1987) Records of birds seen in north-eastern Guinea in 1984-85 Malimbus 9(2): 105-122	1407	Weske, J.S. and Terborgh, J.W. (1981) Otus marshalli a new species of screech owl in Peru Auk 98: 1-7
1391	Walter, A., Walter, J.P. and Brown, C.J. (1986) Breeding record for the Cape Eagle Owl in Namibia Madoqua 14: 429-431	1408	Wetmore, A. and Swales, B.H. (1931) The birds of Haiti and the Dominican Republic Bulletin of the United States National Museum 155
1392	Waltrer, H. (1979) Eleonora's Falcon, adaptations to prey and habitat in a social raptor	1409	Wheelwright, N.T. (1983) Fruits and the ecology of Respendent Quetzals Auk 100: 286-301
1393	Warr, F. E. (1993) A list of Qatar's birds. Privately distributed.	1410	White, C.M.N. and Bruce, M.D. (1986) The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands,
1394	Watling, D. (1982) Birds of Fiji, Tonga and Samoa Millwood Press, Wellington		Indonesia): an annotated checklist British Ornithologists' Union Checklist No. 7. BOU, London
1395	Watling, D. (1983)	1411	White, D.M. (1985)
	Sandbox incubator Animal Kingdom 86(3): 30-35		A report on the captive breeding of Australian Bustards at Serendip Wildlife Research Station
1397	Weaver, C.M. (1982)		Bustard Studies 3: 195-212
	Breeding habits and status of the Golden-shouldered Parrot <i>Psephotus</i> <i>chrysopterygius</i> in Queensland Emu 82: 2-6	1412	Wiedenfeld, D.A., Schulenberg, T.S. and Robbins, M.B. (1985) Birds of a tropical deciduous forest in extreme northwestern Peru
1398	Webb, H.P. (1992) Field observations of the birds of Santa Isabel, Solomon Islands Emu 92: 52-57		Pp. 305-315 In: Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) Neotropical ornithology. American Ornithologists'
1399	Weiss, J. (1986) Tatigkeitsbericht 1977-84 der		Union Ornithological Monograph No. 36. AOU, Washington D.C.
	Arbreitsgruppe Feldornithologie Regulus 4: 167-306	1413	Wilbur, S.R. and Kiff, L.F. (1980) The California Condor in Baja California, Mexico
1401	Welch, G.R and Welch, H.J (1988) Djibouti III - preliminary report		American Birds 34: 856-859
1402	Ornithological Society of the Middle East Bulletin 20: 1-2	1414	Wilcove, D.S. (1987) Public lands management and the fate of the Spotted Owl
1402	Welch, G.R and Welch, H.J (1989) A preliminary survey of the Arabian Bustard in Djibouti	1415	American Birds 41(3): 361-367 Wild Bird Society of Japan. (1982)
	Bustard Studies 4		A field guide to the birds of Japan Tokyo
1403	Wells, D.R. (1985)		Tokyo
	The forest avifauna of western Malesia and its conservation Pp. 213-232 In: Diamond, A.W. and Lovejoy, T.E. (eds.) Conservation of tropical forest birds	1418	Wiley, J.W. (1991) The status and conservation of parrots and parakeets in the Greater Antilles, Bahama Islands, and Cayman Islands Bird Conservation International 1: 187- 214
1405	Wells, S. (1988) Red Data bird: Philippine Eagle World Birdwatch 10(2): 5	1419	Wiley, J.W. and Ottenwalder, J.A. (1990) Birds of islas Beata and Alto Velo,
1406	Weske, J.S. and Terborgh, J.W. (1977) Phaethornis koepckeae a new species of hummingbird from Peru Condor 79: 143-147		Dominican Republic Studies on Neotropical Fauna and Environment 25(2): 65-88

1420	Wiley, J.W. and Wiley, B.N. (1981) Breeding season ecology and behaviour of Ridgway's Hawk <i>Buteo ridgwayi</i> . Condor 83: 132-151	1434	Winterbottom, J.M. (1974) Turtle Dove Streptopelia turtur in South West Africa Bulletin of the British Ornithologists' Club 94: 19
1421	Wilkinson, R.J. (1991) Systematic list of bird species recorded at Barito Ulu	1436	Yoon Moo-Boo. (1993) Wild birds of Korea.
	Pp. 30-54 In: Anon. The avifauna of Barito Ulu, central Borneo. (Study Report 48). International Council for Bird Preservation, Cambridge, U.K.	1437	Wood, D.S., Leberman, R.C. and Weyer, D. (1986) Checklist of the birds of Belize Carnegie Museum of Natural History,
1422	Willgohs, J.F. (1984) Havorn i Norge	4.400	Pittsburgh
	Trondheim: Direktorat for Vilt og Ferskvannsfisk	1438	Woods, C.A. and Ottenwalder, J.A. Birds of the national parks of Haiti University of Florida, Gainesville
1425	Williams, G.R. and Given, D.R. (1981) The red data book of New Zealand Nature Conservation Council, Wellington	1439	Woods, R. W. (1988) Guide to the birds of the Falkland Islands.
1426	Williams, J. (1987)		Anthony NelsonOswestry, U.K.
	Wattled Crane survey in Caprivi Quagga 18: 22-23	1440	Wotzkow, C. (1985) Status and distribution of Falconiformes
1427	Williams, M.D. (1986) Preliminary report on the China		in Cuba Bulletin of the World Working Group on
	Cranewatch 1986. Unpublished -Unpublished		Birds of Prey 2: 1-10
1428	Williams, M.D., Bakewell, D.N., Carey, G.J. and Holloway, S.J. (1986) On the bird migration at Beidaihe, Hebei	1441	Wotzkow, C. (1986) Ecological observations of Gundlach's Hawk <i>Accipiter gundlachii</i> in Cuba Birds of Prey Bull. 2: 1-10
	Province, China, during spring 1985 Forktail 2: 3- 20	1442	Wotzkow, C. (1991) New subspecies of Gundlach's Hawk,
1429	Williams, M.J. (1986) The number of Auckland Island Teal Wildfowl 37: 63-70		Accipiter gundlachi (Lawrence) Birds of Prey Bull. 4: 271- 292
1430	Wilson, R.P. (1985) Seasonality in diet and breeding success	1444	Yamashita, C. (1987) Field observations and comments on the Indigo Macaw (<i>Anodorhynchus leari</i>), a
	of the Jackass Penguin <i>Spheniscus</i> demersus		highly endangered species from north- eastern Brazil
	Journal für Ornithologie 126: 53-62		Wilson Bulletin 99: 280-282
1431	Wilson, R.P. (1985) The Jackass Penguin (<i>Spheniscus demersus</i>) as a pelagic predator Marine Ecology Progress Series 25: 219-227	1445	Yang Lan (1989) [A new subspecies of the Spotted Owlet Athene bramaA. b. poikila] Zoological Research 10: 303-308. (In Chinese.)
1432	Wilson, R.T. (1976)	1446	Young, H.G. (1991)
1432	The Ostrich Struthio camelus in Darfur, Republic of Sudan. Bulletin of the British Ornithologists' Club 96: 123-125	1440	The endemic wildfowl of Madagascar IWRB Threatened Wildfowl Research Group Newsletter 1: 12-13
1433	Wilson, V.J. (1972) Notes on <i>Otis denhami jacksoni</i> from the Nyika plateau Bulletin of the British Ornithologists' Club 92: 77-81	1447	Young, L., Garson, P.J. and Kaul, R. (1987) Calling behaviour and social organization in the Cheer Pheasant: implications for survey technique World Pheasant Association Journal 12:
			30-43

Young, L., Hussain, M. and Asker, G. 1459 Howell, S. N. G. and Webb, S. (1995) 1448 Noteworthy bird observations from Chile. (1986)Bulletin of the British Ornithologists' Club Margala Hills Cheer Pheasant Volume 115 Pages 57-66 reintroduction project progress report -Grzimek, B. (1978) In: Ridley, M. (ed.) Pheasants in Asia 1953 Kameruns Urwald ist die Heimat der 1986. World Pheasant Association, Gorillas Basildon, U.K. Das Tier 12: 16-19, 40-41 Yus Rusila Noor, Tulus Th Sibuea (1993) 1449 Inskipp, T. and Corrigan, H. (Eds) (1992) 2075 Milky Stork banding at Pulau Rambut, A review of significant trade in animal West Java, Indonesia species included in CITES Appendix II Specialist Group on Storks, Ibis and Detailed reviews of 24 priority species. Spoonbills Newsletter 6(1/2): 10 Report of the CITES Animals Committee. CITES Secretariat, Lausanne 1450 Zheng Guang-mei, Zhao Xin-ru and Song Jie (1986) 2595 Schouteden, H. (1948) On the breeding ecology of the Cabot's Faune du Congo Belge et de Ruanda-Tragopan Tragopan caboti Urundi, I - mammifères In: Ridley, M. (ed.) Pheasants in Asia Annales du Musée Royale du Congo 1986. World Pheasant Association, Belge, Série in 8 vols, Tervuren Sciences Basildon, U.K. Zoologiques 1: 1-331 1451 Zheng Guang-mei, Zhao Xin-ru, Song 3060 Sawyer, R.T. (1981) Jie, Liu Zong-xing and Zhou Hongqing (1986)Why we need to save the Medicinal [Feeding ecology of the Cabot's Leech Oryx 16(2): 165-168 Tragopan Tragopan caboti.] Acta Ecologica Sinica 6: 283-288. (In 3524 Mohadin, K. and Reichart, H.A. (1984) Chinese) The National Report: Suriname In: Bacon et al. (Eds.) Proceedings of the 1452 Zheng Guang-mei, Zhao Xin-ru, Song Western Atlantic Turtle Symposium Jie, Liu Zong-xing and Zhou Hongqing Volume 3. University of Miami Press, (1985)[On the breeding ecology of Tragopan Amos, S.H. (1985) 3746 Acta Ecologica Sinica 5: 379-385. (In Efforts to save the endangered Black-Chinese) hooded Red Siskin AFA Watchbird 12(6): 19 1453 Zonfrillo, B. (1977) Re-discovery of the Andean Condor 3747 Archer, G. and Godman, E.M. (1937) Vultur gryphus in Venezuela The birds of British Somaliland and the Bulletin of the British Ornithologists' Club Gulf of Aden 97: 17-18 Volumes 1 and 2, Gurney and Jackson, 1454 Zubakin, W.A. and Flint, W.E. (1980) London Oekologia und Verhalten der Reliktmöwe 3748 Archer, G. and Godman, E.M. (1961) (Larus relictus Lonnb) The birds of British Somaliland and the Beiträge Vogelkunde 26: 253-275 Gulf of Aden Volumes 3 and 4, Oliver and Boyd, 1457 Shibaev, Yu.A. (1987) Distributional survey of Japanese Crested Edinburgh Ibis by questionnaire using colour 3749 Kuroda, N. (1933) postcards in Far East USSR Birds of the island of Java Summary, p. 48 In: The Third Japan-Published by the author, Tokyo USSR Bird Protection Symposium, 21 November 1986. Wild Bird Society of 3750 Pfeffer, P.L. (1961) Japan, Tokyo Etude d'une collection d'oiseaux de Borneo. 1458 Shibaev, Yu.A. (1987) L'Oiseau 30: 154-168, 191-218; 31: 1-Interim report on population survey of 29 Steller's Sea-Eagle in winter in USSR Summary, p. 48 In: The Third Japan-3751 Pfeffer, P.L. (1961) USSR Bird Protection Symposium, 21 Etude d'une collection d'oiseaux de November 1986. [Tokyo]: Wild Bird Borneo. Society of Japan

L'Oiseau 31: 1-29

4538	Verrill, A. E. (1872) Appendix 4, names of species in the author's report on zoophytes Pp. 379-388 in J. D. Dana, Corals and Coral Islands. Dodd and Mead, New York.	5251	Keith, A. R. (1997) The birds of St Lucia: an annotated checklist BOU Checklist No. 15. British Ornithologists' Union, Tring
5239	Crozier, J., Dubourg-Savage, M. J. and Clamens. A. (1995) Andorra: ocells. oiseaux. aves. birds Associació per a la Defensa de la Natura	5252	Ash, J. S. and Miskell, J. E. (1998) Birds of Somalia Pica Press, Sussex
5240	Adamian, M. S. and Klem, D. Jr. (1997) A field guide to the birds of Armenia. American Museum of Armenia.	5253	Zimmerman, D. A., Turner, D. A. and Pearson, D. J. (1996) Birds of Kenya and Northern Tanzania Christopher Helm, London
5241	Howell, S. N. G. and Webb, S. (1995) A guide to the birds of Mexico and Northern Central America Oxford University Press, Oxford	5254	Cheke, R. A. and Walsh, J. F. (1996) The birds of Togo: an annotated checklist BOU Checklist No. 14. British Ornithologists' Union, Tring
5242	Raffaele, H., Wiley, J., Garrido, O., Keith, A. and Raffaele, J. (1998) Birds of the West Indies	5257	Gorman, G. (1996) The birds of Hungary Christopher Helm, London
5243	Sun Hean, Seng Kim Hout, Keo Omaliss, Heng Neatmony and C. Poole (1998) [The Birds of Cambodia.]	5258	Kren, J. (2000) Birds of the Czech Republic Christopher Helm, London
	European Support Programme for the Environment Sector in Cambodia and the Wildlife Protection Office of the Department of Forestry. Ministry of	5259	Garrido, O. H. and Kirkconnell, A. (2000) Birds of Cuba. Christopher HelmLondon
	Agriculture. Forestry and Fisheries. Royal Government of Cambodia	5260	Doughty, C., Day, N. and Plant, A. (1999)
5245	Shirihai, H. (Ed.) (1996) The Birds of Israel Academic Press, London		Birds of the Solomons, Vanuatu & New Caledonia Christopher Helm, London
5246	Gatter, W. (1997) Birds of Liberia Pica Press, Sussex	5261	Inskipp, C., Inskipp, T. and Grimmett, R. (1999) Birds of Bhutan Christopher Helm, London
5247	Zalakevicius, M. (1995) Birds of Lithuania, status, number, distribution (breeding, migration, wintering)	5264	Nguyen Cu, Le Trong Trai and Phillipps, K. (2000) Chim Viet Nam
5248	Conzemius, T. (1995) Liste der Vögels Luxembergs Regulus 14: 41-56	5267	Dean, W. R. J. (2000) The birds of Angola: an annotated checklist BOU Checklist No. 18. British
5249	Morris, P. and Hawkins, A. F. (1998) Birds of Madagascar: a photographic quide	5269	Ornithologists' Union, Tring Gavrilov, E. I. (2000)
5350	Pica Press, Sussex		Guide to the birds of the Kazakhstan Republic (names, distribution, abundance)
5250	Rowlands, B. W., Trueman, T., Olson, S. L., McCulloch. M. N. and Brooke, R. K. (1998) The birds of St Helena: an annotated checklist BOU Checklist No. 16. British Ornithologists' Union, Tring	5270	Kennedy, R. S., Gonzales, P. C., Dickinson, E. C., Miranda, H. C. Jr and Fisher, T. H. (2000) A guide to the birds of the Philippines Oxford University Press, Oxford
		5271	Harrison, J. A. (1999) A field guide to the birds of Sri Lanka. Oxford University PressOxford

5272	Herroelen, P. (1997) Liste des oiseaux de Belgique (espèces, sous-espèces, statut et nombre de	5289	Brichetti, P. and Massa, B. (1998) Check-list degli uccelli italiani aggaornata a tutto il 1997
	couples nicheurs) 1901-1995. 2me edition		Riv. Ital. Ornithol. 68: 129-152
5273	van den Berg, A. B. (1994) Liste van Nederlandse Vogelsoorten 1994	5290	Kraij, J. (1997) [Croatian ornithofauna in the last 200 years.] Larus 46: 1-112.
5274	Barthel, P. (1993) Artenliste der Vögel Deutschlands J. Orn. 134: 113-135	5291	Narosky T. and Yzurieta D. (1989) Birds of Argentina and Uruguay: a field quide. Second edition.
5275	Ree, V. and Gjershaug, J. O. (1994) Systematisk navneliste over norske fugler ajourfort pr. 1.1.1994	5292	Araya, B. and Chester, S. (1993) The birds of Chile: a field guide.
5377	Pp. 511-527 in J. O. Gjershaug et al. (eds) Norsk Fugleatlas	5293	Cherg Tso-hsin (ed.) (1994) A complete checklist of the species and subspecies of chinese Birds
5277	Veromann, H. and Leibak, E. (eds) (1994) Birds of Estonia: numbers, distribution	5294	Ridgely, R., Greenfield, P. and Guerrero,
5330	and phenology		M. (1999) An annotated list of the birds of mainland Ecuador.
5278	Celmins, A. (1992) List of Latvian bird species 1992	5295	Hayes, F. E. (1995)
5279	Trnka, A., Kristin, A., Danko, S., Harvancik, S., Kocian, L., Karaska, D. and Murin, B. (1995)		Status, distribution and biogeography of the birds of Paraguay. American Birding Association
	[Checklist of the birds of Slovakia.] Tichodroma 8: 7-21. (In Slovak)	5296	Haverschmidt, F. and Mees, G.F. (1995) The birds of Suriname. Second edition.
5280	Nankinov, D. (1992) Check list of bird species and subspecies in Bulgaria. Avocetta 16: 1-17	5297	Porter, R.F., Christensen S., & Schiermacker-Hansen, P. (1996) Field guide to the birds of the Middle East
5281	Handrinos, G. and Akriotis, T. (1997) The birds of Greece		T. & A. D. Poyser, London
	Christopher Helm, London	6186	Sick, H. (1993) Birds in Brazil
5282	Kirwan, G., Martins, R. P., Eken, G. and Davidson, P. (1998) A checklist of the birds of Turkey.		Princeton Univeristy Press, Princeton, USA
	Sandgrouse Suppl. 1: 1-31.	6187	Delacour, J. and Jabouille, P. (1940) Liste des oiseaux de l'Indochine
5283	Baumgart, W. (1995) Die Vögel Syriens		française, completée et mise a jour L'Oiseau et R.f.O. 10: 89-220
5284	Ramadan-Jaradi, G. and Ramadan- Jaradi, M. (1999) An updated checklist of the birds of	6188	British Ornitologists' Union (1992) Checklist of the birds of Britain and Ireland
	Lebanon Sandgrouse 21: 132-171		Sixth edition. British Ornithologist' Union, Tring.
5287	Arballo, E. and Cravino, J. L. (1999) Aves del Uruguay. Manual Ornitológico/Handbook of the birds of Uruguay, Vol. 1. Editorial Hemisterio sur, S.R.L Montevideo	6190	Marks, J.S., Cannings, R.J. and Mikkola, H. (1999) Family Strigidae (typical owls). in J del Hoyo et al (eds) Handbook of the birds of the world -5. Barn-owls to hummingbirds. Lynx EdicionsBarcelona Pages 76-242
5288	Winkler, R. (1999) Avifauna der Schweiz zweite, neu bearbeitete. Auflage Orn. Beob. Beiheft 10	6193	Rose, P.M. & Scott, D.A (comps.)(1997) Waterfowl Population Estimates. Series/Edition 2 Wetlands InternationalWageningen,

The Netherlands Volume 44 ISBN 1 900442 15 9

6197 Mackereth, B. (1992)
Sightings of White Heron at Suva.
Notornis
Volume 39 Pages 70-71

6198 Fremont, J. Y. (1995)
[Threskiornis aethiopicus, a new breeding species for France.].
Ornithos
Volume 2 Pages 44-45

Sedon, N., Barnes, R., Butchart, S. H.
M., Davies, C. W. N. and Fernandez, M.
(1996)
Recent observations and notes on the
ecology of the Royal Sunangel
Heliangelus regalis.
Bulletin of the British Ornithologists' Club
Volume 116 Pages 46-49

Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996)
Distributional records and natural history notes on threatened and little known birds of southern Ecuador.
Bulletin of the British Ornithologists' Club Volume 116 Pages 26-46

6201 Haupt, H., Lutz, K. & Boye, P
(eds.)(2000)
Internationale Impulse für den Schutz
von Wasservögeln in Deutschland.
[German]
Bundesamt für Naturschutz 2000. Münster Pages 306 ISBN 3 784336027

6217 LA COMMISSION DES COMMUNAUTÉS EUROPÉENNES. (18 December 2000) Règlement (CE) n° 2724/2000 de la Commission du 30 novembre 2000 modifiant le règlement (CE) n° 338/97 du Conseil relatif à la protection des espèces de faune et de flore sauvages par la réglementation de leur commerce. [French]

Journal officiel n° L 320 Volume 320

Commission of the European
Communities. (18 December 2000)
Commission Regulation (EC) No
2724/2000 of 30 November 2000
amending Council Regulation (EC) No
338/97 on the protection of species of
wild fauna and flora by regulating trade
therein.
Official Journal L 320
Volume 320

6219 COMISIÓN DE LAS COMUNIDADES EUROPEAS. (18 December 2000) Reglamento (CE) nº 2724/2000 de la Comisión, de 30 de noviembre de 2000, que modifica el Reglamento (CE) nº 338/97 del Consejo relativo a la protección de especímenes de la fauna y flora silvestres mediante el control de su comercio. [Spanish]
Diario Oficial nº L 320
Volume 320

KOMMISSIONEN FOR DE EUROPÆISKE FÆLLESSKABER HAR. (18 December 2000)
Kommissionens forordning (EF) nr. 2724/2000 af 30. november 2000 om aendring af Raadets forordning (EF) nr. 338/97 om beskyttelse af vilde dyr og planter ved kontrol af handelen hermed. [Danish]
EF-Tidende NR. L 320
Volume 320

EUROPEE. (18 December 2000)
Regolamento (CE) n. 2724/2000 della
Commissione, del 30 novembre 2000,
che modifica il regolamento (CE) n.
338/97 del Consiglio relativo alla
protezione di specie della flora e fauna
selvatiche mediante il controllo del loro
commercio. [Italian]
Gazzetta ufficiale n. L 320
Volume 320

DIE KOMMISSION DER EUROPÄISCHEN
GEMEINSCHAFTEN. (18 December 2000)
Verordnung (EG) Nr. 2724/2000 der
Kommission vom 30. November 2000 zur
AEnderung der Verordnung (EG) Nr.
338/97 des Rates ueber den Schutz von
Exemplaren wildlebender Tier- und
Pflanzenarten durch UEberwachung des
Handels. [German]
Amtsblatt nr. L 320
Volume 320

EUROOPAN YHTEISÖJEN KOMISSIO. (18
December 2000)
Komission asetus (EY) N:o 2724/2000,
annettu 30 päivänä marraskuuta 2000,
luonnonvaraisten eläinten ja kasvien
suojelusta niiden kauppaa sääntelemällä
annetun neuvoston asetuksen (EY) N:o
338/97 muuttamisesta. [Finnish]
Virallinen lehti nro L 320
Volume 320

GEZ24 DE COMMISSIE VAN DE EUROPESE
GEMEENSCHAPPEN. (18 December 2000)
Verordening (EG) nr. 2724/2000 van de
Commissie van 30 november 2000 tot
wijziging van Verordening (EG) nr.
338/97 van de Raad inzake de
bescherming van in het wild levende
dier- en plantensoorten door controle op
het desbetreffende handelsverkeer.
[Dutch]
Publikatieblad nr L 320
Volume 320

- Wells, D. R. (1999)
 The birds of the Thai-Malay Peninsula.
 Volume 1: Non-passerines.
 Academic Press. -London ISBN 0-12-742961-1
- 6229 CMS Secretariat. (1999)
 Proceedings of the First Session of the
 Meeting of the Parties to the Agreement
 on the Conservation of African-Eurasian
 Migratory Waterbirds. Cape Town, South
 Africa. 6-9 November 1999.
 CMS. -Bonn, Germany
- AEWA Secretariat. (15 September 1999)
 Report on the Conservation Status of
 Migratory Waterbirds in the Agreement
 Area. First Meeting of the Contracting
 Parties to the African-Eurasian Waterbird
 Agreement (AEWA, 1995).
 Interim Secretariat of AEWA, Wetlands
 International, Minister of Agriculture,
 Nature Managaement and Fisheries of
 the Netherlands. Pages 153
- 6231 Howell, S. N. G. and Webb, S. (1992)
 New and noteworthy bird records from
 Guatemala and Honduras.
 Bulletin of the British Ornithologists' Club
 Volume 112 Pages 42-49
- 6234 Hagemeijer, W.J.M. and Blair, M.J (eds.)(1997) The Atlas of European Breeding Birds. Their Distribution and Abundance. T & A D Poyser. -London Pages 239 ISBN 0856610917
- Capper, D. R., Clay, R. P., Madroño N., A., Barnett, J. M., Burfield, I. J., Esquivel, E. Z., Kennedy, C. P., Perrens, M. & Pople, R. G. (2001) First records, noteworthy observations and new distributional data for birds in Paraguay. Bulletin of the British Ornithologists' Club Volume 121 Number 1 Pages 23-37
- Sharpe, C. J., Ascanio-Echeverria, D. and Rodríguez, G. A. (2001) Further range extensions and noteworthy records for Venezuelan birds. Bulletin of the British Ornithologists' Club Volume 121 Number 1 Pages 50-62
- 6250 Clark, W. S. (2001)
 First record of European Griffon Gyps
 fulvus for Kenya.
 Bulletin of the African Bird Club
 Volume 8 Pages 59-60

- 6252 Baha El Din, S. and Baha El Din, M.
 (2001)
 Status and distribution of Hume's Tawny
 Owl Strix butleri in the Eastern Desert of
 Egypt.
 Bulletin of the African Bird Club
 Volume 8 Pages 18-20
- 6253 Skerrett, A. and the Seychelles Bird Records Committee. (2001) The second report of the Seychelles Bird Records Committee. Bulletin of the African Bird Club Volume 8 Pages 23-29
- 6255 Barnett, L. K. and Emms, C. (2001)
 New species and breeding records for
 The Gambia.
 Bulletin of the African Bird Club
 Volume 8 Pages 44-45
- 6264 Scharringa, J. (1994)
 A record of the Bonelli's Eagle
 (Hieraaetus fasciatus) in Thailand.
 Natural History Bulletin of the Siam
 Society
 Volume 42 Pages 291
- 6269 O'Sullivan, K. (1994)
 A record of Cinereous Vulture (*Aegypius monachus*) for Cambodia.
 Natural History Bulletin of the Siam Society
 Volume 42 Pages 297-299
- Dowsett, R. J. and Forbes-Watson, A. D. (1993)
 Checklist of birds of the Afrotropical and Malagasy regions. Volume 1: species limits and distribution.
 Tauraco Press. -Liège, Belgium
- 6289 Whittaker, A. and Oren, D. C. (1999)
 Important ornithological records from the
 Rio Juruá, western Amazonia, including
 twelve additions to the Brazilian
 avifauna.
 Bulletin of the British Ornithologists' Club

Volume 119 Pages 235-260

- 6290 Hilty, S. L. (1999)
 Three bird species new to Venezuela and notes on the behaviour and distribution of other poorly known species.
 Bulletin of the British Ornithologists' Club Volume 119 Pages 220-235
- Mauricio, G. N. and Dias, R. A. (2000) New distributional information for birds in southern Rio Grande do Sul, Brazil, and the first record of the Rufous Gnateater Conopophaga lineata for Uruguay. Bulletin of the British Ornithologists' Club Volume 120 Pages 230-237

- Naka, L. N., Barnett, J. M., Kirwan, G. M., Tobias, J. A. and Azevedo, M. A. G. de. (2000)

 New and noteworthy bird records from Santa Catarina state, Brazil.

 Bulletin of the British Ornithologists' Club Volume 120 Pages 237-250
- Demey, R., Herroelen, P. and Pedersen, T. (2000)
 Additions and annotations to the avifauna of Congo-Kinshasa (ex-Zaire).
 Bulletin of the British Ornithologists' Club Volume 120 Pages 154-172
- Dowsett, R. J. and Dowsett-Lemaire, F. (2000)

 New species and amendments to the avifauna of Cameroon.

 Bulletin of the British Ornithologists' Club Volume 120 Pages 179-185
- 6297 Strewe, R. (2000)

 New distributional sightings of 28 species of birds from Dpto. Nariño, SW Colombia.

 Bulletin of the British Ornithologists' Club Volume 120 Pages 189-195
- Rasmussen, P. C., Schulenberg, T. S.,
 Hawkins, F. and Voninavoko, R. (2000)
 Geographic variation in the Malagasy
 Scops-Owl (Otus rutilus auct.): the
 existence of an unrecognized species on
 Madagascar and the taxonomy of other
 Indian Ocean taxa.
 Bulletin of the British Ornithologists' Club
 Volume 120 Pages 75-102
- 6299 Herroelen, P., Louette, M. and Adams, M. (1999)

 A reassessment of the subspecies in the owl *Glaucidium tephronotum*, with notes on its biology.

 Bulletin of the British Ornithologists' Club Volume 119 Pages 151-162
- Dowsett, R. J., Aspinwall, D. R. and Leonard, P. M. (1999)
 Further additions to the avifauna of Zambia.
 Bulletin of the British Ornithologists' Club Volume 119 Pages 94-103
- 6303 Massa, B. (1999)
 New and less known birds from Libya.
 Bulletin of the British Ornithologists' Club
 Volume 119 Pages 129-133
- 6304 Kirwan, G. M. and Sharpe, C. J. (1999)
 Range extensions and notes on the
 status of little-known species from
 Venezuela.
 Bulletin of the British Ornithologists' Club
 Volume 119 Pages 38-47

- 6305 Lambert, F. R. and Rasmussen, P. C. (1998)
 A new scops owl from Sangihe Island, Indonesia.
 - Indonesia.
 Bulletin of the British Ornithologists' Club
 Volume 118 Pages 204-217
- Begazo, A. J. and Valqui, T. H. (1998)
 Birds of Pacaya-Samiria National Reserve
 with a new population (*Myrmotherula*longicauda) and new record for Peru
 (_Hylophilus semicinereus_).
 Bulletin of the British Ornithologists' Club
 Volume 118 Pages 159-166
- Anderson, D. L., Bonta, M. and Thorn, P. (1998)

 New and noteworthy bird records from Honduras.

 Bulletin of the British Ornithologists' Club Volume 118 Pages 178-183
- 6316 Collar, N. J. (1998)
 Wattled Cranes in Guinea-Bissau.
 Bulletin of the British Ornithologists' Club
 Volume 118 Pages 57-58
- 6317 Krabbe, N., Poulsen, B. O., Frolander, A. and Barahona, O. R. (1997)
 Range extensions of cloud forest birds from the high Andes of Ecuador: new sites for rare or little-recorded species.
 Bulletin of the British Ornithologists' Club Volume 117 Pages 248-256.
- Toyne, E. P. and Flanagan, J. N. M. (1997)
 Observations on the breeding, diet and behaviour of the Red-faced Parrot Hapalopsittaca pyrrhops in southern Ecuador.
 Bulletin of the British Ornithologists' Club Volume 117 Pages 257-263
- Vallely, A. C. and Aversa, T. (1997)
 New and noteworthy bird records from
 Belize including the first record of
 Chestnut-collared Swift Cypseloides
 rutilus.
 Bulletin of the British Ornithologists' Club
 Volume 117 Pages 272-274
- 6321 Lowen, J. C. et al. (1997)
 New and noteworthy observations on the
 Paraguayan avifauna.
 Bulletin of the British Ornithologists' Club
 Volume 117 Pages 275-293
- 6324 Bradshaw, C. G., Kirwan, G. M. and Williams, R. S. R. (1997)
 First record of Swainson's Hawk *Buteo swainsoni* for the West Indies.
 Bulletin of the British Ornithologists' Club Volume 117 Pages 315-316

- 6326 Lousada, S. A. and Howell, S. N. G. (1997)

 Amazona oratrix hondurensis: a new subspecies of parrot from the Sula Valley of northern Honduras.

 Bulletin of the British Ornithologists' Club Volume 117 Pages 205-209
- Herzog, S. K., Kessler, M., Maijer, S. and Hohnwald, S. (1997)
 Distributional notes on birds of Andean dry forests in Bolivia.
 Bulletin of the British Ornithologists' Club Volume 117 Pages 223-235
- 6328 Prawiraradilaga, D. M. (1997)
 The Maleo Macrocephalon maleo on
 Buton.
 Bulletin of the British Ornithologists' Club
 Volume 117 Pages 237
- 6330 Hazevoet, C. J. (1997)
 On a record of the Wattled Crane
 Bugeranus carunculatus from GuineaBissau.
 Bulletin of the British Ornithologists' Club
 Volume 117 Pages 56-59
- 6332 Barnes, R., Butchart, S. H. M., Davies, C. W. N., Fernández, M. and Seddon, N. (1997)

 New distributional information on eight bird species from northern Peru.

 Bulletin of the British Ornithologists' Club Volume 117 Pages 69-74
- Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996)
 Distributional records and natural history notes on threatened and little known birds of southern Ecuador.
 Bulletin of the British Ornithologists' Club Volume 116 Pages 26-46
- Whitney, B. M., Rowlett, J. L. and Rowlett, R. A. (1994)
 Distributional and other noteworthy records for some Bolivian birds.
 Bulletin of the British Ornithologists' Club Volume 114 Pages 149-162
- 6347 Zhatkanbayev, A. H. (1994)
 The present state of pelican populations
 (Pelecanus onocrotalus and _P. crispus_)
 in Kazakhstan.
 Bulletin of the British Ornithologists' Club
 Volume 114 Pages 202-205
- Toyne, E. P. and Jeffcote, M. T. (1994)
 Nesting records of *Pionus* species in southern Ecuador.
 Bulletin of the British Ornithologists' Club Volume 114 Pages 124-127

- A taxonomic review of the Green-fronted Hummingbird.

 Bulletin of the British Ornithologists' Club Volume 113 Pages 179-187
- 6358 Pearman, M. (1993)
 Some range extensions and five species new to Colombia, with notes on some scarce or little known species.
 Bulletin of the British Ornithologists' Club Volume 113 Pages 66-75
- Best, B. J., Clarke, C. T., Checker, M.,
 Broom, A. L., Thewlis, R. M., Duckworth,
 W. and McNab, A. (1993)
 Distributional records, natural history
 notes, and conservation of some poorly
 known birds from southwestern Ecuador
 and northwestern Peru.
 Bulletin of the British Ornithologists' Club
 Volume 113 Pages 108-119, 234-255
- Yamashita, C. and Valle, M. de P. (1993)
 On the linkage between *Anodorhynchus*macaws and palm nuts, and the
 extinction of the Glaucous Macaw.
 Bulletin of the British Ornithologists' Club
 Volume 113 Pages 53-60
- Ottosson, U. (1993)
 An observation of Bateleur *Terathopius*ecaudatus in northern Tunisia.
 Bulletin of the British Ornithologists' Club
 Volume 113 Pages 62-63
- 6366 Clark, W. S. (1992)
 The taxonomy of Steppe and Tawny
 Eagles, with criteria for separation of
 museum specimens and live eagles.
 Bulletin of the British Ornithologists' Club
 Volume 112 Pages 150-157
- 6368 Krabbe, N. (1992)
 Notes on distribution and natural history
 of some poorly known Ecuadorean birds.
 Bulletin of the British Ornithologists' Club
 Volume 112 Pages 169-174.
- Cabot, J. (1991)
 Distribution and habitat selection of
 Buteo polyosoma and _B. poecilochrous_
 in Bolivia and neighbouring countries.
 Bulletin of the British Ornithologists' Club
 Volume 111 Pages 199-209
- Walsh, J. F. (1991)
 On the occurrence of the Black Stork
 Ciconia nigra in West Africa.
 Bulletin of the British Ornithologists' Club
 Volume 111 Pages 209-215

- Parker, T. A. III, Castillo U., A., Gellmann, M. and Rocha, O. O. (1991)
 Records of new and unusual birds from northern Bolivia.
 Bulletin of the British Ornithologists' Club Volume 111 Pages 120-138
- 6373 Peres, C. A. and Whittaker, A. (1991)
 Annotated checklist of the bird species of
 the upper Rio Urucu, Amazonas, Brazil.
 Bulletin of the British Ornithologists' Club
 Volume 111 Pages 156-171
- Ripley, S. D., Saha, S. S. and Beehler, B. M. (1991)
 Notes on birds from the Upper Noa Dihing, Arunachal Pradesh, northeastern India.
 Bulletin of the British Ornithologists' Club Volume 111 Pages 19-28
- 6383 King, J. R. and Holloway, S. J. (1990)
 Notes on the Giant Hummingbird
 Patagona gigas in southern Ecuador.
 Bulletin of the British Ornithologists' Club
 Volume 110 Pages 79-80
- 6385 Cabot, J. (1990)
 First record of *Upucerthia validirostris*from Bolivia and new Bolivian
 distributional data.
 Bulletin of the British Ornithologists' Club
 Volume 110 Pages 103-107
- Additions and corrections to the avifauna of Zaire (4).
 Bulletin of the British Ornithologists' Club Volume 109 Pages 217-225
- King, J. R. (1989)
 Notes on the birds of the Rio Mazan
 Valley, Azuay Province, Ecuador, with
 special reference to Loptosittaca
 branickii, _Hapalopsittaca amazonina
 pyrrhops_ and _Metallura baroni_.
 Bulletin of the British Ornithologists' Club
 Volume 109 Pages 140-147
- 6390 Jenny, J. P., Ortiz, F. and Arnold, M. D. (1981)
 First nesting record of the Peregrine
 Falcon in Ecuador.
 Condor
 Volume 83 Pages 387
- 6393 Marin A., M., Kiff, L. F. and Peña G., L. (1989)
 Notes on Chilean birds, with descriptions of two new subspecies.
 Bulletin of the British Ornithologists' Club Volume 109 Pages 66-82

(1989)

Recent data on the distribution of birds
in Guatemala, 2.

Bulletin of the British Ornithologists' Club

Wendelken, P. W. and Martin, R. F.

6397

- Volume 109 Pages 31-36

 Hinkelmann, C. (1988)
 Comments on recently described new species of hermit hummingbirds.
 Bulletin of the British Ornithologists' Club
- 6402 Joseph, L. (1988)
 Range extension of the Red-fan Parrot
 Deroptyus accipitrinus in Amazonian
 Brazil.
 Bulletin of the British Ornithologists' Club
 Volume 108 Pages 101-103

Volume 108 Pages 159-169

- 6403 Louette, M. (1988)
 Additions and corrections to the avifauna of Zaire (3).
 Bulletin of the British Ornithologists' Club Volume 198 Pages 112-120
- 6404 Bleiweiss, R. (1988)
 Plumage ontogeny and taxonomic status
 of the Dusky Starfrontlet Coeligena orina
 Wetmore.
 Bulletin of the British Ornithologists' Club
 Volume 108 Pages 127-131
- 6410 Hughes, R. A. (1988)

 Nearctic migrants in southwest Peru.

 Bulletin of the British Ornithologists' Club

 Volume 108 Pages 29-43
- 6411 Schoonmaker, P. K., Wallace, M. P. and Temple, S. A. (1985) Migrant and breeding Peregrine Falcons in northwest Peru. Condor Volume 87 Pages 423-424
- 6412 Louette, M. (1988)
 Additions and corrections to the avifauna of Zaire (2).
 Bulletin of the British Ornithologists' Club Volume 108 Pages 43-50
- Teixeira, D. M., Nacinovic, J. B. and Pontual, F. B. (1987)
 Notes on some birds of northeastern Brazil (2).
 Bulletin of the British Ornithologists' Club Volume 107 Pages 151-157
- 6414 Braun, M. J. and Wolf, D. E. (1987)
 Recent records of vagrant South
 American land birds in Panama.
 Bulletin of the British Ornithologists' Club
 Volume 107 Pages 115-117

6415	Schmitt, C. G. and Schmitt, D. C. (1987) Extensions of range of some Bolivian birds. Bulletin of the British Ornithologists' Club Volume 107 Pages 129-134	6432	Stanton, D. 8. (2000) The first Fulvous Whistling-duck Dendrocygna bicolor in Yemen and the Middle East. Sandgrouse
6416	Louette, M. (1987)		Volume 22 Number 2 Pages 130-131
0410	Additions and corrections to the avifauna of Zaire (1). Bulletin of the British Ornithologists' Club Volume 107 Pages 137-143	6434	Duquet, M. and Richardson, C. (2000) First and second records of Crested Honey Buzzard <i>Pernis ptilorhynchus</i> in Iran. Sandgrouse
6417	New and unusual bird records from the	6438	Volume 22 Number 2 Pages 133-134 Kirwan, G. M. and Martins, R. P. (2000)
	Sudan. Bulletin of the British Ornithologists' Club Volume 197 Pages 17-19	0438	Turkey Bird Report 1992-1996. Sandgrouse Volume 22 Number 1 Pages 13-35
6418	Fjeldsa, J., Krabbe, N. and Ridgely, R. S.		
	(1987) Great Green Macaw <i>Ara ambigua</i> collected in northwest Ecuador, with taxonomic comments on _Ara militaris	6445	Tareh, H. A. (2000) The status of Great Bustard <i>Otis tarda</i> in Iran. Sandgrouse
	Bulletin of the British Ornithologists' Club		Volume 22 Pages 55-60
	Volume 107 Pages 28-31	6446	Parr, S. J., Sklyarenko, S., Brokhovich,
6420	Lamont, A. R. and Morgan, J. A. L. (2000) Pallid Harrier <i>Circus macrourus</i> : the first record for Peninsular Malaysia.		S., Brookhouse, J., Collin, P. N. and Heredia, B. (2000) A baseline survey of Lesser Kestrel <i>Falco</i> naumanni in south-east Kazakhstan,
	Forktail Volume 16 Pages 174		April-May 1997. Sandgrouse Volume 22 Number 1 Pages 36-42
6422	Mauro, I. and Drijvers, R. (2000)		
	Minahassa Owl <i>Tyto inexspectata</i> at Lore Lindu National Park, Sulawesi, Indonesia in December 1998.	6448	Lamsdell, C. and Lamsdell, D. (2000) The first Namaqua Dove <i>Oena capensis</i> in Cyprus.
	Forktail Volume 16 Pages 180-182		Sandgrouse Volume 22 Number 1 Pages 68-69
6423	Ho Hua Chew and Sutari Supari. (2000) Observations of Plain-pouched Hornbills Aceros subruficollis in Tasek Temengor, Peninsular Malaysia. Forktail Volume 16 Pages 65-67	6453	Martuscelli, P. and Yamashita, C. (1997) Rediscovery of the white-cheeked parrot Amazona kawalli (Grantsau and Camargo 1989) with notes on its ecology, distribution, and taxonomy. Ararajuba
			Volume 5 Number 2 Pages 97-113
6424	Rasmussen, P. C. (2000) A review of the taxonomy and status of the Plain-pouched Hornbill Aceros	6454	Andrews, I. J., Khoury, F. and Shirihai, H. (1999)
	subruficollis. Forktail Volume 16 Pages 83-91		Jordan Bird Report 1995-97. Sandgrouse Volume 21 Number 1 Pages 10-35
6425	Cheng Tso-hsin. (1994)	6456	Stanton, D. B. (1998)
0423	A complete checklist of species and	0.130	The first Speckled pigeon Columba
	subspecies of the Chinese birds.		guinea in Yemen and the Middle East.
	Science PressBeijing ISBN 7-03- 004227-1/Q.520		Sandgrouse Volume 20 Number 2 Pages 145
	· •	6466	
6426	Dowsett-Lemaire, F. and Dowsett, R. J. (1999)	6466	Eriksen, J. (1997) The first Crested Honey Buzzard <i>Pernis</i>
	Birds of the Parque Nacional de Monte		ptilorhynchus in Oman.
	Alen, mainland Equatorial Guinea, with an updating of the country's list.		Sandgrouse Volume 19 Number 2 Pages 143-144
	Alauda		
	Volume 67 Number 3 Pages 179-188	6470	Nation, B., Nation, H. and Hooper, A. (1997)

	Birds new to Qatar. Sandgrouse Volume 19 Number 1 Pages 56-62		Oryx Volume 33 Number 3 Pages 223-232.
6475	Goes, F. (1999) Notes on selected bird species in	6511	Balen, S. (Bas) van, Dirgayusa, I. W. A., Putra, I. M. A. and Prins, H. H. T. (2000) Status and distribution of the endemic
	Cambodia. Forktail Volume 15 Pages 25-27		Bali starling <i>Leucopsar rothschildi</i> . Oryx Volume 34 Number 3 Pages 188-197.
6476	Edwards, P. J. (1999) Recent waterbird surveys in Cambodia. Forktail Volume 15 Pages 29-42	6515	Baker, G. C. and Butchart, S. H. M. (2000) Threats to the maleo <i>Macrocephalon maleo</i> and recommendations for its conservation.
6477	Rasmussen, P. C. and Ishtiaq, F. (1999)		Oryx
	Vocalizations and behaviour of the Forest Owlet <i>Athene</i> (_Heteroglaux_)		Volume 34 Number 4 Pages 255-261.
	_blewitti Forktail	6516	Seddon, N., Tobias, J., Yount, J. W., Ramanampamonjy, J. R., Butchart, S.
	Volume 15 Pages 61-65		and Randrianizahana, H. (2000) Conservation issues and priorities in the
6478	Bishop, K. D. (1999)		Mikea Forest of south-west Madagascar.
	Preliminary notes on some birds in Bhutan.		Oryx Volume 34 Number 4 Pages 287-304.
	Forktail Volume 15 Pages 87-91	6523	Alonso, J. C., Lane, S. J., Dawson, R. and Idaghdour, Y. (2000)
6483	Ma Ming. (1999)		Great bustards <i>Otis tarda</i> in Morocco:
	Greater Flamingo Phoenicopterus ruber and Rufous-tailed Scrub Robin		status in spring 1999 and evidence of a
	Cercotrichas galactotes: two new		decline in recent decades. Oryx
	species for China.		Volume 34 Number 2 Pages 141-146.
	Forktail Volume 15 Pages 105-106	6604	Wiedenfeld, D. A., Morales M., J. and
6485	Duckworth, J. W. and Hedges, S. (1998) Bird records from Cambodia in 1997, including records of sixteen species new		Lezama L., M. (2001) Sight records of new species for Nicaragua and noteworthy records on range and occurrence.
	for the country. Forktail		Cotinga Volume 15 Pages 53-57.
	Volume 14 Pages 29-36	6639	Miranda, H. C. Jr, Kennedy, R. S., Sison,
6486	Rasmussen, P. C. and Collar, N. J. (1998)		R. V., Gonzales, P. C. and Ebreo, M. F. (2000)
	Identification, distribution and status of the Forest Owlet <i>Athene</i> (_Heteroglaux_)		New records of birds from the island of Panay, Philippines.
	_blewitti Forktail		Bulletin of the British Ornithologists's Club
	Volume 14 Pages 41-49		Volume 120 Number 4 Pages 266-280.
6487	King, B. F. and Rasmussen, P. C. (1998) The rediscovery of the Forest Owlet	6641	Angehr, G. R. and Christian, D. G. (2000)
	Athene (_Heteroglaux_) _blewitti Forktail		Distributional records from the highlands of the Serranía de Majé, an isolated
6401	Volume 14 Pages 51-53		mountain range in eastern Panama. Bulletin of the British Ornithologists's
6491	Lazaroff, C. (29 March 2001) Wild California Condors Lay First Egg in 15 Years.		Club Volume 120 Number 3 Pages 173-178.
	http://ens.lycos.com/ens/mar2001/200	6642	Mack, A. L. and Wright, D. D. (2000)
	IL-03-29-06.html Environment News Service.		Notes on the Crested Cnemophilus macgregorii and Yellow-breasted _Loboparadisea sericea_ Birds of
6503	Roy, M. S., Torres-Mura, J. C., Hertel, F., Lemus, M. and Sponer, R. (1999)		Paradise. Bulletin of the British Ornithologists' Club
	Conservation of the Juan Fernandez firecrown and its island habitat.		Volume 120 Number 3 Pages 186-189.

- Orbina-Torres, F. (2000)
 New distributional information of birds from the State of Morelos, Mexico.
 Bulletin of the British Ornithologists's Club
 Volume 120 Number 1 Pages 8-15.
- 6656 Whitney, B. M. and Pacheco, J. F. (1999)
 The valid name for Blue-winged Parrotlet
 and designation of the lectotype of
 Psittaculus xanthopterygius Spix, 1824.
 Bulletin of the British Ornithologists' Club
 Volume 119 Number 4 Pages 211-214.
- Herzog, S. K., Fjeldsa, J., Kessler, M. and Balderrama, J. A. (1999)
 Ornithological surveys in the Cordillera Cocapata, depto. Cochabamba, Bolivia, a transition zone between humid and dry intermontane Andean habitats.
 Bulletin of the British Ornithologists' Club Volume 119 Number 3 Pages 162-177.
- Stiles, F. G., Rosselli, L. and Bohórquez,
 C. I. (1999)
 New and noteworthy records of birds from the middle Magdalena valley of Colombia.
 Bulletin of the British Ornithologists' Club Volume 119 Number 2 Pages 113-129.
- Morales-Pérez, J. E. (1999)
 Additional bird records for Oaxaca,
 Mexico.
 Bulletin of the British Ornithologists' Club
 Volume 119 Number 1 Pages 16-25.
- 6676 Hazevoet, C. J. (1999)
 Notes on birds from the Cape Verde
 Islands in the collection of the Centro de
 Zoologia, Lisbon, with comments on
 taxonomy and distribution.
 Bulletin of the British Ornithologists' Club
 Volume 119 Number 1 Pages 25-31.
- 6677 Clark, W. S. (1999)
 Plumage differences and taxonomic status of three similar *Circaetus* snakeeagles.
 Bulletin of the British Ornithologists' Club Volume 119 Number 1 Pages 56-59.
- 6679 Garrido, O. H. (2001) Una nueva subsespecie del Sijú de Sabana Speotyto cunicularia para Cuba. [Spanish] Cotinga Volume 15 Pages 75-78.
- 6680 Begazo, A. J., Valqui, T., Sokol, M. and Langlois, E. (2001)
 Notes on some birds from central and northern Peru.
 Cotinga
 Volume 15 Pages 81-87.

- 6681 Begazo, A. J. (2001)
 Peruvian Pigeon Columba oenops.
 Cotinga
 Volume 15 Pages 95-96.
- Garrigues, R. L. (2000)
 Is Marvellous Spatuletail Loddigesia
 mirabilis threatened by hunting?
 Cotinga
 Volume 14 Pages 13.
- López-Lanús, B., Salaman, P. G. W.,
 Cowley, T. P., Arrango, S. and Renjifo, L.
 M. (2000)
 The threatened birds of the río Toche,
 Cordillera Central, Colombia.
 Cotinga
 Volume 14 Pages 17-23.
- 6684 López-Lanús, B. and Sócola, J. (2000)
 Estudio y conservación del *Ara ambigua*en la Reserva Cerro Blanco, sudeste de
 Ecuador.
 Cotinga
 Volume 14 Pages 24-25.
- 6685 Berg, K. S. (2000)
 Field notes on the biology of the Longwattled Umbrellabird Cephalopterus
 penduliger in west Ecuador.
 Cotinga
 Volume 14 Pages 26-29.
- 6686 Regalado, P. and Cables, E. (2000)
 Primer hallazgo de Falco peregrinus
 nidificando en Cuba.
 Cotinga
 Volume 14 Pages 78.
- 6687 Burke, P., Kirkconnell, A. and Whitehouse, S. M. (2000)
 Franklin's Gull Larus pipixcan and Mississippi Kite _Ictinia mississippiensis_new to Cuba.
 Cotinga
 Volume 14 Pages 101-102.
- 6688 Herzog, S. K. and Kessler, M. (2000)
 First records of Barred Parakeet
 Bolborhynchus lineola and Roraiman
 Flycatcher _Myiophobus roraimae_ in
 Bolivia.
 Cotinga
 Volume 14 Pages 104-105.
- 6690 Kirwan, G. and Barnett, J. M. (2001)
 New bird records from north-east Brazil.
 Cotinga
 Volume 15 Pages 67-68.
- 6697 Anon. (1999)
 Long-billed Starthroat (Heliomaster longirostris) reported by Philip Balderamos.
 Belize Audubon Society Newsletter Volume 31 Number 3 Pages 10.

- 6702 Schuchmann, K.-L., Weller, A.-A. and Heynen, I. (2000)
 Biogeography and taxonomy of the Andean hummingbird genus Haplophaedia Simon (Aves: Trochilidae), with the description of a new subspecies from southern Ecuador.
 Orn. Anzeiger
 Volume 39 Pages 17-42.
- 6703 Hu Da-Shih, Joseph, L. and Agro, D.
 (2000)
 Distribution, variation, and taxonomy of
 Topaza hummingbirds (Aves:
 Trochilidae).
 Orn. Neotrop.
 Volume 11 Pages 123-142.
- 6704 Weller, A.-A. (2000)
 A new hummingbird subspecies from southern Bolívar, Venezuela, with notes on biogeography and taxonomy of the Saucerottia viridigaster-cupreicauda species group.
 Orn. Neotrop.
 Volume 11 Pages 143-154.
- 6706 Dove, C. J. and Banks, R. C. (1999)
 A taxonomic study of Crested Caracaras
 (Falconidae).
 Wilson Bulletin
 Volume 111 Pages 330-339.
- Weller, A.-A. and Schuchmann, K.-L. (1999)
 Geographical variation in the southern distributional range of the Rufous-tailed Hummingbird, Amazilia tzacatl de la Llave, 1832: a new subspecies from Nariño, southwestern Colombia.
 J. Orn.
 Volume 140 Pages 457-466.
- 6708 Eitniear, J. C., Tapia, A. A., González, V., Pedraza, R. and Baccus, J. T. (2000)
 New Galliformes for the Mexican state of Querétaro.
 Cotinga
 Volume 13 Pages 10-13.
- 6709 Jones, H. L., McRae, E., Meadows, M. and Howell, S. N. G. (2000)
 Status updates for selected bird species in Belize, including several species previously undocumented from the country.
 Cotinga
 Volume 13 Pages 17-31.
- 6711 Becker, D., Agreda, A., Richter, A. and Rodriguez, O. (2000)
 Interesting bird records from the Colonche Hills, western Ecuador. Cotinga
 Volume 13 Pages 55-58.
- 6712 López-Lanús, B. and Gastezzi, P. (2000) An inventory of the birds of Segua

- Marsh, Manabí, Ecuador. Cotinga Volume 13 Pages 59-64.
- 6714 Rompré, G., Aubry, Y. and Kirkconnell, A. (2000) Recent observations of threatened birds in eastern Cuba. Cotinga Volume 13 Pages 66.
- 6716 Norton, R. L. (1999)
 West Indies region.
 North American Birds
 Volume 53 Pages 110-111.
- 6720 Nebot, J. C. (1999)
 First report on the Rose-ringed Parakeet
 (Psittacula krmari) in Venezuela and
 preliminary observations on its behavior.
 Orn. Neotrop.
 Volume 10 Pages 115-117.
- 6724 Hornbuckle, J. (1999)
 The birds of Abra Patricia and the upper río Mayo, San Martin, north Peru.
 Cotinga
 Volume 12 Pages 11-28.
- 6728 Maijer, S., Herzog, S. K., Kessler, M., Friggens, M. T. and Fjeldsa, J. (1998) A distinctive new subspecies of the Green-cheeked Parakeet (*Pyrrhura molinae*, Psittacidae) from Bolivia. Orn. Neotrop.

 Volume 9 Pages 185-191.
- 6730 Donegan, T. M. and Dávalos, L. M.
 (1999)
 Ornithological observations from Reserva
 Natural Tambito, Cauca, south-west
 Colombia.
 Cotinga
 Volume 12 Pages 48-55.
- 6734 Fraga, R. M. and Clark, R. (1999)
 Notes on the avifauna of the upper
 Bermejo River (Argentina and Bolivia)
 with a new species for Argentina.
 Cotinga
 Volume 12 Pages 77-78.
- 6735 ffrench, R. and White, G. (1999)
 Verification of rare bird records from
 Trinidad & Tobago.
 Cotinga
 Volume 12 Pages 80-82.
- 6740 Sánchez, J. E., Naoki, K. and Zook, J. (1998)

 New information about Costa Rican birds. Orn. Neotrop.

 Volume 9 Pages 99-102.
- 6741 Angehr, G. (1999)
 The FieldEditor's report(s).
 El Tucán
 Volume 25 Pages 3-4.

- Angehr, G. (1999)
 Rapid long-distance colonization of Lake
 Gatun, Panama, by Snail Kites.
 Wilson Bulletin
 Volume 111 Pages 265-268.
- 6745 Robbins, M. B., Faucett, R. C. and Rice, N. H. (1999)
 Avifauna of a Paraguayan cerrado locality: Parque Nacional Serrania San Luis, depto. Concepción.
 Wilson Bulletin
 Volume 111 Pages 216-228.
- 6746 Carriquiry, A. (1998)
 Aguila de cola blanca (*Buteo albicaudatus*). Nuevas citas para varios departamentos.
 Achará
 Volume 1 Pages 15.
- 6753 Clay, R. P. (1999)
 A record of the *belizensis* susbspecies of Yellow-headed Amazon _Amazona oratrix_ from the Petén, northern Guatemala.
 Cotinga
 Volume 11 Pages 20.
- 6754 Kirwan, G. M., Williams, R. S. R. and Bradshaw, C. G. (1999)
 Interesting avifaunal records from the Dominican Republic.
 Cotinga
 Volume 11 Pages 27-29.
- 6755 Mazariegos H., L. A. and Salaman, P. G. W. (1999)
 Rediscovery of the Colourful Puffleg
 Eriocnemis mirabilis.
 Cotinga
 Volume 11 Pages 34-38.
- 6756 Salaman, P. G. W., López-Lanús, B. and Krabbe, N. (1999)
 Critically endangered: Yellow-eared Parrot Ognorhynchus icterotis in Colombia.
 Cotinga
 Volume 11 Pages 39-41.
- Vasconcelos, M. F. de. (1999)
 Natural history notes and conservation of two species endemic to the Espinhaço Range, Brazil: Hyacinth Visorbearer Augastes scutatus and Grey-backed Tachuri _Polystictus superciliaris_.
 Cotinga
 Volume 11 Pages 75-78.
- 6767 Lars Bodin. (ed.)(2001)
 Grå Jaco Psittacus erithacus. [Swedish]
 http://www.lars-bodin.dk/Fugle/Psittacus/index.html
- 6768 Hallchurch, T. T. (1982) Exercise King Vulture: Belize: 23

- February -16 March 1982. Adjutant Volume 12 Pages 3-36.
- 6769 Miller, B. W. and Miller, C. M. (1998) Ornithology in Belize since 1960. Wilson Bulletin Volume 110 Pages 544-558.
- 6775 Schuchmann, K.-L. and Züchner, T. (1997)

 Coeligena violifer albicaudata (Aves, Trochilidae): a new hummingbird subspecies from the southern Peruvian Andes.

 Orn. Neotropical Volume 8 Pages 247-253.
- 6776 Olmos, F., Martuscelli, P. and Silva e Silva, R. (1997)
 Distribution and dry-season ecology of Pfrimer's Conure *Pyrrhura pfrimeri*, with a reappraisal of Brazilian _Pyrrhura "leucotis"_.
 Orn. Neotropical
 Volume 8 Pages 121-132.
- 6780 Weller, A. and Schuchmann, K.-L. (1997)
 The hybrid origin of a Venezuelan
 trochilid, *Amazilia distans* Wetmore &
 Phelps 1956.
 Orn. Neotropical
 Volume 8 Pages 107-112.
- 6783 Salaman, P. G. W. and Mazariegos H., L. A. (1998)
 The hummingbirds of Nariño, Colombia.
 Cotinga
 Volume 10 Pages 30-36.
- 6784 Herzog, S. K. and Kessler, M. (1998)
 In search of the last Horned Curassows
 Pauxi unicornis in Bolivia.
 Cotinga
 Volume 10 Pages 46-48.
- 6785 Bencke, G. A. (1998)
 Notes on the breeding of Blue-bellied
 Parrot *Triclaria malachitacea*.
 Cotinga
 Volume 10 Pages 71-78.
- 6791 Iliff, M. (1998)
 Bird observations from a visit to Anguilla,
 Lesser Antilles, 28 December 1995 to 4
 January 1996.
 El Pitirre
 Volume 11 Number 1 Pages 1-4.
- 6809 Seutin, G. (1998)
 Two bird species new for Panama and
 Central America: White-whiskered
 Hermit Phaethornis yaruqui and Whitewinged Swallow _Tachycineta
 albiventer_.
 Cotinga
 Volume 9 Pages 22-23.

6849 Thorstrom, R. (1997) Boesman, P. (1998) 6810 A description of nests and behavior of Some new information on the the Gray-headed Kite. distribution of Venezuelan birds. Wilson Bulletin Cotinga Volume 109 Pages 173-177. Volume 9 Pages 27-39. 6851 Kirwan, G. and Hornbuckle, J. (1997) Mazar Barnett, J., Clark, R., Bodrati, A., 6812 Neotropical Notebook. Bodrati, G., Pugnali, G. and della Seta, Cotinga M. (1998) Natural history notes on some little-Volume 7 Pages 75-82. known birds in north-west Argentina. 6853 Saibene, C. A., Castelino, M. A., Rey, N. Cotinga R., Herrera, J. and Calo, J. (1996) Volume 9 Pages 64-75. Inventario de las aves del Parque Nacional "Iguazu", Misiones, Argentina. Erickson, R. A. and Wurster, T. E. (1998) 6819 L.O.L.A. -Buenos Aires. Confirmation of nesting in Mexico for four bird species from the Sierra San 6854 Schulenberg, T. S. and Awbrey, K Pedro Mártir, Baja California. (eds.)(1997) Wilson Bulletin The Cordillera del Cóndor region of Volume 110 Pages 118-120. Ecuador and Peru: a biological assessment. Becker, C. D. and López-Lanús, B. 6827 Conservation International. - Washington, (1997)D.C. Conservation value of a Garua forest in the dry season: a bird survey in Reserva 6859 Stiles, F. G. (1996) Ecológica de Loma Alta, Ecuador. A new species of emerald hummingbird Cotinga (Trochilidae, Chlorostilbon) from the Volume 8 Pages 66-74. Sierra de Chiribiquete, southeastern Colombia, with a review of the _C. 6828 Ryan, R. (1997) mellisugus complex. First record of Little Egret Egretta Wilson Bulletin garzetta for Guyana. Volume 108 Number 1 Pages 1-27. Cotinga Volume 7 Pages 92. 6862 Begazo, A. J. (1996) Ecology and conservation of the Yellow-6832 Angehr, G. (1997) faced Parrotlet. The Fieldeditor's report. Cotinga El Tucan Volume 23 Number 8 Pages 4-5. Volume 6 Pages 20-23. Krabbe, N. and Molina, F. S. (1996) 6835 Mazar Barnett, J., Kirwan, G. M. and 6863 Williams, R. S. R. (1997) The last Yellow-eared Parrots Ognorhynchus icterotis in Ecuador? Neotropical Notebook. Cotinga Cotinga Volume 6 Pages 25-26. Volume 8 Pages 90-97. 6866 Howell, S. N. G. and Robbins, M. B. Arndt, T. (1995) 6841 Lexicon of parrots. Part 7. Species limits of the Least Pygmy-Owl Arndt Verlag. -Bretten, Germany (Glaucidium minutissimum) complex. Wilson Bulletin Stotz, D. F., Fitzpatrick, J. W., Parker, T. 6842 Volume 107 Pages 7-25. A. III and Moskovits, D. K. (1996) Neotropical birds: ecology and Prince, P. A. and Croxall, J. P. (1996) 6875 conservation. The birds of South Georgia. University of Chicago Press. -Chicago Bulletin of the British Ornithologists' Club Sharpe, C., Ascanio, D. and Restall, R. Volume 116 Number 2 Pages 81-104. 6845 Brown, C. J., Robson, N. and Yates, M. 6876 Three species of exotic passerine in Venezuela. Distribution, status and first breeding Cotinga record of the Grey Kestrel in southern

Africa.

J. African Raptor Biology Volume 10 Pages 52-57.

Volume 7 Pages 43-44.

- 6877 Claffey, P. (1997)
 Western Red-footed Falcon Falco
 vespertinus, a new addition to the
 Republic of Benin list.
 Malimbus
 Volume 19 Pages 95-96.
- Robel, D. (1997)
 Records of the Grey Hornbill Tockus
 nasutus, Crimson-rumped Waxbill
 Estrilda rhodopyga and African
 Silverbill _Lonchura cantans in Egypt.
 Zoology in the Middle East
 Volume 15 Pages 33-35.
- Masatomi, H. (1999)
 A pair of White-naped Cranes nested in Hokkaido in 1985, the first confirmed record for Japan.
 Japanese Journal of Ornithology
 Volume 47 Pages 69-71.
- Woo, Y.-T. and Lee, J.-N. (1996)
 Newly recorded birds of 6 species and subspecies in Korea.
 Korean Journal of Ornithology
 Volume 3 Pages 59-61.
- Riley, J., Hicks, D. and Wardill, J. C. (1998)
 The identity of *Eos histrio challengeri*Salvadori, 1891.
 Bulletin of the British Ornithologists' Club
 Volume 118 Pages 193-196.
- Zyskowski, K., Peterson, A. T. and Kluza, D. A. (1998)
 Courtship behaviour, vocalizations, and species limits in *Atthis* hummingbirds.
 Bulletin of the British Ornithologists' Club Volume 118 Pages 82-90.
- Gamauf, A. and Preleuthner, M. (1998)
 A new taxon of the Barred Honeybuzzard
 Pernis celebensis from the Philippines.
 Bulletin of the British Ornithologists' Club
 Volume 118 Pages 90-101.
- 6892 Mauricio, G. N. and Dias, R. A. (1998)
 Range extensions and new records for forest birds in southern Rio Grande do Sul, Brazil.
 Bulletin of the British Ornithologists' Club Volume 118 Pages 14-25.
- 6906 Spierenburg, P. (2000)
 Nouvelles observations de six espèces
 d'oiseaux au Mali. [French]
 Malimbus
 Volume 22 Pages 23-28.
- van der Akker, M. (2000) Red-tailed Greenbul Criniger calurus and Chestnut-breasted Negrofinch _Nigrita bicolor_, new to Bénin. Bulletin of the African Bird Club Volume 7 Pages 133.

- 6909 Salewski, V., Bobek, M., Peske, L. and Pojer, F. (2000)
 Status of the Black Stork *Ciconia nigra* in Ivory Coast.
 Malimbus
 Volume 22 Pages 92-93.
- 6910 Haugaard, J. (1999)
 The Shoebill Balaeniceps rex in Malawi:
 myth, ghost or grain of truth?
 Vocifer
 Volume 2 Number 16 Pages 3-4.
- 6911 Pope, R., Pope, J. and Gurney, M. (1999) New to Zambia: Rüppell's Vulture *Gyps* rueppellii. 1998 Zambia Bird Report Pages 85-86.
- 6913 Le Corre, M. (2000)
 Le Rossignol du Japon *Leiothrix lutea*(Sylviidés, Timaliinés), nouvelle espèce
 introduite à la Réunion (Ocean Indien).
 Alauda
 Volume 68 Pages 58-71.
- Gregory, P. (1997)
 Range extensions and unusual sightings from Western Province, Papua New Guinea.
 Bulletin of the British Ornithologists' Club Volume 117 Number 4 Pages 304-311.
- 6925 Barrowclough, G. F., Lentino R., M. and Sweet, P. R. (1997)
 New records of birds from Auyán-Tepui, Estado Bolívar, Venezuela.
 Bulletin of the British Ornithologists's Club
 Volume 117 Pages 194-198.
- 6927 Madroño N., A. and Esquivel, E. Z.
 (1977)
 Noteworthy records and range
 extensions of some birds from the
 Reserva Natural del Bosque Mbaracayú
 (Mbaracayú Forest Nature Reserve),
 Departamento de Canindeyú, Paraguay.
 Bulletin of the British Ornithologists' Club
 Volume 117 Pages 166-176.
- Brooks, T. and Dutson, G. (1997)
 Twenty-nine new island records of birds from the Philippines.

 Bulletin of the British Ornithologists' Club Volume 117 Pages 32-37.
- Frith, C. B. and Frith, D. W. (1997)
 The taxonomic status of the bird of paradise Paradigalla carunculata intermedia (Paradisaeidae) with notes on the other _Paradigalla_ taxa.
 Bulletin of the British Ornithologists' Club Volume 117 Pages 38-48.
- 6932 Ericson, P. G. P. and Amarillo, L. A. (1997) First observations and new distributional

data for birds in Paraguay. Bulletin of the British Ornithologists' Club Volume 117 Pages 60-67.

Devillers,P., Ouellet,H., Benito-Espinal,É., Beudels,R., Cruon,R., David,N., Érard,C., Gosselin,M., Seutin,G (comps.)(1993) Noms français des oiseaux du Monde. (French Names of the Birds of the World). [French] Series/Edition 1 Multimondes Inc. eds. -Sainte-Foy, Quebec & Chabaud eds, Bayonne, France ISBN 2877490351

6947 Sibley,C.G. and Monroe, B.L (eds.)(1990)
Distribution and Taxonomy of Birds of the World.
Yale University Press. -New Haven

6951 Coates, B. J. (1985)
Birds of Papua New Guinea. Volume 1.
Dove Publications. -Alderley, Australia

6985 World Conservation Monitoring Centre.
(1992)
Global Biodiversity. status of the earth's living resources.
Chapman & Hall. -London Pages 206-214 ISBN 0412472406

6986 Anon. (1995) Lista de las aves de Bolivia. Asociación Armonía. -Santa Cruz, Bolivia

Index

	aeneocauda, Metallura	African Orange-bellied
A	187	Parrot
A	aequatorialis,	African Penguin2
abbotti, Papasula3	Androdon 171	African Pitta 201
abbotti, Sula3	aequinoctialis,	African Pygmy Falcon
abeillei, Abeillia 168	Buteogallus41	81
Abeillia 168	aeruginosus, Circus	African Pygmy-goose
Abejero colilargo 54	44, 46, 47	21
Abejero de Célebes 62	aestiva, Amazona 106	African Quailfinch. 214
Abejero europeo 62	aethiopicus,	African Red-tailed Buzzard37
Abejero negro 54	Threskiornis11	
Abejero oriental 63	Afep Pigeon 101	African Scops-Owl 162
Aborófila de Fujián. 84	afer, Euplectes 216	African Serpent-Eagle
Abyssinian long-eared	afer, Turtur 104	47 African Silverbill212
owl 145	affinis, Ninox 154	
Abyssinian Lovebird	affinis, Penelopides	African Swallow-tailed
106		Kite42 African White-backed
Abyssinian Owl 145	afra, Eupodotis 95	Vulture50
abyssinicus, Asio . 145	afraoides, Eupodotis	African Wood-Owl 167
abyssinicus, Turtur	95	African Wood-Owi 107
104	African Barred Owlet	101
acadicus, Aegolius 144	151 African Bay Owl 142	africanus, Bubo148
Accipiter24, 25, 26,	African Baza35	africanus, Gyps50
27, 28, 29, 30, 31,	African Black Eagle. 34	africanus, Spizaetus65
48, 49, 59	African Collared-Dove	Agapornis105, 106
ACCIPITRIDAE 24	102	Agelaius208
accipitrinus,	African Crowned Eagle	Agelastes84
Deroptyus 120	67	agilis, Amazona 107
Aceros 195, 196, 197	African Cuckoo-Falcon	Aglaeactis 168, 169
Acestrura 168	35	Aglaiocercus 169
Acuá 78	African Cuckoo-Hawk	Agriocharis84
acuta, Anas 13	35	Aguila arpía54
acuticaudata, Aratinga	African Eagle56, 148	Aguila audaz32
113	African Eagle-Owl 148	Aguila blanca58
adalberti, Aquila 31	African Firefinch 211	Aguila blanquinegra 66
adela, Oreotrochilus	African Fish-Eagle 53	Aguila cabeciblanca 52
188	African Goshawk 30	Aguila cabeza blanca
Adelomyia 168	African Grass-Owl 143	52
Admiralty Hawk-Owl	African Green-Pigeon	Aguila cafre34
155	104	Aguila castaña62
Admiralty island	African Gymnogene 63	Aguila colorada 36
Hawk-owl 155	African Harrier-Hawk	Aguila comemonos . 63
adorabilis, Lophornis	63	Aguila copetuda
186	African Hawk-Eagle 56	africana58
adorabilis, Paphosia	African Hobby71	Aguila coronada 54, 67
186	African Little	Aguila coronada
Adorable Coquette 186	Sparrowhawk 28	rabuda67
adscitus, Platycercus	African Long-tailed	Aguila crestada 61
	Hawk 68	Aguila crestilarga 58
Aegolius 144, 145	African Marsh Owl 145	Aguila culebrera42,
Aegypius 31, 64, 67	African Marsh-Harrier	43, 47
aegyptiacus,	47	Aguila culebrera
Alopochen 13	African Mourning Dove	colilarga47
aenea, Glaucis 181	102	Aguila culebrera

		1.15.10
culiblanca42	montañesa 66	del Pacifico44
Aguila culebrera de	Aguila-azor negra 66	Aguilucho moteado.44
Brown43	Aguila-azor perdicera	Aguilucho negro46
	55	Aguilucho pálido45
Aguila de Azara 54		
Aguila de Bonelli 55	Aguila-azor variable65	Aguilucho papialbo .45
Aguila de Copete 62	Aguila-azor ventrirroja	Aguilucho pío46
Aguila de Penacho . 66	55	Aguilucho puna40
Aguila de Walhberg 35	Aguilila blanca57	Aguilucho sabanero 41
Aguila elegante 66	Aguililla aluda40	Aguilucho vari 40, 45
Aguila escudada 49	Aguililla artica 39	Aguilucho variado40
_	_	Aguilucho-caricalvo
Aguila esteparia 33	Aguililla aura 37	
Aguila Esteparia 34	Aguililla australiana 55	común63
Aguila estoparia 33	Aguililla calzada 55	Aguilucho-caricalvo
Aguila harpía 54	Aguililla caminera 39	malgache63
Aguila imperial .31, 33	Aguililla coliblanca 37	Aigle à épaules
Aguila imperial ibérica	Aguililla colicorta 37	blanches31
31	Aguililla colirroja 39	Aigle à tête blanche 52
	Aguililla de Harris 62	Aigle à ventre roux.55
Aguila imperial		_
oriental 33	Aguililla de Swainson	Aigle blanchard 67
Aguila marcial 63	41	Aigle botté55
Aguila milana 56	Aguililla gris 35	Aigle couronné67
Aguila moluqueña 33	Aguililla langostera. 36	Aigle criard32
Aguila monera 61	Aguililla negra mayor	Aigle d'Australie 32
Aguila mora 49	42	Aigle d'Ayres54
Aguila moteada 32	Aguililla negra menor	Aigle de Blyth65
Aguila moteada 52	41	Aigle de Cassin 65
Aguila negra 42		
Aguila perdicera	Aguililla pechirroja . 39	Aigle de Gurney33
africana 56	Aguililla real 40	Aigle de Java65
Aguila pescadora 23	Aguilucho cabecinegro	Aigle de Nouvelle-
Aguila poma 62	37	Guinée 54
Aguila pomerana 34	Aguilucho cenizo46	Aigle de Verreaux34
Aguila rapaz 34	Aguilucho cenzio 46	Aigle de Wahlberg35
Aguila Rapáz 34	Aguilucho chico 37	Aigle de Wallace 66
Aguila real32, 49	Aguilucho cola	Aigle des Célèbes 66
	colorada 41	Aigle des Philippines
Aguila sangual 23		
Aguila solitaria 54	Aguilucho cola corta37	63, 66
Aguila tirana 66	Aguilucho colorada. 41	Aigle des singes 63
Aguila volatinera 67	Aguilucho común 40	Aigle des steppes33,
Aguila-azor africana 56	Aguilucho de azara. 45	34
Aguila-azor blanca . 66	Aguilucho de ciénaga	Aigle d'Isidore62
Aguila-azor	45	Aigle doré·32
blanquinegra 66	Aguilucho gris 35	Aigle fascié56
Aguila-azor chica 66	Aguilucho lagunero44,	Aigle harpie54
	46, 47	
Aguila-azor congoleña	•	Aigle huppard58
65	Aguilucho lagunero	Aigle huppé65
Aguila-azor de Ayres	del pacifico44	Aigle ibérique 31
54	Aguilucho lagunero	Aigle impérial 31, 33
Aguila-azor de	etiópico47	Aigle impérial
Célebes 66	Aguilucho lagunero	espagnol31
Aguila-azor de Java 65	malgache46	Aigle mangeur de
_	Aguilucho lagunero	singes63
Aguila-azor de Wallace66	occidental44	
		Aigle martial63
Aguila-azor filipina . 66	Aguilucho lagunero	Aigle montagnard66
Aguila-azor galana. 66	oriental47	Aigle nain55
Aguila-azor Indonesia	Aguilucho langostero	Aigle noir 56, 66
65	41	Aigle noir et blanc66
Aguila-azor	Aguilucho Lanunero	Aigle orné66
		-

Aigle pêcheur23, 53	albigula, Buteo 37	alice, Chlorostilbon
Aigle pêcheur africain	albinucha, Ploceus 218	175
53	albipectus, Pyrrhura	aliciae, Aglaeactis. 168
Aigle pomarin 34	135	Alimoche61
Aigle ravisseur 34	albipennis, Penelope	Alimoche común61
Aigle royal 32	83	Alimoche sombrío61
	albirostris,	alinae, Eriocnemis 179
Aigle serpentaire47,	Anthracoceros 197	Alisterus 106
49	albirostris, Bubalornis	alius, Otus157
Aigle tyran		alopex, Falco68
Aigle-autour fascié. 56		Alopochen13
Aigrette garzette 6	albitarsus, Ciccaba164	
Akun Eagle-Owl 149	albitarsus, Strix 164	altaicus, Falco70
Ala de sable anteado	albocoronata,	alticola, Amazilia 169
174	Microchera 188	aluco, Strix165
Ala de sable gris 174	albogularis, Accipiter	amabilis, Amazilia169,
Ala de sable	24	170
pechivioleta 174	albogularis, Otus 157	amabilis, Charmosyna
Ala de sable rufo . 174	albogularis,	118
Ala de sable verde 174	Phalcoboenus80	amabilis, Loriculus
Alagoas Curassow 82	albogularis, Zosterops	123, 124
Alasable azulino 174	206	Amadina 209
Alasable del Napo 174	alboniger, Spizaetus	Amadina gorgirroja
Alazafiro grande 192	65	209
alba, Cacatua 116	albonotatus, Buteo.37	Amadine cou-coupé
alba, Egretta5	albus, Casmerodius5	209
alba, Tyto 142, 143	Alcaraván98	Amandava209
Albatros3	Alcaraván americana	Amani Sunbird 206
Albatros à queue	98	Amapola 110
courte3	Alcaraván venozolano	Amarante à ventre
Albatros colicorto3	98	noir 210
Albatros de Steller 3	Alcatraz de Abbott3	Amarante commun
Albatros rabón 3	alcinus,	211
albatrus, Diomedea3	Machaerhamphus 58	Amarante du Sénégal
alberti, Crax 82	alcinus,	211
alberti, Pteridophora	Macheiramphus58	Amarante flambé . 211
226	Alcotán 70, 71, 73, 76	Amarante foncé 211
Albertine Owlet 150	Alcotán africano71	Amarante masqué 211
albertinum,	Alcotán australiano 73	Amarante pointé 211
Glaucidium 150	Alcotán cuellirrojo 70	Amarante rare 210
albertisi, Drepanornis	Alcotán europeo 76	Amarante vineux 211
223	Alcotán filipino 76	amauropteryx, Vidua
albertisi, Epimachus	Alcotán turumti 70	221
223	Alder Parrot 109	Amazilia 169, 170, 171
albicaudatus, Buteo 37	Alecto à bec blanc 216	Amazilia amable 169
albicilla, Haliaeetus 51	alector, Crax82	Amazilia andina 170
albicollis, Leucochloris	Aleutian Canada	Amazilia berilina 169
186	Goose18	Amazilia bronceada
albicollis, Leucopternis	Aleutian Goose 18	coliazul 171
57	alexanderi, Falco77	Amazilia cándida 169
albidinuchus, Lorius	alexandrae, Polytelis	Amazilia canela 170
124	130	Amazilia capiazul . 169
albifacies, Sceloglaux	alexandri, Archilochus	Amazilia coliazul 170
163	172	Amazilia colimorada
albifrons, Amazona	alexandri, Psittacula	171
107	132	Amazilia colirrufa . 171
albifrons, Amblyospiza	Alexandrine Parakeet	Amazilia coroniazul
215	133	170

Amazilia coronivioleta	Amazona de Cuba 109	Amazone à cronne
171	Amazona de espalda	rouge109
Amazilia costeña 169	amarilla 107	Amazone à épaulettes
Amazilia de Edward	Amazona de Kawall	jaunes107
170	108	Amazone à face jaune
Amazilia de manglar	Amazona de la	110
169	Española 110	Amazone à front blanc
Amazilia de	Amazona de Puerto	107
Rosenberg 170	Rico 110	Amazone à front bleu
Amazilia de Tobago	Amazona de San	106
	Vincente 108	Amazone à front
Amazilia frentiverde	Amazona de Santa	jaune 109
171	Lucía 110	Amazone à joues
Amazilia gorjibrillante	Amazona del cerrado	bleues107, 108
170	110	Amazone à joues
Amazilia Hondureña	Amazona festiva 108	jaunes 107
170	Amazona frentialba	Amazone à joues
Amazilia Hummingbird	107	vertes 110
169	Amazona frentiazul	Amazone à lores
Amazilia listada 170	106	jaunes110
Amazilia pechiazul 169	Amazona frentirroja	Amazone à nuque d'or
Amazilia pechiblanca	107	107
	Amazona gorgirroja	Amazone à queue
Amazilia pechimorada	107	rouge107
	Amazona guayabera	Amazone à sourcils
Amazilia tzacatl 171	108	rouges 109
Amazilia ventriblanca	Amazona harinosa 108	Amazone à tête
170	Amazona	blanche 109
Amazilia ventricastaña	hombrogualda 107	Amazone à tête jaune
169	Amazona imperial 108	109
Amazilia ventrirrufa	Amazona Jamaicana	Amazone agile 107
169	piquiclara 108	Amazone aourou 107
Amazilia verdiazul 171	Amazona Jamaicana	Amazone bourgogne
Amazilia versicolor 171	piquioscura 107	110
Amazilia yucateca 171	Amazona mercenaria	Amazone de Bouquet
Amazilia zafirina 170	109	107
amazilia, Amazilia 169	Amazona pechivinosa	Amazone de Cuba 109
Amazona106, 107,		Amazone de Dufresne
108, 109, 110	Amazona	108
Amazona alinaranja	Portorriqueña 110	Amazone de Finsch
107	Amazona real 109	108
Amazona cabecirroja	Amazona Tamaulipeca	Amazone de Guilding
109	110	108
Amazona cabenazul	Amazona tucumana	Amazone de Kawall
107	109	108
Amazona cabeza azul	Amazona vinosa 110	Amazone de la
107	Amazona Yucateca110	Barbade 107
Amazona cariazul 108	Amazone à ailes	Amazone de la
Amazona charao 109		
	oranges 107	Jamaïque108
Amazona colirroja 107	Amazone à ailes	Amazone de Porto
Amazona coronirroja	vertes 107	Rico110
109	Amazone à bandeau	Amazone de Prêtre
Amazona crestirroja	rouge 110	109
109	Amazone à cou rouge	Amazone de Sainte-
Amazona Cubana. 109	107	Lucie 110
Amazona de cara	Amazone à couronne	Amazone de Saint-
amarilla 110	lilas 108	Vincent 108

Amazone de San	americanus, Daptrius	182
Domingo 110	68	Angel de Sol cuelliocre
Amazone de Tucuman	americanus, Ibycter68	182
109	Amethyst Woodstar	Angel de Sol de
Amazone d'Hispaniola	173	Mérida 182
110	amethysticollis,	angelinae, Otus 157
Amazone diadème 107	Heliangelus 182	angolensis,
Amazone du Brésil 107	amethystina,	Gypohierax50
Amazone du Yucatan	Calliphlox 173	angolensis, Pitta 201
110	amethystinus,	anna, Archilochus. 173
Amazone farineuse	<i>Lampornis</i> 185	anna, Calypte 173
108	Amethyst-throated	Anodorhynchus110,
Amazone festive 108	Hummingbird 185	111
Amazone impériale	Amethyst-throated	Anomalospiza 216
108	Sunangel 182	Anomalospize parasite
Amazone mercenaire	amherstiae,	216
109	Chrysolophus 85	Anorrhinus 197
Amazone poudrée 108	Amur Falcon69	Anserelle naine 21
Amazone sasabé 108	amurensis, Falco69	ANSERIFORMES 13
Amazone tavoua 108	Amzonian Pygmy-Owl	Anthocephala 171
Amazone versicolore	152	anthopeplus, Polytelis
110	Anade malgache 16	130
Amazone verte 107	Anade rabudo 13	anthophilus,
Amazone vineuse 110	Anade silbon 16	Phaethornis 189
Amazonian Parakeet	Anade silbón 16	anthracinus,
126	Anaplectes 215	Buteogallus41
Amazonian Parrotlet	Anas13, 14, 15, 16,	Anthracoceros197,
126	17	198
Amazonian umbrella	ANATIDAE 13	Anthracothorax 172
bird 200	Andaman Boobook154	Anthreptes 206
Amazonian	Andaman Dark	antigone, Grus91
Umbrellabird 200	Serpent-Eagle 64	Antillean Crested
amazonica, Amazona	Andaman Hawk Owl	Hummingbird 189
107	154	Antillean Mango 172
Amazonico activo. 107	Andaman Hawk-Owl	Antipodes Green
Amazonico jamaica	154	Parakeet 120
107	Andaman Scops-Owl	Antipodes Parakeet
Amazonico todo verde	158	120
107	Andaman Serpent-	Aphantochroa 172
amazonina,	Eagle 64	apivorus, Pernis 62
Hapalopsittaca 123	Andean Cock-of-the-	Aplomado Falcon72
ambigua, Ara 111	rock 201	apoda, Paradisaea 225
Amblyospiza 215	Andean Condor23	APODIFORMES 168
Amblyospize à front	Andean Emerald 170	approximans, Circus
blanc 215	Andean Flamingo 11	44
amboinensis, Alisterus	Andean Hillstar 188	Aprosmictus 111
106	Andean Parakeet . 115	Aquila31, 32, 33, 34,
Ambon King-Parrot	Andean Pygmy-Owl	35
106	152	Aquila imperiale
American Flamingo 12	Andigena 199	iberica31
American Harpy Eagle	andinus,	aquila, Eutoxeres . 181
54	Phoenicoparrus 11	Ara110, 111, 112,
American Kestrel 76	andinus,	113, 119
American Swallow-	Phoenicopterus 11	Ara à collier jaune 111
tailed Kite 47	andrewsi, Fregata3	Ara à face grise 119
americana, Grus 90	Androdon171	Ara à gorge bleue 112
americana, Rhea 1	Angel de Sol amatista	Ara à nuque d'or 111

Ara azul 110	Aratinga de pinceles	argus, Argusianus84
Ara bleu 110, 111	123	Argusianus84
Ara canindé 112	Aratinga de Wagler	Ariane à couronne
Ara chloroptère 111	115	azur 170
Ara cobalt 111	Aratinga frentidorada	Ariane à couronne
Ara de Buffon 111	113	violette 171
Ara de Coulon 112	Aratinga frentinaranja	Ariane à front bleu 169
Ara de Fresnaye 112	113	Ariane à front vert 171
Ara de Lafresnaye 112	Aratinga guaruba. 114	Ariane à poitrine
•	Aratinga jandaya . 114	blanche 169
Ara de Lear 111		Ariane à queue bleue
Ara de Spix 119	Aratinga mitrada 114	170
Ara d'Illiger 112	Aratinga ñanday 126	Ariane à ventre blanc
Ara glauque 110	Aratinga ojiblanca 114	
Ara hyacinthe 111	Aratinga orejigualda	169
Ara jacinthe 111	127	Ariane à ventre gris
Ara macao 112	Aratinga pechisucia	171
Ara macavouanne 112	114	Ariane à ventre roux
Ara militaire 112	Aratinga pertinaz . 114	169
Ara miracana 112	Aratinga sol 114	Ariane à ventre vert
Ara noble 112	Aratinga testadorada	171
Ara rouge 112	113	Ariane aimable 169
Ara sévère 113	Aratinga verde 114	Ariane béryl 169
Ara vert 113	arausiaca, Amazona	Ariane candide 169
Arabian Bustard 94	107	Ariane cannelle 170
arabs, Ardeotis 94	arborea, Dendrocygna	Ariane charmante, 170
arabs, Choriotis 94	19	Ariane de Boucard 169
Araçari à cou noir 199	Arborófila de Sumatra	Ariane de Félicie 171
· · · · · · · · · · · · · · · · · · ·	84	Ariane de Francia . 170
Araçari à oreillons	Arborófila	Ariane de Lesson 169
roux 199	pechicastaña84	Ariane de Linné 170
Araçari grigri 199		Ariane de Lucy 170
Araçari vert 200	Arborophila84	Ariane de Rosenberg
aracari, Pteroglossus	archeri, Buteo37	
199	Archibebe manchado	
Arachnotère à face		Ariane de Sophie 171
nue 206	Archibebe moteado 99	Ariane d'Edward 170
Arachnothera 206	Archilochus172, 173,	Ariane du Pérou 171
Arachnothère à face	193	Ariane du Tachira. 170
nue 206	<i>Ardea</i> 4	Ariane du Yucatan 171
araea, Falco 69	ARDEIDAE4	Ariane saphirine 170
Araponga à gorge nue	ardens, Coliuspasser	Ariane versicolore 171
201	216	Ariane vert-doré 170
ararauna, Ara 111	ardens, Euplectes 216	Arpía 54, 61
Arasari orejicastano	ardens, Selasphorus	Arpía mayor54
199	193	Arpía menor61
Aratinga113, 114,	<i>Ardeotis</i> 94	Arpía papúa54
115, 123, 126, 127	ardosiaceus, Falco 69	ascalaphus, Bubo . 148
Aratinga cabeciazul	Arfak Astrapia 223	Ashy-faced Owl 143
113	Arfak Parotia 226	Asian Barred Owlet
Aratinga cabecifusca	arfaki, Oreopsittacus	151
115	127	Asian Baza35
Aratinga cactácea 113	argentauris, Leiothrix	Asian Black Eagle56
Aratinga Cubana 113	204	Asian Black Hornbill
	Argos gigante84	197
Aratinga de Finsch 113	Argos real84	Asian Black Vulture 64
Aratinga de Guayaquil	Argus géant 84	Asian Crested
113		Goshawk31
Aratinga de la	Argus Ocellé 88	
Española 113	Argus Pheasant 84	Asian King Vulture 64

Asian White-backed	214	Australasian Harrier44
Vulture 50	atrimentalis,	Australian Black-
Asian White-crested	Phaethornis 190	shouldered Kite 48
Hornbill 196	atrocaudata,	Australian Bustard94
Asio 145, 146, 147	Terpsiphone 205	Australian Hobby73
asio, Otus 157, 159	atrogularis, Textu 219	Australian Kestrel70
Assam Brown-backed	atropurpurea,	Australian King-Parrot
Hornbill 197	Xipholena 201	106
assimilis,	Atthis 172	Australian Masked-
Chlorostilbon 175	aucklandica, Anas 14	Owl144
assimilis, Circus 44	audax, Aquila32	Australian Ringneck
assimilis,	Augastes 173	129
Haplophaedia 181	Augur Buzzard 37	australis, Ardeotis 94
Astrapia 222, 223	augur, Buteo 37	australis, Choriotis .94
astreans, Acestrura	auguralis, Buteo 37	australis,
168	augusti, Phaethornis	Phalcoboenus80
Astrild à joues orange	189	australis, Treron 104
210	aurantia, Tyto 143	australis, Vini 139
Astrild à joues	aurantiifrons,	Autillo154, 157, 158,
oranges 210	Loriculus 123	159, 160, 161, 162,
Astrild caille 214	aurantius, Ploceus 218	163
Astrild cendré 210	auratus, Chlorostilbon	Autillo Africano 162
Astrild fourmilier 214	176	Autillo barbudo 158
Astrild mésange 214	aurea, Aratinga 113	Autillo bigotudo 163
Astrild mesalige 214	aureliae,	Autillo Californiano159
Astrild queue-de-	Haplophaedia 181	Autillo capirotado . 157
vinaigre 210	aureoventris,	Autillo cariblanco 160
Astrild vert pointillé	Chlorostilbon 175	Autillo chino 157
213	aurescens, Heliodoxa	Autillo chóliba 158
astrild, Estrilda 210	182	Autillo Cubano 159
Astrilda aperdizada	aurescens,	Autillo de Andamán
214	Polyplancta 182	158
Astrilda carirroja 210	auricapilla, Aratinga	Autillo de Célebes 160
Astrilda ceniza del	113	Autillo de Guerney 154
Senegal 210	auriceps,	Autillo de Java 157
Astrilda común 210	Chlorostilbon 176	Autillo de Koepcke 159
Astrilda culinegra. 210	auriceps,	Autillo de la
Astrilda pechigualda	Cyanoramphus119,	Mantanani 160
	120	Autillo de la Sangihe
Astrild-caille à	auricollis, Ara 111	158
lunettes 214	auricollis, Primolius	Autillo de la Simeulue
astur, Eutriorchis 49	111	163
Asturina	aurifrons,	Autillo de la Sonda157
ater, Daptrius 68	Bolborhynchus 115	Autillo de las Comores
aterrimus, Probosciger	aurita, Heliothryx. 183	161
131	auritus, Nettapus 21	Autillo de las
Athene 147, 164	auropalliata, Amazona	Mentawai 160
Atitlan Grebe2	107	Autillo de las Palau161
atra, Afrotis 95	Aurora Finch 215	Autillo de Luzón 160
atra, Chalcopsitta 118	austeni, Anorrhinus	Autillo de Marshall 160
atra, Manucodia 224	197	Autillo de Mindanao
atricapillus, Otus . 157	Austral Conure 121	161
Atrichorne bruyant202	Austral Parakeet 121	Autillo de Mindoro 160
Atrichornis 202	Austral Pygmy-Owl	Autillo de Moheli 161
ATRICHORNITHIDA	152	Autillo de Nicobar. 157
E 202	Australasian Goshawk	Autillo de Palawan 159
atricollis, Ortygospiza	26	Autillo de Santa
atticoms, or cygospiza		

Catarina 162	Autour des Moluques	axillaris, Elanus48
Autillo de Santo Tomé	27	aymara,
159	Autour des palombes	Bolborhynchus 115
Autillo de Sokoke. 159	26	ayresii, Hieraaetus .54
Autillo de Wallace 162	Autour gabar59	Aythya17
Autillo del Amazonas	Autour huppé 31	Azer semicollarejo25
163	Autour imitateur 27	Azor25, 26, 27, 28,
Autillo elegante 158	Autour minulle 26	29, 30, 31, 48, 49,
Autillo europeo 162	Autour noir 28	59, 63, 68
Autillo Filipino 160	Autour pie24	Azor australiano26 Azor bicolor25
Autillo flamulado . 159	Autour rouge49 Autour sombre59	Azor blanquinegro28
Autillo frentiblanco161	Autour tachiro 30	Azor chico30
Autillo gorgiblanco 157	Autour unibande 57	Azor común26
Autillo Indio 157 Autillo Malgache 161	Autruche d'Afrique 1	Azor culebrero63
Autillo Moluqueño 160	autumnalis, Amazona	Azor de Bürgers 48
Autillo montano 162	107	Azor de Doria 59
Autillo Oriental 162	autumnalis,	Azor de Meyer28
Autillo pálido 159	Dendrocygna 19	Azor de Nueva
Autillo Persa 158	Ave de anteojos de	Bretaña 29
Autillo peruano 161	pecho blanco 206	Azor de Toussenel 30
Autillo piquigualdo 159	AVES 1	Azor gris30
Autillo Portorriqueño	Avestruz1	Azor lagartijero oscuro
161	Avestruz de	59
Autillo Rajá 158	Magallanes1	Azor malgache27
Autillo roborado 161	Aviceda 35, 36	Azor moluqueño27
Autillo rojizo 161	Avocettula 173	Azor moñudo31
Autillo serrano 158	Avutarda94, 95, 96,	Azor pechigrís29
Autillo vermiculado	97	Azor pechillano31
163	Avutarda árabe 94	Azor rabilargo68
Autillo yanqui 157	Avutarda australiana	Azor rojo49
Autour à ailes grises	94	Azor tachiro30 Azor variable29
59	Avutarda bengalí 95 Avutarda cafre 97	Azor variable 29
Autour à flancs roux	Avutarda común 97	Azor zancón49
Autour à longue	Avutarda de Bengala	Azor-lagartijero claro
queue 68	95	59
Autour à manteau noir	Avutarda de Burchell	Azor-lagartijero
28	97	somalí59
Autour à tête grise. 29	Avutarda de Denham	Aztec Parakeet 114
Autour à ventre blanc	97	Azure Jay 227
27	Avutarda de Heuglin	azurea, Cochoa 203
Autour à ventre gris29	97	Azurebreasted pitta
Autour australien 26	Avutarda de la India	202
Autour blanc 29	94	Azure-breasted Pitta
Autour bleu et gris. 27	Avutarda de Ludwig 97	202
Autour blue et gris. 27	Avutarda de Namibia	Azure-crowned
Autour chanteur 59	97	Hummingbird 170
Autour de Bürger 48	Avutarda de Savile. 96 Avutarda euroasiática	Azure-rumped 137
Autour de Doria 59	97	
Autour de Henst 27 Autour de Mayr 29	Avutarda hubara 94	À
Autour de Meyer 28	Avutarda India 94	,
Autour de Toussenel	Avutarda índica 94	Àguila calzada55
30	Avutarda kori 94	Aguila monera 63
Autour des Célèbes 27	Avutarda núbica 97	Aguila perdicera55
Autour des Fidji 29	Avutarda somalí 97	Águilo culebrera43

	84	Barred Owl151, 167
Á	84	
	barbadensis, Amazona	Barred Owlet 151
Águila calzada 55	107	Barred Parakeet115
Águila culebrera 43	barbarus, Otus 158	barroti, Heliothryx 183
Águila imperial 33	Barbary Falcon 74	bartelsi, Spizaetus65
Águila moteada 32	barbatus, Gypaetus 49	Bar-throated
	Barbita colibandeada	Wreathed Hornbill
Águila perdicera 55	194	197
Águila pescadora 23	Barbita colipalida . 194	Bat Falcon75
Águila pomerana 34	Bar-breasted Firefinch	Bat Hawk58
Águila rapaz 33		Bat Kite58
Águila real 32	211	batavica, Touit 138
	Bar-breasted Waxbill	Bateleur67
	211	
В	Barbu bigarré 199	Bateleur des savanes
	Bare-eyed Cockatoo	67
badius, Accipiter 24	117	Bateleur Eagle67
badius, Phodilus 142	Bare-headed Rockfowl	bauoʻinii,
baeri, Leucippus 185	205	Calyptorhynchus 117
Bahama Woodstar 173	Bare-legged Owl 159	Bay Owl 142
Bahamas Parrot 109	Bare-legged Owlch-	Bay-winged Hawk62
Baikal Teal 16	Owl 159	Baza africano35
bailloni, Baillonius 199	Bare-shanked	Baza australiano 36
Baillonius 199	Screech-Owl 158	Baza coucou35
Baka Indigobird 221	Bare-throated Bellbird	Baza de Jerdon 35
bakkamoena, Otus	201	Baza huppard35
157, 159, 160	Barking Owl 155	Baza huppé36
Balaeniceps7	balking Owl 133	Baza malgache 36
BALAENICIPITIDAE	barklyi, Coracopsis119	
7	Barmacla cuelliroja. 18	Baza negro35
Balbugard fluviatile 23	Barn Owl 142	Baza oriental35
	Barnacla canadiense	Bearded Helmetcrest
Balbuzard pêcheur. 23	aleutiana18	189
Bald Eagle 52	Barnacla cuellirroja 18	Bearded Mountaineer
Bald Ibis 9, 10	Barnacla de las	188
Balearica 90	Aleutianas 18	Bearded Screech-Owl
Baléniceps roi7	Barnacla hawaiana. 18	158
Bali Myna 222	Barnacla nené 18	Bearded Vulture49
Bali Starling 222	barnardi, Barnardius	beaudouini, Circaetus
balli, Otus 158	129	43
Band-bellied Owl . 163	barnardi, Platycercus	Beaumarquet 214, 215
Banded Cotinga 201	129	Beaumarquet à ailes
Banded Eagle-Owl 150	baroni, Metallura 187	jaunes 214
Banded Kestrel 78	Bar-pouched	Beaumarquet aurore
Banded Pitta 201	Wreathed Hornbill	215
Banded Snake-Eagle	197	Beautiful
42	Barraband Parakeet	Hummingbird 173
Banded Sunbird 206		Beautiful Parakeet 132
Band-tailed	130	Beautiful Parrot 128
Barbthroat 194	barrabandi,	Bebrornis 203
Band-tailed Fish-Eagle	Pionopsitta 127	
	Barred Eagle-Owl. 150	Bec de corail cendré
	Barred Forest-Falcon	210
Band-tailed Owl 163	79	beccarii, Otus 160
banksii,	Barred Hawk 58	Bec-en-faucille aigle
Calyptorhynchus 117	Barred Honey-buzzard	181
bannermani, Buteo 38	62	Bec-en-faucille de la
bannermani, Tauraco	Barred Jungle Owlet	Condamine 181
140	153	Bec-en-sabot7
Bar-backed Partridge	Barred Kestrel 78	Bec-en-sabot du Nil7

Bee Hummingbird 187	Casuarius2	Black Sicklebill 224
bella, Goethalsia 181	bicolor, Accipiter 25	Black Solitary Eagle 54
bellicosus, Hieraaetus	bicolor, Cyanophaia	Black Sparrowhawk 28
63	178	Black Stork7
bellicosus, Polemaetus	bicolor, Dendrocygna	Black Vulture31
63	20	Black Wood-Partridge
Bengal Bustard 95	bicolor, Lonchura . 211	87
Bengal Florican 95	bicolor, Nigrita 213	Black-and-chestnut
bengala, Estrilda 215	bicolor, Spermestes	Eagle62
bengalensis, Bubo 148	211	Black-and-white
bengalensis,	Bicolored Hawk 25	Hawk-Eagle 65, 66
<i>Eupodotis</i> 95	Bicolored	Black-and-white
bengalensis, Gyps 50	Sparrowhawk25	mannia211
bengalensis,	bicornis, Buceros . 198	Black-and-white
Houbaropsis 95	bidentatus, Harpagus	Mannikin 211
Bengalí carinegro. 211	53	Black-and-white
Bengalí de Fraser. 211	bilophum, Heliactin	Munia211
Bengalí de	182	Black-and-white Owl
Lichtenstein 211	Bismarck Boobook 157	166
Bengalí senegalés 211	Bismarck Hawk-Owl	Black-backed Thornbill
Bengali vert 209		192
Bengali zébré 209	157 Bismarck Masked-owl	Black-banded Owl 165
bengalus, Uraeginthus		
	Bismarck Masked-Owl	Black-bellied Bustard
		95
benjamini, Urosticte		Black-bellied Firefinch
	bistriatus, Burhinus 98	210
bennetti, Casuarius 2	Black Baza35	Black-bellied
berigora, Falco 69	Black Bustard 95	Hummingbird 180
berlepschi, Acestrura	Black Caracara 68	Black-bellied Korhaan
168	Black Chachalaca 83	95
berlepschi,	Black Crowned Crane	Black-bellied
Aglaiocercus 169	90	Seedcracker 214
Bernache à cou roux	Black Crowned-Crane	Black-bellied Thorntail
18	90	192
Bernache des	Black Cuckoo-dove	Black-bellied Waxbill
Aléoutiennes 18	104	210
Bernache des Iles	Black Curassow 82	Black-bellied
Sandwich18	Black Eagle 34, 56	Whistling-Duck19
Bernache d'Hawaï 18	Black Falcon77	Black-billed Amazon
Bernache du Canada	Black Goshawk 28	107
aléoute 18	Black Harrier 46	Black-billed Hanging-
Bernache néné 18	Black Hawk-Eagle 66	Parrot 124
Bernache né-né 18	Black Honey-buzzard	Black-billed Mountain-
bernieri, Anas 14	54	toucan 199
beryllina, Amazilia 169	Black Hornbill 197	Black-billed Mountain-
Berylline	Black Inca 177	Toucan199
Hummingbird 169	Black Jacobin 187	Black-billed Parrot 107
beryllinus, Loriculus	Black Kite 60	Black-billed Sicklebill
123	Black Korhaan 95	223
Besra 31	Black Lory 118	Black-billed Turaco
Besra Sparrowhawk 31	Black Magpie 227	141
Besra-sperwer 31	Black Metaltail 187	Black-billed Wood-
Biak Red Lory 121	Black Munia 212	Dove104
biarmicus, Falco 69	Black Pajuil83	Black-billed Wood-
bicalcaratum,	Black Parrot 119	Duck19
Polyplectron 87	Black Partridge 87	Black-breasted
bicarunculatus,	Black Penelopina83	Buzzard53

Buzzard-Kite	Black-breasted	Black-fronted Piping-	Black-winged Kite48
Black-breasted Harrier-Eagle			
Harrier-Eagle			
Black-breasted Hillstar	Harrier-Eagle 44		
Black-breasted Pitta Parakeet 126 Black-breasted Pitta Parakeet 126 Black-breasted Pitta 136 Black-headed Parrot 137 Black-breasted Snake Eagle 44 Black-headed Weaver Black-breasted Thrush 206 Black-hooded Black-hooded Black-breasted Buzzard 137 Black-hooded Black-hooded Black-hooded Black-breasted Parrot 137 Black-capped Conure 137 Black-legged Parakeet 137 Black-capped Parakeet 137 Black-mantled Blood Pheasant 85 Blood-eared Parakeet 137 Black-mantled Black-mantled Black-mantled Black-mantled Black-mantled Black-mantled Black-chested Black-mantled Black-mantled Black-chested Black-chested Black-necked Aracari Black-chested Black-necked Aracari Black-necked Aracari Black-necked Swan 19 Black-necked Swan 19 Black-necked Swan 19 Black-necked Swan 19 Black-chested Black-necked Swan 19 Black-necked Swan	Black-breasted Hillstar		
Black-breasted Pitta			
Black-breasted Puffleg			
Black-breasted Puffleg			
Black-breasted Snake-Eagle			
Black-breasted Snake Eagle			
Eagle	Plack-broasted Spake-		
Black-breasted Thrush			
Black-brested Buzzard			
Black-brested Buzzard			
Black-brested Sunbeam Blood Pheasant 85 Buzzard-kite 53 Black-legged Dacnis Blood-eared Parakeet Black-capped Conure 207 136		Laughingthrush . 204	
Buzzard-kite			
Black-capped Conure			
Black-capped Lory 125 Black-capped Parakeet			
Black-capped Lory 125 Black-capped Black-lored Parrot 137 Parakeet			
Black-capped Black-lored Parrot 137 Parakeet			
Parakeet			
Black-capped Screech-Owl 157 Black-mantled Hawk Blue Bird-of-paradise Lovebird			
Screech-Owl		Goshawk 28	Flycatcher 204
Black-chested Lovebird Love			
Black-chested Buzzard-Eagle 49 Black-necked Aracari Black-chested Eagle49 Black-chested Hawk58 Black-necked Sman 19 Black-chinned Black-chinned Black-collared Hawk36 Black-collared Lovebird 106 Black-crested Black-collared Lovebird 106 Black-crested Coquette 186 Black-eared Fairy. 183 Black-eared Parrot			
Buzzard-Eagle 49 Black-chested Eagle49 Black-chested Hawk58 Black-necked Crane 92 Black-chested Snake- Eagle			
Black-chested Eagle49 Black-chested Hawk58 Black-necked Crane 92 Black-chested Snake- Eagle			
Black-chested Hawk58 Black-chested Snake- Eagle			
Black-chested Snake- Eagle			
Eagle44Black-necked Weaver ————————————————————————————————————			
Hummingbird172Black-rumped WaxbillBlue-and -greyBlack-collaredBlack-shouldered KiteBlue-and-gold MacawLovebird106106Black-crestedBlack-sided FalconetBlue-and-whiteCoquette186111Black-eared Fairy183Black-tailedBlue-and-whiteBlack-eared Kite60Trainbearer185MacawBlack-eared ParrotBlack-thighedBlue-backed Parrot123138Falconet80Blue-bellied Parrot137Black-eared ParrotletBlack-thighed PufflegBlue-bellied Parrot137Black-faced FirefinchBlack-throated82Blue-billed Curassow136Black-throated211Blue-billed Firefinch136Black-faced Hawk57Black-throated Mango172Blue-billed Malimbe136Black-footed Penguin172Blue-billed Mannikin137Black-fronted217Blue-billed Mannikin138Black-tip Crested211139Black-tip Crested211140Black-fronted172Blue-billed Mannikin141Blue-billed Weaver215142Black-fronted141Blue-billed Weaver143Blue-billed Weaver215144Black-fronted127		Black-necked Weaver	
Black-collared Hawk36210sparrowhawk27Black-collared Lovebird106	Black-chinned		
Black-collared Lovebird			
Lovebird			
Black-crested Coquette			
Coquette		Rlack-sided Falconet	
Black-eared Fairy. 183 Black-eared Kite 60 Black-eared Rorrot Black-eared Parrot Black-eared Parrot Black-eared Parrotlet Black-thighed Blue-backed Parrot Black-thighed Puffleg Blue-bellied Parrot 139 Black-faced Firefinch Black-faced Firefinch Indigobird 221 Black-faced Hawk . 57 Black-footed Penguin 2 Black-fronted Curassow			
Black-eared Kite 60 Black-eared Parrot Black-eared Parrot Black-thighed Black-thighed Black-eared Parrotlet Black-eared Parrotlet Black-faced Firefinch Indigobird 221 Black-faced Hawk 57 Black-footed Penguin 2 Black-fronted Black-thighed Puffleg Blue-bellied Parrot 139 Blue-billed Curassow Blue-billed Firefinch Black-throated Black-throated Black-throated Black-throated Black-throated Black-faced Hawk 57 Black-footed Penguin 2 Black-fronted Black-tip Crested Curassow 84 Black-winged Bishop Blue-billed Malimbe Blue-billed Mannikin Blue-billed Mannikin Blue-billed Mannikin Blue-billed Mannikin Blue-billed Weaver 215			
Black-eared Parrotlet Black-thighed Puffleg Blue-bellied Parrot 139 Blue-billed Curassow Black-faced Firefinch Indigobird 221 Black-faced Hawk . 57 Black-footed Penguin 2 Black-fronted Curassow		Trainbearer 185	
Black-eared Parrotlet	Black-eared Parrot	Black-thighed	
Black-faced Firefinch Black-throated Selack-faced Firefinch Black-faced Firefinch Black-faced Firefinch Indigobird 221 Malimbe 217 Black-faced Hawk 57 Black-footed Penguin 2 Black-fronted Curassow 84 Black-winged Bishop Blue-billed Curassow Blue-billed Mannikin Blue-billed Mannikin Blue-billed Mannikin Blue-billed Mannikin Blue-billed Weaver 215 Blue-billed Weaver 215 Blue-billed Weaver 215 Black-fronted Black-winged Bishop Bluebonnet 217			
Black-faced Firefinch			
Black-faced Firefinch Indigobird 221 Black-faced Hawk 57 Black-footed Penguin 2 Black-fronted Curassow 84 Black-fronted Black-fronted Black-winged Bishop Blue-billed Firefinch Slue-billed Malimbe Slue-billed Malimbe Slue-billed Mannikin Blue-billed Firefinch Slue-billed Malimbe Slue-billed Malimbe Slue-billed Malimbe Slue-billed Malimbe Slue-billed Malimbe Slue-billed Malimbe Slue-billed Mannikin Blue-billed Mannikin Slue-billed Mannikin			
Black-faced Firefinch Indigobird 221 Black-faced Hawk 57 Black-footed Penguin 2 Black-fronted Curassow 84 Black-fronted Black-fronted Black-fronted Black-winged Bishop Black-throated Mango			
Indigobird221Malimbe217Blue-billed MalimbeBlack-faced Hawk.57Black-throated Mango			
Black-faced Hawk 57Black-throated Mango			
Black-footed Penguin 2172Blue-billed MannikinBlack-frontedBlack-tip Crested			
Black-frontedBlack-tip Crested	Black-footed Penguin 2	172	Blue-billed Mannikin
Black-fronted Black-winged Bishop Bluebonnet127	Black-fronted	Black-tip Crested	
Hummingbira 184			
	Hummingbird 184	21/	biue-capped

Hummingbird 180 Blue-capped Puffleg	Curassow	queue
Blue-fronted Robin203 Blue-headed Dove 105	Blue-winged Racquet- tail131	202 brachyurus, Accipiter 25
Hummingbird 178 Blue-headed Macaw	blythii, Tragopan89 Boissonneaua173	brachyurus, Buteo37 brachyurus,
Blue-headed Racquettail	bolivianum, Glaucidium 150 bombus, Acestrura168 Bombycilla 203	brama, Athene 147 branickii, Heliodoxa 182 branickii, Leptosittaca
Blue-headed Wood- Dove 105 Blue-knobbed	BOMBYCILLIDAE203 bonapartei, Coeligena 177 Bondrée à longue	### Drainickii, Leptosittaca ### 123 Branta
Dide-Kilopped	Donai ee a longue	Gladelalalii 151

brasiliensis, Amazona	183	Brown Snake-Eagle 43
107	Brillante pechianteado	Brown Teal14
Brazilian Merganser 20	183	Brown Violet-ear 178
Brazilian Pygmy-Owl	Brillante pechicastaño	Brown Wood-Owl . 166
		Brown-backed Firefinch 211
Brazilian Ruby 177	Brillante pechigamuza 183	Brown-backed
brehmeri, Turtur 105	Brillante ventinegro	Parrotlet138
brehmii, Psittacella 132	183	Brown-breasted
Brève à ailes bleues	broadbenti, Dasyornis	Parakeet 135
202	204	Brown-headed Parrot
Brève à capuchon 202	Broad-billed	129
Brève à nuque bleue	Hummingbird 178	Brown-hooded Parrot
202	Broad-tailed	128
Brève à nuque fauve	Hummingbird 193	Brown-necked Parrot
202	Broad-tipped Hermit	Brown-throated
Brève à queue bleue	189 Broad-winged Hawk40	Conure114
201 Brève azurine 201	brodiei, Glaucidium	Brown-throated
Brève de Gurney . 202	151	Parakeet 114
Brève de Koch 202	Brolga92	Bruant bleu 207
Brève de l'Angola. 201	Bronze mannia 212	brucei, Otus 158
Brève de Steere 202	Bronze Mannikin 212	bruijnii, Drepanornis
Brève de Steerii 202	Bronze Munia 212	224
Brève du Bengale 201	Bronze-tailed	bruijnii, Epimachus
Brève du Japon 202	Barbthroat 194	224
Brève migratrice 202	Bronze-tailed Comet	bruijnii, Micropsitta
brevicauda,	191 Bronze-tailed	bryantae, Calliphlox
Paradigalla 225 brevipes, Accipiter . 25	Plumeleteer 175	191
Brillant à bandeau	Bronze-tailed Thornbill	bryantae, Philodice
bleu 182	175	191
Brillant à couronne	Bronze-winged	Bubalornis216
verte 183	Mannikin 212	Bubo148, 149, 150,
Brillant à front violet	Bronze-winged Parrot	153, 154
183	128	bubo, Bubo 148
Brillant à gorge noire	Bronzy Hermit 181	Bubulcus4 Buceros198
	Bronzy Inca 177	BUCEROTIDAE 195
Brillant à gorge rose 182	<i>brookii, Otus</i> 158 <i>Brotogeris</i> 115, 116	buckleyi, Micrastur .79
Brillant de Branicki182	Brown Boobook 156	buergersi, Accipiter 48
Brillant fer-de-lance	Brown Eared-	buergersi,
182	pheasant85	Erythrotriorchis48
Brillant impératrice	Brown Eared-Pheasant	Buff-backed Heron4
182	85	Buff-bellied Hermit191
Brillant rubinoïde . 183	Brown Falcon 69	Buff-bellied
Brillante alicanela 182	Brown Fish-Owl 154	Hummingbird 171 Buff-breasted
Brillante coroniverde	Brown Goshawk 26	Sabrewing 174
182 Brillante de Tepul 183	Brown Harrier-Eagle 43	Buff-crested Bustard
Brillante emperador	Brown Hawk Owl . 156	95
182	Brown Hawk-Owl . 156	Buff-faced Pygmy-
Brillante frentivioleta	Brown Hornbill 197	Parrot 125
183	Brown Inca 177	Buff-fronted Owl 145
Brillante gorgirrosado	Brown Lory 118	buffoni, Circus45
182	Brown Parrot 130	buffonii, Chalybura
Brillante gorjinegro	Brown Sicklebill 224	175

Buff-tailed Coronet	Búho Malayo 150	Hummingbird 172
173	Búho Malgache 146	burchellii, Neotis 96
Buff-tailed Sicklebill	Búho manchado 166	BURHINIDAE98
181, 223	Búho Manchú 153	<i>Burhinus</i> 98
Buff-winged	Búho moro 145	burmeisteri,
Starfrontlet 177	Búho negruzco 147	Microstilbon 188
Buffy Fish-Owl 154	Búho Nepalí 149	Burmese Hornbill , 196
	Buho nival 157	Burrowing Owl 164
Buffy Hummingbird	Búho nival 157	Burrowing Parakeet
186		
Buffy-fronted	Búho orejicorto 146	119
Seedeater 207	Búho pequeño de	Buru Racquet-tail. 131
Buffy-throated	bigotes alargados	Busard bariolé45
Seedeater 207	168	Busard cendré 46
Buhito en Pernetas158	Búho pescador153,	Busard de Buffon45
Búho145, 146, 147,	154, 164	Busard de Gould 44
148, 149, 150, 153,	Búho pescador de	Busard de Maillard .46
154, 157, 163, 164,	Ceilán 154	Busard de montagne
165, 166, 167, 168	Búho pescador	46
Búho Abisinio 145	leonado 153	Busard de Wilson 42
Búho Africano 148	Búho pescador Malayo	Busard des roseaux 44
Búho Africano chico	154	Busard d'Orient47
148	Búho pescador rojizo	Busard grenouillard 47
Búho aguilucho de	164	Busard maure46
Neuva Guinea 167	Buho real 148	Busard pâle45
Búho Americano 150	Búho real 148	Busard Saint-Martin45
	Búho-cornudo	
Búho barrado150, 167		Busard tacheté44
Búho Bengalí 148	cariblanco 145	Busard tchoug46
Búho blanquinegro166	Búho-cornudo caricafe	Busardo aliancho40
Búho café 167	146	Busardo alirrufo 36
Búho campestre 146	Búho-cornudo oscuro	Busardo augur
Buho chico 146	147	meridional41
Búho chico 146	Buitre cabeciblanco 67	Busardo augur
Búho corniblanco. 154	Buitre cabecirrojo 64	oriental37
Búho cornudo150,	Buitre común 50	Busardo augur somali
154	Buitre del Himalaya 51	37
Búho de Akún 149	Buitre dorsiblanco	Busardo aura37
Búho de anteojos. 163	africano 50	Busardo azoreño 58
Búho de Coromandel	Buitre dorsiblanco	Busardo blanco 57
149	bengalí50	Busardo blanquinegro
Búho de Crin 153	Buitre el cabo 50	58
Búho de El Cabo 149	Buitre leonado 50	Busardo calzado39
Búho de Guinea150,	Buitre leonado	Busardo caminero 39
153	bengalés 50	Busardo carigrís36
Búho de Jamaica . 163	Buitre leonado común	Busardo carinegro57
Búho de las Salomón	50	Busardo cejiblanco . 57
154	Buitre moteado 51	Busardo chapulinero
Búho de Mindanao 154	Buitre negro31	41
_		
Búho de Usambara	Buitre orejudo 67	Busardo coliblanco . 37
150	Buitre palmero 50	Busardo colicorto37
Búho desértico 148	Buitre picofino 51	Busardo colirrojo39
Búho Filipino 149	Buitre piquirrojo 67	Busardo colorado36
Búho fulvo 165	Bulbul à tête jaune	Busardo cuelliblanco
Búho gavilán 167	203	57
Búho gritón 145	Bulbul bigotudo 203	Busardo cuellirrojo . 37
Búho Jamaicano 163	Bulbul orphée 203	Busardo culiblanco . 39
Búho lechoso 149	bulweri, Lophura86	Busardo de Galápagos
Búho llanero 164	Bumblebee	38

D 1. 4-1-	27	Buton Hornbill 195
Busardo de la	37	Buzzard 37, 38
española 40	Buse à queue rousse	Buzzaiu 37, 36
Busardo de Wilson . 42	37, 39	
Busardo dorsi40, 58	Buse à sourcils blancs	\overline{c}
Busardo dorsigrís 58	57	_
Busardo dorsirrojo . 40	Buse à tête blanche 36	Caatinga Parakeet 113
Busardo gavilán 57	Buse aguia49	Cabézon de Carabaya
Busardo gorgiblanco	Buse ardoisée 58	199
37	Buse augure37	Cabézon toucan 199
Busardo gris 35	Buse barrée58	caboti, Tragopan89
Busardo hawaiano . 41	Buse blanche 57	Caburé 79, 151, 152
Busardo herrumbroso	Buse buson 41	Caburé patagónico 152
40	Buse cendrée 35	Cacapo
Busardo hombrorrojo	Buse couronnée 54	Cacatoès à bec gracile
39	Buse cul-blanc 39	117
Busardo langostero 36	Buse d'Afrique 37	Cacatoès à huppe
Busardo malgache . 37	Buse d'Archer 37	blanche 116
Busardo mixto 62	Buse de Chine 38	
Busardo mongol 38	Buse de Harris 62	Cacatoès à huppe
Busardo montañés. 39	Buse de Madagascar	jaune 116
Busardo moro 40	37	Cacatoès à huppe
Busardo patagón 41	Buse de Patagonie . 41	rouge117
Busardo pizarroso 58	Buse de Ridgway 40	Cacatoès à lores
Busardo plomizo 58	Buse de Swainson 41	rouges 117
Busardo puneño 40	Buse des Galapagos38	Cacatoès à oeil bleu
Busardo ratonero 38	Buse des mangroves	117
Busardo sabanero 41	41	Cacatoès à oreilles
Busardo semiplomizo	Buse d'Hawaï 41	blanches118
58	Buse du puna 40	Cacatoès à oreilles
Busardo tisa 36	Buse échasse 49	jaunes118
Busardo-negro del	Buse féroce40	Cacatoès à rectrices
atlántico 41	Buse grise35	blanches 118
Busardo-negro del	Buse lacernulée 57	Cacatoès à tête brune
pacifico 41	Buse mantelée 58	118
Busardo-negro	Buse montagnarde. 39	Cacatoès à tête rouge
norteño41	Buse noire41	117
Busardo-negro	Buse pattue 39	Cacatoès à ventre
urubitinga 42	Buse plombée 58	rouge116
Busarellus36	Buse rouilleuse 40	Cacatoès aux yeux
Busautour à joues	Buse rounoir 41	bleus 117
grises 36	Buse roussâtre 41	Cacatoès aux yeux
Busautour aux yeux	Buse semiplombée . 58	nus117
blancs	Buse solitaire 54	Cacatoès banksien 117
Busautour des	Buse tricolore 40	Cacatoès blanc 116
sauterelles 36	Buse urubu 42	Cacatoès casqué 117
Busautour pâle 36	Buse variable 38	Cacatoès corella 117
Buse à dos gris 58	Bush Petronia 218	Cacatoès de Banks117
	Bush Sparrow 218	Cacatoès de Baudin
Buse à épaulettes 39 Buse à face noire 57		117
	Bushy-crested Hornbill	Cacatoès de Ducorps
Buse à gorge blanche	197 Butastur 36	116
		Cacatoès de Goffin116
Buse à gros bec 39	Buteo35, 37, 38, 39,	Cacatoès de Latham
Buse à queue barrée	40, 41	118
37	buteo, Buteo 38	Cacatoès de
Buse à queue blanche	Buteogallus 41, 42	Leadbeater 117
37	butleri, Accipiter 25	Cacatoès des
Buse à queue courte	butleri, Strix 165	

Moluques 117	Cacatúa oftálmica 117	Calao à gorge claire
Cacatoès des	Cacatúa rosada 121	196
Philippines 116	Cacatúa terrera 127	Calao à poche unie
Cacatoès funèbre. 118	cachinnans,	196
Cacatoès laboureur	Herpetotheres 78	Cálao arrugado 196
117	cactorum, Aratinga	Calao bicorne 198
Cacatoès nasique. 117	113	Cálao bicorne 198
Cacatoès noir 131	Cactus Conure 113	Calao bicorne de
	Cactus Parakeet 113	Homrai
Cacatoès rosalbin 121		Calao bicorne de l'île
Cacatoès soufré 117	Caebézon toucan . 199	
Cacatua 116, 117, 121	caerulescens, Estrilda	Homray 198
Cacatúa alba 116	210	Calao brun 197
Cacatúa blanca 116	caerulescens,	Cálao cariblanco 197
Cacatúa de alas	Eupodotis95	Calao charbonnier 197
doradas 132	caerulescens,	Cálao chico de
Cacatúa de cabeza	Geranospiza 49	Célebes 198
roja 117	caerulescens,	Cálao chico de Luzón
Cacatúa de cola roja	Microhierax79	198
117	caeruleus, Cyanocorax	Cálao chico de
Cacatúa de cola	227	Mindanao 198
sangrante 116	caeruleus, Elanus48	Cálao chico de
Cacatúa de cresta	cafra, Neotis96	Mindoro199
amarilla grande. 116	Caica Parrot 127	Cálao chico de Panay
Cacatúa de Ducorps	caica, Pionopsitta. 127	199
116	Caïque à ailes noires	Calao coiffé 196
Cacatúa de Forbes 120	123	Cálao crestado 197
	Caïque à capuchon128	Cálao crestiblanco 196
Cacatúa de goffin 116		
Cacatúa de Goffin 116	Caïque à face rouge	Cálao de casco 198 Cálao de la
Cacatúa de las		- ···
Molucas 117	Caïque à joues roses	Narcondam 196
Cacatúa de	128	Cálao de la Sumba196
Leadbeater 117	Caïque à queue courte	Cálao de las Sulu . 198
Cacatúa de Molucas	123	Calao de Malabar . 197
117	Caïque à tête noire	Calao de Manille 198
Cacatúa de Nueva	127	Calao de Mindanao198
Zelanda 120	Caïque à ventre blanc	Calao de Mindoro . 199
Cacatúa de pico	127	Calao de montagne
afilado 117	Caïque de Barraband	196
Cacatúa de pico	127	Calao de Narcondam
afilado anaranjada	Caïque de Bonaparte	196
117	128	Calao de Palawan. 197
Cacatúa de vientre	Caïque de Fuertes 123	Cálao de Palawan. 197
naranja 126	Caïque de Salvin 123	Calao de Samar 199
Cacatúa del collar de	Caïque maïpourri . 127	Calao de Sumba 196
Mauricio 133	Caïque mitré 128	Calao de Vieillot 196
Cacatúa del paraíso	Caïque vautourin . 123	Calao de Walden 197
132	Cairina 18, 19, 22	Cálao de yelmo 198
Cacatúa dorada 114	Calao à casque196,	
		Cálao del Nepal 196
Cacatúa enlutada. 131	198	Calao des Célèbes 198
Cacatúa Inca 117	Calao à casque plat	Calao des Philippines
Cacatúa negra de cola	198	198
amarilla 118	Calao à casque rond	Calao des Sulu 198
Cacatúa negra de cola	198	Calao festonné 197
roja 117	Calao à casque rouge	Cálao Filipino grande
Cacatúa negra de	196	198
Latham 118	Calao à cimier 195	Cálao gorgiclaro 196
Cacatúa nocturna 122	Calao à cou roux 196	Cálao gorginegro 197

Cálao grande195,	Calzadito de Mosquera	Canard de Meller16
196, 197, 198	180	Canard des Mariannes
Cálao grande de	Calzadito frentiazul	16
	179	Canard d'Oustalet 16
Célebes 195		Canard du Cap14
Cálao grande de	Calzadito patinegro	· · · · · · · · · · · · · · · · · · ·
Mindanao 196	179	Canard musqué 18, 19
Cálao grande de	Calzadito pechiblanco	Canard musqué à
Panay 197	179	ailes blanches19
Calao largup 197	Calzadito pechinegro	Canard pilet13
Cálao Malayo 197	180	Canard siffleur 16
	Calzadito reluciente	Canard souchet14
Calao papou 196	180	Canario de
Cálao pardo de Tickell	G-1 dita humayaan 170	Mozambique 209
197	Calzadito turquesa 179	•
Calao pie 197	Calzadito verdoso	Canary-winged
Calao rhinocéros 198	norteño 181	Parakeet 116
Cálao rinoceronte 198	Calzonario	candida, Amazilia . 169
Cálao rojipardo 198	colibronceado 175	canicapilla, Nigrita 213
Calao tarictic 199	camelus, Struthio1	canicapillus, Serinus
caledonicus,	Campephilus 200	208
•	Campyloptère à queue	caniceps, Psittacula
Platycercus 129		
California Condor 23	blanche 174	
californianus,	Campyloptère à	canicularis, Aratinga
Gymnogyps 23	ventre gris 174	113
californicum,	Campyloptère de	canivetii,
Glaucidium 151	Wetmore 174	Chlorostilbon175,
Calliope Hummingbird	Campyloptère des	176
193	Santa Marta 174	canorus, Garrulax 204
calliope, Archilochus	Campyloptère du	canorus, Melierax59
		cantans, Euodice 212
	Napo	cantans, Lonchura 212
calliope, Stellula 193	Campyloptère lazulite	
Calliphlox 173, 191	174	canus, Agapornis . 105
calliptera, Pyrrhura	Campyloptère	Cape Eagle-Owl 149
135	montagnard 174	Cape Griffon50
Calliste superbe 207	Campyloptère pampa	Cape Parrot 130
Calliste tacheté 207	174	Cape Teal14
Callocephalon 117	Campyloptère	Cape Vulture 50
Caloenas 99	rougeâtre 174	Cape Wigeon14
calolaema, Lampornis	Campyloptère roux	capense, Glaucidium
	174	151, 152, 153
	Campyloptère violet	capensis, Anas14
Caloperdix 85		capensis, Asio 145
Calothorax 173, 178	174	
calthropae, Psittacula	Campylopterus 174	capensis, Bubo 149
133	canadensis, Branta. 18	capensis, Oena 102
calva, Treron 104	canadensis, Grus 91	capensis, Tyto 143
calvus, Aegypius 64	Canard à ailes	capistrata, Nesocharis
calvus, Geronticus 9	blanches 19	213
calvus, Sarcogyps 64	Canard à bosse 22	capitalis, Ploceus 219
calvus, Torgos 64	Canard à bosse	capitata, Paroaria. 207
	bronzé 22	CAPITONIDAE 199
Calypte 173, 187	Canard à tête rose . 22	capnodes, Otus161
Calyptorhynchus117,		
118	Canard aberrant 16	Capucin bec-d'argent
Calzadito admirable	Canard armé 21	212
179	Canard coronculé 22	Capucin bicolore 211
Calzadito canoso 181	Canard de Barbarie 18	Capucin de
Calzadito cobrizo . 179	Canard de Bernier 14	Nevermann 212
Calzadito colilargo	Canard de Hartlaub 22	Capucin noir212
norteño 179	Canard de Laysan 16	Capucin nonnette. 212
1101 (6110 179	Canala ac Laysan n 10	

Capucin pie 212	Caracara commun 81	Carpophage de
Cárabo164, 165, 166,	Caracara común 81	Mindoro 101
167	Caracara de	Carpophage de
Cárabo Africano 167	Guadalupe81	Pickering 101
Cárabo árabe 165	Caracara funèbre 80	carunculata,
		Paradigalla 225
Cárabo bataraz 166	Caracara gorgirrojo 68	_
Cárabo blanquinegro	Caracara huppé 81	Carunculated
166	Caracara montagnard	Caracara80
Cárabo Brasileño . 165	81	carunculatus,
Cárabo café 167	Caracara negro 68	Bugeranus91
Cárabo Californiano	Caracara noir 68	carunculatus, Grus .91
166	Caracolero64	carunculatus,
Cárabo común 165	Caracolero plomizo 64	Phalcoboenus80
		caryophyllacea,
Cárabo de Hume 165	Carancho 68, 81	
Cárabo de las pagodas	Carancho andino 81	Rhodonessa22
166	Carancho de	Casmerodius5
Cárabo de Sichuán165	Guadalupe81	Casoar à casque2
Cárabo de Sudamérica	Carancho negro 68	Casoar de Bennett2
166	Carancho ventri-	Caspian Snowcock89
Cárabo gavilán 167	blanco68	caspius, Tetraogallus
Cárabo Guatemalteco	Carapaico 113	89
	Carburé acanelado 145	cassidix, Aceros 195
		cassidix,
Cárabo iapón 166	Carcoramphe roi 23	•
Cárabo lapón 166	Cardenal amarillo. 207	Lichenostomus 207
Cárabo negro 165	Cardenal cabecirrojo	cassidix, Meliphaga
Cárabo	207	207
norteamericano. 167	Cardenal copetón. 207	cassidix, Rhyticeros
Cárabo ocelado 166	Cardenalito 208	195
Cárabo oriental 166	Cardinal gris 207	cassini, Malimbus.217
Cárabo patiblanco 164	Cardinal Lory 118	castaneiventris,
Cárabo pescador	Cardinal vert 207	Amazilia 169
común 164	cardinalis,	castaneoventris,
	Chalcopsitta 118	Lampornis 185
Cárabo pescador		
rojizo 164	Carduelis 208	castaneum,
Cárabo pescador	caribaea, Columba . 99	Glaucidium 151
vermiculado 164	Caribbean Amazon109	castanilius, Accipiter
Cárabo uralense 166	Caribbean Flamingo 12	25
Caracara à gorge	Caricare encrestado 81	castanonotum,
blanche 80	Caricare sabanero80	Glaucidium 151
Caracara à gorge	Carnifex à ailes	castanops, Tyto 143
rouge 68	tachetées 81	castanopterum,
Caracara à tête jaune	Carnifex à collier 79	Glaucidium 151
80	Carnifex à cou roux 79	castanotis,
Caracara à ventre	Carnifex à gorge	Pteroglossus 199
	cendrée79	
rouge 68		castelnaudii,
Caracara andino 81	Carnifex ardoisé 79	Aglaeactis168
Caracara araucano. 80	Carnifex barré 79	CASUARIIDAE2
Caracara austral 80	Carnifex de Buckley 79	CASUARIIFORMES.2
Caracara carancho. 81	Carnifex de Traylor 79	Casuario común2
Caracara caronculé 80	Carnifex plombé 79	Casuario menor2
Caracara carunculado	Carocolero común64	Casuarius2
80	carolae, Parotia 226	casuarius, Casuarius.2
Caracara chimachima	caroli, Polyonymus191	catamene, Loriculus
80	carolinensis, Anas15	124
Caracara chimango 80	Carouge safran 208	CATHARTIDAE 23
Caracara comecacao	Carpintero gigante 200	Catita alimará 115
68	Carpodacus 208	Catita aliamarilla 116

	- / 1 40 50 50	Charter and 174
Catita aliazul 115	Cernícalo49, 68, 69,	Chaetocercus 174
Catita alidorada 115	70, 72, 73, 74, 75,	Chalcopsitta 118
Catita andina 115	76, 77, 78	chalcopterus, Pionus
Catita barrada 115	Cernícalo americano	128
Catita chiriri 115	76	Chalcostigma 175
Catita churica 116	Cernícalo australiano	chalybata, Manucodia
	70	224
Catita común 125	Cernícalo común 77	chalybeata,
Catita enana 122		
Catita frentidorada115	Cernícalo de Aldabra	Hypochera 221
Catita frentigualda 116	74	chalybeata, Vidua 221
Catita frentirrufa 115	Cernícalo de Dickinson	chalybeus, Lophornis
Catita macareña 116	72	186
Catita serrana común	Cernícalo de la isla	Chalybura 175
115	Aldabra 74	Changeable Hawk-
Catita serrana verde	Cernícalo de la	Eagle65
115	Mauricio 75	Channel-billed Toucan
	Cernicalo de las	200
Catita tírica 116		Chanteur d'Afrique 208
Catita versicolor 116	Molucas73	
Catreus 85	Cernícalo de las	CHARADRIIFORMES
Cattle Egret 4	Seychelles69	98
cayanensis, Leptodon	Cernícalo de	Chardonneret de
57	Madagascar 74	Yarrell 208
Cayenne Kite 57	Cernícalo de Mauricio	Chardonneret rouge
celebensis, Pernis 62	75	208
Celebes crested	Cernícalo del Amur. 69	charltonii, Arborophila
goshawk 27	Cernícalo dorsinegro	84
Celebes Hornbill195,	72	charltonii,
198	Cernícalo gris 69	Tropicoperdix84
		Charming
Celebes Maleo 81	Cernícalo malgache 78	
Celebes Scops-Owl	Cernícalo moluqueño	Hummingbird 170
160	73	Charmosyna .118, 119
Celebes Serpent-Eagle	Cernícalo ojiblanco.76	Chatham Island
65	Cernícalo ojiblanco de	Yellow-fronted
Celebes sparrowhawk	Africa76	Parakeet 120
28	Cernícalo patirrogo. 78	Chattering Lory 125
Celebes Tarictic	Cernícalo patirrojo . 78	cheela, Spilornis64,
Hornbill 198	Cernícalo pizarroso. 69	65
Celestial Parrotlet 121	Cernícalo primilla 73	Cheer Pheasant85
cenchroides, Falco . 70	Cernicalo primito 76	Chelictinia42
	Cernicalo primito 70	cheriway, Caracara.81
centralis, Vidua 221		cherrug, Falco70
Cephalopterus200,	Cernicalo zorruno68	
201	Ceylon Hanging-Parrot	Chestnut Hawk-Owl
Cerceta alicorta de	123	156
Auckland14	Chacaraco 115	Chestnut Owlet 151
Cerceta aliverde 15	Chachalaca 83, 84	Chestnut-backed
Cerceta carretona 17	Chachalaca cornuda83	Owlet 151
Cerceta cejiblanca . 17	Chachalaca de la	Chestnut-bellied
Cerceta común 15	Trinidad84	Hawk-Eagle55
Cerceta de	Chachalaca de los	Chestnut-bellied
Madagascar 14	Llenos83	Hummingbird 169
Cerceta del Baikal 16	Chachalaca de	Chestnut-bellied
Cerceta del cabo 14	remiges blancas 83	Sparrowhawk 25
	_	Chestnut-breasted
Cerceta malgache 14	Chachalaca manchada	Coronet 173
Cerceta malgache de	84	
Bernier 14	Chachalaca negra 83	Chestnut-breasted
Cerise-throated	Chachalaca norteña 83	Negrofinch213
Hummingbird 193	chacoensis, Strix 166	Chestnut-breasted

Tree-Partridge 84	Scheffler 153	Chir Pheasant85
Chestnut-crowned	Chevêchette des	Chiribiquete Emerald
Sparrow-Weaver 218	Andes 152	176
Chestnut-eared	Chevêchette des	Chirica126
Aracari 199	Rocheuses 151	Chiripepé común 136
Chestnut-faced	Chevêchette des	Chiripepé salteño . 136
Babbler 205	saguaros 154	chiriri, Brotogeris . 115
Chestnut-flanked	Chevêchette des	Chivito de los
Sparrowhawk 25	yungas 150	Páramos 189
Chestnut-fronted	Chevêchette d'Europe	Chlamydotis94
Macaw 113	152	Chlorestes175
Chestnut-mantled	Chevêchette du Cap	chlorocercus,
Goshawk 48	151	<i>Leucippus</i> 186
Chestnut-necklaced	Chevêchette du	chlorocercus, Lorius
Partridge 84	Graben 150	124
Chestnut-shouldered	Chevêchette du Pérou	chlorolepidotus,
Goshawk 48	153	Trichoglossus 138
Chestnut-shouldered	Chevêchette naine 151	chloroptera, Aratinga
Hawk 48	Chevêchette nimbée	113
Chevalier à	168	chloropterus, Alisterus
gouttelette 99	Chevêchette perlée	106
Chevalier tacheté 99	152	chloropterus, Ara . 111
Chevêche brame 147	Chevêchette spadicée	Chlorostilbon 175, 176
Chevêche d'Athéna	151	choliba, Otus 158
147	Chevêchette-elfe 154	Chondrohierax42
Chevêche des terriers	chicquera, Falco70	CHORDATA1
164	Chilean Flamingo 11	Chorlito esquimal98
Chevêche forestière	Chilean Woodstar. 180	Chorlo polar98
147	chilensis, Accipiter . 25	Chouette à collier. 163
Chevêchette à collier	chilensis,	Chouette à joues
151	Phoenicopterus 11	blanches 163
Chevêchette à dos	Chillón de Sundevall	Chouette à lignes
marron 151	218	noires 166
Chevêchette à pieds	Chimachima 80	Chouette à lunettes
jaunes 153	chimachima, Milvago	163
Chevêchette à queue	80	Chouette à sourcils
barrée 153	Chimango 80	jaunes163
Chevêchette australe	Chimango Caracara 80	Chouette africaine 167
152	chimango, Milvago . 80	Chouette baie 142
Chevêchette brune151	chimborazo,	Chouette boobok 155
Chevêchette cabouré	Oreotrochilus 188	Chouette boobok de
	Chinalinda80	l'île Norfolk 155
152 Chevêchette châtaine	Chinese Barred-	Chouette Chevêche
	backed Pheasant . 89	
Chevêchette cuculoïde	Chinese Goshawk 30	Chouette chevêchette
151	Chinese Impeyan 86	152
Chevêchette	Chinese Monal 86	Chouette coucou 155
d'Amazonie 152	Chinese Sparrowhawk	Chouette de Butler165
Chevêchette de Cuba	30	Chouette de Cuba 159
153	Chinese Thrush 206	Chouette de Harris145
Chevêchette de jungle	chionogaster,	Chouette de
153	Accipiter25	Koeniswald 163
Chevêchette de Ngami	chionogaster, Amazilia	Chouette de l'Oural
152		166
Chevêchette de Parker	chionopectus,	Chouette de Nouvelle-
152	Amazilia 169	Guinée 167
Chevêchette de	chionura, Elvira 179	Chouette de

	1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cimmona
Sitchouan 165	chrysaetos, Aquila32	Cinnamon
Chouette de	chrysogaster,	Hummingbird 170
Tengmalm 144	<i>Neophema</i> 126	Cinnamon-throated
Chouette de terrier	Chrysolampis 176	Hermit 190
164	Chrysolophus 85	Circaète à poitrine
Chouette des forêts	chrysopterus,	noire44
147	Brotogeris 115	Circaète barré43
Chouette des îles	chrysopterygius,	Circaète brun43
Salomons 154	Psephotus 132	Circaète cendré42
	chrysostoma,	Circaète Jean-le-Blanc
Chouette des		43
mollusques 156	Neophema126	Circaetus42, 43, 44
Chouette des	chrysura, Hylocharis	
Moluques 156	184	circumcinctus,
Chouette des pagodes	Chrysuronia 176	Spiziapteryx81
166	Chupacacao negro . 68	Circus 44, 45, 46, 47
Chouette dryade 165	Chupacacao	cirrhatus, Spizaetus 65
Chouette du	ventriblanco 68	cirrocephalus,
Sitchouan 165	Churica 116	Accipiter25
Chouette d'Ussher 164	Churiquita 138	cirrochloris,
Chouette effraie 142	Cicinnurus 223	Aphantochroa 172
Chouette épervière	Ciconia7, 8	Cisne coscoroba 19
156, 167	ciconia, Ciconia7	Cisne cuellinegro19
Chouette épervière de	CICONIIDAE7	Cisne cuello negro19
l'île Christmas 156	CICONIIFORMES 4	Cissa 227
Chouette fasciée 164	Cicupa163	clamator, Asio 145
Chouette fauve 165	Cigogne à bec noir 7	clamator, Rhinoptynx
	Cigogne blanche de	145
Chouette harfang. 157	Corée7	clamosus, Atrichornis
Chouette huhul 165		202
Chouette hulotte . 165	Cigogne blanche du	clanga, Aquila32
Chouette hulotte de	Japon7	
Hume 165	Cigogne blanche	clarae, Arachnothera
Chouette lapone 166	orientale7	206
Chouette	Cigogne de Storm 8	Claravis99
leptogramme 166	Cigogne noire7	clarkii, Otus158
Chouette masquée166	Cigogne orientale7	clemenciae,
Chouette mouchetée	Cigüeña blanca	<i>Lampornis</i> 185
167	coreana7	Cloud-forest Screech-
Chouette noire et	Cigüeña del Japón7	Owl160
blanche 166	Cigüeña ensillada8	clypeata, Anas14
Chouette ocellée 166	Ciguëña negra7	clypeata, Spatula 14
Chouette pêcheuse	Cigüeña negra7	Clytolaema 177
164	Cigüeña oriental7	Cnemophilus 223
Chouette rayée 167	<i>Cinclidium</i> 203	Cobalt-winged
Chouette tachetée 166	cincta cincta, Poephila	Parakeet 115
Chouette-pêcheuse de	214	Cochoa 203
Bouvier 164	cinerascens, Bubo 148	Cochoa azuré 203
Chouette-pêcheuse de	cinerascens, Circaetus	Cochoa pourpré 203
Pel 164	42	coelestis, Aglaiocercus
Chouette-pêcheuse	cinerea, Mycteria9	169
rousse 164	cinereicauda,	coelestis, Forpus 121
Christmas frigatebird 3	Lampornis 185	Coeligena177
_	Cinereous Harrier 45	coeligena, Coeligena
Christmas Hawk-Owl	Cinereous Vulture 31	177
156		coeruleogularis,
Christmas Island	cinereus, Circaetus. 43	
Frigatebird3	cinereus, Circus 45	Lepidopyga 185
Christmas Island	Cinnabar Hawk-Owl	Colacerda crestuda
Hawk-Owl 156	155	192

Colacerda ventrinegra	ciseaux 184	Colibrí cabecidorado
192	Colibri à queue large	173
Colacerda verde 192	193	Colibrí cabecivioleta
Colacinta colinegra185	Colibri à queue mi-	
Colacinta coliverde185	blanche 191	Colibri caliope 193
Colaespatula	Colibri à queue	Colibri calliope 193 Colibri canelo 170
zamarrito 188 Colapinto ecuatoriano	singulière 178 Colibri à queue verte	Colibrí capirrufo 175
191	186	Colibrí caribeño
Colasisi 124	Colibri à sous-	gorgimorado 180
Coliazul bengalí 215	caudales rousses195	Colibrí caribeño
Colibri168, 169, 171,	Colibri à tête bleue	gorgiverde 180
172, 173, 174, 175,	178	Colibri casqué 189
176, 177, 178, 179,	Colibri à tête cuivrée	Colibrí centelleante
180, 181, 182, 183,		
184, 185, 186, 187, 188, 189, 191, 192,	Colibri à tête noire 195 Colibri à tête rose 171	Colibrí chivito 189
193, 194, 195	Colibri à tête violette	Colibri circé 178
Colibri à ailes saphir	184	Colibrí cobrizo 168
192	Colibri à ventre blanc	Colibrí cola de hoja
Colibrí à bec incurvé	178	188
192	Colibri à ventre	Colibrí cola de oro 176
Colibri à calotte	châtain 185	Colibrí colaceleste 173
violette 181 Colibri à coiffe blanche	Colibri à ventre noir	Colibrí coliancho 193 Colibrí coliazul 170
188	Colibrí abejorro 168	Colibrí coliblanco 174
Colibri à dos noir . 192	Colibri adèle 188	Colibrí colibronce . 191
Colibri à épaulettes	Colibrí admirable . 186	Colibrí colicorto 188
180	Colibrí aliazul 192	Colibrí colihabano. 173
Colibri à flancs blancs	Colibri alicastaño . 185	Colibrí colilargo mayor
188	Colibrí amatista 173	
Colibri à gorge	Colibri amatistino. 185	Colibrí colilargo menor
améthyste 185 Colibri à gorge	Colibri améthyste. 173 Colibri anaïs 177	185 Colibrí colipinto
blanche 186	Colibri ante 186	Ecuatoriano 191
Colibri à gorge bleue	Colibrí anteado 186	Colibrí colipinto
185	Colibrí apagado 172	Peruano 191
Colibri à gorge grenat	Colibri ardent 193	Colibrí colirraro 178
185	Colibri ardiente 193	Colibrí colirrayado 180
Colibri à gorge lilas	Colibri astral 168	Colibrí colirrojo 177
185 Colibri à gorge noire	Colibri aterciopelado	Colibrí colirrufo 171
172	184 Colibri austral 193	Colibri colpinto 195 Colibri coludo azul 169
Colibri à gorge rubis	Colibri aux huppes	Colibrí coludo verde
172	d'or 182	185
Colibri à menton bleu	Colibri avocette 173	Colibrí cometa 193
175	Colibri avocettin 188	Colibri comète 193
Colibri à petit bec 192	Colibrí barbiesmeralda	Colibrí condecorado
Colibri à plastron noir		
189 Colibri à poitrine	Colibrí barbinegro 172 Colibrí bicolor 178	Colibrí copetón 193 Colibri cora 194
violette 193	Colibri blancioliva, 186	Colibri Cora 194
Colibri à queue	Colibrí blanquiverde	Colibrí cordillerano 188
bronzée 175	171	Colibri corinne 183
Colibri à queue courte	Colibrí bonito 173	Colibrí cornudito 182
188	Colibri bourdon 168	Colibrí corona-verde
Colibri à queue en	Colibrí cabeciazul . 184	171

Colibrí corona-violeta	Colibri de Goudot . 185	Colibri des tépuis . 191
171	Colibrí de Goudot . 185	Colibri d'Helen 187
Colibrí coroniazul. 170	Colibrí de Guerrero	Colibri d'Oaxaca 180
Colibrí coroniblanco	181	Colibri du Chili 193
188	Colibri de Hartert . 191	Colibri du Chimborazo
Colibrí crestado 189	Colibrí de Herrán . 175	188
Colibrí cuellicastaño	Colibri de Jardine . 173	Colibri du Guerrero
182	Colibri de Jourdan 174	181
Colibri d'Abeillé 168	Colibrí de Jourdan 174	Colibri du Pirré 181
Colibri d'Alice 168	Colibrí de Juan	Colibri élise 178
Colibri d'Allen 193	Fernández 193	Colibri elvire 179
Colibri d'Angèle 183	Colibrí de Julia 178	Colibrí escamoso 183
Colibri d'Anna 173	Colibri de Lafresnaye	Colibri estelle 188
Colibri d'Arica 180	184	Colibrí estrella
Colibrí de Alicia 168	Colibrí de las	picolargo 183
Colibrí de Allen 193	Bahamas 173	Colibri étincelant 168
Colibrí de Anna 173	Colibri de Lillian 185	Colibri falle-vert 180
Colibrí de Arica 180	Colibrí de Marte 182	Colibri fanny 188
Colibrí de Barbijo. 183	Colibri de Matthews	Colibri faux-saphir 185
Colibri de Benjamin	173	Colibri féérique 183
195	Colibri de Mitchell 191	Colibri flamboyant 195
Colibrí de Berilo 169	Colibrí de Mitchell 191	Colibri flammule 193
Colibri de Berlepsch	Colibri de Mulsant 168	Colibri flavescent . 173
168	Colibrí de Mulsant 168	Colibrí florido 171
Colibri de Bouguer 195	Colibrí de Perijá 187	Colibrí frentiverde 183
Colibrí de Bouguer 195	Colibrí de pico	Colibrí gargantidorado
Colibri de Bourcier 191	recurvado 192	191
Colibri de Buffon 175	Colibrí de raquetas188	Colibrí gargantilla. 186
Colibrí de Buffon 175	Colibri de Rivoli 180	Colibri géant 189
Colibri de Burmeister	Colibrí de Santa Marta	Colibrí gigante 189
188	174	Colibrí golondrina. 180
Colibrí de Burmeister	Colibrí de Sibila 185	Colibrí gorgiamatista
	Colibrí de Stanley 175	182
Colibri de Castelneau	Colibri de Sybil 185	Colibrí gorgiazul 185
168	Colibri de Taczanowski	Colibrí gorgiescamoso
Colibrí de	186	185
Cochabamba 188	Colibrí de Taczanowski	Colibrí gorgirrubí 172
Colibrí de Colliope 193	186	Colibrí gorgivioleta 185
Colibri de Constant	Colibrí de tepui 191	Colibrí gorgizafiro. 185
183	Colibrí de Teresa 192	Colibrí gorjirrubí 172
Colibri de Costa 173	Colibri de Tumbes 185	Colibrí grande
Colibrí de Costa 173	Colibrí de Tumbes 185	colinegro 175
Colibri de Cuvier 189	Colibrí de Xantus . 184	Colibri grivelé 194
Colibrí de Cuvier 189	Colibrí del Atacama	Colibri guaïnumbi. 191
Colibri de Delalande	192	Colibrí guainumbí. 191
193	Colibrí del Chimborazo	Colibrí guerrerense
Colibri de Delphine178	188	181
Colibri de Dohrn 192	Colibrí del Duida 174	Colibrí hada occidental
Colibrí de Dupont. 195	Colibrí del Napo 174	183
Colibrí de Elisa 178	Colibrí del Pirre 181	Colibrí hada orejazul
Colibrí de Elliot 172	Colibri d'Elliot 172	183
Colibrí de Eloísa 172	Colibri demi-deuil. 187	Colibrí hada oriental
Colibrí de Esmeraldas	Colibri d'Équateur 171	183
168	Colibri des Bahamas	Colibri héliodore 168
Colibri de Geoffroy173	173	Colibrí heliodoro 168
Colibrí de Goldman	Colibri des Santa	Colibri héloïse 172
181	Marta 168	Colibri hirondelle 180

Colibri huppé 189	Colibrí pechinegro 189	gargantiazul 168
Colibrí inca acollarado	Colibrí pechirrojo . 173	Colibrí sietecolores173
177	Colibrí pecho canela	Colibri sombre 178
Colibrí inca bronceado	181	Colibri superbe 173
177	Colibrí pectoral 182	Colibri tacheté 192
Colibri inca dorado 177	Colibri pico de cuña	Colibrí terciopelo 184
		•
Colibrí inca	173	Colibri thalassin 178
ventrivioleta 177	Colibrí pico espina 192	Colibrí tijereta 184
Colibri insigne 189	Colibrí pico lezna . 173	Colibrí topacio 195
Colibrí insigne 189	Colibrí picocuña 173	Colibri topaze 195
Colibri jacobin 181	Colibrí picoespada 179	Colibri tout-vert 192
Colibrí jaspeado 168	Colibrí picoespina. 175	Colibri trompeur 186
Colibri julie 178	Colibrí picolanza	Colibrí turmalina 182
Colibrí lazulita 174	mayor179	Colibrí variable 185
		Colibri ventigris 193
Colibri lucifer 173	Colibrí picolanza	_
Colibrí lucifer 173	menor	Colibrí ventrinegro 180
Colibri lumachelle 173	Colibrí picolezna 188	Colibrí ventriníveo 169
Colibrí lumaquela. 173	Colibrí picosierra chico	Colibrí ventrivioleta
Colibri madère 180	192	178
Colibri magenta 191	Colibrí piquiancho 178	Colibrí ventrizafiro 185
Colibrí magenta 191	Colibrí piquiavoceta	Colibrí verde colirrojo
Colibrí magnífico 180	188	188
Colibri médiastin . 183	Colibrí piquicorto	Colibrí verdecito 175
Colibrí morado 174	común 192	Colibrí verdemar 178
Colibrí moteado 194	Colibri piquicorto	Colibri vert et gris 172
Colibri moucheté . 168	dorsinegro 192	Colibri vert-d'eau . 185
Colibrí multipunteado	Colibrí piquicunna 173	Colibri vesper 192
194	Colibrí piquidentado	Colibrí vientre-canelo
Colibrí myrtis 188	171	171
Colibri nain 187	Colibrí piquilargo 183	Colibrí violeta 182
Colibrí negrito 169	Colibrí pochotero . 183	Colibrí volcanero 193
Colibrí negro 187	Colibrí portacintas 195	Colibri zémès 195
Colibri noble 188	Colibri porte-épée 179	Colibrí zumbadorcito
Colibrí noble 188	Colibrí prieto 178	
		187
Colibrí nuquiblanco	Colibrí puneño 188	Colibrí zunzuncito. 187
	Colibrí puntablanca	Colibrí-serrano
Colibrí Oaxaqueño 180	occidental 195	gorjiamatisto 185
Colibrí oliváceo 175	Colibrí puntablanca	Colibrí-serrano
Colibrí olivipunteado	oriental 195	gorjiazul 185
186	Colibrí real 182	Colibrí-serrano
Colibri oreillard 183	Colibri robinson 193	gorjiverde 185
Colibrí orejiblanco 184	Colibrí rojizo Mexicano	Colibrí-serrano
Colibrí orejimorado	174	pechiverde 185
	Colibrí rojizo	Colin de Ridgwayi85
		_ ,
Colibrí orejivioleta	Venezolano 174	Colin de Virginia85
grande 177	Colibri roux 193	Colin de Virginie
Colibrí orejivioleta	Colibrí rubí 176	masqué85
verde 178	Colibri rubis-	Colín virginiano de
Colibri paméla 169	émeraude 177	Ridgway85
Colibrí pantalón	Colibri rubis-topaze	Colinus85
cobrizo 179	176	Collared Falconet 79
Colibrí pantalón verde	Colibrí rufo 193	Collared Fishing Hawk
180	Colibrí ruiseñor 174	36
Colibrí pardo 178	Colibrí rutilante 177	Collared Forest-Falcon
Colibrí patirrojo 175	Colibri sapho 193	79
Colibrí pechiazul 193	Colibri scintillant 193	Collared Inca 177
Colibrí pechigrís 174	Colibrí serrano	Collared Lory 127

Collared Owlet 151	Common Bay Owl 142	Conure à col blanc 135
Collared Pygmy-Owl	Common Black-Hawk	Conure à front brun
151	41	137
Collared Scops-Owl	Common Buzzard 38	Conure à front rouge
157	Common Caracara . 81	113
Collared sparrowhawk	Common Chachalaca	Conure à gorge bleue
30	83	135
Collared Sparrowhawk	Common Cock-of-the-	Conure à gros bec 137
25	Rock 201	Conure à joues d'or
collari, Otus 158	Common Crane 91	127
collaria, Amazona 108	Common Crowned	Conure à long bec 121
collaris, Accipiter 25	Pigeon 101	Conure à oreilles
Colombar à front nu	Common Hill Myna222	jaunes 127
104	Common Kestrel 77	Conure à oreillons 136
Colombar de Siebold	Common Peacock-	Conure à pinceaux
104	Pheasant 87	d'or 123
Colombar waalia 104	Common Pigeon 100	Conure à poitrine
Colombe de Geoffroy	Common Pintail 13	brune 135
99	Common Rhea1	Conure à tête bleue
Colombe de Grenade	Common Scops-Owl	113
102	162	Conure à tête d'or 113
Colombe poignardée	Common Teal15	Conure à tête rouge
101	Common Waxbill 210	113
Colombian Screech-	Comoro Scops-Owl	Conure à ventre rouge
Owl 159	161	137
colombianus, Otus 159	Compact Weaver . 218	Conure aile-de-feu 135
colombica, Thalurania	comrii, Manucodia 224	Conure aztèque 114
194	Concave-casqued	Conure couronné . 113
Colorful Puffleg 179	Hornbill 198	Conure couronnée 113
coloria, Erythrura. 209	concinna, Glossopsitta	Conure cuivré 114
Colourful Puffleg 179	122	Conure cuivrée 114
colubris, Archilochus	concolor, Falco71	Conure de Cuba 113
172	condamini, Eutoxeres	Conure de Deville. 135
Columba.99, 100, 101	181	Conure de Finsch . 113
columbarius, Falco . 70	conditicius,	Conure de Hoffmann
COLUMBIDAE 99	Tricholimnas 93	136
COLUMBIFORMES 99	Cóndor 23	Conure de la Reine de
columboides,	Cóndor andino 23	Bavière 114
Psittacula 133	Cóndor californiano 23	Conure de Molina . 136
comatus, Aceros 196	Cóndor de California	Conure de Patagonie
comatus, Berenicornis	23	119
196	Condor de Californie	Conure de Ridgway
Comb Duck 22	23	114
Combassou de Baka	Cóndor de los Andes	Conure de Souancé
221	23	136
Combassou de	Condor des Andes 23	Conure de Vieillot. 136
Jamdandu 222	Congo Bay-owl 142	Conure de Wagler 115
Combassou de Wilson	Congo Bay-Owl 142	Conure de Weddell115
222	Congo Serpent-Eagle	Conure des cactus 113
Combassou du	47	Conure des Santa
Jamdandu 222	connivens, Ninox . 155	Marta137
Combassou du	conspicillatus, Forpus	Conure d'Orcès 136
Sénégal 221	121	Conure doré 114
Combassou noir 222	constantii,	Conure dorée114
Commandeur huppé	Heliomaster 183	Conure emma 136
207	Conure à cape noire	Conure jandaya 114
Common Barn-Owl142	137	Conure magellanique

121	Coqueta coronada 187	Corocoro rojo9
Conure maîtresse 113	Coqueta cresticorta	coromandus, Bubo 149
Conure mitré 114	186	coronata, Paroaria 207
Conure mitrée 114	Coqueta crestinegra	coronatus,
Conure nanday 126	186	Anthracoceros 197
Conure pavouane 114	Coqueta crestirrufa	coronatus,
Conure perlé 136	186	Harpyhaliaetus 54
Conure perlée 136	Coqueta de Guerrero	coronatus, Spizaetus
Conure soleil 114	186	67
Conure tête-de-feu	Coqueta festiva 186	coronatus,
	Coqueta lentejuelada	Stephanoaetus 67
		Coronita aterciopelada
Conure tiriba 135		
Conure versicolore 136	Coqueta magnifica 186	
Conure vert 114	Coqueta moteada 186	Coronita colihabana
Conure verte 114	Coqueta pavonina 187	
Conure veuve 125	Coqueta verde 186	Coronita pechicastaña
conversii, Discosura	Coquette à queue fine	173
192	192	Corredor chillón 202
conversii, Popelairia	Coquette à raquettes	corrugatus, Aceros 196
192	178	corrugatus, Rhyticeros
convexus,	Coquette adorable 186	196
Anthracoceros 197	Coquette chalybée 186	coruscans, Colibri. 177
cookii, Cyanoramphus	Coquette de Delattre	CORVIDAE 227
120	186	Coryllis à front orange
cooperi, Otus 159	Coquette de Gould 186	123
cooperii, Accipiter 26	Coquette de	Coryllis à gorge jaune
Copper-rumped	Langsdorff 192	124
Hummingbird 171	Coquette de Létitia	Coryllis à tête bleue
	192	124
Coppery Emerald . 176	Coquette de Popelaire	Coryllis de Ceylan 123
Coppery Metaltail. 187		
Coppery Thorntail 192		Coryllis de Wallace124
Coppery-bellied	Coquette d'Hélène 186	Coryllis des Bismarck
Puffleg 179	Coquette du Guerrero	124
Coppery-headed	186	Coryllis des Bismark
Emerald 179	Coquette huppe-col	124
coprotheres, Gyps . 50	187	Coryllis des Célèbes
Copsychus 203	Coquette magnifique	124
Coq de Bois 205	186	Coryllis des Moluques
Coq de Sonnerat 85	Coquette pailletée 187	123
Coq-de-roche de	Coquette paon 187	Coryllis des Philippines
Guyane 201	cora, Thaumastura194	124
Coq-de-roche orange	CORACIIFORMES	Coryllis des Sangi. 124
201	195	Coryllis vernal 124
Coq-de-roche	Coracine casquée. 201	Coryllis vert 124
péruvien 201	Coracine ornée 200	Corythaeola139
Coqueta abanico	Coracopsis 119	corythaix, Tauraco
canela 187	Cordon bleu à joures	140, 141
Coqueta abanico pavo	rouges 215	Coscoroba
real 187	Cordonbleu 215	Coscoroba blanc19
Coqueta abanico	Cordonbleu à joues	Coscoroba Swan 19
•	rouges 215	coscoroba, Coscoroba
puntiblanco 186	Corneille de paradis	
Coqueta adorable 186		19
Coqueta adornada 187	corputa Haliactin 193	costae, Calypte 173
Coqueta cola de Lira	cornuta, Heliactin. 182	costaricensis, Touit
	cornutus,	138
Coqueta cola raqueta	Eunymphicus 121	Cotinga201
178	Corocoro colorado9	Cotinga à ailes

	422	C
blanches 201	133	Courlis à bec grêle .98
Cotinga à bandeau 201	Cotorra de Molina 136	Courlis esquimau 98
Cotinga aliblanca . 201	Cotorra de Nicobar133	CRACIDAE 82
Cotinga cordonbleu	Cotorra de Santa	Crane 49, 90, 91, 92
	Marta137	
201		Crane Hawk49
Cotinga cordon-bleu	Cotorra del Himalaya	crassirostris, Forpus
201	133	122
Cotinga de corbata201	Cotorra egregia 135	crassus, Poicephalus
Cotinga maculé 201	Cotorra frente roja 108	129
Cotinga manchado 201	Cotorra frentidorada	Crax 82, 83
	113	crecca, Anas15
Cotinga porphyrion	Cotorra intermedia133	Crécerelle américaine
201		
COTINGIDAE 200	Cotorra morada 128	76
Cotorra107, 108, 110,	Cotorra negra 128	Crécerelle
113, 114, 121, 125,	Cotorra pechiparda	australienne70
126, 128, 132, 133,	135	Crécerelle aux yeux
134, 135, 136, 137	Cotorra pechirroja 132	blancs76
Cotorra alejandrina	Cotorra perlada 136	Crécerelle d'Aldabra74
	Cotorra pintada 136	Crécerelle d'Amérique
		•
Cotorra amarilla 114	Cotorra tiriba 135	76
Cotorra Argentina 125	Cotorra ventrirroja 137	Crécerelle d'Australie
Cotorra austral 121	Cotorra verde 114	70
Cotorra cabeciamarilla	Cotorra-serrana	Crécerelle de Maurice
107	occidental 137	75
Cotorra cabeciazul 128	Cotorra-serrana	Crécerelle des
Cotorra cabeciblanca	oriental 137	Moluques73
128	Cotorrita aliazul 122	Crécerelle des
Cotorra cabecinegra	Cotorrita alipinta 138	Seychelles69
126	Cotorrita alirroja 138	Crécerelle katitie69
Cotorra cachaña 121	Cotorrita amazónica	Crécerelle malgache
Cotorra capirotada 137	126	74
Cotorra cariparda 136	Cotorrita cariazul . 138	Crécerelle renard 68
Cotorra carirroja 114	Cotorrita carigualda	Crested Argus88
Cotorra carirrosa . 134	122	Crested Baza36
Cotorra catana 136	Cotorrita	Crested Bird-of-
Cotorra chiripepé. 136	Costarricense 138	paradise 223
Cotorra choroy 121	Cotorrita culiverde 122	Crested Caracara81
Cotorra ciruela 133	Cotorrita de Anteojos	Crested Eagle61
Cotorra colilarga 134	121	Crested Fireback 86
Cotorra colinegra. 136	Cotorrita de Piura 121	Crested Goshawk 31
_	Cotorrita de Fidia 121 Cotorrita de Sclater	Crested Guan83
Cotorra colirroja 136		
Cotorra coronirroja	122	Crested Hawk-Eagle65
136	Cotorrita dorsinegra	Crested Ibis10
Cotorra cucha 107	138	Crested Korhaan 96
Cotorra cuelliblanca	Cotorrita Mexicana122	Crested Malimbe 217
135	Cotorrita purpurada	Crested Owl 154
Cotorra de ceilán . 133	138	Crested Partridge88
Cotorra de Derby. 133	Cotorrita sietecolores	Crested Peacock-
Cotorra de Deville 135	138	Pheasant88
Cotorra de El Oro. 136	Cotorrita sorda 138	Crested Serpent-Eagle
Cotorra de Finsch 133		64
	Cotorrita tepuí 126	Crosted Sheldusk 33
Cotorra de Kramer 134	Cotunto 159	Crested Shelduck 22
Cotorra de los Palos	Cou-coupé 209	Crested Turaco 141
113	couloni, Ara 112	Crestless Fireback 86
Cotorra de Malabar	couloni, Primolius. 112	Crestless Monal86
133	Count Raggi's Bird-of-	Crick à ventre bleu139
Cotorra de Mauricio	paradise 225	Crimson Horned-

Conure 137	Pheasant	Cuban Parrot 109 Cuban Pygmy-Owl 153 Cuban Sandhill Crane	cupreoventris, Eriocnemis 179 cupripennis, Aglaeactis 168 Curl-crested Manucode 224 Curruca bigotuda piquilarga 204
Crimson-fronted	Conure 137 Crimson-bellied	Cuckoo Weaver 216 Cuco 159	rojiza204 Curucucú barriga
Crimson-winged cucullata, Carduelis Curucucú orejudo. 163 Pytlila 215 208 Crinifer 140 cucullata, Lonchura Curucucú pálido 153 Crinifer 101 cucullatus, Ploceus219 curvipennis, curvi	Conure 113	cuculiformes. 139 cucullata, Andigena	Curucucú común 158 Curucucú
157	Crimson-winged Pytilia 215	cucullata, Carduelis 208	Curucucú orejudo. 163 Curucucú pálido 159
Manucode 224 Spermestes 212 Cut throat 209 crispus, Pelecanus 3 cucullatus, Spinus 208 Cut-throat 209 cuculoides, Aviceda 35 cuveloides, Aviceda 35 cuvelides, Aviceda 35 cristata, Goura 101 Glaucidium 151 cuvelides, Aviceda 35 cristata, Goura 101 Glaucidium 151 cuvelides, Aviceda 35 cristata, Goura 101 Glaucidium 151 cuvelides, Aviceda 55 cristata, Gubernatrix Cuervo calvo de cuello gris 205 cyaneus, Circus 48 cristata, Lophostrix Cuervo calvo de cuello gris 205 cyaneus, Circus 48 cristata, Tadorna 22 Cúi u cúi u 128 cyanocephala 170 cristata, Tadorna 22 Cúi u cúi u 128 cyanocephala 170 cristata, Tadorna 22 Culebrera abarreada 43 Cyanocephala 279 cristata, Tadorna 23 Culebrera colibl	criniger, Gallicolumba 101	212 cucullatus, Ploceus219	157 curvipennis,
cristata, Goura 101 Cuculoides, Glaucidium Cuvierii, Phaeochroa cristata, Gubernatrix 207 blanco 205 cyaneus, Circus	Manucode 224 crispus, Pelecanus 3	Spermestes 212 cucullatus, Spinus 208	Cut throat 209 Cut-throat 209
Cuervo calvo de cuello gris		Glaucidium 151 Cuervo calvo de cuello	189 <i>cyaneus, Circus</i> 45
Culebrera azor	cristata, Lophostrix 154	Cuervo calvo de cuello gris205	169 cyanocephala,
Crossoptilon	cristatus, Orthorhyncus 189	Culebrera azor 49 Culebrera barreada 43	cyanocephala, Psittacula 133
Crowned Eagle .54, 67 Crowned Hawk-Eagle	194 Crossoptilon 85	Culebrera congoleña 47	Cyanoliseus 119 cyanomelana,
Crowned Solitary Eagle	Crowned Eagle .54, 67 Crowned Hawk-Eagle	Andamán 64 Culebrera de Célebes	cyanopectus, Sternoclyta 193
cruentus, Ithaginis. 85 culebrera europea . 43 Culebrera filipina 64 cyanopterus, Pterophanes 192 Cyanoptila 204 cyanoptila	Crowned Solitary Eagle54	Culebrera de Nicobar 65	cyanophrys, Eupherusa 180
cryptoxanthus,44Cyanoptila204Poicephalus129Culebrera sombría43cyanopygius, ForpusCuban Amazon109cunicularia, Athene	135 cruentus, Ithaginis. 85 crumeniferus,	65 Culebrera europea . 43 Culebrera filipina 64	cyanoptera, Brotogeris115 cyanopterus,
Cuban Black Hawk . 41	cryptoxanthus, Poicephalus 129	44 Culebrera sombría .43	Cyanoptila204 cyanopygius, Forpus
Cuban Hook-billed cupido, Tympanuchus cyanurus, Psittinus135 Kite90 cyanus, Hylocharis184	Cuban Black Hawk . 41 Cuban Conure 113	164 cunicularia, Speotyto	Cyanoramphus119, 120
	Cuban Hook-billed Kite42	cupido, Tympanuchus 90	cyanus, Hylocharis 184

Cygne à cou noir 19	Dendrocygne fauve 20	diophthalma,
Cygne chanteur 19	Dendrocygne veuf 20	<i>Opopsitta</i> 120
Cygne coscoroba 19	denhami, Neotis 96	Diostedé pico
	dentata, Petronia . 218	acanelado 200
<i>Cygnus</i> 19		discolor, Lathamus123
Cynanthus 178	derbiana, Psittacula	•
Cyornis 204	133	Discosura 178, 192
	derbianus, Oreophasis	discurus, Prioniturus
	83	131
D	Derbyan Parakeet 133	dissimilis, Psephotus
		132
dachilleae,	derbyi, Eriocnemis 179	dissimilis Turdus 206
	Deroptyus 120	dissimilis, Turdus . 206
Nannopsittaca 126	Desert Owl 165	distans, Amazilia 170
Dacnis	desmarestii,	dohrnii, Glaucis 192
Dacnis à pattes noires	Psittaculirostris . 134	dohrnii, Ramphodon
207	detorta, Tyto 142	192
Dalmatian Pelican 3	devillei, Pyrrhura . 135	domicella, Lorius 125
Damara Korhaan 96		Dominican Mango. 172
Damophila 178	diadema, Charmosyna	_
<i>Daptrius</i> 68	118	dominicus,
Dara 98	Diamant à bavette 214	Anthracothorax . 172
	Diamant à face rouge	doriae, Accipiter59
Dark Chanting	214	doriae, Megatriorchis
Goshawk 59	Diamant aurore 215	59
Dark Chanting-	Diamant de Luçon 209	Doricha178
Goshawk 59	Diamant de Mindanao	dorsale,
Dark Serpent-Eagle 64	209	Ramphomicron 192
Dasyorne à long bec		Doryfera 179
204	Diamante colidorado	
Dasyornerousse de	169	Dos-vert à joues
l'Ouest 204	Diamante de pecho	blanches 213
	negro 214	Dot-eared Coquette
Dasyornis 204	Diamante de Wetmore	186
daubentoni, Crax 82	170	Dotted Tanager 207
davidi, Niltava 205	Diamante	doubledayi,
davidi, Strix 165	gargantiverde 170	Cynanthus 178
decipiens,	Diamante multicolor	Double-eyed Fig-
Streptopelia 102	171	Parrot 120
decora, Amazilia 170		Double-striped Thick-
decora, Paradisaea	Diamante pechizafiro	•
225	170	knee98
defilippii, Sturnella 208	Diamante ventriblanco	Double-toothed Kite53
	170	Dragón 208
deiroleucus, Falco72	diardi, Lophura 86	Drépanornis d'Albertis
delattrei, Lophornis	dickeyi, Cyanocorax	223
186	227	Drépanornis de Bruijn
delphinae, Colibri. 178	dickinsoni, Falco72	224
demersus, Spheniscus	dicolorus, Ramphastos	Dryade à queue
2	200	fourchue 194
Demoiselle Crane 93		Dryade couronnée 194
Demoiselle de	Diduncule strigirostre	
Numidie 93	101	Dryade de Fanny 194
	Didunculus 101	Dryade de Waterton
Dendrocygna19, 20	dilectissima, Touit 138	194
Dendrocygne à bec	dimorpha, Uroglaux	Dryade du Mexique
noir 19	167	194
Dendrocygne à bec	Dindon ocellé 84	Dryade glaucope 194
rouge 19	diodon, Harpagus 54	Dryocopus200
Dendrocygne à ventre	Diomedea3	Dryotriorchis47
noir19		
Dendrocygne des	DIOMEDEIDAE3	dubius, Hieraaetus . 54
Antilles 19	diophthalma,	dubius, Leptoptilos8
Andres III.	Cyclopsitta 120	Duc à aigrettes 154

-) !!) 453	Fernadarian Hillstor 100	elegans, Platycercus
Duc à crinière 153	Ecuadorian Hillstar 188	129
Duchess Lorikeet . 118	Ecuadorian Piedtail	
Duck Hawk 74	191	Elegant Grass-
ducorpsii, Cacatua 116	edward, Amazilia . 170	Parakeet 126
Ducula 101	edwardsi, Lophura .86	Elegant Parrot 126
Dúcula gris 101	edwardsii,	Elegant Scops-Owl158
dufresniana, Amazona	Psittaculirostris . 134	eleonorae, Falco72
108, 109	Effraie africaine 142	Elf Owl154
duidae,	Effraie de Manus 143	elgini, Spilornis 64
	Effraie de Minahassa	eliciae, Hylocharis 184
Campylopterus . 174	143	eliza, Calothorax 178
duivenbodei,		eliza, Doricha 178
Chalcopsitta 118	Effraie de prairie 143	ellioti, Atthis172
dupontii, Philodice 195	Effraie de Soumagne	
dupontii, Tilmatura	144	ellioti, Selasphorus172
195	Effraie de Taliabu. 144	ellioti, Syrmaticus89
Dusky Eagle-Owl . 149	Effraie de Tasmanie	Elliot's Pheasant89
Dusky Hummingbird	143	Elvira179
178	Effraie des Célèbes	EMBERIZIDAE 207
Dusky Lory 132	144	Emei Shan Liocichla
Dusky Parrot 128	Effraie des clochers	205
Dusky Starfrontlet 177	142	Emerald Lorikeet 126
Dusky-billed Parrotlet	Effraie des Tanimbar	Emerald-bellied
122	144	Puffleg 179
Dusky-headed Conure	Effraie d'Hispaniola	Emerald-chinned
115	143	Hummingbird 168
Dusky-headed	Effraie dorée 143	Emerald-collared
	Effraie du Cap 143	Parakeet 133
Parakeet 115	Effraie masquée 144	Emerauldine à bec
Dusky-throated	Effraie ombrée 144	noir 104
Hermit 190		Emerauldine à bec
Dwarf Cassowary 2	Effraie piquetée 144	rouge104
Dwarf Fig-Parrot 120	Effraie rousse de	
	Madagascar 144	emmae, Aglaiocercus
E	egregia, Pyrrhura. 135	169
-	Egretta 5, 6	Emouchel des
Eagle owl 148	Egyptian Goose 13	Seychelles69
Eastern Black-capped	Egyptian vulture 61	Emperor Bird-of-
Lory 125	El Oro Conure 136	paradise 225
	El Oro Parakeet 136	Emperor of Germany's
Eastern Chanting-	Elanio australiano 48	Bird-of-paradise 225
Goshawk 59	Elanio azul48	emphanum,
Eastern Grass-Owl 143	Elanio bidentado 53	Polyplectron88
Eastern Imperial Eagle	Elanio blanco48	Empress Brilliant 182
33	Elanio chico49	enganensis, Gracula
Eastern Marsh-Harrier	Elanio común 48	222
47	Elanio del Mississipí 56	Engoulevent d'Europe
Eastern Parotia 226	Elanio enano 49	144
Eastern Red-footed	Elanio escrito 48	Enicognathus121
Falcon 69	Elanio golondrina 42	enicura, Calothorax
Eastern Riflebird 226	Elanio maromero 48	178
Eastern Rosella 129	Elanio muslirrufo 54	enicura, Doricha178
Eastern Screech-Owl	Elanio plomizo 57	Ensifera 179
157	Elanio tijereta47	ensifera, Ensifera . 179
ecaudatus,	Elanoides 47	ensipennis,
Terathopius 67		
echo, Psittacula 133	Elanus 42, 48	Campylopterus 174
<i>Eclectus</i> 120	elegans, Neophema	Eolophus121
Eclectus Parrot 120	126	Eos
20.0000 . 400 220	elegans, Otus 158	eos, Coeligena 177

		- 11 11 10 404
Ephippiorhynchus 8	190	Ermite hirsute 181
Epimachus 223, 224	Ermitaño frentrinegro	Ermite nain 190
Epimaque de Mayer	190	Ermite ocré 191
224	Ermitaño guayanés	Ermite roussâtre 190
Epimaque fastueux	191	Ermite terne 190
224	Ermitaño hirsuto 181	Ermite vert190
episcopus, Ciconia 8	Ermitaño limpiacasa	Ermite yaruqui 191
eques, Psittacula . 133	189	erythrauchen,
eremita, Geronticus 10	Ermitaño manchado	Accipiter 26
Eriocnemis 179, 180	189	erythrogenys,
Erismature à tête	Ermitaño ocráceo. 191	<i>Aratinga</i> 113
blanche 21	Ermitaño pechicanelo	erythrogenys,
erithacus, Psittacus	181	Microhierax80
134	Ermitaño picoaguja	erythrolophus,
Ermitañito barbigrís	190	<i>Tauraco</i> 140
189	Ermitaño picogrande	erythronemius,
Ermitañito	190	<i>Accipiter</i> 26
gargantifusco 190	Ermitaño picosierra	erythrophthalma,
	192	Lophura86
Ermitañito pequeño	Ermitaño pigmeo . 190	erythrops, Quelea 220
	Ermitaño piquirrecto	erythropterus,
Ermitañito rufo 190	189	Aprosmictus111
Ermitaño barbiblanco	Ermitaño rojizo 190	erythropus, Accipiter
		26
Ermitaño barbigris 189	Ermitaño	erythropygia, Sturnia
Ermitaño barbudo 194	ventrihabano 191	222
Ermitaño barbudo	Ermitaño ventripálido	
colibandeado 194		erythropygius,
Ermitaño barbudo	Ermitaño verde 190	Sturnus 222
común 194	Ermite à brins blancs	Erythrotriorchis 48, 49
Ermitaño bigotiblanco	191	Erythrura 209
191	Ermite à gorge grise	Eskimo Curlew98
Ermitaño Boliviano190	189	Esmeralda bronceada
Ermitaño bronceado	Ermite à long bec. 190	176
181	Ermite à queue	Esmeralda capirotada
Ermitaño carinegro	blanche 194	179
189	Ermite à ventre fauve	Esmeralda cola de
Ermitaño chico 190	191	alambre 176
Ermitaño coliancho	Ermite anthophile 189	Esmeralda coliazul 176
189	Ermite bronzé 181	Esmeralda colicorta
Ermitaño colilargo 191	Ermite d'Antonie 194	176
Ermitaño colilargo	Ermite d'Auguste . 189	Esmeralda colifina 176
común 191	Ermite de Bourcier 189	Esmeralda coliverde
Ermitaño de Espirito	Ermite de Dohrn 192	175
Santo 192	Ermite de Dohrnou à	Esmeralda de Canivet
Ermitaño de Koepcke	bec incurvé 192	176
190	Ermite de Filippi 190	Esmeralda de la
Ermitaño de Natterer	Ermite de Gounelle	Española 176
190	189	Esmeralda del
Ermitaño de	Ermite de Koepcke190	Chiribiquete 176
picorrecto 189	Ermite de Natterer 190	Esmeralda elvira 179
Ermitaño de Yaruqui	Ermite de Prêtre 190	Esmeralda gorgiazul
191	Ermite de Rucker . 194	175
Ermitaño del planalto	Ermite de Rucker . 190	Esmeralda Hondurena
190	Ermite de Studit 190	170
	Ermite d'Osery 190	Esmeralda pico rojo
Ermitaño escamoso	Ermite d Osery 190 Ermite eurynome . 189	176
189 Ermitaño escuálido		Esmeralda
Ermitano escualido	Ermite eurynôme . 189	Latticialda

Portorriqueña 176 Esmeralda	Eulidia	evelynae, Philodice
ventridorada 175 Esmeralda viente-	euops, Aratinga 113 eupatria, Psittacula	everetti, Aceros 196 everetti, Rhyticeros
blanco 169	133	196
Esmeralda zunzún 176	Eupetomena 180	Everglade Kite 64
Esmeraldas Woodstar	Eupherusa 180, 181	exarhatus,
168	Euplecte à dos d'or	Penelopides 198
Esmerejón 70	217	excellens,
Esparvero bicolor 25	Euplecte de Jackson	Campylopterus 174
Esparvero chico 30	217	exilis, Loriculus 124
Esparvero gris 30	Euplecte franciscain	eximia, Eupherusa 180
Esparvero pechigrís 29	216	eximius, Platycercus
Espátula 10	Euplecte monseigneur	129
Espátula blanca 10	217	exortis, Heliangelus
Espátula común 10	Euplecte veuve-noire	182
Espermófaga	216	
hematina 215	Euplecte vorabé 216	É
Espolonero chinquis 87	Euplectes 216, 217	
Espolonero de Borneo	Euplectes alinegro 217	Élançon blanc48
88	Euplectes amarillo 216	Élanion à queue
Espolonero de Germain 88	Euplectes rojo 216 Eupodotis 95, 96	blanche48
Espolonero de	eupogon, Metallura	Élanion blac48
Palawan 88	187	Élanion blanc48
Espolonero de	Eurasian Buzzard 38	Élanion d'Australie48
Rothschild 88	Eurasian Eagle-Owl	Élanion lettré48
Espolonero malayo 88	148	Elanion naucler42
Espulgabueyes 4	Eurasian Griffon 50	Elanion perle49
estella, Oreotrochilus	Eurasian Griffon	Emeraude à queue
188	Vulture50	courte 176
Estornino de	Eurasian Hobby 76	Emeraude à queue
Rothschild 222	Eurasian Kestrel 77	étroite176
Estrella coliblanca 195	Eurasian Marsh-	Emeraude alice 175 Émeraude cuivrée 176
Estrella cuellirrojo 168	harrier 44	Émeraude de Canivet
Estrella ecuatoriana	Eurasian Pygmy-Owl	176
188	152	Émeraude de Cavinet
Estrellita amatista 173	Eurasian Scops-Owl	176
Estrellita chica 168	162	Émeraude de Gibson
Estrellita colicorta 188	Eurasian	176
Estrellita de gorguera	Sparrowhawk 28 Eurasian Spoonbill . 10	Émeraude de New
168 Estrellita esmeraldeña	•	Providence 175
168	Eurasian Wigeon16 European Honey-	Émeraude de Porto
Estrellita gargantillada	buzzard62	Rico176
188	European Turtle-Dove	Émeraude de Ricord
Estrellita gorjipurpura	103	, 176
191	eurynome,	Émeraude
Estrellita ventriblanca	Phaethornis 189	d'Hispaniola 176
168	euryptera,	Émeraude d'Olivares
Estrilda. 209, 210, 215	Opisthoprora 188	176
Estrilda verde 209	euteles, Trichoglossus	Émeraude du Panama
ESTRILDIDAE 209	138	175 Émeraude orvert 176
Eubucco 199	<i>Eutoxeres</i> 181	Émeraude splendide
Eudocimus9	Eutriorchis49	175
Eugenes 180	evelynae, Calliphlox	Éperonnier chinquis 87
Eulampis 180	173	

	4	83
Éperonnier de Bornéo	Épervier du Japon 27	83
88	Épervier menu 30	Faisán de Edwards . 86
Éperonnier de	Épervier minule 28	Faisán de Elliot89
Germain 88	Épervier nain30	Faisán de espolones
Éperonnier de	Épervier pie 28	de Borneo88
Hardwick 88	Épervier shikra 24	Faisán de espolones
	Érione à front bleu 179	de Germain88
Éperonnier de Malaisie		Faisán de espolones
88	Érione à poitrine d'or	de Palawan88
Éperonnier de	, 180	
Palawan 88	Érione à robe noire	Faisán de espolones
Éperonnier de	180	gris87
Rothschild 88	Érione à ventre cuivré	Faisán de espolones
Éperonnier gris 87	179	malayo88
Éperonnier malais 88	Érione Catherine 179	Faisán de Formosa .87
Éperonnier Napoléon	Érione d'Aline 179	Faisan de Formose .87
88	Érione d'Aurélie 181	Faisan de Hume 89
	Érione de Derby 179	Faisán de Hume 89
Épervier à collier	Érione givrée 181	Faisan de Lady
interrompu 25		Amherst85
Épervier à collier roux	Érione multicolore 179	
25	Érione pattue 180	Faisán de Lady
Épervier à cuisses	Érione turquoise 179	Amherst85
rouges 26	Érismature à tête	Faisan de l'Himalaya
Épervier à cuisses	blanche21	85
rousses 26	Étourneau à tête	Faisán de Rheinard.88
Épervier à gorge grise	blanche 222	Faisan de Salvadori 87
26	Étourneau de	Faisan de Sumatra .86
	Rothschild 222	Faisan de Swinhoe .87
Épervier à gorge	Étourneau soyeux 222	Faisán de Swinhoe .87
rayée 31	Etodifieda Soyeax 222	Faisan de Wallich 85
Épervier à pieds		Faisán de Wallich 85
courts25	F	Faisan d'Edwards 86
Épervier à poitrine	•	
blanche 25	Fairy Lorikeet 119	Faisan d'Elliot89
Épervier à poitrine		Faisán dorado85
rousse 29	Fairy Pitta 202	Faisan doré85
Épervier à queue	Faisan à queue barrée	Faisan du Vietnam .86
tachetée 31	89	Faisán ensangrentado
Épervier besra 31	Faisan à queue rousse	85
Épervier bicolore 25	86	Faisan impérial87
	Faisán argos 84	Faisán imperial 87
Épervier brun 30	Faisán chir85	Faisan leucomèle87
Épervier de Cooper 26	Faisán colicanelo 86	Faisan mikado89
Épervier de Cuba 27	Faisan de Birmanie. 89	Faisán mikado 89
Épervier de Frances 26	Faisan de Bulwer 86	Faisan monal chino 86
Épervier de Hartlaub	Faisán de Bulwer 86	1 010011 111011111
26	Faisán de carúncula	Faisán monal de
Épervier de Horsfield	azul86	Sclater86
· 30	azuloo	Faisán monal del
Épervier de l'Ovampo	Faisán de carúncula	Himalaya86
29	azul crestado 86	Faisan noble86
Épervier de	Faisán de cola ocelada	Faisán noble86
Madagascar 27	de Germain 88	Faisan oreillard blanc
	Faisán de cola ocelada	85
Épervier de Nouvelle-	gris87	Faisan oreillard brun
Bretagne25	Faisán de cola ocelada	85
Épervier des Célèbes	indómito 88	Faisán orejudo blanco
28	Faisán de cola ocelada	85
Épervier des Nicobar		
25	malayo 88	= 1.4
25	malayo88	Faisán orejudo de
Épervier d'Europe 28	malayo88 Faisan de cuerno rojo	Faisán orejudo de Manchuria85

Faisán orejudo pardo	fasciolatus, Circaetus	Fauconnet de Bornéo
85	43	80
Faisán orejudo	fastuosa, Tangara 207	Fauconnet des
tibetano 85	fastuosus, Epimachus	Philippines80
Faisan prélat 86	224	Fauconnet moineau 80
Faisán real de	Faucon à cou roux 70	Fauconnet noir-et-
Germain 88	Faucon à ventre rayé	blanc80
Faisán real de	78	Faucon-renard 68
Palaguán 88	Faucon aldrovandin 76	Fauvette à long bec
	Faucon aplomado 72	204
Faisán real gris 87	Faucon ardoisé 69	Fauvette brune à long
Faisán real malayo. 88		
Faisan sangrante 85	Faucon berigora 69	bec 204
Faisan sanguin 85	Faucon bérigora 69	Fauvette rousse de
Faisán sanguineo 85	Faucon chicquera70	l'Ouest 204
Faisán venerado 89	Faucon concolore 71	Fawn-breasted
Faisan vénéré 89	Faucon crécerelle69,	Brilliant 183
falcatus,	73, 77	Fawn-breasted
Campylopterus . 174	Faucon crécerelle des	Hummingbird 171
falcirostris, Sporophila	Seychelles 69	Fearful Owl 154
207	Faucon crécerellette73	Feather-toed Hawk-
Falco68, 69, 70, 71,	Faucon de Barbarie 74	Eagle66
72, 73, 74, 75, 76,	Faucon de Cuvier71	femoralis, Falco72
77, 78	Faucon de Dickinson	Feral pigeon 100
Falconete acollarado	72	fernandensis,
79	Faucon de l'Amour . 69	Sephanoides 193
Falconete de Borneo	Faucon de l'île Maurice	ferrugineifrons,
80	75	Bolborhynchus 115
Falconete filipino 80	Faucon de Newton	ferrugineus,
Falconete indonesio 80	d'Aldabra74	Enicognathus 121
Falconete pío 80	Faucon de Nouvelle-	Ferruginous Duck17
FALCONIDAE 68	Zélande74	Ferruginous Hawk 40
FALCONIFORMES 23	Faucon d'Eléonore 72	Ferruginous Partridge
fallax, Leucippus 186	Faucon d'Éléonore 72	
Falsa viuda	Faucon des chauves-	85 Ferruginous Pochard
	souris75	
dorsigualda 217		Ferruginous Pygmy-
Falsa viuda pechirroja	Faucon des prairies 73	
	Faucon émerillon 70	Owl
Fandangero colicuna	Faucon gerfaut 76	Ferruginous Wood-
174	Faucon gris 73	Partridge85
Fandangero colilargo	Faucon hobereau 76	festiva, Amazona . 108
174	Faucon kobez 78	Festive Amazon 108
Fandangero morado	Faucon laggar73	Festive Coquette 186
174	Faucon lanier 69	Festive Parrot 108
Fandangero	Faucon noir77	Fiery Topaz 195
pechiescamosa . 189	Faucon orangé72	Fiery-shouldered
Fandangero rufo 174	Faucon pélerin74	Conure 135
fanny, Myrtis 188	Faucon pèlerin 74	Fiery-shouldered
fannyi, Thalurania 194	Faucon sacre70	Parakeet 135
farinosa, Amazona 108	Faucon sacré70	Fiery-tailed Awlbill 173
fasciata, Amadina 209	Faucon taita72	Fiery-throated
Fasciated Snake-Eagle	Faucon-coucou 35	Hummingbird 189
43	Fauconnet à collier. 79	Fiji Goshawk29
fasciatus, Accipiter. 26	Fauconnet à pattes	Fiji Sparrowhawk29
fasciatus, Hieraaetus	jaunes 81	fimbriata, Amazilia170
55, 56	Fauconnet d'Afrique 81	fimbriatum,
fasciicauda, Milvus . 60	Fauconnet d'Amérique	Callocephalon 117
fasciinucha, Falco 72	81	finschi, Amazona 108
		5611, /11/1020/10 100

finschi, Aratinga 113	flavus, Xanthopsar208	Spermestes 212
	Flightless Teal 14	frommi, Pyrenestes
finschii, Micropsitta 125	Flores Hanging-Parrot	214
	124	frontale, Cinclidium
finschii, Psittacula 133	floriceps,	203
Fire-crowned Bishop	Anthocephala 171	frontalis, Pyrrhura 136
		frontalis, Sporophila
Firethroat 205	Florisuga	207
Fire-throated Metaltail	flosculus, Loriculus124	frontalis, Sporopipes
	forbesi, Cyanoramphus 120	221
fischeri, Agapornis 105	forbesi, Leptodon57	fuertesi,
fischeri, Tauraco 140	Forest Buzzard 39	Hapalopsittaca 123
Flamant de Cuba 12	Forest Eagle-Owl . 149	Fujian Niltava 205
Flamant de James 11	Forest Little Owl 147	fulgens, Eugenes 180
Flamant des Andes 11	Forest Owlet 147	fulgidus, Psittrichas
Flamant du Chili 11		135
Flamant nain 12	Forest Spotted Owlet 147	fuliginosus, Otus 159
Flamant rose 12	forficatus,	Fuligule de
Flamant rouge 12	Chlorostilbon 176	Madagascar17
Flame-breasted Fruit-	forficatus, Elanoides47	Fuligule nyroca 17
dove	Fork-tailed Emerald	fulva, Dendrocygna 20
Flamenco11, 12 Flamenco andino 11	176	fulvescens, Strix 165
Flamenco andino chico	Fork-tailed	Fulvous Owl 165
11	Woodnymph 194	Fulvous Tree-Duck . 20
Flamenco chileno 11	formosa, Amandava	Fulvous Whistling
Flamenco común11,	209	Duck20
12	formosa, Anas16	Fulvous Whistling-
Flamenco común de	formosa, Estrilda . 209	Duck20
Chile11	formosus, Garrulax	fulvus, Gyps50
Flamenco de Cuba . 12	204	funereus, Aegolius 144
Flamenco de James 11	Forpus 121, 122	funereus,
Flamenco enano 12	Fou d'Abbott3	Calyptorhynchus 118
Flamenco rojo 12	Fox Kestrel68	furcata, Thalurania
Flame-rumped	Fragata de las islas	194
Sapphire 184	Christmas3	furcifer, Heliomaster
Flame-winged Conure	francesii, Accipiter 26	183
135	franciae, Amazilia 170	fuscata, Lonchura. 214
Flame-winged	franciscanus,	fuscata, Padda214
Parakeet 135	Euplectes 216	fuscata, Pseudeos 132
flammeolus, Otus 159	Freckled Duck 22	fusconota, Nigrita. 213
flammeus, Asio 146	Fregata3	fuscus,
flammula,	Frégate d'Andrews 3	Melanotrochilus . 187
Selasphorus 193	Frégate de l'île	fuscus, Pionus 128
Flammulated Owl. 159	Christmas3	
flaveolus, Platycercus	FREGATIDAE3	
129	Frentiestrella	G
flavescens,	alihabano 177	Caban Caabanda FO
Boissonneaua 173	Frentiestrella arcoiris	Gabar Goshawk59
flavicans, Prioniturus	177	gabar, Melierax59
131	Frentijoya 182	gabar, Micronisus59
flavifrons, Poicephalus	Frilled Coquette 186	Gafudo gorgiblanco
129	fringillarius,	206
flavipes, Bubo 153	Microhierax80	Galah121
flavipes, Ketupa 153	FRINGILLIDAE 208	galapagoensis, Buteo
flavoviridis,	fringilloides, Lonchura	38 Galapagos Hawk38
Trichoglossus 138	212	
flavus, Āgelaius 208	fringilloides,	galbanus, Garrulax

		Carried de las Fig. 20
204	Garganey Teal 17	Gavilán de las Fiji 29
galerita, Cacatua . 116	Garganta de oro	Gavilán de Manglares
galeritus, Anorrhinus	coliverde 192	41
197	Garganta lanza	Gavilán de Nicobar.25
galgulus, Loriculus 124	coliblanca 194	Gavilán de Nueva
Gallicolombe de	Garnet-throated	Bretaña 27
Barlett 101	Hummingbird 185	Gavilán de Nueva
Gallicolombe de	Garrulax 204	Caledonia27
		Gavilán de Ovampo 29
Bartlett 101	Garrulaxe à gorge	
Gallicolombe	jaune 204	Gavilán de Traylor79
poignardée 101	Garrulaxe à queue	Gavilán dorsigris58
Gallicolumba 101	rouge 204	Gavilán enano30
gallicus, Circaetus 43	Garrulaxe de l'Omei	Gavilán flanquirrojo 25
GALLIFORMES 81	205	Gavilán gabar59
Gallinazo rey 23	Garrulaxe de Millet204	Gavilán
Gallirallus 93	Garrulaxe élégant 204	gargantiblanco 37
Gallito de las Rocas	Garrulaxe hoamy . 204	Gavilán grande45
201	garrulus, Lorius 125	Gavilán griego25
Gallito de las Sierras	Garza blanca real5	Gavilán gris35
201	Garza ganadera4	Gavilán habado39
Gallito de pradera 90	Garza goliat4	Gavilán imitador 27
Gallito de roca 201	Garzetta grande5	Gavilán langostero .41
Gallito de roca	garzetta, Egretta6	Gavilán malgache27
	Garzón soldado8	Gavilán maromero 48
anaranjado 201		
Gallito de roca	Gavilán acollarado . 25	Gavilán mixto 62
peruano 201	Gavilán albonotatus 37	Gavilán negro39, 41,
Gallo 85, 89, 97	Gavilán alirrojizo 39	42
Gallo de Sonnerat 85	Gavilán americano . 30	Gavilán negro común
Gallo gris 85	Gavilán andapié 62	41
Gallo lira89, 97	Gavilán andino 31	Gavilán negro grande
Gallo lira del Caspio 89	Gavilán arrastrador 30	42
Gallo lira del Tíbet . 89	Gavilán azor26	Gavilán pajarero 30
Gallo salvaje del	Gavilán azul 58	Gavilán palomero57
Caspio 89	Gavilán bebehumo . 40	Gavilán pantalón25
Gallo salvaje del Tibet	Gavilán besra 31	Gavilán papirrufo 30
89	Gavilán bicolor 25	Gavilán patilargo49
Gallus 85	Gavilán bidente 53	Gavilán pechiblanco 25
gambensis,	Gavilán blanco 57	Gavilán pechirrojo25,
Plectropterus 21	Gavilán cabecigrís 29	29
Gampsonyx 49	Gavilán cangrejero. 41	Gavilán pechirroseo 30
Gan-Gan 117	Gavilán caracolero . 64	Gavilán pescador 23
Gang-gang Cockatoo	Gavilán carinegro 57	Gavilán pico de Hoz 64
	Gavilán cannegro 37	
117 Ganso blanco 19		Gavilán pico ganchudo
	Gavilán chikra 24	42
Ganso canadiense	Gavilán cola corta 37	Gavilán pío24
aleutiana 18	Gavilán colifajeado. 37	Gavilán pita venado 41
Ganso de Gambia 21	Gavilán colipinto 31	Gavilán pizarroso 58
Ganso del Nilo 13	Gavilán colorado 36	Gavilán plomizo 57, 58
Ganso espolonado . 21	Gavilán común 28, 39	Gavilán principe58
Ganso né 18	Gavilán cubano 27	Gavilán punenno40
Garceta común6	Gavilán cueillirojo 79	Gavilán rabadilla
Garceta grande 5	Gavilán de Célebes. 27	blanca39
Garcilla bueyera 4	Gavilán de collar79	Gavilán ranero30
Garcilla grande5	Gavilán de Cooper 26	Gavilán rastrero 45
Garcita resnera 4	Gavilán de Frances. 26	Gavilán rufinegro 28
Garden Emerald 175	Gavilán de Galapagos	Gavilán sabanero41
Garganey 17	38	Gavilán semiplomizo
Cargancy	50	Cavilati Semipiomizo

58	Giant Pied-billed	Rueck 204
Gavilán tejé 37	Grebe2	godefrida, Claravis .99
Gavilán tijereta 47	Giant Scops-Owl 154	godini, Eriocnemis 179
Gavilán ventriblanco	gibsoni, Chlorostilbon	Goéland de Mongolie
25	176	99
Gavilán vientrigris 29	gigantea, Melampitta	Goéland relique99
Gavilán vientrigris 25 Gavilán zancón 49	225	Goethalsia181
Gavilán zancudo 49	gigantea, Pseudibis 10	goffini, Cacatua 116
Gavilancito americano	gigantea, Thaumatibis	Goldbreast Indigobird
30	10	222
Gavilancito chico 28	gigas, Patagona 189	Golden Bishop 216
— — — — — — — — — — — — — — — — — — —	gigas, Podilymbus 2	Golden Conure 114
Gavilancito de Célebes	Gilded Hummingbird	Golden Eagle32
28	184	Golden Owl 143
Gavilancito de Hartlaub 26	gilvicollis, Micrastur 79	Golden Parakeet 114
		Golden Pheasant 85
Gavilancito de Nueva	gindiana, Eupodotis 95	Golden-backed
Bretaña 25	gingica, Arborophila84	Weaver 220
Gavilancito japonés 27	Gïririri de pico negro	Golden-bellied
Gavilancito	19	Starfrontlet 177
moluqueño 26	Glaucidium150, 151,	Golden-breasted
Gavilancito muslirrojo	152, 153	
26	Glaucis 181, 192	Puffleg 180
Gavilancito torcaz 25	glaucogularis, Ara 112	Golden-breasted
Gavilán-reloj 79	glaucopis, Thalurania	Waxbill 209
Gaviota de Mongolia	194	Golden-capped
99	glaucopoides,	Conure113
Gaviota relicta 99	Eriocnemis 179	Golden-capped
Geai à ailes blanches	glaucops, Tyto 143	Parakeet113
227	Glaucous Macaw 110	Golden-collared
Geai azuré 227	glaucus,	Macaw 111
Geai panaché 227	Anodorhynchus . 110	Golden-crowned
Geelvink Pygmy-	Glittering-bellied	Conure113
parrot 125	Emerald 175	Golden-fronted
Geelvink Pygmy-	Glittering-throated	Parakeet 115
Parrot 125	Emerald 170	Golden-headed Fig-
geelvinkiana,	Globos Curassow 82	Parrot 134
Micropsitta 125	globulosa, Crax 82	Golden-mantled
gentilis, Accipiter 26	Glossopsitta 122	Racquet-tail 131
geoffroyi, Augastes	Glossy Black-cockatoo	Golden-mantled
173	118	Rosella 129
geoffroyi, Geoffroyus	Glossy Black-Cockatoo	Golden-plumed
122	118	Conure 123
geoffroyi, Schistes 173	Glossy-mantled	Golden-plumed
Geoffroyus 122	Manucode 224	Parakeet 123
Geopsittacus 122	Glowing Puffleg 180	Golden-shouldered
Geranoaetus 49	Glow-throated	Parrot 132
Geranospiza 49	Hummingbird 193	Golden-tailed Parrotlet
Gerfaut 76	gnoma, Glaucidium	138
germaini, Polyplectron	151	Golden-tailed
88	Gobemouche bleu 204	Sapphire 176
Geronticus 9, 10	Gobemouche de David	Golden-winged
Giant Eagle-Owl 149	205	Parakeet 115
Giant Grebe 2	Gobemouche de	goldiei, Psitteuteles
Giant Hummingbird	Rueck 204	135
189	Gobemouches204,	goldiei, Trichoglossus
Giant Ibis 10	205	135
Giant Nuthatch 206	Gobemouches bleu de	goldii, Ninox 156
Giarit Nutriateri 200	Gobernouches bled de	goldii, 11110x 111111 130

Goldmania 181	Grand-duc de	Great Sparrowhawk 28
Goliath Heron4	Blakiston 153	Great White Egret5
goliath, Ardea 4	Grand-duc de	Great-billed Hermit
Golondrina de	Coromandel 149	190
anteojos 203	Grand-duc de Shelley	Great-billed Parrot 137
Gorgeted Sunangel	150	Greater Adjutant8
		Greater adjutant stork
182	Grand-duc de	
Gorgeted Wood-quail87	Verreaux 149	8
87	Grand-duc des	Greater Bird-of-
Gorgeted Wood-Quail	Philippines 149	paradise 225
87	Grand-duc des	Greater Flamingo 12
Gorgeted Woodstar	Usambara 150	Greater Kestrel76
168	Grand-duc d'Europe	Greater Melampitta
Gorrión de Java 214	148	225
Gorrión pardillo 218	Grand-duc du Cap 149	Greater Rhea1
Goshawk26, 27, 28,	Grand-duc du désert	Greater Sooty-Owl144
		Greater Spotted Eagle
29, 59		
goudoti, Lepidopyga	Grand-duc du Népal	32
185	149	Greater Streaked Lory
gouldii, Lophornis 186	Grand-duc indien . 148	118
gounellei, Phaethornis	Grand-duc tacheté 149	Greater Sulawesi
189	Grande aigrette5	Hornbill 195
Goura 101	Grande mélampitte	Greater Sulphur-
Goura couronné 101	225	crested Cockatoo
Goura de	Grande Outarde97	116
Scheepmaker 101	Grande outarde arabe	Grèbe de l'Atitlan2
Goura de Sclater . 101	94	Grèbe du lac Atitlan2
Goura de Victoria. 101	granti, Ptilopsis 160	Grèbe géant2
Gracula 222	Grass Owl 143	Green Aracari 200
gramineus,	Grasshopper Buzzard	Green Avadavat 209
Tanygnathus 137	36	Green Conure 114
· -		
grammicus,	Grasshopper Buzzard-	Green Hanging-Parrot
Pseudoscops 163	Eagle	124
Gran autillo veliblanco	Graydidascalus 123	Green Hermit 190
160	grayi, Hylocharis 184	Green Indigobird 221
Gran búho etiópico149	Great Argus84	Green Leek Parrot 130
Grand cacatoès à	Great Black Hawk 42	Green Mango172
huppe jaune 116	Great Black-Hawk 42	Green Parakeet 114
Grand Comoro Scops-	Great Blue Turaco 139	Green Peafowl87
owl 161	Great Bustard97	Green Racquet-tail131
Grand Comoro Scops-	Great Curassow 82	Green Rosella 129
Owl 161	Great Egret5	Green Singing Finch
Grand eclectus, 120	Great Goura 101	209
Grand Éclectus 120	Great Green Macaw	Green Thorntail 192
Grand hocco 82	111	Green Twinspot 213
Grand hocco à bec	Great Grey Owl 166	Green Violet-ear 178
rasoir 82	Great Hornbill 198	Green-and-white
	Great Horned Owl 150	
Grand paradisier 225		Hummingbird 171
Grand-duc à aigrettes	Great Indian Bustard	Green-backed
	94	Firecrown 193
Grand-duc africain 148	Great Indian Hornbill	Green-backed
Grand-duc ascalaphe	198	Twinspot 213
148	Great Philippine Eagle	Green-bellied
Grand-duc bruyant	63	Hummingbird 171
150	Great Pied Hornbill 198	Green-breasted
Grand-duc d'Amérique	Great Sapphirewing	Mango 172
150	192	Green-breasted

	00	Croy-boaded Fish-
Mountain-gem 185	90	Grey-headed Fish-
Green-cheeked	Grey Crowned-Crane	eagle56
Amazon 110	90	Grey-headed Fishing
Green-cheeked	Grey Falcon73	Eagle56
Conure 136	Grey Frog Hawk 30	Grey-headed Goshawk
Green-cheeked	Grey Goshawk 29	29
Parakeet 136	Grey Hawk 35	Grey-headed Kite57
Green-cheeked parrot	Grey Imperial-pigeon	Grey-headed Lovebird
110	101	105
	Grey Imperial-Pigeon	Grey-headed
Green-crowned	101	Negrofinch213
Brilliant 182	Grey Junglefowl 85	Grey-headed
Green-crowned		Oliveback 213
Racket-tailed Parrot	Grey Kestrel 69	Grey-headed Olive-
131	Grey Owl 166	back 213
Green-crowned	Grey Parrot 134	
Woodnymph 194	Grey Peacock-	Grey-headed Parakeet
Green-faced	Pheasant 87	133
Parrotfinch 209	Grey Pelican3	Grey-headed Sparrow
Green-fronted	Grey Plantain-eater	218
Hanging-parrot . 124	140	Grey-headed
Green-fronted	Grey Sea Eagle 51	sparrowhawk29
Hanging-Parrot . 124	Grey Singing Finch208	Grey-hooded Parakeet
Green-fronted	Grey Wood-Pigeon 101	115
Hummingbird 171	Grey-and-chestnut	Grey-lined Hawk 35
Green-fronted	Seedeater 207	Grey-necked
Lancebill 179	Grey-backed Hawk. 58	Picathartes 205
Green-headed Racket-	Grey-bellied Comet	Grey-necked Rockfowl
	193	205
tailed Parrot 131	Grey-bellied Goshawk	Grey-throated
Greenish Puffleg 181	29	Goshawk29
Green-naped Lorikeet		Griffon Vulture. 50, 51
139	Grey-bellied Hawk 29	griseiceps, Accipiter 27
Green-necked Peafowl	Grey-bellied Tragopan	griseiceps, Glaucidium
87	89	152
Green-rumped	Grey-breasted	griseipectus, Pyrrhura
Parrotlet 122	Mountain-toucan 199	
Green-tailed Emerald	Grey-breasted	
175	Mountain-Toucan	griseiventris,
Green-tailed	199	Taphrolesbia 193
Goldenthroat 192	Grey-breasted	griseogularis, Accipiter
Green-tailed	Parakeet 125	29
Trainbearer 185	Grey-breasted	griseogularis,
Green-throated Carib	Partridge 84	Phaethornis 189
180	Grey-breasted	griseus, Passer 218
Green-throated Mango	Sabrewing 174	Grive de Verreaux 206
172	Grey-cheeked	Grive montagnarde
Green-throated	Parakeet 116	206
Mountain-gem 185	Grey-chinned Hermit	Grosbeak Weaver. 215
Green-winged King-	189	Gros-bec à front blanc
Parrot 106	Grey-chinned Sunbird	215
	206	Gros-bec ponceau à
Green-winged Macaw	Grey-crowned Munia	ventre noir 214
	212	Gros-bec sanguin . 215
Green-winged Teal. 15		Grosse cateau verte
Grenada Dove 102	Grey-crowned	de Maurice 133
Grenedera 83	Negrofinch 213	Ground Parakeet 127
Grey Buzzard-Eagle 49	Grey-faced Buzzard 36	Ground Parrot 127
Grey Canary 208	Grey-faced Buzzard-	Grue à cou blanc93
Grey Crowned Crane	Eagle 36	Grue a cou pianc93

	O III - 1 to standal	112
Grue à cou noir 92	Grulla cenicienta del	112
Grue antigone 91	Misisipí91	Guacamayo cobalto
Grue antigone	Grulla común91	111
tropicale 91	Grulla coronada 90	Guacamayo de
Grue blanche90, 92	Grulla coronada	Cochabamba 112
Grue blanche	cuelligris90	Guacamayo de Illiger
américaine 90	Grulla coronada	112
Grue blanche	cuellinegra90	Guacamayo de Lear
asiatique 92	Grulla coronada del	111
Grue blanche	Africa Occidental . 90	Guacamayo de Spix
		119
d'Amérique 90	Grulla coronada	Guacamayo enano 112
Grue blanche d'Asie 92	sudafricana90	
Grue blanche du	Grulla cuelliblanca 93	Guacamayo frentirroja
Japon 92	Grulla cuellinegra92	112
Grue bleue 92	Grulla damisela 93	Guacamayo glauco110
Grue brolga 92	Grulla de Cuba 91	Guacamayo jacinto
Grue canadienne 91	Grulla de Manchuria92	111
Grue canadienne de	Grulla de paraiso 92	Guacamayo macao
Cuba 91	Grulla gritona 90	112
Grue canadienne du	Grulla manchú 92	Guacamayo maracaná
Mississippi91	Grulla monje 92	112
Grue caronculée 91	Grulla monjita 92	Guacamayo militar112
Grue cendrée 91	Grulla moruna 93	Guacamayo noble 112
	Grulla sarus 91	Guacamayo rojo 111
Grue couronnée 90	Grulla salus 91 Grulla siberiana 92	
Grue couronnée de		Guacamayo severo 113
Cap 90	Grulla siberiana	_
Grue couronnée de	blanca92	Guacamayo
l'Afrique del'Ouest et	Grulla trompetera 90	ventrirrojo 112
du Soudan 90	Grulla zarzo 91	Guacamayo verde111,
Grue couronnée de	<i>Grus</i> 90, 91, 92, 93	112
l'Afrique du Sud et	grus, Grus91	Guacamayo verde
de l'Est 90	gryphus, Vultur 23	mayor 111
Grue d'Australie 92	grzimeki, Threnetes	Guacamayo violáceo
Grue de Mandchourie	181	110
92	Guacamayito azul 119	Guadalupe Caracara
Grue de paradis 92	Guacamayo acollarado	81
Grue de Sibérie 92	111	Guaiabero 115
Grue demoiselle 93	Guacamayo aliverde	guainumbi, Polytmus
Grue du Canada 91	111	191
	Guacamayo amarillo	guajana, Pitta201
Grue du Japon 92	112	Guajolote ocelado84
Grue grise 91		
Grue moine 92	Guacamayo ambiguo	Guan aliblanco83
Grue royale 90		Guan comun de
GRUIDAE 90	Guacamayo azul 111	Trinidad84
GRUIFORMES 90	Guacamayo azul y	Guan cornudo83
Grulla americana 90	amarillo 111	Guan de frente negre
Grulla australiana 92	Guacamayo	84
Grulla azul 92	azulamarillo 111	Guan negro83
Grulla blanca asiática	Guacamayo bandera	Guaraguao39
92	112	Guarahuau
Grulla blanco cuello 91	Guacamayo barbazul	cordillerano80
Grulla brolga 92	112	Guarouba114
Grulla canadiense 91	Guacamayo barriga	guarouba, Aratinga
Grulla carunculada. 91	roja 112	114
Grulla cenicienta 91	Guacamayo cabeciazul	guarouba, Guaruba
Grulla cenicienta de	112	114
Cuba 91	Guacamayo caninde	guatemalae, Otus157,
Cuba 91	Sucumayo cumilue	gadiemalae, Otasisi,

163	Hada coronimorada	Halcón murcielaguero
Gubernatrix 207	183	75
guerinii, Oxypogon189	Hada gorrimorada 183	Halcón negro77
Guianan Cock-of-the-	Hada orejinegro 183	Halcón negro de
rock 201	Hadada Ibis9	Australia77
	haematina,	Halcón palomero70,
Guianan Crested Eagle	Spermophaga 215	79
61	haematodus,	Halcón palomero del
guianensis, Morphnus	Trichoglossus 139	sur79
	haematogaster,	Halcón pardo71
guildingii, Amazona	Northiella 127	Halcón
	haematogaster,	pechianaranjado72
guilielmi, Paradisaea	Psephotus 127	Halcón pechirrojo72
	haematonotus,	Halcón pechirrufo72
guimeti, Klais 184	Psephotus 132	Halcón perdiguero72
Guincho23		Halcón peregrino74
Guinea Turaco 141	haematotis, Pionopsitta 128	Halcón peregrino de
guinea, Columba 99		Babilonia74
Guirirí 19	haematuropygia, Cacatua 116	Halcón pizarroso71
gularis, Accipiter 27		Halcón plomizo 72, 75
gularis, Heliodoxa 182	hagedash, Bostrychia9	Halcón plomizo menor
gularis, Serinus 208	hagedash, Hagedashia	75
gulielmi, Poicephalus	9	Halcón pradeño73
129	Halcón abejero 62	Halcón primito76
gulielmitertii,	Halcón aberejo 62	Halcón real74
Cyclopsitta 120	Halcón aleto 72	Halcón reidor78
gulielmitertii,	Halcón aplomado 72	Halcón sacre70
Opopsitta 120	Halcón azulado 72	Halcón semiacollarado
gundlachi, Accipiter 27	Halcón berigora 69	,79
gurneyi, Aquila 33	Halcón blancuzco 74	Halcón taita72
gurneyi, Mimizuku 154	Halcón borní69	Halcón viajero74
gurneyi, Otus 154	Halcón común 74	Halcón yággar73
gurneyi, Pitta 202	Halcón cuellirrufo79	Halconcito73, 76, 80,
guttifer, Tringa 99	Halcón de Berbería. 74	81
guy, Phaethornis . 190	Halcón de cabeza roja	Halconcito africano.81
gymnocephalus,	70	Halconcito argentino
Picathartes 205	Halcón de Cuvier 71	81
Gymnogene 63	Halcón de Eleonor 72	Halconcito asiático .81
Gymnogène d'Afrique	Halcón de Eleonora 72	Halconcito australiano
63	Halcón de las	73
Gymnogène de	praderas73	Halconcito colilargo de
Madagascar 63	Halcón de lomo	Asia81
Gymnogyps 23	pizarreño79	Halconcito común76
Gypaète barbu 49	Halcón de Nueva	Halconcito de Borneo
Gypaetus49	Zelandia74	80
Gypohierax 50	Halcón enano de la	Halconcito de las
Gypopsitta 123	India79	Filipinas80
<i>Gyps</i> 50, 51	Halcón gerifalte 76	Haleneite gris 81
Gyps africain 50	Halcón golondrina75	Halconcito gris81
Gyr Falcon 76	Halcón gris73	Halconcito gris americano81
Gyrfalcon76	Halcón gris de	
	Australia	Halconcito malayo80
H	Halcón guaco78	Halcón-montés
,,	Halcón guaicurú78	agavilanado79
habrontilus Strigons	Halcón macagua 78	Halcón-montés
habroptilus, Strigops 137	Halcón maori74	cabecigrís79
Haco piguirojo 82	Halcón mejicano 73	Halcón-montés
riaco pigunojo 62	Halcón migratorio 70	collarejo79

		400
Halcón-montés de	Haut-de-chausses à	139
Buckley 79	palettes 188	henicogrammus,
Halcón-montés	Hawaiian Goose 18	' <i>Accipiter</i> 27
dorsigrís 79	Hawaiian Hawk41	Henicopernis54
		henstii, Accipiter 27
Halcón-montés	Hawk Owl 167	
plomizo 79	Hawk-headed Parrot	Hermit Ibis10
Halcón-selvático	120	Héron gardeboeuf4
collarejo 79	helenae, Calypte 187	Héron gardeboeufs4
Haliaeetus . 51, 52, 53	helenae, Lophornis186	Héron garde-boeufs4
haliaetus, Pandion . 23	helenae, Mellisuga 187	Héron goliath4
Haliastur 53	helenae, Paphosia 186	Herpetotheres78
hamatus, Helicolestes	helenae, Parotia 226	herrani, Chalcostigma
64	heliaca, Aquila . 31, 33	175
hamatus, Rostrhamus	Heliactin 182	heteroclitus,
64	Héliange à gorge	Geoffroyus122
		•
Hamirostra 53	améthyste 182	heteropogon,
handleyi, Amazilia 171	Héliange à queue	Chalcostigma 175
Hapalopsittaca 123	bleue 182	heterurus,
haplochrous, Accipiter	Héliange clarisse 182	Tanygnathus137
27	Héliange de Mérida	heudei, Paradoxornis
Haplophaedia 181	182	205
	Héliange mars 182	heuglini, Ploceus 219
hardyi, Glaucidium152		
Harfang des neiges	Héliange royale 182	heuglinii, Neotis97
157	Héliange tourmaline	Hibou à bec jaune 153
Harle huppard 20	182	Hibou à casque 154
harmani, Crossoptilon	Héliange violette 182	Hibou brachyote 146
85	Heliangelus 182	Hibou criard 145
Harpagus53, 54	helianthea, Coeligena	Hibou d'Abyssinie. 145
Harpia54	177	Hibou de la Jamaïque
Harpía54	heliodor, Acestrura	163
	168	Hibou de Madgascar
Harpie54, 61		
Harpie féroce 54	Heliodoxa 182, 183	146
Harpie huppée 61	Heliodoxa frentiazul	Hibou de Tweeddale
Harpy Eagle 54	183	154
Harpyhaliaetus 54	Heliomaster 183	Hibou des marais . 146
harpyja, Harpia 54	Heliomaster piquilargo	Hibou du Cap 145
Harpyopsis54	183	Hibou grand duc 148
harrisii, Aegolius 145	. Heliothryx 183	Hibou grand-duc 148
harterti, Phlogophilus	Heliotrope-throated	Hibou maître-bois 147
	Hummingbird 193	Hibou malgache 146
hartlaubi, Otus 159	Helmeted Curassow 83	Hibou moyenduc 146
hartlaubi, Tauraco 140	Helmeted Honeyeater	Hibou moyen-duc. 146
hartlaubii, Cairina 22	207	Hibou pêcheur roux
hartlaubii, Eupodotis	Helmeted Hornbill 198	153
95	Helmeted Turaco . 140	Hibou petit-duc 162
hartlaubii, Lissotis 95	heloisa, Atthis 172	Hibou redoutable . 154
hartlaubii, Pteronetta	heloisa, Selasphorus	Hibou strié 145
22	172	
		Hieraaetus54, 55, 56,
hatinhensis, Lophura	hemilasius, Buteo 38	63
86	hemileucurus,	Highland Guan83
Hausse-col à queue	Campylopterus 174	Hill Myna 222
rubanée 223	hemileucurus,	Himalayan Griffon 51
Hausse-col de	Phlogophilus 191	Himalayan Griffon
Rothschild 223	hemileucus,	Vulture51
Hausse-col doré 223	Lampornis 185	Himalayan Monal86
Hausse-col splendide	Hen Harrier 45	Himalayan Quail87
223	Henderson Lorikeet	
223	Henderson Lunkeet	himalayana, Psittacula

	Hokki de Harman85 Hokki du Tibet85	hyacinthinus,
hiogaster, Accipiter 29 Hirondelle à lunettes	holochlora, Aratinga 114	Anodorhynchus . 111 hydrocorax, Buceros
203	holosericeus,	198
hirsuta, Glaucis 181	<i>Eulampis</i> 180	Hylocharis184
HIRUNDINIDAE 203	holosericeus,	Hylonympha 184
Hispaniolan Amazon	Sericotes 180	hylophila, Strix 165
110	holospilus, Spilornis 64	hyperythrus,
Hispaniolan Conure	Homrai Hornbill 198	Campylopterus 174
113	Honduran Emerald 170	hypochroma,
Hispaniolan Emerald	Honey Buzzard 62	Sporophila 207
176	Hooded Crane 92	hypoglauca, Andigena
Hispaniolan Hawk 40	Hooded Mountain-	199
Hispaniolan Parakeet	toucan 199	hypogrammica, Pytilia
113	Hooded Mountain-	214
Hispaniolan Parrot 110	Toucan 199	hypoinochrous, Lorius
hispidus, Phaethornis	Hooded Parrot 132	125
190	Hooded Pitta 202	hypoleucos, Falco73
histrio, Eos 121	Hooded Visorbearer	hypostictus,
Hoary Puffleg 181	173	Taphrospilus 194
Hobby 76	Hooded Vulture 61	hypoxantha, Pyrrhura
Hobereau à poitrine	hoogerwerfi, Lophura	136
rousse 76	86	
Hobereau africain 71	Hook-billed Hermit192	Ī
Hocco à bec bleu 82	Hook-billed Kite 42	
Hocco à bec rouge . 82	hordeaceus, Euplectes	Ibis à crête du Japon
Hocco à pierre 83	217 Horned Curassow 83	10
Hocco alector 82	Horned Guan83	Ibis blanc10
Hocco d'Albert 82	Horned Parakeet 121	Ibis blanc du Japon 10
Hocco de Blumenbach82	Horned Sungem 182	Ibis blanco japonés 10
Hocco de Daubenton	hoskinsii, Glaucidium	Ibis calvo 9, 10
82		Ibis calvo de Àfrica del
Hocco globuleux 82	Houbara94	Sur9
Hocco huppé 83	Houbara Bustard 94	Ibis chauve 9, 10
Hocco mitou 82	Houbara ondulé 94	Ibis chauve de
Hocco piguiazul 82	hoyi, Otus 157	l'Afrique du Sud9
Hocco unicorne 83	Hubara 94	Ibis du Cap9
Hoco barbado 82	huetii, Touit 138	Ibis eremita10
Hoco caroncule 82	huhula, Ciccaba 165	Ibis escarlata9 Ibis géant10
Hoco de casco 83	huhula, Strix 165	Ibis hadada9
Hoco de Daubenton 82	Hulotte africaine 167	Ibis hagedash9
Hoco de pico navaja82	Hulotte chathuant 165	Ibis moñudo japonés
Hoco grande 82	Humboldt Penguin2	10
Hoco mitu 82	humboldti, Spheniscus	Ibis moteado9
Hocofaisan 82	2	Ibis nipón10
hoematotis, Pyrrhura	humboldtii, Hylocharis	Ibis nippon10
136	184	Ibis noir9
hoffmanni, Pyrrhura	humiae, Syrmaticus89	Ibis rara9
136	humilis, Eupodotis95	Ibis rouge9
Hoffmann's Conure	humilis, Ichthyophaga	Ibis sacré11
136	56	Ibis sagrado11
Hoki blanco 85	Huon Astrapia 223	Ibis vermiculé9
Hoki pardo 85	Hwamei 204 Hyacinth Macaw 111	ibis, Ardeola4
Hokki blanc 85	Hyacinth Visorbearer	ibis, Bubulcus4
Hokki brun 85	riyacintii visorbearei	

		To a company halo
ichthyaetus,	Inca negro 177	Inseparable
Ichthyophaga 56	Inca noir 177	cabecinegro 106
Ichthyophaga 56	Inca pardo 177	Inseparable cachetón
ICTERIDAE 208	Inca porphyre 177	106
Ictéride à tête jaune	Inca ventridorado 177	Inseparable carirrojo
208	Inca ventrivioleta. 177	106
icterorhynchus, Otus	Inca violifère 177	Inséparable
159	inca, Coeligena 177	d'Abyssinie 106
icterotis,	incognita, Vidua 222	Inseparable de collera
Ognorhynchus 127	Indian Black Eagle . 56	106
icterotis, Platycercus	Indian Black Vulture	Inseparable de Fischer
129	64	105
Ictinaetus 56	Indian Bustard 94	Inséparable de Fischer
Ictinia56, 57	Indian Concave-	105
idaliae, Phaethornis	casqued Hornbill 198	Inséparable de Lilian
190	Indian Hornbill 198	105
Ignicolor 216	Indian King Vulture 64	Inseparable de
Ignicolore 216	Indian Pied Hornbill	Namibia 106
ignita, Lophura 86	197	Inséparable de
imberbis,	Indian Pitta 201	Swindern106
Anomalospiza 216	Indian Scops-Owl. 157	Inseparable del Nyasa
Imitator Sparrowhawk	Indian Tragopan 90	105
27	indica, Eupodotis 95	Inseparable malgache
imitator, Accipiter 27	indica, Gracula 222	105
	indica, Sypheotides 95	Inséparable masqué
impejanus, Lophophorus 86	indicus, Butastur36	106
imperatrix, Heliodoxa	indicus, Gyps51	Inséparable rosegorge
182	Indigo Macaw 111	106
	Indigo-capped	insignis, Panterpe. 189
Imperial Amazon . 108	Hummingbird 169	insignis, Polihierax .81
Imperial Eagle 33	Indigo-winged Parrot	intercedens, Ptiloris
Imperial Phonont 97	123	226
Imperial Pheasant 87	indus, Haliastur 53	interjecta, Vidua 221
Imperial Woodpecker		intermedia, Psittacula
200	inexpectatus, Chlorostilbon 176	133
imperialis, Amazona	inexspectata, Tyto 143	Intermediate Parakeet
		133
imperialis,	infuscatus,	ios, Ninox155
Campephilus 200	Henicopernis 54	iracunda, Metallura
imperialis, Lophura 87	ingens, Otus 159	187
Impeyan Pheasant . 86	innotata, Aythya17	ireneae, Otus 159
Inca à collier 177	inopinatum,	iriditorques, Columba
Inca à gemme bleue	Polyplectron88	
	inornata, Lophura 87	99
Inca à queue blanche	Inséparable à collier	iriditorques,
	noir	Turturoena99
Inca acollarado 177	Inséparable à face	Iris Lorikeet 135
Inca alihabano 177	rose	Iris Lory
Inca arcoiris 177	Inséparable à joues	Iris Peacock-Pheasant
Inca bronceado 177	noires 106	87
Inca brun 177	Inséparable à tête	iris, Coeligena 177
Inca café 177	grise	iris, Psitteuteles 135
Inca céleste 177	Inséparable à tête	iris, Trichoglossus 135
Inca coliblanco 177	rouge106	isidori, Oroaetus62
Inca de Bonaparte 177	Inseparable Abisinio	isidori, Spizaetus62
Inca de Wetmore. 177	106	isura, Lophoictinia58
Inca gorgimorado 177	Inseparable acollarado	Ithagine ensanglantée
Inca iris 177	106	85

Ithagines 85 jardini, Boissonneaua K Ithaginis 85 173 Itombwe Owl 142 jardinii, Glaucidium Kagou 152 Kagou huppé Jaseur du Japon 203 Kagu Java Sparrow 214 Kagú	93
Ithaginis 85 Itombwe Owl 142 jardinii, Glaucidium Kagou	93
Itombwe Owl 142 jardinii, Glaucidium Kagou 152 Kagou huppé Jaseur du Japon 203 Kagu Java Sparrow 214 Kagú	93
Jaseur du Japon 203 Kagu	93
Jaseur du Japon 203 Kagu	
Java Sparrow 214 Kagú	വാ
Java Sparrow IIII 22 . Raga IIII	
202	
Javan Cochoa 203 Kaka	127
Jabiru8 Javan Hawk-Eagle 65 Kakapo	
2 1 . /	
Juvan Ottide IIII III III III III III III III III	
Savan Scops on it at	
Jabirú africano 8 Javan Scops-Owl . 157 Karoo Bustard	96
Jabiru américain 8 javensis, Dryocopus Karoo Korhaan	
Jabirú americano 8	
,	07
Jeneryty / terredeprinage	
Jabiru d'Amérique8 Kaupifalco	5/
Jabiru du Sénégal8 jerdoni, Aviceda35 kawalli, Amazona	108
Jackal Buzzard 41 Jilguero cara amarilla Kea	
i Silgacio cara amerina	
424	
Singular de l'allen de	
jacksoni, Euplectes Jilguero rojo 208	. 125
Jobi Manucode 224 kennicottii, Otus .	
Jacobino collarejo 181 jobiensis, Manucodia keraudrenii,	
, , , , , , , , , , , , , , , , , , , ,	225
404	. 225
181 jocosus, Pycnonotus keraudrenii,	
Jacotinga84 Phonygammus.	. 225
jacquinoti, Ninox . 155 johannae, Doryfera Kestrel72, 74	
1 11.11- 1 100	
jacutinga, Aburria 84 Trichoglossus 139	. 153
jacutinga, Pipile 84 jonquillaceus, Kétoupa malais	. 154
Jamaican Mango 172 Aprosmictus 111 Kétoupa roux	153
Actupution 122	
jamaicensis, Buteo. 39 Charmosyna 118 ketupu, Bubo	. 154
Jambandu Indigobird Jote real23 ketupu, Ketupa	. 154
Joues-oranges 210 kienerii, Hieraaett	ıs 55
is most	
Journal Tallactic Co. p. 1.	
Chacteer as in 2	65
jamesi, Juan Fernandez kinabaluensis,	
Phoenicopterus 11 Firecrown 193 Spilornis	65
Jandaya Conure 114 Juan Fernández King Bird-of-para	
Jandaya Parakeet 114 Firecrown 193	223
111001011111111111111111111111111111111	2 61
jubutus/ ////	
Japanese Crane 92 kingi, Aglaiocercu	
Japanese Crested Ibis Jubula 153 King-of-Saxony B	ird-
Jagaiaris, Diocogens Riais	
The state of the s	
Japanese Paradise- jugularis, Eulampis Knob-billed Goose	222
flycatcher 205	. 140
Japanese julie, Damophila 178 kochi, Pitta	
Jane, Barrioprina II. 270 Roem, Freed III.	
- Juligic Boobook III 190 Rochiswaratara,	4.00
Japanese Waxwing203 Jungle Hawk-Owl . 156 <i>Pulsatrix</i>	
Japanese White Stork Jungle Owlet 153 koepckeae, Otus	159
koenckeae.	
japonensis, Grus 92 Phaethornis	190
202	
203 Kori Bustard	94

		4.45
kori, Ardeotis 94	Calyptorhynchus 118	143
kori, Choriotis 94	latirostris, Cynanthus	Lechuza de la Taliabu
krameri, Psittacula	178	144
133, 134	Latoucheornis 207	Lechuza de las
kreyenborgi, Falco . 74	Laughing Dove 103	Tanimbar 144
kuhli, Leucopternis. 57	Laughing Falcon 78	Lechuza de
kuhlii, Vini 139	Laughing Owl 163	Madagascar 144
·	Lavender Firefinch 210	Lechuza de Minahassa
	Lavender Waxbill . 210	143
L	lawesii, Parotia 226	Lechuza de Tengmalm
	lawrencei, Cynanthus	144
Laborioso cabecirrojo	178	Lechuza del Congo142
220	lawrencii, Gymnoglaux	Lechuza dorada 143
lacernulata,	159	Lechuza estigia 147
Leucopternis 57	lawrencii, Otus 159	Lechuza gavilana155,
lactea, Amazilia 170	Laysan Duck 16	156, 167
lacteus, Bubo 149	Laysan Teal16	Lechuza gavilana de
Lady Amherst's	laysanensis, Anas 16	las Molucas 156
Pheasant 85	Lazuline Sabrewing	Lechuza gavilana de
Lafresnaya 184	174	Norfolk
lafresnayi, Lafresnaya	leadbeateri, Cacatua	Lechuza listada145,
184	117	165
Laggar Falcon 73	leadbeateri, Heliodoxa	Lechuza Malgache 144
Lagonosticta 210, 211	183	Lechuza mora 145
lagopus, Buteo 39	leari, Anodorhynchus	Lechuza moteada. 144
lalandi, Stephanoxis	111	Lechuza negra 165
193	Least Pygmy-Owl. 152	Lechuza orejicorta 146
Lammergeier 49	Lechucita acanelada	Lechuza orejita de
<i>Lampornis</i> 185	145	Madagascar 146
Lamprolaima 185	Lechucita común158,	Lechuza patiblanca
lanceolatus, Spizaetus	164	164
66	Lechucita de las	Lechuza patilarga. 143
langsdorffi, Discosura	viscacheras 164	Lechuza pescadora
192	Lechucita rojiza 157	164
langsdorffi, Popelairia	Lechuza Australiana	Lechuza tenebrosa 144
192	144	Lechuzón145, 146,
Lanner 69	Lechuza bataraz 166	147, 150, 163, 167
Lanner Falcon 69	Lechuza baya de	Lechuzón acollarado
Lapa azul 112	Madagascar 142	chico
Lapland Owl 166	Lechuza blanquinegra	Lechuzón acollarado
Lapp Owl 166	166	grande 163
Lappet-faced Vulture	Lechuza campestre	Lechuzón anteojo . 163
67	146	Lechuzón anteojo
Large Fig-Parrot 134	Lechuza colilarga164,	menor 163
largipennis,	167	Lechuzón campestre
Campylopterus . 174	Lechuza común 142	146
LARIDAE 99	Lechuza copetona 154	Lechuzón cariblanco
<i>Larus</i> 99	Lechuza cornuda 142	163
larvata, Lagonosticta	Lechuza de	Lechuzón de Anteojos
211	campanario 142	163
larvaticola, Vidua. 221	Lechuza de Célebes	Lechuzón de
lathami,	144	Woodford 167
Calyptorhynchus 118	Lechuza de El Cabo	Lechuzón negruzco
Lathamus 123	143	147
latifrons, Microhierax	Lechuza de la	Lechuzón orejas
80	Española 143	largas 145
latirostris,	Lechuza de la Manus	Lechuzón orejudo145,

150	Amazona 109	108
150	leucocephala,	Lilac-crowned Parrot
Lechuzón pardo	Mycteria9	108
menor	leucocephala, Oxyura	Lilac-tailed Parrotlet
Leiothrix 204		138
Léiothrix à joues	21	
argent 204	leucocephalus, Aceros	lilianae, Agapornis
Léiothrix jaune 204	196, 197	105, 106
lempiji, Otus 157	leucocephalus,	lilliae, Lepidopyga 185
lepida, Pyrrhura 136	Haliaeetus 52	Limpiacasa189
Lepidopyga 185	leucocephalus,	lineatus, Buteo39
Leptodon 57	Rhyticeros . 196, 197	lineatus, Milvus60 Lined Forest-Falcon 79
leptogrammica, Strix	Leucochloris 186	
166	leucogaster, Amazilia	lineola, Bolborhynchus
Leptoptilos8	170	115
leptorhynchus,	leucogaster,	Liocichla205
Enicognathus 121	Haliaeetus 52	Liocicla del Monte
Leptosittaca 123	leucogaster, Pionites	Omei
Leptotila 102		Little Banded
Lesbia 185	Leucogéranne 92	Sparrowhawk24
Lesser Bird-of-	leucogeranus, Grus 92	Little Blue Macaw . 119
paradise 225	leucolophus, Tauraco	Little Brown Bustard
Lesser Black-Hawk. 41	141	95 Little Bustard97
Lesser Collared	leucomelanos,	
Forest-Falcon 79	Lophura 87	Little Cockatoo117
Lesser Eagle-owl . 154	leucophthalmus,	Little Corella117
Lesser Eagle-Owl . 154	Aratinga 114	Little Eagle55
Lesser Fish-eagle 56	leucopleurus,	Little Egret6
Lesser Fishing Eagle	Oreotrochilus 188	Little Falcon73
56	Leucopsar222	Little Guan83 Little Hermit190
Lesser Flamingo 12	Leucopternis 57, 58	Little Lorikeet 122
Lesser Florican 95	leucopterus,	Little Owl 147
Lesser Kestrel 73	Platysmurus 227	Little Red Lorikeet 119
Lesser Masked-owl144	leucopygius, Serinus	Little Sparrowhawk. 28
Lesser Masked-Owl		Little Sunangel 182
	leucorodia, Platalea 10	Little Weaver 219
Lesser Melampitta 225	leucorrhous, Buteo . 39	Little Woodstar 168
Lesser Red-breasted	leucoryphus, Haliaeetus 52	liventer, Butastur36
Meadowlark 208 Lesser Rhea 1		livia, Columba 100
Lesser Rufous	leucostictus, Bubo 149	livingstonii, Tauraco
Bristlebird 204	leucotis, Basilinna 184 leucotis, Hylocharis	141
	184	Lizard Buzzard57
Lesser Sooty-owl. 144 Lesser Sooty-Owl. 144	leucotis, Otus 160	Loboparadisea 224
Lesser Spotted Eagle	leucotis, Ptilopsis . 160	Loddigesia186
34	leucotis, Pyrrhura. 136	Loddigésie admirable
Lesser Sulphur-	leucotis, Tauraco . 141	186
crested Cockatoo	leucurus, Elanus 48	loehkeni, Threnetes
117	leucurus, Threnetes	194
Lesser Sunda Scops-	194	Lofóforo chino86
Owl 162	leuphotes, Aviceda.35	Lofóforo de Sclater .86
letitiae, Discosura 192	Levant Sparrowhawk	Lofóforo del Himalaya
letitiae, Popelairia 192	25	86
Letter-winged Kite . 48	Ihuysii, Lophophorus	Lonchura211, 212,
lettii, Jubula 153	86	214
lettii, Lophostrix 153	Lichenostomus 207	Long-billed Black-
Leucippus 185, 186	Likh95	Cockatoo 117
leucocephala,	Lilac-crowned Amazon	Long-billed Bristlebird
icucoccpitata,	Lilac Crowned Amazon	Long Direct Direction

204	0	Lori cardinal 118
204	Pygmornis 190	
Long-billed Corella 117	Long-wattled umbrella	Lori carirrojo 122
Long-billed Griffon . 51	bird 201	Lori chispeado 118
Long-billed Partridge	Long-wattled	Lori coquet119
88	Umbrellabird 201	Lori coronipúrpura 122
Long-billed Starthroat	Long-whiskered Owlet	Lori croquet119
183	168	Lori damisela 125
Long-billed Thrush 206	Long-winged Harrier	Lori de Buru 119
Long-billed Vulture 51	45	Lori de Duyvenbode
Long-crested Eagle 58	Lophaetus58	118
Long-crested Hornbill	Lophoictinia58	Lori de Goldie 135
Long-crested Hornbin	Lophophore de Lhuys	Lori de Josefina 118
	86	Lori de Joséphine . 118
Long-eared Owl 146		Lori de Kuhl 139
longicauda, Discosura	Lophophore de Sclater	Lori de las Tanimbar
178	86	
longicauda,	Lophophore	121
Henicopernis 54	resplendissant86	Lori de l'île Buru 119
longicauda, Psittacula	Lophophorus86	Lori de Margaret 118
134	Lophorina 224	Lori de Margarita 118
longicornis, Otus . 160	Lophornis 186, 187	Lori de Marguerite 118
longimembris, Tyto	Lophostrix 153, 154	Lori de Meek118
143	Lophura 86, 87	Lori de Mindanao . 139
longipennis, Falco 73	Lora de cara roja . 109	Lori de
longirostris, Dasyornis	Lord Derby's Mountian	Musschenbroek . 126
204	Pheasant 83	Lori de Nouvelle-
longirostris,	Lord Howe Island Rail	Calédonie 118
Heliomaster 183	93	Lori de Papouasie. 119
longirostris,	Lord Howe Island	Lori de Ponapé 139
Phaethornis 191	Woodhen93	Lori de Rimitara 139
longirostris,	Lord Howe Rail 93	Lori de Samoa 139
Rhizothera 88	Iorenzi, Vidua 222	Lori de Sangir 121
Long-legged Buzzard	Lori à bandeau rouge	Lori de Seram 121
40	122	Lori de Stephen 139
Long-tailed54, 68,	Lori à collier jaune 124	Lori de Wilhelmina 119
	Lori à couronne	Lori des dames 125
102, 134, 169, 174,	pourpre 122	Lori des Fidji 127
191, 194, 221, 225	Lori à diadème 118	Lori des Moluques 125
Long-tailed Dove . 102		Lori des montagnes
Long-tailed Hawk 68	Lori à front rouge. 119	
Long-tailed Hermit191	Lori à gorge rouge 118	
Long-tailed Honey-	Lori à joues bleues121	Lori des palmiers . 118
buzzard 54	Lori à masque rouge	Lori diadema 118
Long-tailed	122	Lori écaillé121
Paradigalla 225	Lori à menton rouge	Lori écarlate 121
Long-tailed Paradise-	119	Lori émeraude 126
Whydah 221	Lori à nuque blanche	Lori escamoso 121
Long-tailed Parakeet	124	Lori escuamiverde 138
134	Lori à ventre violet125	Lori estriado 118
Long-tailed Sabrewing	Lori acollarado 124	Lori féérique 119
174	Lori adornado 139	Lori flamméché 118
Long-tailed Sylph 169	Lori alinegro 121	Lori flanquirrojo 119
Long-tailed	Lori almizclero 122	Lori frentirrojo 119
Woodnymph 194	Lori arcoiris 139	Lori fringillaire 139
Long-tufted Screech-	Lori arlequin 121	Lori gárrulo 125
Owl 162	Lori barbirrojo 119	Lori gorgirrojo 118
longuemareus,	Lori bigotudo 127	Lori humilde 138
Phaethornis 190	Lori bridé 127	Lori iris 135
longuemareus,	Lori cardenal 118	Lori lindo 119
ionguernareus,	2022	

Lori masqué 121	Loriquet à tête bleue	Lorito-momoto
Lori monjita 139	139	amarillento 131
Lori montano chico	Loriquet de Goldie 135	Lorito-momoto
126	Loriquet de Johnstone	coroniazul 131
Lori montano grande	139	Lorito-momoto de
126	Loriquet de Ponapé	Buru 131
Lori musc 122	139	Lorito-momoto de las
Lori negro 118	Loriquet eutèle 138	Sulu
	Loriquet iris 135	Lorito-momoto de
Lori noir 118, 125		Luzón
Lori noira 125	Loriquet jaune et vert	
Lori nonnette 139	138	Lorito-momoto de
Lori nuquiblanco 124	Loriquet orné 139	Mindanao 131
Lori orange sombre	Loriquet versicolore	Lorito-momoto de
132	135	Palawan 131
Lori palmero 118	Loriquet vert 138	Lorito-momoto
Lori papou 119	Lorito acollarado 122	dorsidorado 131
Lori pardo 118	Lorito alinegro 123	Lorito-momoto
Lori pigmeo 119	Lorito amazonino . 123	montano 131
Lori rabilargo 119	Lorito cabecigualdo	Lorito-tigre de Brehm
Lori réticulé 121	128	132
Lori rojo 121	Lorito cabecipardo 129	Lorito-tigre de
Lori solitaire des îles	Lorito caica 127	Madarasz132
	Lorito carigualdo 129	Lorito-tigre modesto
Fidji 127		132
Lori solitario 127	Lorito carinaranja 127	Lorito-tigre pintado
Lori sombre 132	Lorito carirrojo122,	
Lori sombrio 132	128	132
Lori splendide 119	Lorito carirrosado. 128	Lorius124, 125
Lori strié 118	Lorito chirlecrés 127	Loro aguileño 135
Lori tricolor 125	Lorito colicorto 123	Loro alibronceado. 128
Lori tricolore 125	Lorito de Coxen 120	Loro alisero 109
Lori ultramar 139	Lorito de Desmarest	Loro barranquero . 119
Lori ultramarin 139	134	Loro brasileño 107
Lori ventrivinoso 125	Lorito de Edwards 134	Loro burrón 108
Lori verdigualdo 138	Lorito de Fuertes . 123	Loro cabeciamarillo
Lori versicolor 135	Lorito de Meyer 130	109
Ioriae, Cnemophilus	Lorito de Rüppell . 130	Loro cabeciazul128
223	Lorito de Salvadori134	Loro cabecirrojo 109
loriae, Loria 223	Lorito dobleojo 120	Loro cabeza amarilla
Lorículo amable 123	Lorito dobieojo 120	109
		Loro cabeza azul 108
Lorículo coroniazul 124	Lorito ecuatoriano 123	
Lorículo de Ceilán 123	Lorito emmascarado	Loro cabeza roja 110
Lorículo de Célebes	de Coxen 120	Loro cachtirrosa 128
124	Lorito encapuchado	Loro cacique120
Lorículo de Flores 124	128	Loro cariazul. 107, 108
Lorículo de Java 124	Lorito frentirrojo 129	Loro caroniblanco. 128
Lorículo de la Sangihe	Lorito guayabero 115	Loro choclero 128
124	Lorito heteróclito . 122	Loro colicorto 123
Lorículo de las	Lorito niam-niam . 129	Loro corona-violeta
Bismarck 124	Lorito orejudo 128	108
Lorículo exiguo 124	Lorito pechinaranja	Loro de banda roja110
Lorículo Filipino 124	120	Loro de Barbados. 107
Lorículo papú 123	Lorito pileado 128	Loro de Buru 137
Lorículo vernal 124	Lorito robusto 130	Loro de cabeza blanca
Loriculus 123, 124	Lorito rubio 127	109
Loriculus malais 124	Lorito Senegalés 130	Loro de cabeza roja
Loriquet à col rouge	Lorito Senegales 130	109
	Lorito velitrirojo : 130	Loro de Hispaniola 110
139	LONIO Valtariilo 123	Loro de Mapamola 110

		C' 45
Loro de Jamaica 108	131	macrourus, Circus45
Loro de mejillas	ludovicae, Doryfera	macrourus,
azules 109	179	Coliuspasser 217
Loro de Müller 137	Iudwigii, Neotis 97	macrourus, Euplectes
Loro de San Vicente	Lúgano cardenalito	217
	208	macrourus,
108		Urotriorchis68
Loro del paraíso 132	Lúgano de Yarrell. 208	
Loro ecléctico 120	Lúgano encapuchado	Macuco2
Loro famaulipeco . 110	208	maculata, Cotinga 201
Loro frente blanca 107	lugens, Haplophaedia	maculirostris,
Loro frente roja 107		Selenidera 200
Loro frentirrojo 107	lugubris, Melampitta	mada, Prioniturus. 131
Loro guaro 107	225	Madagascar Baza 36
	lumachellus, Augastes	Madagascar Buzzard
Loro hablador 106		37
Loro hombroamarillo	173	
132	lunulatus,	Madagascar Cuckoo-
Loro imperial 108	Bolbopsittacus 115	Falcon36
Loro lomirrojo 108	<i>Luscinia</i> 205	Madagascar Cuckoo-
Loro malva 110	lutea, Leiothrix 204	Hawk36
Loro mona amarilla	luteifrons, Nigrita. 213	Madagascar Fish-
109	luteolus, Ploceus 219	eagle53
Loro morado 128	luteoschistaceus,	Madagascar Fish-
	Accipiter27	Eagle53
Loro multicolor 110	•	Madagascar Grass Owl
Loro negro 119	lutetiae, Coeligena 177	
Loro nocturno 122	lutosus, Caracara81	144
Loro nuca amarilla 109	lutosus, Polyborus 81	Madagascar
Loro nuquiamarillo 107	Luzon Bleeding-heart	Gymnogene 63
Loro nuquiazul 137	101	Madagascar Harrier
Loro orejirrojo 128	Luzon Hornbill 198	46, 63
Loro pechivinoso 110	Luzon Racquet-tail 131	Madagascar Harrier-
Loro pecho vinoso 110	Luzon Scops-owl 160	Hawk63
Loro picogrodo 137	Luzon Scops-Owl . 160	Madagascar Hawk-Owl
Loro piquigordo 137	Luzon Tarictic Hornbill	156
	198	Madagascar Kestrel 74
Loro piquirrojo 128		
Loro rabudo collar 134	luzonica, Gallicolumba	Madagascar Lovebird
Loro real 109	101	105
Loro senil 128	Lycocorax 224	Madagascar Marsh-
Loro tumultuoso 128		Harrier46
Loro vasa 119		Madagascar Owl144,
Loro ventriazul 139	М	146
Loro ventrinaranja 126		Madagascar Pochard
Loro verde 108, 109	Macagua rieur 78	17
Loro yaco 134	macao, Ara 112	Madagascar Red Owl
	<i>Macgregoria</i> 224	144
Loro yucateci 110	macgregorii,	Madagascar Scops-
Loro yucateco 110	Cnemophilus 223	-
lory, Lorius 125	Macheiramphus 58	Owl161
loweryi, Xenoglaux	macqueenii,	Madagascar Serpent-
168	Chlamydotis 94	eagle49
luchsi, Myiopsitta. 125		Madagascar Serpent-
luciae, Amazilia 170	Macrocephalon 81	Eagle49
luciani, Eriocnemis 179	macrocerca,	Madagascar
Lucifer Hummingbird	Hylonympha 184	Sparrowhawk 27
173	macrorhynchus,	Madagascar Teal 14
lucifer, Calothorax 173	<i>Taurac</i> o 141	madagascariensis,
	macroura,	Accipiter27
lucionensis,	Eupetomena 180	
Tanygnathus 137	macroura, Vidua 221	madagascariensis,
luconensis, Prioniturus		Asio 146

		1 . 1 . 1 . 1
madagascariensis,	Polyplectron88	Manchot de Humboldt
Aviceda 36	malachitacea, Triclaria	2
madagascariensis,	139	Manchot du Cap2
Otus 161	malagae, Metallura	Manchurian Crane 92
madaraszi, Psittacella	187	Manchurian Eared-
132	Malagasy Marsh-	Pheasant85
madens, Falco 74	Harrier 46	Manchurian Red-
	Malagasy Scops-Owl	footed Falcon 69
magellanicus, Bubo	161	Mandingoa 213
	malaris, Phaethornis	Maned Owl 153
Magenta-throated		Mango 172, 173
Woodstar 191		
magicus, Otus 160	Malay Fish-Owl 154	Mango à cravate noire
magna, Sitta 206	Malayan Peacock-	172
Magnificent Bird-of-	pheasant88	Mango à cravate verte
paradise 223	Malayan Peacock-	172
Magnificent	Pheasant 88	Mango Antillano 172
Hummingbird 180	malayanus,	Mango de la Jamaïque
Magnificent Quetzal	Anthracoceros 197	172
195	malayensis, Ictinaetus	Mango de Prévost 172
Magnificent Riflebird	56	Mango doré 172
226	Malaysian Black	Mango gargantiverde
magnificus,	Hornbill 197	172
Calyptorhynchus 117	Malaysian Pied-	Mango gorginegro 172
magnificus, Cicinnurus	Hornbill 197	Mango gorgiverde 172
	Malee Fowl81	Mango Jamaicano. 172
223	Maleo 81	Mango pechinegro 172
magnificus,	Maléo 81	Mango pechiverde 172
Diphyllodes 223	Maleo Fowl81	Mango picolezna 173
magnificus, Lophornis		Mango portorriqueño
186	Maleo Megapode 81	172
magnificus, Ptiloris226	maleo, Macrocephalon	
magnirostris, Buteo 39	81	Mango vert 172
Magpie mannia 212	malherbi,	mango,
Magpie Mannikin 212	Cyanoramphus 119	Anthracothorax . 172
Magpie Munia 212	Malimbe à bec bleu	Mangrove Black-Hawk
Mahali à calotte	217	41
marron 218	Malimbe à gorge noire	Mangrove
maillardi, Circus 46	217	Hummingbird 169
Mailmbo capirotado	Malimbe à queue	manilata, Ara 112
215	rouge 218	manillae, Penelopides
Mainate 222	Malimbe à tête rouge	198
Mainate de Rothschild	217	mantananensis, Otus
222	Malimbe de Cassin 217	160
Mainate religieux . 222	Malimbe huppé 217	Mantanani Scops-Owl
Major Mitchell's	malimbicus, Malimbus	160
Cockatoo 117	217	mantchuricum,
Malabar Parakeet. 133	Malimbo cabecinegro	Crossoptilon85
Malabar Pied Hornbill	217	Mantled Hawk58
	Malimbo cuellirrojo217	Manucaude de Comrie
		224
Malabar Pied-Hornbill	Malimbo culirrojo . 218 Malimbo moñudo . 217	Manucaude de Jobi
197	Malimbus215, 217,	224
malabarica, Lonchura	- Manuun(15713.717.	
		Manucaudo do
212	218	Manucaude de
malabaricus,	218 Mallee Ringneck 129	Keraudren 225
malabaricus, Anthracoceros 197	218 Mallee Ringneck 129 Malure occidental. 204	Keraudren 225 Manucaude noir 224
malabaricus, Anthracoceros 197 malabaricus,	218 Mallee Ringneck 129 Malure occidental. 204 Malvasía Cabeciblanca	Keraudren 225 Manucaude noir 224 Manucaude vert 224
malabaricus, Anthracoceros 197	218 Mallee Ringneck 129 Malure occidental. 204 Malvasía Cabeciblanca21	Keraudren 225 Manucaude noir 224 Manucaude vert 224 <i>Manucodia</i> 224, 225
malabaricus, Anthracoceros 197 malabaricus,	218 Mallee Ringneck 129 Malure occidental. 204 Malvasía Cabeciblanca	Keraudren 225 Manucaude noir 224 Manucaude vert 224

Manus Hawk-Owl. 155	Martial Eagle 63	megalotis, Otus 160
Manus Masked-owl143	Martin de Rothschild	Mégapode de Wallace
Manus Masked-Owl	222	82
143	Marvellous Spatuletail	Mégapode maléo81
manusi, Tyto 143	186 Marvelous Spatuletail	MEGAPODIIDAE81 Megapodio maleo81
Many-coloured Parakeet 132	186	Megapodius82
Many-spotted	Mascarene Paradise-	Megápodo
Hummingbird 194	Flycatcher 205	cabecigrande81
Marabou Stork 8	Masked Bobwhite 85	Megatriorchis59
Marabout8	Masked Dove 102	Melampitta225
Marabout africain8	Masked Goura 101	melanocephala,
Marabout argala 8	Masked Hawk 57	<i>Pionites</i> 127
Marabout d'Afrique 8	Masked Lovebird 106	melanocephala,
Marabú8	Masked Owl 144	Sitagra 219
Marabú africano 8	Masked Shining-parrot	melanocephalus,
Maracana cuellidorada 111		Ploceus 219
Maracana dorsirroja	Masked Shining-Parrot	melanocephalus, Tragopan89
	Matamico blanco 80	melanochlamys,
maracana, Ara 112	Matamico cordillerano	Accipiter28
maracana, Primolius	81	melanocorypha,
112	Matamico estriado 80	<i>Cygnus</i> 19
maracana,	Matamico grande 80	melanogaster,
Propyrrhura 112	matthewsii,	<i>Eupodotis</i> 95
maranhaoensis,	Boissonneaua 173	melanogaster, Lissotis
Phaethornis 190	maugaeus,	95
marchei,	Chlorostilbon 176	melanogaster,
Anthracoceros 197	maugeus, Chlorostilbon 175	Oreotrochilus 189
marchei, Ptilinopus 102	Mauritius Kestrel 75	melanogenys, Adelomyia 168
margarethae,	Mauritius Parakeet 133	melanoleuca,
Charmosyna 118	Mauritius Ring-necked	Seleucidis 227
margarettae,	Parakeet 133	melanoleucos, Circus
Phaethornis 190	maurus, Circus 46	46
Marianas Island Duck	mavors, Heliangelus	melanoleucos,
16	182	Microhierax80
Marianas Mallard 16	maximiliani, Pionus	melanoleucus,
Maroon-bellied	128	<i>Accipiter</i> 28
Parakeet 136 Maroon-breasted	maximus, Pyrenestes	melanoleucus,
Crowned-Pigeon 101	214 mayeri, Astrapia 222	Geranoaetus49 melanoleucus,
Maroon-faced	mayeri, Columba . 100	Microhierax80
Parakeet 136	mayeri, Nesoenas 100	melanoleucus,
Maroon-fronted Parrot	mayottensis, Otus 161	Spizastur66
137	Mealy Amazon 108	melanonotus, Touit
Maroon-rumped	Mealy Parrot 108	138
Hanging-Parrot . 124	Mealy Rosella 129	Melanoperdix87
Maroon-tailed Conure	meeki, Charmosyna	melanops,
	118	Leucopternis 57
Maroon-tailed	meeki, Micropsitta 125	melanops,
Parakeet 136	meeki, Ninox 155	Lichenostomus 207
Marsh Harrier 44 Marsh Hawk 45	Megalaima 199	melanorhynchus,
Marsh Owl 145	megalopterus, Phalcoboenus 80, 81	Chlorostilbon 176 melanosternon,
Marsh Seedeater . 207	megalorynchos,	Hamirostra53
marshalli, Otus 160	Tanygnathus 137	melanota, Pulsatrix
,	, , , , , , , , , , , , , , , , , , , ,	

163	187	Microglosse noir 131
	Métallure à queue	<i>Microhierax</i> 79, 80
melanotis, Anaplectes	bronzée 175	Microloro de Finsch
215	Métallure à queue	125
melanotis,	d'airain 187	Microloro de Geelvink
Hapalopsittaca 123		125
melanotos,	Métallure à tête	Microloro de las Kai
Sarkidiornis 22	rousse 175 Métallure arc-en-ciel	125
Melanotrochilus 187		Microloro de Meek 125
melanura, Pyrrhura		
136	Métallure de Baron187	Microloro pechirrojo
meleagrides,	Métallure de Stanley	125
Agelastes 84	175	Microloro pusio 125
Melero de casco 207	Métallure de Thérèse	Micropsitta 125
Melierax 59		Micropsitte à tête
Melífago de casco 207	Métallure dorée 187	fauve 125
Méliphage casqué 207	Métallure du	Micropsitte de Bruijn
Méliphage cornu 207	Chinguela 187	*125
MELIPHAGIDAE 207	Métallure émeraude	Micropsitte de Finsch
melleri, Anas 16	188	125
Me/lisuga 187	Métallure olivâtre. 175	Micropsitte de
mellisugus,	Métallure phébé 187	Geelvink125
Chlorostilbon 176	Métallure verte 188	Micropsitte de Meek
mellivora, Florisuga	Metalura barbafuego	125
181	187	Micropsitte pygmée
Melodious laughing	Metalura de Azuay 187	125
thrush 204	Metalura de Teresa	microrhyncha,
melpoda, Estrilda. 210	187	<i>Amazilia</i> 170
menstruus, Pionus 128	Metalura del	microrhynchum,
Mentaur Scops-Owl	Chinguela 187	Ramphomicron 192
163	Metalura escamosa	Microstilbon188
Mentawai Scops-Owl	187	micrura, Myrmia 188
160	Metalura gorjivioleta	migrans, Milvus60
Mentawai Serpent-	187	Mikado Pheasant89
Eagle64	Metalura iracunda 187	mikado, Syrmaticus 89
mentawi, Otus 160	Metalura negra 187	Milan à long bec64
mercenaria, Amazona	Metalura tiria 188	Milan à plastron 53
109	Metalura verde 188	Milan à queue carrée
Mergus20	Mexican Chachalaca83	58
Merida Sunangel 182	Mexican Curassow 82	Milan à queue
meridionalis,	Mexican Parrotlet. 122	fourchue47
Buteogallus 41	Mexican Sheartail 178	Milan bec-en-croc42
meridionalis,	Mexican Woodnymph	Milan bidenté53
Heterospizias 36	194	Milan bleuâtre57
meridionalis, Nestor	mexicanus, Falco73	Milan brun60
127	mexicanus,	Milan de Cayenne57
Merle à poitrine noire	Phaethornis 191	Milan de Cuba42
206	meyeri, Epimachus	Milan de Forbes 57
Merles des Indes . 222	224	Milan de Wilson42
	meyeri, Poicephalus	Milan des chauves-
Merlin		souris58
Mésangette rayée 214	130 meyerianus, Accipiter	Milan des marais64
Mesía 204		Milan diodon54
Mésia 204	28 micraster, Heliangelus	Milan du Mississippi 56
Messager sagittaire 68		Milan noir60
metabates, Melierax	182 <i>Micrastur</i> 79	Milan royal60
		Milan sacré53
Metallura 187, 188	Micrathene 154	Milan siffleur53
Métallure à gorge feu	Microchera 188	Milan Simeur33

Milano acollarado 57	161	Mochuelín perlado 152
Milano bidentado 53	Mindanao Taritic	Mochuelo acoliarado
Milano blanquigrís 57	Hornbill 198	151
Milano brahmán 53	Mindanao Wrinkled	Mochuelo alpino 152
Milano cabecigris 57	Hornbill 196	Mochuelo Amazónico
Milano caracolero 64	mindorensis, Ducula	152
	101	Mochuelo andino 152
Milano coliblanco 48		Mochuelo Boliviano
Milano colicuadrado 58	mindorensis, Otus 160	150
Milano del Misisipi 56	mindorensis,	Mochuelo boreal 144
Milano dentado 54	Penelopides 199	
Milano misisipero 56	Mindoro Hornbill 199	Mochuelo brahmán
Milano murcielaguero	Mindoro Imperial-	147
58	pigeon 101	Mochuelo cabezón 144
Milano muslirrufo 54	Mindoro Imperial-	Mochuelo caburé 151
Milano negro 60	Pigeon 101	Mochuelo Californiano
Milano pechinegro 53	Mindoro Scops-owl160	151
Milano picogarfio 42	Mindoro Scops-Owl	Mochuelo canela 145
Milano plomizo 57	160	Mochuelo castaño. 151
Milano real 60	Mindoro Zone-tailed	Mochuelo chico152,
Milano silbador 53	Pigeon 101	153
Milano tijereta 47	minima, Mellisuga 187	Mochuelo común147
Milanus nigro 60	minimus, Spilornis . 65	Mochuelo cuco 151
militaris, Ara 112	minor, Paradisaea 225	Mochuelo cucú 155
militaris, Sturnella 208	minor, Phoeniconaias	Mochuelo de Blewitt
Military Macaw 112	12	147
Milky Eagle-Owl 149	minor, Phoenicopterus	Mochuelo de Ceilán
Milky Stork9	12	151
milleri, Polytmus 191	minullus, Accipiter 28	Mochuelo de El Cabo
milleti, Garrulax 204	Minute Hermit 190	151
milnei, Garrulax 204	minutissimum,	Mochuelo de Hoyo 164
Milvago 80	Glaucidium 152	Mochuelo de Java. 151
Milvus 60	mirabilis, Eriocnemis	Mochuelo de jungla
milvus, Milvus 60	179	153
Mimizuku 154	mirabilis, Loddigesia	Mochuelo de las
Miná de la India 222	186	Molucas 156
Miná de Rothschild222	mirandollei, Micrastur	Mochuelo de los
Miná religioso 222	79	bosques 147
Minahassa Barn-Owl	Mirlo americano	Mochuelo de los
143	pechiamarillo 208	saguaros 154
Minahassa Masked-	mirus, Otus 161	Mochuelo de
owl 143	Mississippi Kite 56	Madriguera 164
Minahassa Masked-	Mississippi Sandhill	Mochuelo de Parker
Owl 143	Crane 91	152
Minahassa Owl 143	mississippiensis,	Mochuelo del Alberto
Mindanao Bleeding-	Ictinia 56	150
heart 101	mitchellii, Calliphlox	Mochuelo del Congo
Mindanao Eagle-Owl	191	153
154	mitchellii, Philodice	Mochuelo duende . 154
Mindanao Hornbill 198	191	Mochuelo Europeo 147
Mindanao Lorikeet 139	mitrata, Aratinga . 114	Mochuelo forestal. 147
Mindanao Parrotfinch	Mitred Conure 114	Mochuelo gnomo 151
209	Mitred Parakeet 114	Mochuelo minimo. 152
Mindanao Racquet-tail	Mitu82	Mochuelo moreno, 145
131	mitu, Crax82	Mochuelo Patagón 152
Mindanao Scops-owl	mitu, Mitu82	Mochuelo pechirrojo
161	Mochelo de Sjöstedt	153
Mindanao Scops-Owl	153	Mochuelo peludo 168
I III dallao Scops Offi		pa

	Manal nationada 00	104
Mochuelo perlado 152	Monal coliverde 86	184
Mochuelo Peruano 153	Monal de l'Himalaya86	Mourning Collared-
Mochuelo sijú 153	Monal Pheasant 86	Dove102
mocinno,	Monjita pico-de-plata	Moustached Parakeet
Pharomachrus 195	212	132
	Monk Parakeet 125	mozambicus, Serinus
Modest Tiger-Parrot		
132	Monkey-eating Eagle	209
modesta, Psittacella	63	Mrs. Hume's Pheasant
132	monogrammicus,	89
modesta, Turacoena	Kaupifalco57	Muitú mamaco82
104	Monseigneur 217	Mulga Parrot 132
Moheli Scops-Owl 161	Montane Racquet-tail	mulsant, Acestrura
		168
moheliensis, Otus 161		
Moineau gris 218	montani,	multipunctata, Tyto
Moineau quadrillé 221	Anthracoceros 198	144
Moineau-tisserin 218	montanus, Prioniturus	multistriata,
molinae, Pyrrhura 136	131	Charmosyna 118
Moluccan Barred	monticola, Zoothera	mupinensis, Turdus
Sparrowhawk 27	206	206
Moluccan Boobook 156	Morepork 155	MUSCICAPIDAE. 203
Moluccan Cockatoo	morphnoides,	Muscovy Duck18
	Hieraaetus55	•
117		Musk Lorikeet 122
Moluccan Goshawk 27	Morphnus61	Musophaga140
Moluccan Hanging-	moschata, Cairina18	MUSOPHAGIDAE 139
Parrot 123	mosquera, Eriocnemis	musschenbroekii,
Moluccan Hawk-Owl	180	Neopsittacus 126
156	mosquitus,	muticus, Pavo87
Moluccan Kestrel 73	Chrysolampis 176	Mutum82
Moluccan King-parrot	Mottled Owl 167	Mutum-do-nordeste 82
106	Mottled Wood-Owl 166	Mutum-do-sudeste . 82
	Mouette relique 99	Mycteria9
Moluccan King-Parrot		
	Mount Omei Liocichla	mycteria, Jabiru8
Moluccan Lory 121	205	Myiopsitta 125
Moluccan Red Lory 121	Mountain Avocetbill	Myrmia 188
Moluccan Scops-Owl	188	<i>Myrtis</i> 188
160	Mountain Buzzard 39	
Moluccan Scrubfowl 82	Mountain Caracara.81	<u> </u>
Moluccan	Mountain Eagle-Owl	N
Sparrowhawk 26	149	
moluccensis, Cacatua	Mountain Hawk-eagle	Nacurutú 150
	65	naevius, Ramphodon
	Mauntain Hawk Englo	192
moluccensis, Falco . 73	Mountain Hawk-Eagle	naevosa, Stictonetta
moluccensis, Pitta 202	65, 66	22
molybdophanes,	Mountain Parakeet 115	Naked-faced
Struthio1	Mountain Peacock-	Spiderhunter 206
monacha, Grus 92	pheasant 88	•
monachus, Aegypius	Mountain Peacock-	Namaqua Dove 102
31	Pheasant 88	nana, Aratinga114
monachus, Myiopsitta	Mountain Pygmy-Owl	nana, Ichthyophaga56
125	151	Nanday Conure 126
monachus,	Mountain Scops-Owl	Nanday Parakeet 126
		Nandayus126
Necrosyrtes 61		Nandou américain1
Monal	Mountain Serpent-	Nandou commun1
Monal birman 86	eagle65	Nandou d'Amérique1
Monal chinois 86	Mountain Serpent-	•
Monal coliblanco 86	Eagle 65	Nandou de Darwin1
Monal colirrojo 86	Mountain Velvetbreast	Nandou gris1
-		

Nankeen Kestrel 70	29	nigra, Penelopina83
Nannopsittaca 126	New Britain Hawk-Owl	nigrescens, Rheinardia
nanum, Glaucidium	155	88
152	New Britain Honey-	Nigrette à calotte
nanus, Accipiter 28	buzzard 54	grise 213
nanus, Spizaetus 66	New Britain Masked-	Nigrette à front jaune
Napo Sabrewing 174	Owl 143	213
Napoleon Weaver 216	New Britain	Nigrette à ventre
Narcondam Hornbill	Sparrowhawk 25	blanc 213
196	New Caledonia	Nigrette à ventre roux
narcondami, Aceros	Goshawk27	213
	New Caledonian	nigriceps, Ardeotis .94
	Lorikeet 118	nigriceps, Choriotis. 94
narcondami,		nigriceps, Ploceus 219
Rhyticeros 196	New Guinea Eagle 54	
Narrow-tailed Emerald	New Guinea Grey-	nigricollis,
176	headed Goshawk. 29	Anthracothorax . 172
natalis, Ninox 156	New Guinea Harpy	nigricollis, Busarellus
nattereri, Phaethornis	Eagle54	36
190	New Guinea Hornbill	nigricollis, Grus92
Natuna Serpent-Eagle	196	nigricollis, Ploceus 220
64	New Guinea Wreathed	nigrigenis, Agapornis
naumanni, Falco 73	Hornbill 196	106
Né 18	New Ireland Hawk-	nigripes, Dacnis 207
Neblina Metaltail 187	Owl 157	nigrirostris, Andigena
nebulosa, Strix 166	New Zealand Falcon74	199
Necrosyrtes 61	New Zealand Kaka 127	nigrirostris,
NECTARINIIDAE 206	New Zealand Parakeet	Phaethornis 189
Needle-billed Hermit	120	<i>Nigrita</i> 213
190	newtoni, Falco74	nigriventris,
neglectus, Falco 77	Ngami Owlet 152	Eupherusa 180
Negrita bronceada 212	ngamiense,	nigrivestis, Eriocnemis
Negrita cana 213	Glaucidium 152	180
Negrita frentigualda	Niam-niam Parrot 129	nigrobrunnea, Tyto
213	Nias Serpent-Eagle 64	144
Negrita pechiblanca	Nicobar à camail 99	nigrolineata, Ciccaba
213	Nicobar Dove 99	166
Negrita pechirroja 213	Nicobar Parakeet . 133	nigrolineata, Strix 166
Negrita picanza 212	Nicobar Pigeon 99	Niltava204, 205
nenday, Nandayus 126	Nicobar Scops-Owl157	Ninfa coronada 194
Nene 18	Nicobar Serpent-eagle	Ninox154, 155, 156,
Neophema 126	65	157
Neophron 61	Nicobar Serpent-Eagle	Nínox Australiano. 155
Neopsephotus 126	64, 65	Nínox de Andamán154
Neopsittacus 126	Nicobar Shikra 25	Nínox de la Manus 155
Neotis96, 97	Nicobar Sparrowhawk	Nínox de las Bismarck
Nesasio 154	25	157
Nesocharis 213	nicobarica, Caloenas	Nínox de las Solomón
Nestor 127	99	155
Nestor de Norfolk 127	Nifa mexicana 194	Nínox de Nueva
	niger, Threnetes 194	Bretaña 155
Nestor kéa 127		
Nestor superbe 127	nigerrimus, Ploceus	Nínox de Sumba 156
Nettapus 21		Ninox Filipino 155
Nette à cou rose 22	Night Parrot 122	Nínox halcón 167
neumanni, Vidua . 221	nigra, Astrapia 223	Nínox ladrador 155
nevermanni, Lonchura	nigra, Ciconia7	Nínox Malgache 156
212	nigra, Coracopsis . 119	Nínox Maorí 155
New Britain Goshawk	nigra, Melanoperdix 87	Nínox Moluqueño . 156

Nínox ocráceo 155 Nínox Papú 156 Nínox pardo 156 Nínox punteado 156 Nínox reidor 163 Nínox robusto 156 Nínox rojizo 156 Ninoxe154, 155, 156, 157, 163, 167 Ninoxe à sourcils blancs 156 Ninoxe aboyeuse . 155	Noisy Scrub-bird 202 Norfolk Boobook 155 Norfolk Island Boobook Owl 155 Norfolk Island Kaka	Nubian Vulture67 nudicollis, Procnias
Ninoxe bariolée 157 Ninoxe boubouk 155 Ninoxe boubouk de I'île Norfolk 155 Ninoxe brune 156	Northern Harrier 45 Northern Hawk Owl	nyroca, Aythya17 nyroca, Nyroca17
Ninoxe d'Australie 155 Ninoxe de Jacquinot 155	Curassow 83 Northern Hobby 76 Northern Little Owl	Ñ Ñandú1 Ñandú común1
Ninoxe de l'Amirauté		Ñandú cordillerano1 Ñandú de Darwin1 Ñandú petizo1
Ninoxe des Moluques		0
Ninoxe des Philippines	Northern Pintail 13 Northern Pygmy-Owl 151 Northern Rosella 129 Northern Saw-whet	Oasis Hummingbird 192 oatesi, Pitta202 Oaxaca Hummingbird 180
Ninoxe papoue 167 Ninoxe pointillée 156 Ninoxe puissante . 156 Ninoxe rieuse 163	Owl	Obscure Hermit 190 Oca del Nilo 13 occidentalis, Geopsittacus 122
Ninoxe rousse 156 nipalensis, Aceros 196 nipalensis, Aquila 33 nipalensis, Bubo 149	Northiella	occidentalis, Leucopternis 58 occidentalis, Pezoporus 122
nipalensis, Pitta 202 nipalensis, Spizaetus 66 nippon, Nipponia 10	notatus, Elanus48 Notodèle à front bleu203 novaeguineae,	occidentalis, Strix. 166 occipitalis, Aegypius67 occipitalis, Lophaetus 58
Nipponia	Harpyopsis54 novaehollandiae, Accipiter29	occipitalis, Spizaetus 58 occipitalis,
nitida, Asturina 35 nitidula, Hypargos 213 nitidula, Mandingoa 213	novaehollandiae, Tyto 143, 144 novaeseelandiae, Falco74	Trigonoceps67 ocellata, Agriocharis84 ocellata, Meleagris .84
nitidus, Buteo	novaeseelandiae, Ninox155, 156 novaezelandiae, Cyanoramphus120 nuba, Neotis97	ocellata, Rheinardia 88 ocellata, Strix 166 Ocellated Pheasant. 88 Ocellated Turkey 84 ochracea, Ninox 155
noctua, Athene 147	Nubian Bustard 97	Ochre-bellied Boobook

155	Opisthoprora 188	Oriental Scops-Owl
Ochre-bellied Hawk-	Orange Bishop 216	162
Owl 155	Orange Cock-of-the-	Oriental Stork7
Ochre-marked	rock201	Oriental White Stork.7
Parakeet 135	Orange Weaver216,	Oriental White-backed
ochrocephala,	218	Vulture50
Amazona 109	Orange-bellied	Oriental White-eye206
Ocreatus 188	Parakeet 126	orientalis, Aquila 33
octosetaceus, Mergus	Orange-bellied Parrot	orientalis, Arborophila
20	126	84
oculea, Caloperdix . 85	Orange-billed Lorikeet	orientalis, Vidua221,
odiosa, Ninox 155	126	222
odomae, Metallura 187	Orange-breasted	orina, Coeligena 177
Odontophorus 87	Falcon72	orix, Euplectes216
Oedicnème américain	Orange-breasted Fig-	Ornate Hawk-Eagle 66
98	Parrot 120	Ornate Lorikeet 139
Oedicnème bistrié 98	Orange-breasted	Ornate Lory 139
Oena102	Waxbill 209	Ornate Umbrellabird
oenone, Chrysuronia	Orange-cheeked	200
176	Parrot 127	ornatus,
oenops, Columba. 100	Orange-cheeked	Cephalopterus 200
Ognorhynchus 127	Waxbill 210	ornatus, Lophornis 187
Oie d'Egypte 13	Orange-chinned	ornatus, Spizaetus .66
Oie d'Égypte 13	Parakeet 116 Orange-fronted	ornatus, Trichoglossus
Oie néné	Conure 113	139 <i>Oroaetus</i> 62
21	Orange-fronted	Ortalide chacamel83
Oiseau bruyant des	Hanging-Parrot . 123	Ortalide commune83
buissons 202	Orange-fronted	Ortalide du Mexique83
okavangoensis, Vidua	Parakeet 113	Ortalis83
221	Orange-throated	Orthorhyncus 189
Olivaceous Thornbill	Sunangel 182	Ortygospiza214
175	Orange-winged	oryzivora, Lonchura
olivaceum,	Amazon 107	214
Chalcostigma 175	Orange-winged Parrot	oryzivora, Padda214
olivaresi,	107	Osprey23
Chlorostilbon 176	oratrix, Amazona . 109	Ostrich1
Olive-headed Lorikeet	orbygnesius,	ostrinus, Pyrenestes
138	Bolborhynchus 115	214
Olive-shouldered	orcesi, Pyrrhura 136	OTIDIDAE 94
Parrot 111	oreas, Picathartes 205	Otis97
Olive-spotted	Orejavioleta café 178	Otus154, 157, 158,
Hummingbird 186	Orejívioleta marrón	159, 160, 161, 162,
Olive-throated Conure	178 Oreonympha 188	163
Olive-throated		otus, Asio145, 146
Parakeet 114	Oréophase cornu 83 Oreophasis	Ouette d'Egypte 13
Olivino cariblanco 213	oreophilus, Buteo39	Ouette d'Egypte13 oustaleti, Anas16
Omei Shan Liocichla	Oreopsittacus 127	Outarde à miroir blanc
205	Oreotrochilus 188, 189	95
omeiensis, Liocichla	Oricou 67	Outarde à tête noire
205	Oriental Bay-Owl . 142	94
Ophrysia 87	Oriental Hobby 76	Outarde à ventre noir
Ophrysie de	Oriental Honey-	95
l'Himalaya 87	buzzard63	Outarde arabe94
ophthalmica, Cacatua	Oriental Pied-Hornbill	Outarde australienne
117	197	94

	6 11 1 Thomas 244	
Outarde barbue 97	Padda de Timor 214	pallidigaster,
Outarde canepetière	Painted Conure 136	Anthreptes 206
94, 97	Painted Parakeet 136	pallidigaster,
Outarde d'Australie 94	Painted Stork9	Hedydipna 206
Outarde de Burchell97	Painted Tiger-Parrot	Palm Cockatoo 131
Outarde de Denham	132	Palm Dove 103
	Pájaro de los	Palm Lorikeet 118
97	-	
Outarde de Hartlaub	matorrales 202	palmarum,
95	Pájaro paraguas	Charmosyna 118
Outarde de Heuglin 97	bigotudo 201	palmarum, Glaucidium
Outarde de l'Inde94,	Pájaro-paraguas	152
95	amazónico 200	Palmiste africain 50
Outarde de Ludwig 97	Pájaro-paraguas	Palm-nut Vulture50
Outarde de Nubie 97	longuipendulo 201	Paloma afep 101
Outarde de Rüppell 96	Pájaros paraguas . 200	Paloma apuñalada 101
	Pajuil83	Paloma apuñalada de
Outarde de Savile 96	•	Luzón101
Outarde de Vigors 96	Palau Owl 161	
Outarde d'Oustalet. 95	Palawan Hornbill 197	Paloma apuñalada de
Outarde du Bengale95	Palawan Peacock-	Mindanao 101
Outarde du Sénégal96	pheasant88	Paloma bravia 100
Outarde houbara 94	Palawan Peacock-	Paloma bravía 100
Outarde houppette. 96	Pheasant 88	Paloma calva99
Outarde korhaan 95	Palawan Racket-tailed	Paloma crestada azul
Outarde kori 94	Parrot 131	101
Outarde naine 95, 96	Palawan Scops-owl	Paloma crestada de
Outarde naine de	159	Scheepmaker 101
l'Inde95	Palawan Scops-Owl	Paloma crestada
Outarde noire 95	159	victoria101
Outarde nubienne 97	Pale Chanting-	Paloma de Guinea 99
	Goshawk 59	Paloma de Mauricio
Outarde passarage 95		
Outarde plombée 95	Pale Harrier45	100
Outarde somalienne95	Pale-bellied Hermit	Paloma de Mindoro
Ovambo Sparrowhawk	189	
29	Pale-billed Sicklebill	Paloma de Nicobar .99
ovampensis, Accipiter	224	Paloma de Timor 104
29	Pale-fronted	Paloma Doméstica 100
Ovampo Sparrowhawk	Negrofinch 213	Paloma Peruana 100
29	Pale-headed Rosella	Palomita especulada
Owl Parrot 137	129	abisinica104
Oxypogon 189	Pale-tailed Barbthroat	Palomita especulada
Oxyura 21	194	africana 104
	Palette à couronne	Palomita especulada
	bleue 131	capense 102
P	Palette à manteau	Palomita especulada
	d'or 131	cobriza105
Pachyphantes 218	Palette de Buru 131	palpebrosus,
pachyrhyncha,		
Rhynchopsitta 137	Palette de Cassin . 131	Zosterops 206
Pacific Baza 36	Palette de Mindanao	palustris, Sporophila
Pacific Black Hawk . 41	131	207
Pacific Marsh-Harrier	Palette de Palawan131	pamela, Aglaeactis169
	Palette des Sulu 131	Pampas Meadowlark
44	Palette momot 131	208
Pacific Parakeet 114	Palette verte 131	Panay Tarictic Hornbill
Pacific Parrotlet 121	Pale-winged	199
Pacific Pygmy-Owl 153	Indigobird 222	Panay Wrinkled
Padda 214	Pallid Harrier 45	Hornbill 197
Padda de Java 214	Pallid Scops-Owl 158	Pandion23
	railia Scops Owr., 130	, 0//0/0//25

PANDIONIDAE 23	Paradìgalla 225	Paradisier de
panini, Penelopides	Paradigalle à queue	Rothschild 223
198, 199	courte 225	Paradisier de
Panterpe 189	Paradigalle caronculée	Stéphanie 223
	225	Paradisier de Victoria
panychlora,		
Nannopsittaca 126	Paradisaea 225, 226	226
Paon spicifère 87	paradisaea, Vidua 221	Paradisier de Wahnes
Paon vert 87	PARADISAEIDAE222	226
papa, Sarcoramphus	Paradise Parrot 132	Paradisier de Wallace
	Paradise Riflebird . 226	227
Papagayo alirrojo. 111	paradisea,	Paradisier
	Anthropoides 92	d'Entrecasteaux. 224
Papagayo australiano		Paradisier d'Helena
106	paradisea, Grus 92	
Papagayo de cara roja	Paradise-Crow 224	226
107	paradiseus, Ptiloris226	Paradisier du comte
Papagayo de Gulielm	Paradisier à bec blanc	Raggi 225
129	224	Paradisier du prince
Papagayo de Timor	Paradisier à gorge	Albert 226
	noire 223	Paradisier fastueux
	Paradisier à queue	224
Papagayo		
enmascarado 131	courte 225	Paradisier festonné
Papagayo escarlata	Paradisier à rubans	226
131	222	Paradisier gorge-
Papagayo granate 132	Paradisier bleu 226	d'acier 226
Papagayo Moluqueño	Paradisier caronculé	Paradisier grand-
106	225	émeraude 225
Papagayo papú 106	Paradisier corvin 224	Paradisier huppé 223
	Paradisier d'Albert	Paradisier Ioria 223
Papagayo robusto 130		
Papagayo senegalés	223, 226	Paradisier magnifique
130	Paradisier d'Albertis	223
Papamoscas203, 204,	223	Paradisier multifil . 227
205	Paradisier de Carola	Paradisier noir 224
Papamoscas de Rueck	226	Paradisier petit-
204	Paradisier de Goldie	émeraude 225
Papamoscas	225	Paradisier républicain
piquilargo 204	Paradisier de	223
	Guillaume 225	Paradisier rouge 225
Papamoscas rosa		
occidental 204	Paradisier de Jobi. 224	Paradisier royal 223
Papasula3	Paradisier de	Paradisier sifilet 226
Papegeai maillé 120	Keraudren 225	Paradisier soyeux. 224
papou, Charmosyna	Paradisier de la	Paradisier splendide
119	princesse Stéphanie	223
Papuan Boobook 167	223	Paradisier superbe 224
Papuan Goshawk 28	Paradisier de Lawes	Paradisier vert 224
Papuan Hanging-	226	Paradoxornis 205
Parrot 123	Paradisier de	
		Paradoxornis du
Papuan Harrier 47	l'empereur	Yangtsé 205
Papuan Hawk-owl 167	Guillaume 225	Parasitic Weaver 216
Papuan Hawk-Owl 167	Paradisier de Loria 223	Pariah Kite60
Papuan Honey-	Paradisier de	Parihuana11
buzzard 54	Macgregor 224	Parina chica11
Papuan Hornbill 196	Paradisier de Meyer	Parina grande11
Papuan King-Parrot	224	Pariona11
106	Paradisier de Raggi	
		parkeri, Glaucidium
Papuan Lorikeet 119	225	152
Papuan Scops-Owl 160	Paradisier de	Parmoptila 214
Parabuteo 62	Rodolphe 226	Parmoptile à front

	0.3	4.4
rouge 214	83	44
Paroare à bec jaune	Paují cornudo 83	pelagicus, Haliaeetus
207	Paují de Alagoas 82	52
Paroare cardinal à bec	Paují de Copete 82	PELECANIDAE3
jaune 207	Paují de pico azul 82	PELECANIFORMES.3
Paroare huppé 207	Paují de yelmo 83	Pelecanus3
Paroaria 207	Paují menor 82	pelegrinoides, Falco 74
Parotia 226	Paují piquirrojo 82	peli, Scotopelia 164
Passer 218	pauliani, Otus 161	Pélican à bec tacheté 3
PASSERIFORMES	Pauxi83	Pélican dalmate3
200	Pauxi pierre83	Pélican frisé3
passerinum,	pauxi, Crax83	Pélican gris3
Glaucidium 152	pauxi, Pauxi83	Pelícano ceñudo3
passerinus, Forpus122	Pava aliblanca 83	Pelícano oriental3
pastinator, Cacatua	Pava cojolita 83	Pelícano rizado3
117	Pava crestiblanca83	pella, Topaza195
Patagona 189	Pava culirroja 83	pelzelni, Ploceus 220
Patagonian Conure119	Pava de Trinidad 84	Pemba Scops-Owl 161
	Pava pajuil83	penduliger,
patagonus, Cyanoliseus 119	Pava rajadora84	Cephalopterus 201
Patito africano 21	Pava yacutinga 84	Penelope83
	Pavita andina 152	Pénélope à ailes
Pato aliblanco 19 Pato almizclero	Pavita ferruginea . 151	blanches83
aliblanco 19	Pavo 84, 87	Penelope a Crete83
	Pavo mudo87	Pénélope à front noir
Pato cabecirrosa 22	Pavo ocelado84	84
Pato chucara 14 Pato crestado 22	Pavón 82, 83	Pénélope à plastron 84
Pato crestón 22	Pavón carunculado. 82	Pénélope à poitrine
Pato crestudo 22	Pavón cornudo 83	rousse83
	Pavón grande 82	Pénélope à ventre
Pato criollo 18	Pavón norteña 82	blanc83
Pato cuchara 14	Pavón piquiazul82	Pénélope cornue83
Pato cucharón norteño	Pavón piquirrojo 82	Pénélope de Derby .83
14 Pato de Bernier 14	Pavón poría82	Pénélope huppée83
		Pénélope noire83
Pato de cabeza rosa22	pavonina, Balearica 90	Pénélope pajuil83
Pato de Hartlaub 22	pavoninus, Lophornis 187	Pénélope panachée 83
Pato de jungla 19		Pénélope siffleuse84
Pato de Laysan 16	Pavo-real cuelliverde 87	Pénélope siffleuse a
Pato de moco 22	Pavo-real verde 87	gorge bleue84
Pato de monte 22	Peach-faced Lovebird	penelope, Anas 16
Pato de Oustalet 16	106	Penelopides198, 199
Pato golondrino	Peach-fronted Conure	Penelopina83
norteño		pennata, Pterocnemia
Pato pecoso 22	113 Peach-fronted	1
Pato rabudo 13	Parakeet 113	pennata, Rhea1
Pato real16, 18		pennatus, Hieraaetus
Pato real de Laysan 16	Peacock Coquette 187	55
Pato real marismeno	Pearl Kite49	Percnoptère brun 61
	Pearl-spotted Owlet	
Pato silbón. 16, 19, 20		Percnoptère d'Egypte
Pato silbón cariblanco	Pearly Conure 136	61
	Pearly Parakeet 136	percnopterus,
Pato silbón común . 20	pectardens, Erithacus	Neophron61 Perdicilla herrumbrosa
Pato silbón de Cuba 19		85
Pato silbón	pectardens, Luscinia	
ventrinegro 19	205	Perdigallo caspio89
Paují copete de Piedra	pectoralis, Circaetus	Perdigallo tibetano .89

		446
Perdiz de bosque	Perico de las	116
crestada 88	Antípodas 120	Periquito barrado . 115
Perdiz de bosque de	Perico de las Chatham	Periquito cabecirrojo
Charlton 84	120	120
Perdiz de bosque de	Perico de Port Lincoln	Periquito crisóstomo
pico largo 88	129	126
Perdiz de bosque	Perico de Tasmania	Periquito de collar
	129	africano
ferruginosa 85	Perico del Paraíso. 132	Periquito de espalda
Perdiz de bosque		
negra 87	Perico dorado 114	dorada 132
Perdiz negra 87	Perico dorsirrojo 132	Periquito de pico
Perdiz piquilarga 88	Perico elegante 129	grueso 137
Perdiz real del Caspio	Perico frentinaranja	Periquito de tierra 127
89	113	Periquito del Pacífico
Perdiz real del Tibet89	Perico gracioso 129	121
Perdiz rulrul 88	Perico grande 135	Periquito elegante 126
Perdrix à long bec 88	Perico gualda 129	Periquito encapuchado
Perdrix des neiges de	Perico manglero 107	132
la Caspienne 89	Perico maori	Periquito espléndido
Perdrix des neiges du	cabecigualdo 119	126
Tibet 89	Perico maori	Periquito
Perdrix noire 87	cabecirrojo 120	frentiamarillo de
Peregrine74	Perico multicolor123,	Forbes 120
Peregrine Falcon 74	129	Periquito frentiazul138
peregrinus, Falco 74	Perico nocturno 122	Periquito mexicano
	Perico ojo blanco . 114	122
Perfect Lorikeet 138		Periquito migrador 123
Perico107, 113, 114,	Perico pálido 129	
115, 116, 119, 120,	Perico pechiblanco 135	Periquito obscuro . 122
121, 122, 123, 127,	Perico pechisucio . 114	Periquito ojiazul 121
128, 129, 130, 132,	Perico pico rojo 128	Periquito orejiamarillo
135, 136, 138	Perico pintado 136	127
Perico aligualdo 132	Perico princesa 130	Periquito rabadilla
Perico barreteado 115	Perico regente 130	púrpura138
Perico cabecidorado	Perico siete colores	Periquito roquero . 126
128	138	Periquito rosado 126
Perico cabecinegro 127	Perico soberbio 130	Periquito turquesa 126
Perico cabecioscuro	Perico terrestre 127	Periquito
115	Perico tui 116	ventrinaranja 126
Perico cabecirrojo 136	Perico variado 132	perlata, Pyrrhura 136
Perico cabecirrosado	Perico verde 114	perlatum, Glaucidium
136	Perico verde	152
Perico cachete	centroamericano 114	Pernis 62, 63
amarillo 127	Perija Metaltail 187	Perroquet à calotte
Perico cachetigris. 116	Perijá Metaltail 187	rouge 129
Perico calzoncito 127	Periquito115, 116,	Perroquet à couronne
Perico capelo 135	120, 121, 122, 123,	137
	126, 127, 132, 134,	Perroquet à face jaune
Perico capirotado. 132	137, 138	
Perico cara sucia . 114		129
Perico caretirrojo . 113	Periquito ala dorada	Perroquet à oreilles
Perico cariazul 127		128
Perico carigualdo . 129	Periquito aliazul 122	Perroquet à tête
Perico cola negra. 136	Periquito alipunteado	brune129
Perico cola roja 136	138	Perroquet à tête grise
Perico colimorado 135	Periquito azul 115, 138	130
Perico cornudo 121	Periquito azul alirrojo	Perroquet à ventre
Perico de Barnard 129	138	rouge130
Perico de El Oro 136	Periquito barbinaranja	Perroquet de Meyer

Antipodes 120	Perruche splendide	161
Perruche des écueils	126	Petit-duc à gorge
126	Perruche terrestre 127	blanche 157
Perruche des îles	Perruche tiriba 135	Petit-duc à mèches
Chatham 120	Perruche tovi 116	noires 157
Perruche des Nicobar	Perruche tricolore 106	Petit-duc à
		moustaches 163
133	Perruche turquoisine	Petit-duc africain 162
Perruche des rochers		Petit-duc bridé 158
126	Perruche unicolore 120	
Perruche dorée 114	Perruche-souris 125	Petit-duc choliba 158
Perruche du soleil 114	persa, Tauraco140,	Petit-duc de Bruce 158
Perruche écarlate 131	141	Petit-duc de Clark 158
Perruche élégante 126	personata, Prosopeia	Petit-duc de Cuba 159
Perruche émeraude		Petit-duc de Gurney
121	personatus, Agapornis	154
Perruche érythroptère	106	Petit-duc de Horsfield
111	perspicillata, Pulsatrix	157
	163	Petit-duc de Java . 157
Perruche flavéole. 129		Petit-duc de Koepcke
Perruche gracieuse	pertinax, Aratinga 114	
129	peruanum, Glaucidium	
Perruche hétéroclite	153	Petit-duc de Luçon 160
122	Peruvian Cock-of-the-	Petit-duc de Manado
Perruche huppée . 121	Rock 201	160
Perruche	Peruvian Penguin2	Petit-duc de
intermédiaire 133	Peruvian Piedtail 191	Mantanani 160
Perruche jonquille 111	Peruvian Pigeon 100	Petit-duc de Marshall
Perruche lunulée 115	Peruvian Pygmy-Owl	160
Perruche magnifique	153	Petit-duc de Mindanao
132	Peruvian Screech-Owl	161
	161	Petit-duc de Mindoro
Perruche masqué106,	Peruvian Sheartail 194	160
131		Petit-duc de Mohéli
Perruche masquée 131	peruviana, Rupicola	161
Perruche mélanure130	201	
Perruche modeste 132	peruviana, Vini 139	Petit-duc de Nicobar
Perruche multicolore	perversa, Ninox 155	157
132	petersoni, Otus 160	Petit-duc de Palawan
Perruche Nanday . 126	Petit cacatoès à huppe	159
Perruche nocturne 122	jaune 117	Petit-duc de Porto
Perruche omnicolore	Petit faucon73	Rico161
129	Petit flamant 12	Petit-duc de Salvin159
Perruche orangé 116	Petit lori musc 122	Petit-duc de Sangihe
Perruche palliceps 129	Petit Moineau 218	158
Perruche peinte 132	Petit moineau soulcie	Petit-duc de Sao
	218	Tomé 159
Perruche pompadour	Petit moineau soulie	Petit-duc de Simalur
Perruche princesse130	218	163
Perruche pygmée de	Petit paradisier 225	Petit-duc de Wallace
Brujin 125	Petit perruche-ara 112	162
Perruche pygmée de	Petit serpentaire 63	Petit-duc des
Meek 125	Petit-duc à aigrettes	Andaman 158
Perruche pygmée de	longues 162	Petit-duc des
Salvadori 125	Petit-duc à bec jaune	Mentawei160
Perruche pygmée de	159	Petit-duc des
Schlegel 125	Petit-duc à collier. 157	montagnes 159
	Petit-duc à face	Petit-duc des Palau
Perruche pygmée de		
Sclater 125	blanche 160	
Perruche royale 106	Petit-duc à front blanc	Petit-duc d'Irène 159

		51 di
Petit-duc du Karthala	116	Picaflor escamado 183
161	Philippine Eagle63,	Picaflor frentivioleta
Petit-duc du Pérou 161	149	179
	Philippine Eagle-owl	Picaflor gargantiazul
Petit-duc élégant . 158	149	168
Petit-duc géant 154	Philipping Englo-Owl	Picaflor gargantiverde
Petit-duc indien 157	Philippine Eagle-Owl	194
Petit-duc longicorne	149	
160	Philippine Falconet . 80	Picaflor gigante 189
Petit-duc maculé . 157	Philippine Hanging-	Picaflor negro 187
Petit-duc malgache	Parrot 124	Picaflor orejiazul 178
161	Philippine Hawk-Eagle	Picaflor pechiazul . 184
Petit-duc mystérieux	66	Picaflor pequeño
	Philippine Hawk-Owl	verde 171
Petit-duc nain 159	155	Picaflor serrano
	Philippine Scops-Owl	ventricanela 188
Petit-duc radjah 158		Picaflor serrano
Petit-duc roussâtre		ventrinegro 188
161	Philippine Serpent-	Picaflor ventriazul 177
Petit-duc scops 162	Eagle64	
Petit-duc tacheté . 162	Philodice173, 191,	Picaflor ventriblanco
Petit-duc vermiculé	195	169
163	Phlogophilus 191	Picaflor ventrinegro
Petite buse 40	Phodile calong 142	172
Petite mélampitte 225	Phodile de Prigogine	Picaflor ventriverde
Petite nyctale 144	142	178
Petronia 218	Phodilus 142	Picatartes cuelliblanco
petrophila, Neophema	phoebe, Metallura 187	205
126	phoenicoptera, Pytilia	Picatartes cuelligris
7	215	205
Pezoporus 122, 127	PHOENICOPTERIDA	Picatharte à cou blanc
pfrimeri, Pyrrhura 136	E11	205
Phaeochroa 189		Picatharte à cou gris
Phaethornis189, 190,	Phoenicopterus 11, 12	
191	Pholidornis 214	205
phainopeplus,	Piapoco pico rojo . 200	Picatharte à tête
Campylopterus . 174	Piapoco pico verde 200	rouge205
Phalcoboenus80, 81	Pic à ventre blanc de	Picatharte chauve 205
phalerata, Coeligena	Corée 200	Picatharte de Guinée
177	Pic de Tristram 200	205
Pharaoh Eagle-Owl148	Pic impérial 200	Picatharte du
Pharomachrus 195	Picaflor abanico verde	Cameroun 205
Phasianelle modeste	186	Picathartes 205
104	Picaflor amatista 173	PICIDAE 200
***************************************	Picaflor bronceado 184	PICIFORMES 199
PHASIANIDAE 84	Picaflor cabeciazul 184	pickeringii, Ducula 101
Phigys 127		Pico espina bronceado
philippensis, Bubo 149	Picaflor cabeza	175
philippensis, Loriculus	granate 193	Pico lanza frentiazul
124	Picaflor coliverde 191	
philippensis, Ninox155	Picaflor coludo rojo	179
philippensis,	193	Pico lanza frentiverde
Pelecanus3	Picaflor común 175	179
philippensis,	Picaflor copetón 193	Pico-de-Hoz
Pseudoptynx 149	Picaflor corona azul	colihabano 181
philippensis, Spizaetus	194	Pico-de-Hoz
66	Picaflor cuelliblanco	puntiblanco 181
philippii, Phaethornis	186	Picoespina arcoiris 175
190	Picaflor de Barbijo 183	Picoespina dorsiazul
Philippine Boobook155	Picaflor dorado 184	175
	Picaflor enano 188	Picoespina
Philippine Cockatoo	ricarior crianomini 100	

di 102	Discor demostique 100	Dinila 94
dorsipurpura 192	Pigeon domestique100	<i>Pipile</i> 84
Picoespina gorrirrufa	Pigeon du Pérou 100	pipile, Aburria84
175	Pigeon gris 101	pipile, Pipile84
Picohoz colicanela 181	Pigeon gris écailleux	Piquero de Abbott3
Picohoz coliverde. 181	101	Pirenestes ventrinegro
Picolargo coroniazul	Pigeon Hawk70	214
_	Pigeon rose 100	Pirolle à queue courte
		•
Picolargo coronioscuro	Pigeon roussard 99	
183	Pigeon vert à	piscator, Crinifer 140
Picozapato7	épaulettes violettes	Pita coliazul 201
picta, Psittacella 132	104	Pita de Gurney 202
picta, Pyrrhura 136	Pigeon vert à front nu	Pita de Koch 202
pictus, Chrysolophus	104	Pita nympha 202
85	Pigeons à épaulettes	Pita rayada 201
Pied Falconet 80	violettes 104	Pithecophaga63
Pied Goshawk 24	Pijiji aliblanco 19	Pithécophage des
Pied Harrier 46	Pijiji canelo 20	Philippines63
	pileata, Penelope 83	
Pied Hornbill 197, 198		Pitilia alirroja 215 Pito de vientre blanco
Pied Mannikin 212	pileata, Pionopsitta	
Pied Sparrowhawk . 24	128	de Corea 200
Pied-Billed	Pileated Parakeet. 135	Pito imperial 200
Azurecrown 170	Pileated Parrot 128	Pito ventriblanco de
Pigargo 51, 52, 53	Pilet 13	Corea 200
Pigargo americano . 52	Pingüino de Humboldt	Pitorreal ocotero 200
Pigargo cabeciblanco	2	<i>Pitta</i> 201, 202
52	Pingüino del Cabo 2	PITTIDAE 201
Pigargo cabeciblanco	Pink Cockatoo 117	placentis, Charmosyna
meridional 52	Pink Pigeon 100	119
Pigargo coliblanco 51	Pink-cheeked	plagiata, Asturina35
Pigargo coliblanco de	Parakeet 134	Plain Chachalaca83
Groenlandia 51	Pink-cheeked Waxbill	Plain Parakeet 116
Pigargo de las	210	Plain-backed Sunbird
Salomon 52	Pink-headed Dove 102	206
Pigargo de	Pink-headed Duck 22	Plain-bellied Emerald
Madagascar 53	Pink-throated Brilliant	170
Pigargo de Pallas 52	182	Plain-breasted Hawk
Pigargo de Sanford 52	Pintada de pechuga	31
Pigargo de Steller 52	blanca84	Plain-capped
Pigargo de vientre	Pintade à poitrine	Starthroat 183
blanco 52	blanche84	Plain-pouched Hornbill
Pigargo europeo 51	Pintado de pecho	196
Pigargo gigante 52	blanco84	Plain-pouched
Pigargo malgache 53	Pintado pechiblanca 84	Wreathed Hornbill
Pigargo oriental 52	Pintail13	196
Pigargo vocinglero . 53	Pin-tailed Whydah 221	Planalto Hermit 190
Pigarguillo común 56	Pione à bec rouge 128	plancus, Caracara81
Pigarguillo menor 56	Pione à couronne	plancus, Polyborus .81
Pigeon à camail 99	blanche 128	<i>Platalea</i> 10
Pigeon à collerette . 99	Pione à tête bleue 128	platenae, Prioniturus
Pigeon à nuque	Pione de Maximilien	131
bronzée 99	128	platurus, Prioniturus
Pigeon biset 100	Pione noire 128	131
Pigeon de Guinée 99	Pione pailletée 128	Platycercus129
Pigeon de la Jamaïque	Pione violette 128	platycercus,
99	Pionites 127	Selasphorus193
Pigeon de Mindoro 101	Pionopsitta 127, 128	
_	Pionus 128	platypterus, Buteo40
Pigeon de Nicobar 99	Fiorius 128	platyrhychos, Anas.16

platyrhynchos, Anas	Polyborus81	Parakeet 130
16	Polyonymus 191	Princess Parrot 130
Platysmurus 227	polyosoma, Buteo 40	Princess Stephanie's
•		Bird-of-paradise 223
Plectropterus21	Polyplectron 87, 88	
Plicated Hornbill 196	Polytelis130	Prioniturus131
plicatus, Aceros 196	Polytmus 191, 192	Probosciger 131
plicatus, Rhyticeros	polytmus, Trochilus	PROCELLARIIFORM
196	195	ES 3
PLOCEIDAE 215	pomarina, Aquila 34	<i>Procnias</i> 201
	Pondicherry Vulture 64	productus, Nestor 127
Plocepasser 218		Proméfil 226
Ploceus. 218, 219, 220	poortmani,	
Plovercrest 193	Chlorostilbon 176	Prosopeia 131, 132
plumbea, Ictinia 57	Popelairia192	prunellei, Coeligena
plumbea, Leucopternis	popelairii, Discosura	177
58	192	Psephotus 127, 132
Plumbeous Forest-	popelairii, Popelairia	<i>Pseudeos</i> 132
falcon 79	192	Pseudibis10
	Porculla Hermit 189	Pseudochelidon 203
Plumbeous Forest-		Pseudolangrayen
Falcon 79	porcullae, Phaethornis	= .
Plumbeous Hawk 58	189	d'Asie
Plumbeous Kite 57	porphyreolopha,	Pseudoscops163
plumbeus, Micrastur	Musophaga 140	Psittacella 132
79	porphyreolophus,	PSITTACIDAE 105
Plum-crowned Parrot	Gallirex 140	PSITTACIFORMES
128	porphyreolophus,	105
Di ve ferral i suito et	<i>Tauraco</i> 140	Psittacula132, 133,
Plum-faced Lorikeet		134
127	porphyrocephala,	
Plum-headed Parakeet	Glossopsitta 122	Psittacule à double-
133	Porrón pardo 17	oeil de Coxen 120
Poc de Atitlán2	Port Lincoln Ringneck	Psittacule à poitrine
podargina, Pyrroglaux	129	orange 120
161	Porte-lance de Jeanne	Psittacule de
podarginus, Otus . 161	179	Desmarest 134
	Porte-lance de Louise	Psittacule de Salvadori
PODICIPEDIDAE 2		134
PODICIPEDIFORME	179	
s 2	Porte-traîne lesbie 185	Psittacule d'Edwards
Podilymbus2	Porte-traîne nouna185	134
poecilochrous, Buteo	Poule de prairie	Psittacule double-oeil
40	d'Attwater 90	120
poensis, Bubo 150	Powerful Owl 156	Psittaculirostris 134
Poephila 214	Prairie Falcon 73	Psittacus 134
	pretrei, Amazona . 109	Psitteuteles 135
Pohnpei Lorikeet 139		<i>Psittinus</i> 135
Pohnpei Lory 139	pretrei, Phaethornis	<i>Psittrichas</i> 135
Poicephalus 129, 130		
Polemaetus 63	preussi, Ploceus 220	Psittrichas de Pesquet
Polihierax81	prevostii,	135
poliocephalus,	Anthracothorax . 172	Pteridophora226
Accipiter 29	prigoginei, Phodilus	Pteroglossus.199, 200
poliocerca, Eupherusa	142	Pteronetta22
181	Prince Albert's	Pterophanes 192
	Curassow 82	Ptilinopus 102
poliogaster, Accipiter		Ptilope de Marche. 102
29	Prince Ruspoli's	
polionota,	Turaco 141	ptilorhyncus, Pernis 63
Leucopternis 58	princeps, Accipiter . 29	Ptiloris 226
poliopterus, Melierax	princeps, Leucopternis	Ptiloris de Victoria 226
	58	Ptiloris paradis 226
Polyboroides 63	Princess of Wales	Puerto Rican Amazon
7 0.17 0.01 0.10 0.3 111111111 0.3		

110	Purple-naped Lory 125	pyrrhops,
Puerto Rican Emerald	Purple-throated Carib	Hapalopsittaca 123
176	180	pyrrhopterus,
Puerto Rican Parrot	Purple-throated	Brotogeris116
110	Mountain-gem 185	pyrrhopterus,
Puerto Rican Screech-	Purple-throated	Lycocorax 224
Owl 161	Sunangel 182	Pyrrhura135, 136,
pulchella, Charmosyna	Purple-throated	137
119	Woodstar 191	Pytilia214, 215
pulchella, Neophema	Purple-winged	
126	Ground-Dove 99	
pulcher, Calothorax	Purplish Guan83	Q
173	purpurascens,	0 0 10
pulcherrimus,	Penelope 83	Quaker Parakeet 125
Psephotus 132	purpurata, Touit 138	Quebrahantahuesos49
pulchra, Macgregoria	purpurea, Cochoa 203	Quebrantahuesos49
224	Purpureicephalus . 135	Queen Carola's
pulchra, Pionopsitta	pusilla, Glossopsitta	Parotia 226
128	122	Queen of Bavaria's
pullarius, Agapornis	pusillus, Loriculus 124	Conure114
106	pusio, Micropsitta. 125	Queen Victoria's
pullicauda,	PYCNONOTIDAE 203	Riflebird 226
Neopsittacus 126	Pycnonotus 203	Quelea220
<i>Pulsatrix</i> 163	Pygargue à queue	querquedula, Anas .17
Puna Flamingo 11	blanche 49, 51	Quetzal195
Puna Flamingo	Pygargue à tête	Quetzal
Flamingo 11	blanche 52	centroamericano 195
Puna Hawk 40	Pygargue à tête grise	Quetzal resplendissant
Puna Rhea 1	56	
punctatus, Falco 75	Pygargue à ventre	Queue de vinaigre 210
punctulata, Ninox 156	blanc 52	
Punta blanca 195	Pygargue blagre 52	R
Purple Cochoa 203	Pygargue commun . 51	
Purple Guan 83	Pygargue de	Rabihorcado de la
Purple-backed	Madagascar 53	Christmas3
Sunbeam 168	Pygargue de Pallas. 52	Rabihorcado
Purple-backed	Pygargue de Sanford	ventriblanco3
Thornbill 192	52	Rabudito cobrizo 192
Purple-barred Ground-	Pygargue de Steller 52	Rabudito crestado 192
Dove 99	Pygargue empereur 52	Rabudito de raquetas
Purple-bellied Lory 125	Pygargue nain 56	178
Purple-bellied Parrot	Pygargue vocifer 53	Rabudito ventrinegro
139	Pygargue vocifère 53	192
Purple-bibbed	pygargus, Circus46	Rabudito verde 192
Whitetip 195	Pygmy Falcon81	Racket-tailed
Purple-capped Lory	Pygmy Hanging-Parrot	Coquette 178
125	124	radiatum, Glaucidium
Purple-chested	Pygmy Lorikeet 119	151, 153
Hummingbird 170	Pygmy Owl 152	radiatus, Accipiter49
Purple-collared	pyra, Topaza 195	radiatus,
Woodstar 188	Pyréneste ponceau214	Erythrotriorchis49
Purple-crested Turaco	Pyrenestes 214	radiatus, Polyboroides
	Pyrénestes ponceau	63
Purple-crowned Fairy		rafflesii, Megalaima
183	pyrilia, Pionopsitta 128	199
Purple-crowned	pyropygia, Hylocharis	Raggiana Bird-of-
Lorikeet 122	184	paradise 225

	E2	Widowbird 216
raggiana, Paradisaea	53	Red-crested Bustard
225	Red-bellied Conure	
Rainbow Lorikeet . 139	136	96
Rainbow Lory 139	Red-bellied Macaw 112	Red-crested Cardinal
Rainbow Starfrontlet	Red-bellied Parrot 130	207
177	Red-billed19, 82, 104,	Red-crested Turaco
Rainbow-bearded	124, 128, 176, 200,	140
Thornbill 175	204, 211, 222	Red-crowned Amazon
Rajah Scops-Owl . 158	Red-billed Curassow	110
Râle de l'île Lord	82	Red-crowned Barbet
Howe 93	Red-billed Emerald176	199
Râle sylvestre 93	Red-billed Firefinch	Red-crowned Crane 92
RALLIDAE 93	211	Red-crowned Parakeet
RAMPHASTIDAE 199	Red-billed Hanging-	120
ramphastinus,	Parrot 124	Red-crowned Parrot
Semnornis 199	Red-billed Leiothrix	110, 129
Ramphastos 200	204	Reddish Hermit 190
Ramphodon 192	Red-billed Mesia 204	Reddish Scops-Owl
Ramphomicron 192	Red-billed Parrot 128	
ranivorus, Circus 47	Red-billed Starling 222	Reddish-bellied
rapax, Aquila 34	Red-billed Toucan 200	Parakeet 136
rara, Bostrychia9	Red-billed Whistling-	Red-eared Conure 135
rara, Lagonosticta 210	Duck19	Red-eared Parakeet
rara, Lampribis9	Red-billed Wood-Dove	136
raricola, Vidua 222	104	Red-eared Parrotfinch
Rascón de Isla Lord	Red-breasted Conure	209
Howe 93	136	Red-eared Waxbill 210
Rascón de la isla de	Red-breasted Goose	Red-eyed Dove 102
Lord Howe 93	18	Red-faced Lovebird
Ratonero calzado 39	Red-breasted	106
Ratonero común 38	Parakeet 132	Red-faced Parrot 123
Ratonero cuellirrojo 37	Red-breasted Pygmy-	Red-faced Pytilia 214
Ratonero moro 40	Parrot 125	Red-fan Parrot 120
Rayito brillante 168	Red-breasted Toucan	Red-flanked Lorikeet
Razor-billed Curassow	200	119
82	Red-browed Amazon	Red-footed Falcon78
rectirostris,	109	Red-fronted110, 112,
Anthreptes 206	Red-browed Parrot109	115, 119, 120, 129,
recurvirostris,	Red-capped Parrot	138, 214
Avocettula 173	128, 135	Red-fronted Amazon
Red Bird-of-paradise	Red-cheeked	110
225	Cordonbleu 215	Red-fronted Antpecker
Red Cock-of-the-rock	Red-cheeked Parrot	214 Red-fronted Conure
201		
Red Crowned Parakeet	Red-chested Goshawk	115 Red-fronted Kakariki
120	30	
Red Goshawk 49	Red-chested Hawk . 30	120
Red Kite 60	Red-chested Owlet153	Red-fronted Lorikeet
Red Lory 121	Red-chinned Lorikeet	119
Red Shining-Parrot132		Red-fronted Macaw112
Red Siskin 208	Red-collared Lorikeet	Red-fronted Parakeet
Red-and-blue Lory 121	139	120
Red-and-green Macaw	Red-collared	Red-fronted Parrot
	Sparrowhawk 25	129, 138
Red-backed Hawk 40	Red-collared Whydah	Red-fronted Parrotlet
Red-backed Kite 53	216 Red-collared	138
Red-backed Sea Eagle	Red-Collared	.,

Red-headed Dioch 220	Red-throated	rhodocephala,
Red-headed Falcon 70	Caracara 68	<i>Pyrrhura</i> 136
Red-headed Lovebird	Red-throated Lorikeet	rhodocorytha,
106	118	Amazona 109
Red-headed Malimbe	Red-topped Amazon	rhodogaster, Accipiter
217	109	29
Red-headed Merlin. 70	Red-topped Parrot 109	rhodogaster, Pyrrhura
	Red-vented Cockatoo	137
Red-headed Quelea	116	Rhodonessa22
220		Rhodopis192
Red-headed Rockfowl	Red-vented Malimbe	
205	218	Rhynchopsitta137
Red-headed Vulture 64	Red-vented Parrot 128	RHYNOCHETIDAE 93
Red-headed Weaver	Red-whiskered Bulbul	Rhynochetos93
215, 217	203	Ribbon Finch 209
Red-knobbed Hornbill	Red-winged	Ribbon-tailed Astrapia
195	Laughingthrush . 204	222
Red-legged Falconet	Red-winged Parrot 111	Ribbon-tailed Bird-of-
79	Red-winged Pytilia 215	paradise 222
Red-lored Amazon 107	Reed Parrotbill 205	ricordii, Chlorostilbon
Red-lored Parrot 107	reevesii, Syrmaticus	176
Red-masked Conure	89	ridgwayi, Aegolius 145
113	regalis, Buteo 40	ridgwayi, Buteo40
Red-masked Parakeet	regalis, Heliangelus	ridgwayi, Thalurania
	182	194
Red-necked Amazon	Regent Parrot 130	Ring-necked Parakeet
107	regius, Cicinnurus 223	134
Red-necked Buzzard	regulorum, Balearica	Ring-tailed Pigeon99
37	90	riocourii, Chelictinia 42
Red-necked Falcon. 70	reichenowi,	riocourii, Elanus42
Red-necked Parrot 107	Anthreptes 206	River Eagle53
	Relict Gull99	Roadside Hawk 39
Red-rumped Parrot		roboratus, Otus 161
	relictus, Larus 99	roborowskii,
Red-shouldered Hawk	religiosa, Gracula. 222	
39	Resplendent Quetzal	Carpodacus208
Red-shouldered		robusta, Gracula 222
Macaw 112	respublica, Cicinnurus	robustus, Poicephalus
Red-spectacled	223	130
Amazon 109	respublica,	Rock Dove 100
Red-spectacled Parrot	Diphyllodes 223	Rock Eagle-Owl 148
109	reticulata, Eos 121	Rock Parakeet 137
Red-spotted Lorikeet	Reunion Harrier 46	Rock Parrot 126
119	Reunion Marsh-Harrier	Rock Pebbler 130
Red-tailed Amazon107	46	Rock Pigeon 100
Red-tailed Black-	rex, Balaeniceps7	rodericanus,
Cockatoo 117	Rey zamuro 23	Acrocephalus 203
Red-tailed Buzzard. 37	rhami, Lamprolaima	rodericanus, Bebrornis
Red-tailed Comet. 193	185	203
Red-tailed Hawk39,	Rhea1	Rodrigues Brush-
41	RHEIDAE1	Warbler 203
Red-tailed	RHEIFORMES1	Rodrigues Warbler 203
Laughingthrush. 204	Rheinardia 88	Rodriguez Brush-
Red-tailed Parrot . 107	Rheinarte ocellé 88	Warbler 203
Red-thighed Falconet	Rhinoceros Hornbill	Roi des vautours 23
79	198	Rollulus88
Red-thighed Hawk . 26	rhinoceros, Buceros	roratus, Eclectus 120
	198	roseata, Psittacula 134
Red-thighed	Rhizothera 88	Roseate Cockatoo 121
Sparrowhawk 26	Kill2001618	Noseale Cuckatuu 121

Rose-crowned Conure	Trichoglossus 139	rufinus, Buteo40
136	rubinoides, Heliodoxa	rufipectus, Spilornis65
Rose-faced Parrot 128	183	rufipennis, Butastur 36
Rose-grey Dove 102	rubra, Crax82	rufipes, Strix 166
Rose-headed Conure	rubra, Paradisaea. 225	rufitorques, Accipiter
136	rubricata,	29
Rose-headed Parakeet	Lagonosticta 211	rufiventris, Accipiter30
136	rubricauda,	rufiventris,
roseicapilla, Cacatua	Clytolaema 177	Poicephalus130
121	rubriceps, Anaplectes	rufofuscus, Buteo41
roseicapillus, Eolophus	215	rufopicta,
121	rubriceps, Malimbus	Lagonosticta 211
roseicollis, Agapornis	215	Rufous Bristlebird. 204
106	rubricollis, Malimbus	Rufous Crab-Hawk .41
Roselin de Roborowski	217	Rufous Fishing-owl164
208	rubrifrons, Parmoptila	Rufous Fishing-Owl
rosenbergi, Amazilia	214	164
	rubrigularis,	Rufous Hornbill 198
rosenbergii, Tyto . 144	Charmosyna 119	Rufous Hummingbird
roseogrisea,	rubritorques,	193
Streptopelia 102	Anthreptes 206	Rufous Owl 156
Rose-ringed Parakeet	rubritorquis,	Rufous Sabrewing 174
134	Trichoglossus 139	Rufous-banded Owl
	rubrogenys, Ara 112	164
roseus, Phoenicopterus 12	rubronotata,	Rufous-bellied Eagle
Rossignal de David	Charmosyna 119	55
205	Ruby-throated	Rufous-breasted
Rostrhamus 64	Hummingbird 172	Hermit 181
	Ruby-topaz	Rufous-breasted
Rosy-faced Lovebird	Hummingbird 176	Sabrewing 174
106 rothschildi, Astrapia	ruckeri, Threnetes 194	Rufous-capped
	ruckii, Cyornis 204	Thornbill 175
223	rudolfi, Ninox 156	Rufous-cheeked
rothschildi, Leucopsar	rudolni, Ninox 130 rudolphi, Paradisaea	Hornbill 196
theshildi Byronostos		Rufous-cheeked
rothschildi, Pyrenestes	ruecki, Muscicapa 204	Hummingbird 181
214	ruecki, Niltava 204	Rufous-chested
Rougegorge de	•	Sparrowhawk30
Swynnerton 205	rueppellii, Eupodotis	Rufous-crested
Rough-legged Buzzard	96 rueppellii, Gyps 51	Coquette 186
39	rueppellii, Poicephalus	Rufous-fronted
Rough-legged Hawk39	130	Parakeet115
Rouloul à couronne 88	rufa, Ninox 156	Rufous-headed
Rouloul à long bec . 88		Bristlebird 204
Rouloul couronné 88	rufescens, Otus 161	Rufous-headed
Rouloul noir 87	Rufescent Screech-	Hornbill 197
Rouloul ocellé 85	Owl 159	Rufous-legged Owl166
rouloul, Rollulus 88	ruficeps, Chalcostigma	Rufous-necked
Roulroul 88		Hornbill 196
Rousserolle de	ruficollis, Branta 18	Rufous-necked
Rodriguez 203	ruficollis, Micrastur.79	Sparrowhawk 26
Royal Sunangel 182	ruficollis, Rufibrenta18	•
ruber, Eudocimus 9	ruficrissa, Urosticte	Rufous-rumped
ruber, Phaethornis 190		Seedeater 207
ruber, Phoenicopterus	ruficrista, Eupodotis	Rufous-shafted
		Woodstar174 Rufous-tailed Hawk 41
rubicunda, Grus 92	ruficrista, Lophotis . 96	
rubiginosus,	rufigularis, Falco 75	Rufous-tailed

Hummingbird 171 Rufous-tailed Pheasant 86 Rufous-thighed Hawk	Sagittarius	Santa Marta Sabrewing 174 Santa Marta Woodstar
Sapphire 184 Rufous-vented Whitetip 195	Saint Vincent Amazon108 Saint Vincent Parrot	
Rufous-webbed Brilliant 182	108 saisseti,	Saphir à oreilles blanches184
Rufous-winged Buzzard 36	<i>Cyanoramphus</i> 120 Saker	Saphir à queue d'or 184
Rufous-winged Buzzard-Eagle 36	Saker Falcon70 Salmon-crested	Saphir azuré 184 Saphir de Xantus . 184
rufus, Campylopterus 174	Cockatoo 117 salvadorii,	Saphir d'Elicia 184 Saphir embrasé 184
<i>rufus, Selasphorus</i> 193 Ruiseñor del bambú	Psittaculirostris . 134 salvini, Chlorostilbon	Saphir oenome 176 Saphir ulysse 184
		Sapphire-bellied Hummingbird 185
rupicola, Pyrrhura 137	Samar Tarictic Hornbill 199	Sapphire-rumped
rupicola, Rupicola 201 rupicoloides, Falco . 76	samarensis,	Parrotlet
rupurumii, Phaethornis 190	Penelopides 199 sanchezi, Glaucidium	Emerald 170 Sapphire-throated
rushiae, Pholidornis 214	sanctaecatarinae,	Hummingbird 185 Sapphire-vented
ruspolii, Tauraco 141 russatus,	Otus 162 sanctithomae,	Puffleg179 sapphirina, Hylocharis
Chlorostilbon 176 Russet Boobook 155	Brotogeris 116 Sandhill Crane 91	184 sapphiropygia,
Russet Hawk-Owl 155 rusticolus, Falco 76	sandvicensis, Branta 18	Eriocnemis 179 Sappho193
Rusty-barred Owl163, 165	sandvicensis, Nesochen18	Sarcelle à oreillons . 21 Sarcelle aptère 14
Rusty-faced Parrot123 Rusty-naped Pitta 202	Sandy Scops-Owl. 159 sanfordi, Haliaeetus 52	Sarcelle brune14 Sarcelle de Bernier . 14
rutila, Amazilia 170 rutilus, Otus 161	Sangihe Hanging- parrot 124	Sarcelle de Laysan .16 Sarcelle de
Ryukyu Scops-Owl158 Ryukyu Serpent-Eagle	Sangihe Hanging- Parrot 124	Madagascar14 Sarcelle de Nouvelle-
64	Sangihe Scops-Owl	Zélande14 Sarcelle d'été17
S	sanguinea, Cacatua 117	Sarcelle d'hiver15 Sarcelle du Cap14
Sacred Ibis 11	Sansonnet de Rothschild 222	Sarcelle élégante 16
Saddlebill Stork 8 Saddle-billed Stork 8	Santa Barbara Screech-owl 158	Sarcelle formose 16 Sarcelle malgache de
Saffron Toucanet . 199 Saffron-cowled	Santa Barbara Screech-Owl 158	Bernier14 Sarcelle terrestre des
Blackbird 208 Saffron-headed Parrot	Santa Marta Conure	îles Auckland14 Sarcidiorne à crête.22
	137 Santa Marta Parakeet 137	Sarcogyps
		,

	i-tilla Colombonic	Senegal Firefinch . 211
Sarkidiornis 22	scintilla, Selasphorus	
Sarus Crane 91	193	Senegal ondulé 210
sasin, Selasphorus 193	Scintillant	Senegal Parrot 130
Satyr Tragopan 90	Hummingbird 193	senegala,
satyra, Tragopan 90	Scissor-tailed	Lagonosticta 211
saucerrottei, Amazilia	Hummingbird 184	senegalensis,
171	Scissor-tailed Kite 42	Ephippiorhynchus8
Savanna Hawk 41	scitulus, Trochilus 195	senegalensis,
	sclateri, Forpus 122	Eupodotis96
savilei, Eupodotis 96		senegalensis, Otus162
savilei, Lophotis 96	sclateri, Lophophorus	senegalensis,
Saw-billed Hermit 192	86	
Saw-whet Owl 144	sclateri, Loriculus. 123	Streptopelia 103
Scaled Metaltail 187	SCOLOPACIDAE 98	Sénégali brun à
Scale-throated Hermit	Scops géant de	ventre blanc 213
189	Guerney 154	Sénégali brun à
Scaly-breasted	Scops Owl 162	ventre roux 213
Hummingbird 189	scops, Otus158, 160,	Sénégali nègre 213
Scaly-breasted	161, 162	Sénégali nègre à front
	Scotopelia 164	jaune 213
Lorikeet 138		Sénégali sanguin 215
Scaly-fronted Weaver	scriptus, Elanus 48	Sénégali vert 213
221	scutatus, Augastes173	
Scaly-headed Parrot	scutatus, Malimbus	Sénégali vert à joues
128	218	blanches 213
Scaly-naped Amazon	scutulata, Cairina19	senegalus,
109	scutulata, Ninox 156	Poicephalus 130
Scaly-naped Parrot	Secrétaire des	senilis, Pionus128
109	serpents68	seniloides, Pionus. 128
scandiaca, Nyctea 157	Secretario68	sephaniodes,
scapularis, Alisterus	Secretarybird 68	Sephanoides 193
106	Secretary-bird 68	Sephanoides 193
	seductus, Otus 159	sericea,
Scarlet Cock-of-the-		Loboparadisea 224
rock 201	sefilata, Parotia 226	sericeus, Sturnus . 222
Scarlet Ibis9	Selasphorus . 172, 193	
Scarlet Macaw 112	Selenidera 200	Serin à croupion blanc
Scarlet-breasted	Seleucidis 227	208
Lorikeet 139	seloputo, Strix 166	Serín culiblanco 208
Scarlet-chested Parrot	Semicollared Hawk. 25	Serin de Mozambique
126	Semi-collared Hawk 25	209
Scarlet-fronted	Semi-collared	Serin du Mozambique
Parakeet 115	Sparrowhawk 25	209
Scarlet-hooded Barbet	semilarvata, Eos 121	Serin gris à tête
199	Semioptera 227	blanche 208
Scarlet-shouldered	semiplumbea,	Serín mofletudo 208
	Leucopternis 58	Serin ouest-africain
Parrotlet 138		208
Sceloglaux 163	Semiplumbeous Hawk	Serinus 208, 209
schalowi, Tauraco 141	58	
scheepmakeri, Goura	semitorquata,	Serpentaire47, 49,
101	Streptopelia 102	64, 65, 68
scheffleri, Glaucidium	semitorquatus,	Serpentaire bacha64
153	<i>Micrastur</i> 79	Serpentaire de
schistacea,	semitorquatus,	Madagascar49
Leucopternis 58	Polihierax81	Serpentaire des
schleiermacheri,	Semnornis 199	Andaman64
Polyplectron 88	Senegal Bustard 96	Serpentaire des
	Senegal Combassou	Célèbes65
schreibersii, Heliodoxa		Serpentaire des
	221	Kinabalu65
schuettii, Tauraco 141	Senegal Dove 103	Killabala

Serpentaire des	sieboldii, Treron 104	95
Nicobar 65	siemsseni,	Sisón negro95
Serpentaire des	Latoucheornis 207	Sisón negro aliclaro 95
Philippines 64	Sierra Parakeet 115	Sisón negro alioscuro
Serpentaire du Congo	Siffleuse de la Trinité	95
47	84	Sisón senegalés 96
Serpentario 68	Sifilet d'Arfak 226	Sisón somalí95
•	Sifilet de Carola 226	Sisón ventrinegro95
serpentarius,	Sifilet de Lawe 226	Sisón ventrinegro
Sagittarius 68	Sifilet de Wahnes. 226	común95
serrirostris, Colibri 178		
Seven-colored	Sifilet d'Hélène 226	Sisón ventrinegro de
Parrotlet 138	Siju 153, 159	Hartlaub95
Seven-colored	Siju cotunto 159	Sitagra de Pelzeln 220
Tanager 207	siju, Glaucidium 153	Sitelle géante 206
severa, Ara 113	Sijucito 153	Sitragra chico común
Severe Macaw 113	Silbón Europeo 16	219
severus, Falco 76	Silfo celeste 169	<i>Sitta</i> 206
Seychelles Kestrel 69	Silfo colilargo 169	Sittelle géante 206
Shama à croupion	Silfo colivioleta 169	SITTIDAE 206
blanc 203	Silfo de King 169	Six-plumed Parotia
Sharp-shinned Hawk	Silky-Crow 224	226
30	Silver-eared Mesia 204	sjostedti, Glaucidium
shelleyi, Bubo 150	silvicola, Otus 162	153
Shikra 24	Simeulue Scops-Owl	Slate-colored Hawk 58
Shining Sunbeam 168	163	Slaty Bunting 207
Shining-green	Simeulue Serpent-	Slaty-backed Forest-
Hummingbird 185	Eagle 64	Falcon79
Shoebill7	simoni, Selasphorus	Slaty-backed
Short-billed Black-	193	Goshawk27
	simplex, Geoffroyus	Slaty-headed Parakeet
Cockatoo 118		
Short-crested		133
Coquette 186	Singing Parrot 122	Slaty-mantled
Short-eared Owl 146	sintillata, Chalcopsitta	Sparrowhawk27
Short-tailed Albatross		Slender Sheartail . 178
3	sirintarae,	Slender-billed Black-
Short-tailed Emerald	Eurochelidon 203	cockatoo118
176	sirintarae,	Slender-billed Black-
Short-tailed Green	Pseudochelidon . 203	Cockatoo 118
Magpie 227	Sisón 95, 96, 97	Slender-billed Conure
Short-tailed Hawk 37	Sisón azul 95	121
Short-tailed Magpie	Sisón azulado 95	Slender-billed Curlew
227	Sisón bengali95	98
Short-tailed	Sisón común 97	Slender-billed Kite64
Paradigalla 225	Sisón de Damaraland	Slender-billed
Short-tailed Parrot 123	96	Parakeet 121
Short-tailed Woodstar	Sisón de Hartlaub 95	Slender-billed Weaver
188	Sisón de penacho 95	220
Short-toed Eagle 43	Sisón de Rüppell 96	Slender-tailed
Short-toed Snake-	Sisón de Vigors96	Woodstar 188
Eagle 43	Sisón del karroo 96	Small Serpent-Eagle
Shoveler14	Sisón indio95	64, 65
Siamese Fireback 86	Sisón moñirrojo 96	Small Sparrowhawk 28
Siberian Crane 92	Sisón moñudo austral	Smaller Banded
Siberian White Crane	96	Snake-Eagle42
92	Sisón moñudo de	Smaller Cock-of-the-
Sichuan Wood-owl 165	saheliano96	rock201
Sichuan Wood-Owl165	Sisón moñudo etiope	
Sichuan Wood-Owi105	Sison monado edope	Snail Kite64

Snow Crane 92	rouge 206	<i>Speotyto</i> 164
Snowcap 188	Souimanga d'Amani	Spermète à bec bleu
Snowy Owl 157	206	211
Snowy-breasted	Souimanga de	Spermète nonnette
Hummingbird 170	Reichenow 206	212
sociabilis, Rostrhamus	soumagnei, Tyto 144	Spermète pie 212
	South African	Spermophaga 215
	Crowned Crane 90	SPHENISCIDAE2
Sokoke Scops-owl 159		SPHENISCIFORMES
Sokoke Scops-Owl 159	Southern Bald Ibis 9	
Solangel de gorguera	Southern Banded	2
182	Snake-eagle 43	Spheniscus2
Solangel gorjiamatista	Southern Banded	sphenurus, Haliastur
182	Snake-Eagle 43	53
Solangel gorjipurpura	Southern Black-	spilocephalus, Otus
182	throated Finch 214	157, 162
Solangel turmalino182	Southern Boobook 155	spilogaster,
solitarius, Buteo 41	Southern Caracara.81	Hieraaetus56
solitarius,	Southern Cassowary 2	spilonotus, Circus47
Harpyhaliaetus 54	Southern Crowned-	Spilornis 64, 65
solitarius, Phigys . 127	pigeon 101	spixii, Cyanopsitta 119
solitarius, Tinamus2	Southern Crowned-	Spizaetus58, 62, 65,
Solitary Eagle 54	Pigeon 101	66, 67
Solitary Tinamou 2	Southern Helmeted	<i>Spizastur</i> 66
	Curassow83	Spiziapteryx81
soloensis, Accipiter 30	Spangled Coquette	splendens, Prosopeia
Solomon Fish-Eagle 52		_
Solomon Hawk-Owl		
155	Spanish Imperial	Splendid Astrapia. 223
Solomon Islands	Eagle31	Splendid Grass-
Boobook 155	sparganura, Sappho	Parakeet 126
Solomon Sea-Eagle 52		splendida, Neophema
solomonensis, Nesasio	Sparkling Violet-ear	126
154	177	splendidissima,
solomonis, Ninox . 157	Sparkling-tailed	<i>Astrapia</i> 223
solstitialis, Aratinga	Barbthroat 195	Spoonbill10
114	Sparkling-tailed	Sporophila 207
Sombre Hummingbird	Hummingbird 195	Sporophile à croupion
172	Sparrowhawk26, 27,	roux 207
Somormujo de Atitlán	28, 48	Sporophile à front
2	sparverius, Falco76	blanc 207
Somormujo del lago	Spatule blanche 10	Sporophile de
Atitlán 2	Speckled Boobook 156	Temminck 207
sonneratii, Gallus 85	Speckled Hawk-Owl	Sporophile des marais
Sooty Barbthroat . 194	156	207
Sooty Eagle-Owl 149	Speckled	Sporopipe quadrillé
Sooty Falcon 71	Hummingbird 168	221
Sooty Owl 144	Speckled Pigeon 99	<i>Sporopipes</i> 221
Sooty-backed Hawk-	Speckled Rock Pigeon	Spot-backed Weaver
Owl 156	99	219
Sooty-capped Hermit		
	Speckle-fronted	Spot-bellied Eagle-owl
189 sordida, Pitta 202	Weaver 221	149
	spectabilis,	Spot-bellied Eagle-Owl
sordidus, Cynanthus	Dryotriorchis47	149
	Spectacled Owl 163	Spot-billed Pelican3
sordidus, Pionus 128	Spectacled Parrotlet	Spot-billed Toucanet
sororcula, Tyto 144	121	200
Souchet14	spencei, Heliangelus	Spot-breasted Ibis9
Souimanga à col	182	Spot-tailed Goshawk

31	Stellula193	Odontophorus87
Spot-tailed	stenura, Chlorostilbon 176	Struthio1 STRUTHIONIFORME
Sparrowhawk 31 Spotted Cotinga 201	stephaniae, Astrapia	S1
Spotted Eagle 32, 148	223	stuarti, Phaethornis
Spotted Eagle-Owl 148	Stephanoaetus 67	190
Spotted Greenshank	Stephanoxis 193	Sturnella 208 Sturnelle des pampas
99 Spotted Harrier 44	stepheni, Vini 139 Steppe Eagle 33, 34	208
Spotted Harrier 73	Sternoclyta 193	STURNIDAE 222
Spotted Little Owl 147	stictolophus,	Sturnus 222
Spotted Marsh-Harrier	Lophornis 187	stygia, Lonchura 212
47 Spotted Owl. 147, 166	Stictonetta 22 Stictonette tachetée22	Stygian Owl 147 stygius, Asio 147
Spotted Owlet 147	stictoptera, Touit . 138	subbuteo, Falco76
Spotted Scops-Owl	stigmatus, Loriculus	subcristata, Aviceda36
162	124	subflava, Amandava
Spotted Wood-Owl166	stolzmanni,	209 subflava, Estrilda . 209
Spotted-backed Harrier47	Oreotrochilus 188 stormi, Ciconia8	subflavus,
Spot-throated	Straight-billed Hermit	Sporaeginthus 209
Hummingbird 186	189	subniger, Falco77
Spot-winged Falcon 81	Straw-crowned Bulbul	subochraceus,
Spot-winged Falconet	203 Straw-headed Bulbul	Phaethornis 191 subruficollis, Aceros
Spot-winged Parrotlet	203	196
138	Streaked Lorikeet 118	subruficollis,
spurius,	Streamertail 195	Rhyticeros 196
Purpureicephalus135 Spur-winged Goose 21	strenua, Aratinga. 114 strenua, Ninox 156	subtilis, Buteogallus41 Subtropical Pygmy-
squalidus, Phaethornis	Streptopelia102, 103,	Owl152
190	104	Suirirí bicolor20
squamata, Eos 121	Striated Caracara80	Suirirí cariblanco20
squamipila, Ninox 156	Striated Lorikeet 118 Striated Scops Owl158	Suirirí leonado20 Suirirí piquirrojo19
squamosus, Heliomaster 183	Striated Scops OWI 30	Suirirí yaguaza 19
Square-tailed Kite 58	158	Sula Barn-Owl 144
Sri Lanka Hanging-	striatus, Accipiter25,	Sulawesi Dwarf
Parrot 123 St Lucia Amazon 110	26, 30, 31 STRIGIDAE 144	Hornbill 198 Sulawesi Goshawk27
St Vincent Amazon	STRIGIDAE 144 STRIGIFORMES . 142	Sulawesi Hanging-
108	strigirostris,	Parrot 124
St. Lucia Amazon. 110	Didunculus 101	Sulawesi Hawk-eagle
St. Lucia Parrot 110	Strigops kakana 137	Sulawasi Hawk Fagla
St. Vincent Parrot 108 Stachyris 205	Strigops kakapo 137 striigularis,	Sulawesi Hawk-Eagle66
Standardwing 227	Phaethornis 190	Sulawesi Hornbill . 198
Standard-wing Bird-	Stripe-breasted	Sulawesi Owl 144
of-paradise 227	Starthroat 183	Sulawesi Scops-Owl
Stanley Bustard 97 Stanley Crane 92	Striped Owl 145 Stripe-tailed	160 Sulawesi Serpent-
Stanley Parakeet . 129	Hummingbird 180	Eagle65
stanleyi, Chalcostigma	Strix164, 165, 166,	Sulawesi Tarictic
175	167	Hornbill 198
Steely-vented	strophianus, Heliangelus 182	Sulawesi Wrinkled Hornbill 195
Hummingbird 171 steerii, Pitta 202	Heliangelus 182 strophium,	sulfuratus,
	,	

Ramphastos 200 SULIDAE 3 Sulphur-crested Cocatoo 116	Hummingbird 180 Swallow-tailed Kite 47 Swamp Harrier 44 Swamp Parakeet 127	Tanimbar Owl 144 Tantale blanc9 Tantale indien9 Tantale italien9
Sulphur-crested Cockatoo 116	Swift Parrot 123 swindernianus,	Tántalo Indio9 Tanygnathus137
sulphurea, Cacatua 117 Sulphur-winged	Agapornis 106 swinhoii, Lophura 87 Sword-billed	Taphrolesbia193 Taphrospilus194 taranta, Agapornis 106
Parakeet 136 Sulu Hornbill 198	Hummingbird 179 swynnertoni, Pogonocichla 205	tarda, Otis97 Tarictic Hornbill198, 199
Sumatran Pheasant 86 sumatranus, Bubo 150 sumatranus,	swynnertoni, Swynnertonia 205	Tarin de Yarell 208 Tarin rouge du
Tanygnathus 137 Sumba Boobook 156 Sumba Hornbill 196	Swynnertonia 205 sybillae, Lampornis 185	Venezuela208 Tarro crestado22 Tasmanian Masked-
Sumba Wreathed Hornbill 196 Sun Conure 114	Sylphe à queue d'azur 169 Sylphe à queue	Owl
Sun Parakeet 114 Sunda Hawk-Eagle. 65	violette 169 sylvestris, Gallirallus	Tatin rouge du Venezuela208 Tauraco140, 141
Sunda Pied Hornbill197 Sunda Scops-Owl 157	sylvestris, Tricholimnas 93	Tawny Eagle34 Tawny Fish-owl153
Sunda Wrinkled Hornbill 196 sunia, Otus 162	Syrmaticus89 syrmatophorus, Phaethornis 191	Tawny Fish-Owl 153 Tawny Owl 165 Tawny Wood-Owl . 165
Superb Bird-of- paradise 224 Superb Parrot 130	T	Tawny-bellied Hermit191 Tawny-bellied
superba, Lophorina 224	tabuensis, Prosopeia 131, 132	Screech-Owl 163 Tawny-browed Owl163
superciliaris, Ninox 156 superciliosa, Ophrysia	tachardus, Buteo 39 Tachira Emerald 170 Táchira Emerald 170	Tchitrec des Mascareignes 205
superciliosus, Accipiter30	tachiro, Accipiter30 taczanowskii,	Tchitrec du Japon. 205 Teal 14, 15 Tecolote barbudo . 158
superciliosus, Pachyphantes 218	Leucippus186 Tadorna22 Tadorne de Corée 22	Tecolote bigotudo. 163 Tecolote flameado 159 Tecolote occidental
superciliosus, Phaethornis 191 superciliosus,	Tahitian Lorikeet 139 Taita Falcon72 Talégalo de Wallace 82	159 Tecol <i>o</i> te oriental 157
Plocepasser 218 superciliosus, Ploceus 218	Talégalo maleo 81 Taliabu Masked-owl	Tecolote-abetero norteño 144 Tecolotito común . 151
surda, Touit 138 Surnia 167 swainsoni, Buteo 41		Tecolotito del cabo 151 Tecolotito enano 154 Tecolotito serano . 151
swainsonii, Chlorostilbon 176	Taliabu Owl 144 Tambourine Dove 105 Tangara 207	teesa, Butastur36 Teita Falcon72 Tejedor bruñido de
swainsonii, Gampsonyx49 swainsonii, Polytelis	Tángara fastuosa . 207 Tanimbar Cockatoo 116	Wilson222 Tejedor bruñido
130 Swallow-tailed	Tanimbar Corella . 116	verdoso 221 Tejedor cabecinegro

		Tisserin à tête rousse
Tejedor cogullado 219	theresiae, Polytmus 192	220 Tisserin coucou 216
Tejedor cuellinegro		
220	Thick-billed Parrot 137	Tisserin covcau 216
Tejedor de Heuglin219	Thick-billed Weaver	Tisserin de Maxwell
Tejedor naranja 218	215	218
Tejedor negro	Threnetes 181, 194	Tisserin de Pelzeln 220
albinuca 218	Threskiornis 11	Tisserin de Preuss 220
Tejedor negro de	THRESKIORNITHID	Tisserin écarlate 215
Vieillot 219	AE 9	Tisserin gendarme 219
Tejedor pardal	Tibet Owlet 147	Tisserin gros-bec 218
capirotado 218	Tibetan Crane 92	Tisserin masqué 219
Tejedor picogordo 215	Tibetan Eared-	Tisserin minule 219
Tejedor rollizo 218	pheasant85	Tisserin minulle 219
Tejedor tricolor 220	Tibetan Eared-	Tisserin nain 220
Tejedor velado 220	Pheasant 85	Tisserin noir . 218, 219
Tejedorcito punteado	Tibetan Rosefinch 208	Tisserin noir de
221	Tibetan Snowcock 89	Maxwell218
temminckii, Tragopan	tibetanus,	Tisserin noir de
90	Tetraogallus89	Vieillot 219
tenebricosa, Tyto. 144	tibialis, Lorius 125	Tisserin orangé 218
tener, Loriculus 124	tickelli, Anorrhinus 197	Tisserin tricolore 220
tenuirostris, Cacatua	Tijereta	Tisserin vitellin 220
117	centroamericana 178	Tit-hylia 214
tenuirostris, Numenius	Tijereta nortena 173	Tiuque cordillerano
98	Tijereta Oaxaquena	austral80
tephronotum,	173	tobaci, Amazilia 171
Glaucidium 153	Tijereta yucateca . 178	Toco Toucan 200
Tepui Goldenthroat	Tilingo cuellinegro 199	toco, Ramphastos 200
191	Tilingo limón 200	Tococo12
Tepui Parakeet 126	<i>Tilmatura</i> 195	Tocro à miroir87
Tepui Parrotlet 126	Tilopo de Marche . 102	Togo Paradise-
Terathopius 67	Timalie de Whitehead	Whydah 222
Terpsiphone 205	205	togoensis, Vidua 222
terrisi, Rhynchopsitta	Timor Red-winged	Tooth-billed
137	Parrot 111	Hummingbird 171
Tétraogalle de Perse	Timor Sparrow 214	Tooth-billed Pigeon
89	TINAMIDAE2	101
Tétraogalle du Tibet89	TINAMIFORMES 2	Topacio candela
Tetraogallus 89	Tinamou solitaire 2	colicanelo 195
Tétras cupidon	Tinamu grande2	Topacio candela
d'Attwater 90	Tinamu macuco 2	colimorado 195
Tétras des neiges de	Tinamú solitario2	Topacio carmesi 195
la Caspienne 89	Tinamus2	Topacio fuego 195
Tétras des neiges du	tinnunculus, Falco 77	Topaza 195
Tibet 89	Tiny Hawk30	Tordo amarillo 208
Tetrax 97	Tiny Sparrowhawk . 30	Tordo de cabeza
tetrax, Otis 97	tirica, Brotogeris 116	amarilla 208
tetrax, Tetrax 97	Tisserin à ailes rouges	Torgos 64, 67
Tétrogalle de la		torquata, Coeligena
Caspienne 89	Tisserin à cou noir 220	177
thalassina, Cissa 227	Tisserin à dos doré220	Torquéole à poitrine
thalassinus, Colibri178	Tisserin à lunettes 220	brune84
Thalurania 194	Tisserin à tête noire	Torquéole à poitrine
Thaumastura 194		châtaine84
theomacha, Ninox 156	Tisserin à tête rouge	Torquéole de Gingi.84
theresiae, Metallura	220	Torquéole de Merlin 84

Torquéole de Sumatra	Toui de Deville 115	102
84	Toui de Huet 138	Tourtelette
Torquéole des bois. 84	Toui de Sclater 122	tambourette 105
torridus, Selasphorus	Toui de Spix 122	Tourterelle à collier
193	Toui des tépuis 126	102
Tórtola común 103	Toui d'Orbigny 115	Tourterelle à masque
Tórtola del Senegal	Touí du Costa Rica 138	de fer102
	Toui du Mexique 122	Tourterelle à tête
Tórtola engañosa. 102	Toui été122 Toui flamboyant 116	bleue 105 Tourterelle des bois
Tórtola Reidora 103 Tórtola rizum 102	Toui para 115	103
Tórtola rosigris 102	Toui tacheté 138	Tourterelle des
Tórtola senegalesa103	Toui tirica 116	palmiers 103
Tórtola tamborilera	Touit 138	Tourterelle du Cap 102
105	Touraco à bec noir 141	Tourterelle maillée 103
Tórtola vinosa 104	Touraco à gros bec	Tourterelle masquée
Toucan à bec noir 199	141	102
Toucan à bec rouge	Touraco à huppe	Tourterelle pleureuse
200	_ blanche 141	102
Toucan à capuchon	Touraco à huppe	Tourterelle rieuse. 102
	pourprée 140	Tourterelle tambourette 105
Toucan à carène 200	Touraco à huppe	Tourterelle vineuse
Toucan à gorge jaune et blanche 200	splendide 140 Touraco à huppe	104
Toucan à ventre rouge	violette 140	toussenelii, Accipiter
200	Touraco à joues	30
Toucan ariel 200	blanches 141	toxopei, Charmosyna
Toucan barbet 199	Touraco de	119
Toucan Barbet 199	Bannerman 140	tracheliotus, Aegypius
Toucan bleu 199	Touraco de Fischer140	67
Toucan de Baillon 199	Touraco de Hartlaub	tracheliotus, Torgos 67
Toucan toco 200	140	<i>Tragopan</i> 89, 90
Toucanet à bec	Touraco de	Tragopan à tête noire
tacheté 200	Livingstone 141	89
Toui à ailes jaunes 115	Touraco de Ruspoli	Tragopán arlequin89
Toui à ailes variées 116	141 Touraco de Schalow	Tragopán arlequín89 Tragopán cariazul90
Toui à bandeau jaune		Tragopán chino89
115	Touraco doré 140	Tragopan de Blyth89
Toui à dos noir 138	Touraco géant 139	Tragopán de Blyth89
Toui à front bleu 138	Touraco gris 140	Tragopán de cabeza
Toui à front d'or 116	Touraco louri 140	negra89
Toui à front roux . 115	Touraco lourie 140	Tragopan de Cabot.89
Toui à lunettes 121	Touraco pauline 140	Tragopán de Cabot.89
Toui à menton d'or	Touraco vert 140, 141	Tragopan de Hastings
	Touraco vert d'Afrique	89
Toui à queue d'or. 138	du Sud 140	Tragopan de
Toui à queue pourprée138	Touraco violet 140 Tourmaline Sunangel	Molesworth89 Tragopan de
Toui à sept couleurs	182	Temminck90
138	Tourtelette	Tragopán dorsigrís .89
Toui à tête jaune . 122	améthystine 104	Tragopan occidental89
Toui aymara 115	Tourtelette	Tragopán occidental89
Toui catherine 115	d'Abyssinie 104	Tragopan oriental89
Toui céleste 121	Tourtelette demoiselle	Tragopán oriental89
Toui de Achille 126	105	Tragopán sátiro90
Toui de D'Achille 126	Tourtelette masquée	Tragopan satyre90

Traro 81	tucumana, Amazona	tympanistria, Turtur
Travailleur à tête	109	105
rouge 220	Tucusito amatista 173	tympanistria,
Treron 104	Tucusito cabeza azul	Tympanistria 105
Triangular-spotted	184	Tympanuchus90
Pigeon 99	Tucusito garganta	typus, Polyboroides 63
Trichoglossus135,	rosa 174	tyrannus, Spizaetus 66
138, 139	Tucusito moradito 194	Tyrant Hawk-Eagle.66
trichopsis, Otus 163	Tucusito pico curvo	Tyrian Metaltail 188
Triclaria 139	185	tyrianthina, Metallura
	Tucusito rubí 176	188
tricolor, Ploceus 220		Tite 142 142 144
Trigonoceps 67	Tucuso de Barba 194	Tyto 142, 143, 144
<i>Tringa</i> 99	Tufted Coquette 187	TYTONIDAE 142
Trinidad Piping-Guan	Tufted Jay 227	tzacatl, Amazilia 171
84	Tui Parakeet 116	
Trinidad White-headed	Tumbes Hummingbird	
Curassow 84	185	U
Trinidad White-headed	tumultuosus, Pionus	
		Uelle Paradise-
Piping Guan 84	128	Whydah 221
trinotatus, Accipiter 31	Tunqui 201	ultramarina, Vidua 221
trivirgatus, Accipiter	Turaco azul 140	
31	Turaco capucha-	ultramarina, Vini 139
TROCHILIDAE 168	blanca 141	Ultramarine Lorikeet
<i>Trochilus</i> 195	Turaco capucha-	139
troglodytes, Estrilda	franjeada 141	Ultramarine Lory 139
		ulula, Surnia167
210	Turaco capucha-verde	umbra, Otus 163
Trogon couroucou 195	de Guinea 141	Umbrella Cockatoo116
TROGONIDAE 195	Turaco crestivioleta	uncinatus,
TROGONIFORMES	140	
195	Turaco de Bannerman	Chondrohierax42
Tropical Screech-Owl	140	underwoodii, Ocreatus
158	Turaco de Crin	188
Trumpet Manucode	occidentale 140	undulata, Chlamydotis
	Turaco de Fischer. 140	94
		undulatus, Aceros 197
Trumpetbird 225	Turaco de Schalow141	undulatus, Rhyticeros
Tucán de pico	Turaco de Schuett 141	
acanalado 200	Turaco gigante 139	197 unicincta, Columba
Tucán de pico verde	Turaco persa 141	uniciricta, columba
200	Turaco sudafricano	101
Tucán grade 200	140	unicinctus, Parabuteo
Tucán grande 200	Turacoena104	62
Tucán pico multicolor	Turdus206	unicolor,
Tucán pico-multicolor		Cyanoramphus 120
200	Turquoise Grass-	unicornis, Crax83
Tucán piquirrojo 200	Parakeet 126	unicornis, Pauxi83
Tucán rojo y amarillo	Turquoise Parrot 126	
200	Turquoise-fronted	Unspotted Saw-whet
Tucán tilingo 199	Parrot 106	Owl145
Tucán verde 200	Turquoise-throated	Upland Buzzard38
Tucancito	Puffleg 179	Uraeginthus215
picomaculado 200	Turtle Dove 103	Ural Owl 166
		uralensis, Strix165,
Tucán-Tilingo verde	Turtur 104, 105	166
199	turtur, Streptopelia	<i>Urochroa</i> 195
tucanus, Ramphastos	103	
200	Twelve-wired Bird-of-	urochrysia, Chalybura
tucinkae, Eubucco 199	paradise 227	175
Tucuman Amazon 109	Twenty-eight Parakeet	<i>Uroglaux</i> 167
Tucuman Parrot 109	129	<i>Urosticte</i> 195

Urotriorchis	ventralis, Accipiter . 31 ventralis, Amazona	Pigeon
V	Owl 163	vigil, Rhinoplax 198
varia, Strix 165, 167 varia, Tangara 207 Variable Goshawk 29 Variable Hawk 40 Variable Mountaingem 185 Variable Screech-Owl 157 Varied Lorikeet 135 variegata, Ninox 157 varius, Psephotus 132 Vasa géant 119 Vasa, Coracopsis 119	vermiculatus, Otus163 Vernal Hanging-Parrot	vigorsii, Eupodotis96 Village Indigobird221 Village Weaver219 villaviscensio, Campylopterus174 vinacea, Amazona 110 vinacea, Lagonosticta
Vautour à tête	Trichoglossus 135 Versicolored Emerald	Vinaceous Parrot 110 Vinaceous Waxbill 211
blanche 67	171	Vinago Japonés 104
Vautour africain 50	versicolurus,	Vinago obeng 104
Vautour charognard 61 Vautour chassefiente	Brotogeris . 115, 116 verticalis, Prioniturus	Vinago waalia 104 vindhiana, Aquila34
Vautour chaugoun . 50	131 Vervain Hummingbird	Vini139 Vinous-breasted
Vautour de l'Himalaya	187	Sparrowhawk29
51	vesper, Rhodopis . 192	viola, Heliangelus. 182
Vautour de Rüppell 51 Vautour fauve 50	vespertinus, Falco78	violacea, Musophaga
Vautour huppé 67	vestitus, Eriocnemis	140 Violet Plantain-eater
Vautour indien 51	180 vetula, Ortalis 83	140
Vautour moine 31	Veuve217, 221, 222	Violet Sabrewing 174
Vautour oricou 67	Veuve à collier d'or	Violet Turaco 140
Vautour page 23	221	Violet-bellied
Vautour percnoptére 61	Veuve à dos d'or 217	Hummingbird 178
Vautour percnoptère	Veuve à queue large	Violet-capped Hummingbird 181
61	221 Veuve de Jackson 217	Violet-capped
Vautour royal 23, 64	Veuve dominicaine221	Woodnymph 194
velatus, Ploceus 220	Veuve du Togo 222	Violet-chested
Velvet-browed Brilliant 183	Veuve nigérienne. 221	Hummingbird 193
Velvet-crowned	Veuve paradisier 221 Veuve-noire 216	Violet-crested Turaco140
Brilliant 183	Victoria Crowned-	Violet-crowned
Velvet-purple Coronet	pigeon 101	Hummingbird 171
173	Victoria Crowned-	Violet-fronted Brilliant

183	Vo Quy's Pheasant . 86	208
Violet-headed	vocifer, Haliaeetus . 53	West Indian Tree-
Hummingbird 184	vociferoides,	Duck19
Violet-necked Lory 121	<i>Haliaeetus</i> 53	West Indian
		Whistling-duck 19
Violet-tailed Sylph 169	Volcano Hummingbird	
Violet-throated	193	West Indian
Metaltail 187	Vorabé 216	Whistling-Duck19
Violet-throated	vosseleri, Bubo 150	West Peruvian
Starfrontlet 177	<i>Vultur</i> 23	Screech-Owl 161
violiceps, Amazilia 171	vulturina, Gypopsitta	Western Black-capped
violiceps, Goldmania	123	Lory 125
	Vulturine Fish-Eagle50	Western Bluebill 215
	_	
violifer, Coeligena 177	Vulturine Parrot123,	Western Bristlebird
vipio, Grus 93	135	204
		Western Bronze-
virgata, Ciccaba 167		
virgata, Strix 167	14/	naped Pigeon 99
virgatus, Accipiter27,	W	Western Corella 117
31	waalia, Treron 104	Western Crowned-
virginianus, Bubo. 150		pigeon 101
virginianus, Colinus 85	wagleri, Aratinga . 115	Western Crowned-
	wagneri, Amazilia 171	
virgo, Anthropoides 93		Pigeon 101
virgo, Grus 93	wahlbergi, Aquila 35	Western Grey
Viridian Metaltail 188	wahnesi, Parotia 226	Plaintain-eater 140
	waldeni, Aceros 197	
viridicata, Pyrrhura		Western Grey
137	Waldrapp10	Plantain-eater 140
viridicauda Amazilia	wallacei, Eulipoa 82	Western Horned-
viridicauda, Amazilia	wallacei, Megapodius	
171		Pheasant89
viridifacies, Erythrura	82	Western Marsh-
209	wallacii, Semioptera	Harrier44
	227	
viridifrons, Amazilia		Western Parotia 226
171	wallichii, Catreus 85	Western Red-footed
viridigaster, Amazilia	wallicus, Pezoporus	Falcon78
	127	
171	waterstradti,	Western Rosella 129
viridigenalis, Amazona	•	Western Rufous
110	Prioniturus 131	Bristlebird 204
	watertonii, Thalurania	
viridigula,	194	Western Screech-Owl
Anthracothorax . 172		159
viridipallens,	watsonii, Otus 163	Western Scrubird . 202
	Wattle-billed Bird-of-	
Lampornis 185	paradise 224	Western Tragopan89
viridis,		Western Turtle-Dove
Anthracothorax . 172	Wattled Crane 91	103
	Wattled Curassow 82	Whala banda LC: 1 3
viridis, Pteroglossus	weddellii, Aratinga 115	Whale-headed Stork.7
200		Whiskered Lorikeet
viripallens, Lampornis	Wedge-billed	127
	Hummingbird 173	
185	Wedge-tailed Eagle 32	Whiskered Pitta 202
Visayan Hornbill 199		Whiskered Screech-
Visayan Wrinkled	Wedge-tailed Hillstar	Owl163
thems bill 107	188	
Hornbill 197	Wedge-tailed	Whistling Eagle 53
Vitelline Masked-		Whistling Hawk53
Weaver 220	Sabrewing 174	
	wellsi, Leptotila 102	Whistling Kite53
vitellinus, Ploceus 220		White Cockatoo 116
vitellinus, Ramphastos	West African Crowned	White Eared-pheasant
200	Crane90	
	West African	85
vittata, Amazona . 110	Seedeater 208	White Eared-Pheasant
Viuda colicinta 221		85
Viuda del paraiso	West African Streaky-	White Goshawk29
oriental 221	headed Seedeater	
Griental ZZI		White Hawk57

White-backed Vulture White-chested Uniture White-chested	White Spoonbill 10	Weaver 213	107 White-fronted Scops-
White-bearded Hermit			
White-bearded Hermit White-bellied Bustard White-bellied Bustard White-bellied Caique 127 White-bellied Caique White-chinned Owl163 White-headed Eagle52 White-headed Hornbill White-headed Hornbill White-bellied Earle Sapphire 184 White-headed Sea Eagle 52 White-bellied Eagle 52 White-bellied Eagle 52 White-crested Gana 83 White-headed Sea Eagle 52 White-bellied Green-pigeon 104 White-crested Hornbill Goshawk 27 196 White-headed Starling Carping Mite-bellied Green-pigeon 104 White-crested Hornbill Goshawk 27 196 White-headed Starling Carping Mite-bellied Green-pigeon 104 White-crested Turaco Mite-crested Hornbill Goshawk 27 196 White-headed Starling Carping Mite-headed Starling Mite-bellied Green-pigeon 104 White-crested Turaco Mite-crested Hornbill Goshawk 27 196 White-headed Starling Carping Mite-headed Starling Mite-headed Starling Mite-crested Hornbill Green Mite-crested Hornbill Green Mite-crested Hornbill Green Mite-crested Hornbill Mite-crested Mite-crested Hornbill Mite-crested Mite-crested Hornbill Green Mite-crested Green Mite-crested Hornbill Green Mite-crested Mite-crested Mite-greed Boonad Mite-faced Mite-greed Conure Mite-faced Mite-greed Conure Mite-faced Mite-greed Face Mite-green			
White-bellied Bustard			
White-bellied Bustard			
White-bellied Carque	White-hellied Bustard		
White-bellied Caique White-chinned 196 White-bellied Emerald White-collared Kite. 57 Eagle 53 White-bellied Fish-Eagle 52 White-crested Guan 83 White-headed Starling White-headed Starling 222 White-bellied Green-pigeon 104 White-bellied Green-pigeon White-crested Turaco 205 White-bellied Hummingbird 169 White-crowned White-naped Crane 93 White-bellied Wondtain-gem 186 White-naped Lory, 124 White-bellied Sea-Eagle 52 White-crowned Parrot White-naped Lory, 124 White-bellied Sea-Eagle 52 White-eared Conure 135 White-bellied Sea-Eagle 52 White-eared Parakeet 135 White-bellied Woodstar 168 White-eyed Buzzard36 White-necked Amazon White-billed Buffalo White-eyed Rakeet 135 Weaver 216 White-eyed Rakeet 14 White-breasted Multe-billed Sicklebill White-eyed Rakeet Weaver 216 White-eyed Rakeet White-necked Weaver			
Mite-bellied Emerald	White-hellied Caique		
White-bellied Emerald White-crested White-crested Sagle 53 White-bellied Fish- Eagle 52 White-crested Guan 83 White-headed Starling White-headed Starling White-headed Starling White-headed Starling White-headed Starling White-headed Starling White-headed Vulture White-headed Vulture White-headed Vulture White-headed Vulture White-headed Vulture White-headed Vulture White-headed Starling White-headed Vulture White-necked Conure White-headed Conure White-headed Conure White-headed Conure White-necked Conure White-heeded Conure White-heeded Conure			White-headed Sea
White-bellied Fish-Eagle	White-bellied Emerald		Eagle53
White-bellied Fish-Eagle		White-crested	
White-bellied White-crested Guan 83 White-bellied Green Goshawk 27 White-bellied Green Goshawk 141 White-bellied Green Mite-bellied White-crested Turaco 141 White-bellied White-bellied White-crowned White-naped Crane 93 White-bellied White-bellied	White-bellied Fish-		
White-bellied Goshawk 27 White-crested Hornbill White-bellied Green- pigeon 196 whiteheadi, Stachyris White-naped Crane 205 White-bellied Hummingbird 169 White-crowned Parrot White-bellied Korhaan White-crowned Parrot White-bellied Korhaan White-crowned Parrot White-bellied White-eared Conure Mountain-gem 185 White-naped Crane 23 White-naped Crane 23 <td></td> <td>White-crested Guan 83</td> <td></td>		White-crested Guan 83	
White-bellied Green-pigeon 104 White-crested Turaco 205 White-naped Crane 93 White-naped Lory. 124 White-naped Lory. 124 White-naped Lory. 124 White-naped Lory. 124 White-naped Weaver 218 White-naped Weaver 218 White-naped Lory. 124 White-naped Weaver 218 White-naped Lory. 124 White-nacked Low. White-nacked Low. Mhite-nacked Low. Mite-nacked Low. Mite-nacked Low. Mite-nacked Low. Mite-nacked Low. White-nacked Low. Mithite-nacked Low. White-nacked	White-bellied		67
Digeon 104	Goshawk 27		whiteheadi, Stachyris
White-bellied Hummingbird White-crowned Hornbill White-naped Lory. 124 White-naped Weaver White-bellied Korhaan White-crowned Parrot 218 White-bellied Mountain-gem 185 White-eared Conure 135 White-bellied Parrot White-eared Parakeet White-necked Conure White-bellied Sea-Eagle 52 Mhite-eared Parakeet White-necked Jacobin Eagle 52 Mhite-eyed Buzzard36 White-necked Jacobin Woodstar 168 White-eyed Conure White-necked Parakeet White-billed Buffalo White-eyed Kestrel 76 White-necked Weaver 216 White-eyed Restrel 76 White-necked White-billed Sicklebill White-eyed River- 14 White-necked White-breasted White-eyed River- 95 White-necked White-breasted Hawk White-eyed River- 95 White-necked Wartin 203 White-necked 96 White-breasted White-eyed River- 95 White-necked White-breasted White-faced Amazon White-faced Scops- 95 </td <td>White-bellied Green-</td> <td></td> <td></td>	White-bellied Green-		
Hummingbird 169	pigeon 104		
White-bellied Korhaan 96 128 White-necked Conure 135 White-bellied Mountain-gem 185 White-bellied Parrot White-eared 136 White-necked Crane 135 White-bellied Sea-Eagle 52 White-eared Parakeet 93 White-necked Hawk 57 White-necked Jacobin 181 White-necked 181 White-necked Jacobin 181 White-necked			
White-bellied White-eared Conure 136 White-necked Conure 135 Mountain-gem 185 White-eared Conure	Hummingbird 169		
White-bellied Mountain-gem . 185 White-bellied Parrot . 127White-eared Conure . White-bellied Parrot . 127White-eared . 136 . White-bellied Sea- Eagle			
Mountain-gem . 185 White-bellied Parrot	96		
White-bellied Parrot 127 White-eared .93 White-bellied Sea-Eagle White-eared Parakeet White-necked Jacobin .181 White-bellied White-eared Buzzard36 White-necked .181 White-bellied Woodstar 168 White-eyed Buzzard36 White-necked White-billed Buffalo White-eyed Conure Parakeet .135 White-billed Buffalo White-eyed Kestrel 76 White-necked Weaver 216 White-eyed Parakeet White-necked Weaver 216 White-eyed Restrel 76 White-necked White-billed Sicklebill White-eyed Parakeet White-necked White-billed Sicklebill White-eyed River White-necklaced White-breasted Martin 203 White-necklaced White-breasted Hawk Martin 203 White-quilled Bustard Negrofinch 213 White-faced Amazon Mhite-rumped Falcon White-breasted White-faced Scops- White-faced Scops- Parakeet 135 White-faced Tree- White-rumped Hawk			
White-bellied Sea- Eagle			
White-bellied Sea- Eagle			
Eagle 52 136 White-bellied White-bellied White-eyed Buzzard36 White-necked Parakeet 135 White-billed Buffalo White-eyed Kestrel 76 White-necked Parakeet 135 White-billed Buffalo White-eyed Kestrel 76 White-necked Picathartes 205 White-billed Sicklebill White-eyed Parakeet White-necked Rockfowl 205 White-breasted White-eyed River- White-necklaced Partridge 84 White-breasted Hawk Martin 203 White-quilled Bustard 95 White-breasted Mhite-faced Amazon White-rumped Falcon 81 White-breasted White-faced Owl 163 Falconet 81 White-breasted White-faced Scops- White-rumped White-rumped Hawk Silvereye 206 White-faced Tree- White-rumped Kestrel Silvereye 206 White-faced White-rumped Seedeater 208 White-browed White-faced White-rumped Seedeater 208 White-browed Hawk57			
White-bellied Woodstar			
Woodstar 168 White-billed Buffalo Weaver 216 White-billed Buffalo White-eyed Parakeet Weaver 216 White-billed Sicklebill White-eyed River- White-breasted Guineafowl 84 White-breasted Hawk Martin 203 White-breasted Merrin Negrofinch 213 White-faced Amazon White-breasted White-breasted White-faced Scops- Parakeet 135 White-breasted White-faced Tree- Silvereye 206 White-browed Boobook 156 White-browed Hawk57 White-browed Hermit Mite-browed Owl 156 White-browed Owl 156 White-browed Owl 156 White-browed Owl 156 White-capped Parrot Mite-capped Parrot Mite-capped Parrot White-fronted Grosbeak 215 White-sided Hillstar White-sided Hillstar White-sided Hillstar White-sided Hillstar			
White-billed Buffalo Weaver			
Weaver216White-eyed Kestrel 76Picathartes205White-billed Buffalo- Weaver216White-eyed Parakeet White-billed Sicklebill 224White-eyed River- White-breasted GuineafowlWhite-eyed River- MartinWhite-eyed River- Partridge84White-breasted Hawk NegrofinchMartin203 White-faced AmazonWhite-rumped Falcon Suhite-breastedWhite-faced Owl163 White-faced Owl163 White-rumpedWhite-breasted Silvereye206 White-breasted White- eye206 		114	White-necked
White-billed Buffalo- Weaver		White-eyed Kestrel 76	Picathartes 205
Weaver 216		White-eyed Parakeet	
White-breasted Guineafowl 84 White-eyed River- White-breasted Hawk Martin 203 White-rumped Falcon 25 White-faced Amazon 81 White-breasted White-breasted White-faced Scops- Parakeet 135 Owl 160 White-rumped Hawk 39 White-breasted White-breasted White-faced Tree- Silvereye 206 Duck 20 White-breasted White-eye River- White-browed Silvereye 206 Duck 20 White-browed Boobook 156 White-faced White-faced White-faced White-browed Hawk57 White-browed Hawk57 White-browed Hermit 107 White-browed Owl 156 Falconet 80 White-capped Parrot White-fronted Grosbeak 215 White-sided Hillstar 188	Weaver 216	114	
White-breasted Guineafowl 84 White-eyed River- White-breasted Hawk Martin 203 White-rumped Falcon		White-eyed Pochard17	
Guineafowl			
White-breasted Hawk			
White-breasted			
White-breasted Negrofinch			
Negrofinch 213 White-faced Owl 163 Falconet 81 White-breasted White-faced Scops- Parakeet 135 Owl 160 White-breasted Silvereye 206 Duck 20 White-breasted White-eye 206 Duck 20 White-browed Boobook 156 White-faced Mistling-Duck 20 White-browed Hawk57 White-fronted Amazon White-rumped Vulture 190 White-browed Owl 156 Falconet 80 White-capped Parrot White-fronted Grosbeak 215 White-sided Hillstar 188			
White-breasted Parakeet			
Parakeet	Negrofinch 213		
White-breasted Silvereye			
Silvereye			
White-breasted White-eye	***************************************		
eye	•		
White-browed Boobook			
Boobook			
White-browed Hawk57 White-browed Hermit			
White-browed Owl 156 Falconet80 Eagle31 White-capped Parrot White-fronted White-sided Hillstar128 Grosbeak215			White-rumped Vulture
		107	50
White-browed Owl 156Falconet			
White-cheeked Olive White-fronted Parrot White-tailed Black-	White-capped Parrot		
White-cheeked Olive White-fronted Parrot White-tailed Black-	128		
	White-cheeked Olive	White-fronted Parrot	wnite-tailed Black-

cockatoo 117	Chondrohierax 42	Yellow-and-green
White-tailed Black-	Wine-throated	Lorikeet 138
Cockatoo 117	Hummingbird 172	Yellow-backed Lory
White-tailed Eagle . 51	Winking Owl 155	125
White-tailed Emerald	Wire-crested Thorntail	Yellow-backed Weaver
179	192	219
White-tailed	Witoogaratinga 114	Yellow-backed
Goldenthroat 191	woodfordii, Ciccaba	Whydah217
White-tailed Hawk . 37	167	Yellow-bellied Green-
White-tailed Hillstar	woodfordii, Strix 167	Pigeon 104
195	woodhousei,	Yellow-bibbed Lory
White-tailed	<i>Parmoptila</i> 214	124
Hummingbird 181	Wreathed Hornbill196,	Yellow-billed Amazon
White-tailed Kite 48	197	108
White-tailed	Wrinkled Hornbill . 196	Yellow-billed Cardinal
Sabrewing 174	Writhe-billed Hornbill	207
White-tailed	196	Yellow-billed Kite 60
Starfrontlet 177	Writhed Hornbill 196	Yellow-billed Lorikeet
White-tailed Wattled	Writhed-billed Hornbill	126
Pheasant 86	197	Yellow-billed Parrot
White-throated		108
Caracara 80 White-throated Hawk	X	Yellow-billed Tragopan89
37		Yellow-billed Turaco
White-throated	xanthogonys,	141
Hummingbird 186	<i>Heliodoxa</i> 183	Yellow-breasted Bird-
White-throated	xantholaemus, Icterus	of-paradise 224
Mountain-gem 185	208	Yellow-breasted
White-throated	xantholora, Amazona	Racquet-tail 131
Screech-Owl 157	110	Yellow-capped Pygmy-
White-tipped Sicklebill	xanthops, Amazona	Parrot 125
181		Yellow-capped Weaver
White-tufted Sunbeam	xanthops, Forpus. 122	220
168	xanthopterygius, Forpus122	Yellow-chevroned
White-vented	xantusii, Basilinna 184	Parakeet 115
Plumeleteer 175	xantusii, Hylocharis	Yellow-collared
White-vented Violet-	184	Lovebird 106
ear 178	Xenoglaux168	Yellow-collared Macaw
White-whiskered	Xipholena 201	111
Hermit 191		Yellow-crested
White-winged Cotinga		Cockatoo 117
201 White-winged Duck 19	Y	Yellow-crowned Amazon 109
White-winged Guan 83	V===	Yellow-crowned
White-winged Wood	Yaco	Bishop216
Duck 19	Yacutinga cariazul84	Yellow-crowned
whitneyi, Micrathene	Yacutingā frentinegra 84	Parakeet119
154	Yagouaso cariblanco	Yellow-crowned Parrot
Whooping Crane 90	20	109
Wigeon16	Yaguaso colorado20	Yellow-eared Conure
wilhelminae,	yarrellii, Carduelis 208	127
Charmosyna 119	yarrellii, Eulidia 180	Yellow-eared Parrot
williami, Metallura 188	yarrellii, Spinus 208	127
wilsoni, Coeligena 177	yaruqui, Phaethornis	Yellow-faced Amazon
wilsoni, Hypochera222	191	110
wilsoni, Vidua 222	Yellow Cardinal 207	Yellow-faced Parrot
wilsonii,	Yellow Rosella 129	110, 122

Yellow-faced Parrotlet122 Yellow-faced Siskin		Zamarrito pechidorado 180 Zamarrito pechinegro
208	Yellow-throated	180
Yellow-fronted	Caracara 68	Zamarrito verdoso 181
Amazon 109	Yellow-throated	Zambullidor de Atitlán
Yellow-fronted Canary	Hanging-parrot . 124	716- del Abblés 2
209	Yellow-throated Hanging-Parrot . 124	Zampullín del Atitlán 2 Zarapito boreal 98
Yellow-fronted Kakariki 119	Yellow-throated	Zarapito esquimal 98
Yellow-fronted	Laughingthrush . 204	Zarapito fino98
Parakeet 119	Yellow-winged Pytilia	Zarapito polar98
Yellow-fronted Parrot	214	Zebra Waxhill 209
129	Youyou130	zeylanicus,
Yellow-headed	Yucatan Parrot 110	Pycnonotus 203
Amazon 109	yucatanensis, Amazilia	zeylonensis, Bubo 154
Yellow-headed	171 Yungas Pygmy-Owl	zeylonensis, Ketupa 154
Caracara 80 Yellow-headed	150	Zimbador
Parakeet 114	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	centroamericano 172
Yellow-headed Parrot		Zimbador mexicano
109	Z	172
Yellow-headed	Zafiro barbiazul 175	zonarius, Barnardius
Rockfowl 205	Zafiro bronceado . 184	zonarius, Platycercus
Yellowish-breasted	Zafiro cabeciazul 184	129
Racquet-tail 131 Yellow-knobbed	Zafiro cabecimorado	Zone-tailed Hawk37
Curassow 82		zoniventris, Falco 78
Yellow-legged Owlet	Zafiro capirotado . 194	Zoothera206
153	Zafiro colidorado 176 Zafiro colilargo 194	Zopilote rey23
Yellow-lored Amazon	Zafiro comargo 194	ZOSTEROPIDAE. 206
	Zafiro coroniverde 194	Zosterops206
Yellow-lored Parrot	Zafiro de Elicia 184	Zostérops à gorge blanche de l'île de
Yellow-mantled	Zafiro gargantirrufo	Norfolk206
Weaver 220	184	Zostérops à poitrine
Yellow-mantled	Zafiro golondrina . 194	blanche 206
Whydah 217	Zafiro gorgiblanco 184 Zafiro gorgirrojo 184	Zosterops de l'île de
Yellow-mantled	Zafiro gorjiazul 184	Norfolk
Widowbird 217	Zafiro Mexicano 194	Zostérops oriental 206 Zumbador172, 176,
Yellow-naped Amazon	Zamarrito canoso. 181	193
107 Yellow-naped Parrot	Zamarrito colilargo	Zumbador coliancho
107	179	193
Yellow-shouldered	Zamarrito 170	Zumbador de Allen
Amazon 107	gorjiturquesa 179 Zamarrito luciente 180	193
Yellow-shouldered	Zamarrito muslinegro	Zumbador grande 172
Parrot 107 Yellow-shouldered	179	Zumbador rufo 193 Zumbadorcito 187
Widowbird 217	Zamarrito pechib!anco	Zumbadoreito 107
Yellow-streaked Lory	179	

